

NEWS FROM DELAWARE'S OFFICE OF ENVIRONMENTAL PROTECTION, 12/18/12

The biweekly E-News Update features current information on the Divisions of Air Quality, Waste and Hazardous Substances, and Water public meetings, workshops, hearings, and regulatory documents available for public comment, as well as news updates. For those of you who are receiving the E-News Update for the first time, the subscription is FREE! Please sign up at the following link under the Divisions of Air Quality and Waste and Hazardous Substances:

<http://www.dnrec.delaware.gov/Pages/DNRECLists.aspx>.

There is no form to fill out; it's done in three clicks! Suggestions? Additions? Please call Tracy Sargent at 302-739-9400, or send an email to tracy.sargent@state.de.us.

Published by DNREC Divisions of Air Quality, Waste and Hazardous Substances, and Water. Visit us at: www.awm.delaware.gov.

NEWS UPDATES

DNREC ISSUES PENALTY ORDER TO DUPONT'S EDGE MOOR PLANT FOR AIR POLLUTION VIOLATIONS

DNREC Secretary Collin O'Mara has issued a Notice of Administrative Penalty Assessment and Secretary's Order to DuPont's Edge Moor plant for violations of air quality regulations and the plant's permit. The order includes a cash penalty of \$7,000 and an additional \$1,050 as cost recovery reimbursement to DNREC for expenses associated with the department's investigation. On August 17, 2011, DuPont's Edge Moor plant experienced opacity from the RX-1 stack that was greater than 20 percent for more than 3 minutes – a violation of the air quality regulation and the plant's permit. It was ultimately determined that holes in the filter assembly (Venturis and bag filters) were caused by abnormal pulser/blow piping air flow direction. The Edge Moor plant has since added the changing out of the piping/bag filter to its preventive maintenance plan, as well as an adjusted receipt of electronic notifications of scheduled maintenance, to prevent similar issues in the future. DuPont's Edge Moor plant has 30 days to request a public hearing. For additional information, please contact Michael Globetti at (302) 739-9902 or visit: <http://www.dnrec.delaware.gov/News/Pages/DNREC-issues-penalty-order-to-DuPont-Edge-Moor-plant-for-air-pollution-violations.aspx>

DNREC ISSUES PENALTY TO DUPONT PERFORMANCE POLYMERS KALREZ-TRALEE PARK FOR HAZARDOUS WASTE VIOLATIONS

DNREC Secretary Collin O'Mara has issued a Notice of Administrative Penalty and Secretary's Order to DuPont Performance Polymers Kalrez-Tralee Park for violations of Delaware's laws and regulations governing hazardous waste management. DuPont operates a synthetic rubber mechanical seal manufacturing facility at 5 Tralee Park Marrows Road in Newark. DNREC conducted a compliance assessment on September 19, 2011 and identified 27 violations of Delaware's Regulations Governing Hazardous Waste. The violations include failing to properly label and close containers of hazardous waste, universal waste, and used oil. Among other violations were: failing to transfer contents of a leaking container to a container in good condition; failing to maintain manifests demonstrating proper disposal of hazardous waste; failing to conduct weekly inspections, failing to maintain an adequate contingency plan; and operating a hazardous waste storage facility without a permit. Based on the September 19, 2011 assessment, a Notice of Administrative Penalty and Secretary's Order has been issued to DuPont Performance Polymers Kalrez-Tralee Park. The order includes a penalty of \$7,810 and \$1,172 in cost recovery for DNREC's investigation. DuPont has 30 days to appeal the order. For additional information, please contact Michael Globetti at (302) 739-9902 or visit: <http://www.dnrec.delaware.gov/News/Pages/DNREC-issues-penalty-to-DuPont-Performance-Polymers-for-hazardous-waste-violations.aspx>

UPCOMING AIR, WASTE, & WATER-RELATED HEARINGS, MEETINGS, & EVENTS

DE CITY REFINING COMPANY AIR PERMITTING APPLICATION PUBLIC HEARING –The Division of Air Quality (DAQ) will conduct a public hearing on an air permit application submitted by Delaware City Refining Company (DCRC) to restart the Unit 33 Ether Plant Cooling Tower which has been out of service

since 2002, at the Delaware City Refinery. The application states this cooling tower manufactured by GEA Thermal Dynamic Inc. (Model No. TD-3636-3-3040 CXSF) has a design water circulation rate of 30,000 gallons per minute and will result in annual air emissions increases of 5.5 tons of volatile organic compounds and 1.7 tons of particulate matter. The public hearing on the air quality application will be held on December 19, 2012, beginning at 6:00 p.m. at the Delaware City Library, Corporate Room, 250 5th Street, Delaware City. For additional information, please contact Ravi Rangan at (302) 323-4542 or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=1671&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeId=0x010034FD6D348B0CF04392485E93FC15AB3A>

REVISE THE SIP TO ADDRESS THE IMPLEMENTATION, MAINTENANCE AND ENFORCEMENT OF THE 2010 NO2 NAAQS

– A meeting to revise the SIP to address the implementation, maintenance and enforcement of the 2010 NO2 NAAQS will be held on January 3, 2013 beginning at 6:00pm at the DNREC R&R Building, 89 Kings Highway, Dover 19901. For additional information, please contact Ron Amirikian at (302) 739-9402 or visit: <http://egov.delaware.gov/pmc/Event/Details/19804>

DOCUMENTS AVAILABLE FOR PUBLIC COMMENT OR APPEAL

AIR QUALITY PERMITTING PROGRAM – Notice has been given that the facilities listed below have submitted applications for air quality management permits. The applications, the “draft/proposed” permits, all materials that the applicant has submitted (other than those granted confidential treatment under DNREC rules), and a copy of summary of other materials, if any, considered in preparing the “draft/proposed” permit, may be inspected at the offices of the Division of Air Quality, 655 S. Bay Road, Dover and 715 Grantham Lane, New Castle. All comments and public hearing requests should be mailed to the following address: DIVISION OF AIR QUALITY, 655 S. Bay Road, Suite 5 N, Dover, DE 19901. To submit comments, for additional information, or for an appointment to inspect the application, please contact Laura Bogus at (302) 739-9402.

TITLE V SYNTHETIC MINOR PERMIT APPLICATIONS - Notice is hereby given that

Eastern Shore Natural Gas Company has submitted an application, pursuant to 7 DE Admin. Code 1102, Section 2.1, 11.2.9, and 12.3 to install formaldehyde (CH₂O) Non Selective Catalytic Reduction (NSCR) catalysts on two (2) compressor engines at 17035 Black Cherry Drive, Bridgeville, Delaware. Eastern Shore Natural Gas Company, requests a formaldehyde (CH₂O) limit of 2.7 ppmvd or a reduction of 76% or greater. These limits are necessary to comply with 40 CFR Part 63 Subpart ZZZZ, National Emissions Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines, and the limit will be enforceable by the EPA and the state. Total estimated CH₂O emissions from the two (2) engines after the NSCR catalyst controls are 0.2 TPY. A public hearing on the above application will not be held unless the Secretary of DNREC receives a request for a hearing by December 18, 2012. For additional information, please visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=1669&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeId=0x010034FD6D348B0CF04392485E93FC15AB3A>

Bracebridge Corporation has submitted an application, pursuant to 7 DE Admin. Code 1102, Section 2.1, 11.2.9, and 12.3 to modify their existing permit to add two natural gas fired emergency generators (350 kW each) and three natural gas fired boilers (3 MMBtu/hr each) and to replace three natural gas fired water heaters with three new water heaters (two- 1 MMBtu/hr and one- 0.5 MMBtu/hr) at 1100 North King Street, Wilmington. Bracebridge Corporation requests a limit

for nitrogen oxide emissions. These limits are necessary to restrict Bracebridge Corporation's potential to emit air pollutants, and the limits will be enforceable by the EPA and the state. Total estimated emissions from the facility are 21.9 tpy of NOX, 11.67 tpy of CO, 1.30 tpy of SO2, 1.13 tpy of PM10, and 1.13 tpy of VOCs. A public hearing concerning the permitting action will not be held unless the Secretary of DNREC receives a request for a hearing by December 18, 2012.

For additional information, please visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=1668&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeId=0x010034FD6D348B0CF04392485E93FC15AB3A>

ICM of Delaware, Inc. having facilities at 3700 Bay Road, Dover and County Road 323, Georgetown has submitted an application, pursuant to 7 DE Admin. Code 1102, Section 2.1, 11.2.9, and 12.3 to amend permit limits for a RAP Crusher and Screener Units. The emissions at each site from the crusher unit shall not exceed by 1.38 TPY NOx, 0.09 TPY SO2, 0.3 TPY CO, 0.11 TPY THC and 0.5 TPY PM and from screener unit shall not exceed by 1.03 TPY NOx, 0.07 TPY SO2, 0.22 TPY CO, 0.09 TPY THC, and 1.86 TPY PM. These limits are necessary to restrict ICM of Delaware's potential to emit air pollutants and the limit will be enforceable by the EPA and the state. A public hearing concerning the permitting action will not be held unless the Secretary of DNREC receives a request for a hearing by January 15, 2013. For additional information, please visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=1699&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeId=0x010034FD6D348B0CF04392485E93FC15AB3A>

River Asphalt, LLC, has submitted an application, pursuant to 7 DE Admin. Code 1102, Section 2.1, 11.2.9, and 12.3 to install a 300 ton per hour drum mixer for its asphalt plant located at 30548 Thorogoods Road, Dagsboro. River Asphalt, LLC, requests that its current asphalt plant emissions limits under Permit: APC-2006/0134 be maintained. These limits are necessary to remain a synthetic minor source under 7 DE Admin. Code 1102 and the limit will be enforceable by the EPA and the State. Total estimated emissions from the new drum mixer will increase by 1.6 TPY VOCS and 1.2 TPY CO. A public hearing concerning the permitting action will not be held unless the Secretary of DNREC receives a request for a hearing by January 15, 2013. For additional information, please visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=1699&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeId=0x010034FD6D348B0CF04392485E93FC15AB3A>

FEDERALLY ENFORCEABLE 7 DE ADMIN. CODE 1102 APPLICATIONS - Notice is hereby given that the University of Delaware, having a facility at 222 South Chapel Street, Newark has requested a federally enforceable 7 DE Admin. Code 1102 permit for a natural gas emergency generator. The engine used in this generator set shall comply with US EPA regulations under the provision of 40 CFR Part 1048 and Subpart JJJJ of 40 CFR part 60, Non Road Tier emission limits. This permit will limit NOx emissions to 0.01 ton per year. The Department will incorporate the operating conditions and limits of the 7 DE Admin. Code 1102 permit into the facility's existing Title V permit AQM-003/00022(Renewal 2) via an Administrative Amendment. A public hearing on the above application will NOT be held unless the Secretary of DNREC receives a request for a hearing by January 8, 2013. For additional information, please visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=1691&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

REQUEST FOR MODIFICATIONS TO HAZARDOUS WASTE STORAGE PERMIT – The Solid and Hazardous Waste Management Section (SHWMS) has received a request from DuPont to modify the hazardous waste storage permit (HW04A22) issued to the DuPont Experimental Station located at the intersection of Route 141 and Henry Clay Road in Wilmington. These permit modifications are requested to:

- (1) Allow the Experimental Station hazardous waste storage facility to continue to manage hazardous waste, currently generated at the Experimental Station by the DuPont Performance Coatings (DPC) business, after ownership of DPC is transferred to its successor.
- (2) Incorporate container storage of the Experimental Station Thermal Waste Treatment process residues (ash and dust) into the permit. Currently, the process residues are managed as “in-process materials” not included in the scope of the permit. The existing in-process storage areas will be re-designated as permitted storage areas D, E, and F. The existing storage area prior to shipment off-site will be re-designated as Pad G. The requested modifications do not change the type or amount of waste currently being managed at the Experimental Station. As such, the requested modifications are categorized as Class 2 modifications in accordance with Delaware’s Regulations Governing Hazardous Waste (DRGHW), Section 122.42(b).

DuPont will hold a public meeting on this application on January 10, 2013 at 6:00 PM at the DuPont Country Club, Blackgates Room, on Rockland Road, Wilmington as required by DRGHW, Section 122.42. The purpose of the public meeting is to provide information and discuss issues related to the application. The applicant’s contact person is Ms. Susan K. Sandbothe, DuPont Experimental Station - Rt. 141 Wilmington 19880-0249 (302) 695-1150 Email – Susan.K.Sandbothe@usa.dupont.com The DNREC contact person is Ms. Melissa Ferree 89 Kings Highway Dover 19901 (302) 739-9403 Email – melissa.ferree@state.de.us Written comments on this application must be submitted by February 11, 2013 to the DNREC contact person listed above. A public hearing on the above proposed modification will NOT be held unless the Secretary of DNREC receives a request for a hearing by February 11, 2013. For additional information, please contact Melissa Ferree at (302) 739-9403 or visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=1697&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

TRANSPORTER PERMITS PENDING – The Solid and Hazardous Waste Management Section (SHWMS) hereby gives notice that a permit application has been received from the following companies to transport regulated RCRA hazardous and/or non-hazardous solid wastes in, out of, or through the State of Delaware:

KBS, Inc.; Kent-Sussex Industries, Inc.; Page E.T.C., Inc.; Veolia Water Operating Services of Wilmington, Inc.

A public hearing concerning the above applications will NOT be held unless the Secretary of DNREC receives a request for a hearing by December 20, 2012. For additional information, please contact Kenneth Green at (302) 739-9403 or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=1693&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

SITE INVESTIGATION AND RESTORATION SECTION – The Division’s Site Investigation and Restoration Section (SIRS) is responsible for the identification, evaluation and remediation of sites in Delaware that have had past releases of hazardous substances. The Section manages the contaminated sites under three major programs in accordance with the Hazardous Substance Cleanup Act (HSCA). The three programs are the Brownfields Development Program, the Voluntary Cleanup Program (VCP) and the HSCA Enforcement Program (for sites requiring enforcement action). The Brownfields Development Program encourages the cleanup and redevelopment of vacant, abandoned or underutilized properties, which may be contaminated. A party seeking to develop such a property negotiates with SIRS for a Brownfields Development Agreement (BDA) to perform an investigation and, if necessary, a remedial action or remedy, for the purpose of addressing the risks posed by past releases of hazardous substances at these sites. However, a BDA is only available to parties that are not current site owners. The Voluntary Cleanup Program (VCP) Agreement is available to site owners, who want to clean up their sites and are already liable as a potentially responsible party for the site. For site-specific information on the following sites, please see SIRS’s superfund site files database at: <http://docs.dnrec.delaware.gov/sirbsitefiles.cfm>. Proposed and final plans of remedial action are available online at: <http://www.dnrec.delaware.gov/whs/awm/SIRB/Pages/SIRBPlans.aspx> under “Announcements.”

NOTIFICATION OF PUBLIC COMMENT PERIOD FOR BROWNFIELDS VOLUNTARY CLEANUP PROGRAM AGREEMENT FOR THE FORMER DEFIANCE ATHLETIC CLUB SITE (DE-1503)

– The Site Investigation and Restoration Section (SIRS) negotiated a Brownfields Voluntary Cleanup Program (VCP) Agreement with Wilmington Housing Partnership regarding the Former Defiance Athletic Club Site (Site) located at 1007 Coleman Street in Wilmington. Identified by New Castle County as tax parcel number 26-049.10-080, the 0.16 acre Site may have had a release of hazardous substances as a result of past use as an air conditioner repair shop that had a gasoline fuel pump to fuel vehicles. The public comment period begins on December 5, 2012 and will close on December 26, 2012. For additional information, please contact Todd Keyser at (302) 395-2600 or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=1688&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTIFICATION OF A PUBLIC COMMENT PERIOD FOR A BROWNFIELDS DEVELOPMENT AGREEMENT FOR THE FORMER WINGS TO GO SITE (DE-1513)

– The Site Investigation and Restoration Section (SIRS) negotiated a Brownfields Development Agreement (BDA) with the Ministry of Caring, Inc. regarding the Former Wings to Go Site (Site), located at 1804 West 6th Street and 525 North Scott Street in Wilmington. Identified by New Castle County as tax parcel numbers 26-026.20-253 and 26-026.20-283, the 0.21 acre Site may have had a release of hazardous substances from past industrial use including use storing an unregulated underground storage tank at the Site. The public comment period begins on December 10, 2012 and will close on January 2, 2013. For additional information, please contact Morgan Price at (302) 395-2600 or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=1692&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

PROPOSED PLAN OF REMEDIAL ACTION FOR THE FORMER DELMARVA RURAL MINISTRIES SITE (DE-1523)

– The Site Investigation and Restoration Section (SIRS) invites public comment on a proposal to clean up the Former Delmarva Rural Ministries site in Dover. The 0.5 acre Site is located at 26 Wyoming Avenue, Dover. Future development of the Site is as a parking lot. The comment period ends on January 2, 2013. For additional information, please contact Wendy March or Robert Newsome at (302)395-2600 or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=1696&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTIFICATION OF NEGOTIATIONS FOR A BROWNFIELDS DEVELOPMENT AGREEMENT FOR THE CONAWAY MILLER SITE (DE-1533)

– The Site Investigation and Restoration Section (SIRS) is negotiating a Brownfields Development Agreement (BDA) with Residences at River Place, LLC regarding the Conaway Miller Site, located on Water and South Front Streets in Seaford. Identified by Sussex County as tax parcel numbers 431-00500-00-31401/31500-700/31900 and 42600, the 2.45 acre Site may have had a release of hazardous substances from past use as an auto repair station and gas station. For additional information, please contact Wilmer Reyes at (302) 395-2600 or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=1701&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAIItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

AGRICULTURAL UTILIZATION PERMIT AMENDMENTS – SYNAGRO CENTRAL, LLC.

- Request for Amendment - State Permit Number AGU 1101-S-03 issued to Synagro Central, LLC.: Synagro Central, LLC. has requested an amendment of their existing agricultural utilization permit, State Permit Number AGU 1101-S-03 to include sludge from the Georgetown Wastewater Treatment Plant. The current permit authorizes Synagro Central, LLC. to land apply biosolids stabilized by Vlastic Foods, Inc. (Division of Pinnacle Foods, Corporation) onto approved farmland owned by Baxter Farms, Inc. The land application sites known as fields 5 and 7 are located approximately 2.5 miles south east of Georgetown, Delaware and total approximately 310 acres. The biosolids will be delivered to the site in accordance with Delaware Waste Transporters Permit No. OH 254 where they will be land applied at agronomic rates. The biosolids are required to undergo periodic analysis for a list of specific parameters including nutrient content and metals. The Department's Guidance and Regulations Governing the Land Treatment of Wastes, Part III, B., Regulations Governing the Land Treatment of Sludges and Sludge Products allows for such activity pending public notice. A public hearing on the above application will NOT be held unless the Secretary of DNREC receives a request for a hearing by November 30, 2012. For additional information, please contact Brian Churchill at (302) 739-9946 or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=1649&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAIItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

DISTRIBUTION AND MARKETING PERMIT AMENDMENT – KENT COUNTY LEVY COURT

- Request for Amendment - State Permit Number DM 0902-K-03 issued to the Kent County (Delaware) Levy Court: The existing permit authorizes the application of lime stabilized, heat pasteurized biosolids generated at the Kent County Regional Wastewater Treatment Facility onto farmland, either owned by the county or onto private land, as a fertilizer and liming agent. To assure compliance with state and federal regulatory requirements, including requirements for "Class A" "Exceptional Quality" biosolids product, finished biosolids product is sampled for specific bacterial, chemical and nutrient parameters. Land application of biosolids, in accordance with State Permit Number DM 0902-K-03, may be made onto lands to meet Calcium Carbonate Equivalency (CCE) and pH requirements as indicated by an approved soil test. The County requests that the existing permit for the production of their biosolids product known as "Kentorganite" be amended to add an additional method of producing "Class A" "Exceptional Quality" biosolids product. The additional "process to further reduce pathogens" method involves heat drying biosolids and testing the end product for specific bacterial, viral, parricidal, chemical and nutrient parameters. "Class A" "Exceptional Quality" biosolids product produced in the heat drying process and biosolids produced in the heat pasteurization process will be sold as "Kentorganite" for use as a fertilizer and liming material in agricultural settings on crops that will not be utilized for human consumption and for use on athletic fields, golf courses, roadside grass strips and other similar grassy areas. The permit will be amended under the Department's Guidance and Regulations Governing the Land Treatment of Wastes, Part III, B., Regulations Governing the Land Treatment of Sludges and Sludge Products which allows for such activity pending public notice. A public hearing on the above application will NOT be held unless the Secretary of DNREC receives a request for a hearing by January 11, 2013. For additional information, please contact Brian Churchill at (302) 739-9946 or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=1690&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAIItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

<http://www.dnrec.delaware.gov/Lists/Public%20Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NPDES PERMITS – The Division of Water Resources hereby gives notice that the following have filed an application:

Bilcare Research, Inc. has applied for reissuance of its National Pollutant Discharge Elimination System permit (“NPDES” Permit No. DE0051039 and State Number WPCC 3025C/71) to discharge treated process wastewater and storm water associated with industrial activity to the Delaware River and to unnamed tributaries to Dragon Run Creek and Red Lion Creek from their facility located at 1389 School House Road in an unincorporated area of New Castle County, northwest of Delaware City. On the basis of a preliminary staff review and application of lawful standards and regulations, the Department proposes to reissue the referenced permit, subject to certain effluent limitations and conditions. The proposed determinations are tentative. A public hearing on the above will NOT be held unless the Secretary of DNREC receives a request by December 21, 2012. For additional information, please contact John DeFriece at (302) 739-9946 or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=1674&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

General Chemical Corporation has applied for re-issuance of its National Pollutant Discharge Elimination System permit (“NPDES” Permit No. DE0000655 and State Number WPCC 3218E/74) to discharge treated process wastewater and storm water associated with industrial activity to the Delaware River and to the Delaware River from their facility located at 6300 Philadelphia Pike in Claymont. Honeywell International Inc. has requested inclusion in this permit as a co-permittee. On the basis of a preliminary staff review and application of lawful standards and regulations, the Department proposes to re-issue the referenced permit, subject to certain effluent limitations and conditions. A public hearing on the above application will NOT be held unless the Secretary of DNREC receives a request by January 11, 2013. For additional information, please contact John DeFriece at (302) 739-9946 or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=1695&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

WELL PERMITS – The following have filed an application:

Marvin Hitchens needs to construct an irrigation well that is proposed to be 80’ deep and 12-inch in diameter. The site is east of Whaleys Road and south of Sam Hill Road. The well is located 4 miles E of Laurel. The desired capacity of this well is 1000 gpm.

Magnolia Farms LLC needs to construct two irrigation wells that are proposed to be 75’ deep and 8-inch in diameter. The first well is located west of Rt 113 and 1750’ east of Clapham Road. The second well is west of Rt 113 and 2375’ west of Clapham Road. The third well is 165’ and 8 inch in diameter. It’s located 1050 south of Clapham Road. The location is located ½ mile S of Magnolia. The combined desired capacity of these wells is 1100 gpm.

Clifton Parker Jr. needs to construct two irrigation wells that are proposed to be 120’ deep and 10-inch in diameter. The site is south of Parker Road and north of McCabe rd. The wells are located 1 & 1/2 miles NW of Selbyville. The combined desired capacity of these wells is 1600 gpm.

A public hearing on the above applications will NOT be held unless the Secretary of DNREC receives a request for a hearing by December 31, 2012. For additional information, please contact Patty Murray at (302) 739-9945 or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=1700&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

[3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A](http://www.dnrec.delaware.gov/Lists/Public%20Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A)

WETLANDS AND SUBAQUEOUS LANDS SECTION - Applications below are available for inspection or copies may be obtained by contacting: Gayle Calder, Wetlands and Subaqueous Lands Section, 89 Kings Highway, Dover – 19901, or by calling (302) 739-9943. A public hearing on the applications below will NOT be held unless the Secretary of DNREC determines that a hearing is in the public interest or if a written meritorious objection to the application is received within 20 days of the initial notice.

SUBAQUEOUS LANDS PERMIT AND WATER QUALITY APPLICATION

Vincent Walsh, ThomasVincent (Tax Parcel No 335-4.19-84.01) — To maintenance dredge to a depth of 5 feet below mean low water, dredging 100 cubic yards of material from the Lewes and Rehoboth Canal adjacent to 358 Pilottown Road, and to dispose of the dredged material by hydraulic pipeline at an existing upland disposal site across the waterway south of Cedar Avenue, Lewes. For additional information, please visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=1675&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

SUBAQUEOUS LANDS APPLICATIONS

Joseph and Janet Brady (Tax Parcel # 133-17.10-6.00) – To maintain an 5 by 19 foot pier and 5 by 5 foot dock in the Indian River at 233 River Road, Millsboro. For additional information, please visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=1675&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

E. Wayne Cropper Jr-To construct a 6 foot wide by 75 foot long floating dock with a boat lift on 8 pilings and 7 support pilings in Pepper Creek at 30726 Shell Road, Dagsboro

Kent County Department of Public Works-To install 3 utility crossings by means of directional bore and open trench impacting approximately 400 square feet of subaqueous lands, to install an access road with two 30 inch culverts impacting approximately 500 square feet of subaqueous lands and to install 35 cubic yards of stone rip-rap at culvert inlet and outlet for the installation of the East Dover Sewer Improvement project between North and South Little Creek Roads immediately west of Route 1 in Granview Mobile Home Park, M&S, Oak Grove, Rojan Meadows and Dover East Mobile Home Park, Dover

Town of South Bethany-To install a diffuser consisting of 1,200 linear feet of 5/8 inch diameter tubing and 6 diffuser heads in Petherton Canal a tributary to Jefferson Creek between Petherton Drive and Brandywine Drive, Bethany Beach

Donald Reid-To install 25 linear feet of stone rip-rap at the base of the upland bank in the Lewes and Rehoboth Canal at lot 7, Eleanor Lee Lane East, Canal Corkran, Rehoboth Beach

Town of Fenwick Island-To construct a 16 by 25 foot long Public dock and kayak launch at the end of the lagoon adjacent to lot 346 Cannon Street, Fenwick Island

Joseph Foraker-To replace an existing 75 foot long bulkhead and 5 by 26 foot dock and add an additional 3 by 29 foot dock in an unnamed lagoon connected to Roy Creek at 37779 Salty Way East, Selbyville

Sandra Shirk-To remove 4 finger piers, install a 4 by 70 foot parallel dock and replace 110 linear feet of bulkhead in an unnamed lagoon at 30898 West Lagoon Road, Dagsboro

Toll Brothers, Inc.-To construct an underground utility crossing and an outfall structure, including a rip-rap apron, in an unnamed tributary to Red Clay Creek near the intersection of Penn Drive and Red Clay Drive West, Wilmington

Sandra and Joseph Reardon-To construct 100 linear feet of rock toe and two 9 foot long rock vanes in the East Branch of Christina Creek at 126 Wedgewood Road, Newark
For additional information, please visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=1689&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

SUBAQUEOUS LANDS LEASE AND WETLANDS APPLICATIONS –

The City of Milford-To construct a 6 by 536 foot walkway with two parallel 24' by 4' foot decks impacting 3,349 square feet of State Regulated Wetlands adjacent to the Mispillion River to provide a walking trail loop on Goat Island, as part of the Mispillion Greenway, in Milford

Peter Georgopoulos-To construct a 3 by 80 foot wetland walkway over State-regulated wetlands and a 4 by 95 foot pier in Pepper Creek at Lot 32, Riverview Drive, The Point Farm, Dagsboro

For additional information, please visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=1689&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

SUBAQUEOUS LANDS LEASE AND MARINA PERMIT APPLICATION –

Dewey Beach Enterprises (Tax Parcel # 3-34-23.61-1.00) To construct an 8 by 330 foot public access walkway with an 8 by 48 foot and 8 by 32 foot crabbing/fishing platform, a 6 by 244 foot pier with ten 2 by 20 foot finger piers and a 6 by 44 foot dock, extend an existing outfall pipe by 50 feet, install a 6 by 90 foot stone rip-rap groin and extend the existing beach by approximately 80 feet by placing 2,000 cubic yards of sand in the Rehoboth Bay at 124 Dickinson Street, Dewey Beach. For additional information, please visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=1675&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

EMPLOYEE UPDATES

Effective December 14, Crystal Smith resigned her position as a Sr. Environmental Control Tech for the SHWMS to move to DelDot.

Effective December 16, SHWMS' Mindy Anthony was promoted to Environmental Scientist II.

CONTACT INFORMATION

24-Hour Report and Spill Notification Line - 1-800-662-8802
Aboveground Storage Tanks - 302-395-2500
Air Quality - New Castle Office - 302-323-4542
Asbestos New Castle - 302-323-4542
Asbestos Kent & Sussex - 302-739-9402
Biosolids Permits - 302-739-9946
Boiler Safety - 302-744-2735
Brownfields - 302-395-2600
Delaware Estuary Program - 302-739-9949
Division of Air Quality Director's office - 302-739-9402
Division of Waste and Hazardous Substances Director's Office - 302-739-9400
Division of Water Director's Office - 302-739-9950
Dock/Dredging/Bulkheads/Rip-Rap/Wetlands & Subaqueous Lands – 302-739-9943
Emergency Prevention and Response - 302-739-9404
Environmental Crimes Unit - 302-739-9401 or 1-800-662-8802
Hazardous Waste - 302-739-9403
Loans & Grants for Wastewater and Septics (Financial Assistance Branch) - 302-739-9941
Medical Waste - 302-739-9403
Non-Hazardous Liquid Waste Transporters - 302-739-9948
On-site Wastewater Licensing Program - 302-739-9948
Open Burning - 302-739-9402
Outreach Ombudsman - 302-395-2515
Recycling - 302-739-9403
Septic System Permits - Large Systems (Community & I/A) State-wide - 302-739-9948
Septic System Permits - Small Systems for Kent & New Castle Counties - 302- 739- 9947
Septic System Permits - Small Systems for Sussex County & Holding Tank Compliance Program - 302-856-4561
Site Investigation & Restoration Branch (Superfund/Brownfields) - 302-395-2600
Solid Waste - 302-739-9403
Source Water Protection - 302-739-9945
Stormwater Permits - 302-739-9946
Surface Water Discharge Permits (NPDES) - 302-739-9946
Underground Injection Control & Spray Irrigation - 302-739-9948
Underground Storage Tanks - 302-395-2500
Wastewater Collection, Conveyance and/or Treatment Facility Construction Permits – 302-739-9946
Wastewater Treatment Facility Operators - 302-739-9946
Water Allocation Permits - 302-739-9945
Water Testing - Drinking Water (Division of Public Health) - 302-741-8630
Well Driller's License - 302-739-9944
Well Permits & Licensing - 302-739-9944