

The biweekly E-News Update features current information on the Divisions of Air Quality, Waste and Hazardous Substances, and Water regarding public meetings, workshops, hearings, and regulatory documents available for public comment, as well as general news updates. For those of you who are receiving the E-News Update for the first time, the subscription is FREE! Please sign up at the following link under the Divisions of Air Quality and Waste and Hazardous Substances at:

<http://www..delaware.gov/Pages/Lists.aspx>

There is no form to fill out; it's done in three clicks! Suggestions? Additions? Please call Stacy Jones at 302-739-9400, or send an email to [Stacy.Jones@state.de.us](mailto:Stacy.Jones@state.de.us)

Published by Divisions of Air Quality, Waste and Hazardous Substances, and Water.

Visit us at: [www.awm.delaware.gov](http://www.awm.delaware.gov)

## **UPCOMING AIR, WASTE, & WATER-RELATED HEARINGS, MEETINGS, & EVENTS**

**WATER SUPPLY COORDINATING COUNCIL MEETING** - The Council will hold a meeting on **January 21** from 10am to 12pm at the Kent County Administration Complex, Conference Rooms 220 A&B, 555 Bay Road, Dover, DE, 19901. Dover, DE 19901. For additional information, please contact Kimberly Burris at (302) 739-9945; or visit:

<http://egov.delaware.gov/pmc/Event/Details/24898>

**PUBLIC HEARING ON PROPOSED AMENDMENTS TO DELAWARE'S REGULATIONS GOVERNING SOLID WASTE**- Public hearing will start at 6:00 PM on **January 26** in the Richardson and Robbins Auditorium at 89 Kings Highway, Dover, DE. For additional information contact Bethany Fiske at (302)739-9403; or visit:

<http://egov.delaware.gov/pmc/Event/Details/25966>

**ON-SITE SYSTEMS ADVISORY BOARD (OSSAB) REPRESENTATIVE INTEREST**- If you would like to apply for the Class B Designer representative on the OSSAB, please submit a completed application and an updated resume by **January 31** to: Ground Water Discharge Section, OSSAB Licensing Coordinator Dawn Dryden, 89 Kings Highway Dover, DE 19901. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2569&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

**SOURCE WATER PROTECTION CITIZEN TECHNICAL ADVISORY COMMITTEE MEETING** - The Committee will hold a meeting on **May 6** from 9am to 12pm at the Kent County Administration Complex, Conference Rooms 220 A&B, 555 Bay Road, Dover, DE, 19901. Dover, DE 19901. For additional information, please contact Kimberly Burris at (302) 739-9945; or visit:

<http://egov.delaware.gov/pmc/Event/Details/25727>

## **DOCUMENTS AVAILABLE FOR PUBLIC COMMENT OR APPEAL**

**AIR QUALITY PERMITTING PROGRAM** – Notice has been given that the facilities listed below have submitted applications for air quality management permits. The applications, the “draft/proposed” permits, all materials that the applicant has submitted (other than those granted confidential treatment under rules), and a copy of summary of other materials, if any, considered in preparing the “draft/proposed” permit, may be inspected at the offices of the Division of Air Quality, 655 S. Bay Road, Dover and 715 Grantham Lane, New Castle. All comments and public hearing requests should be mailed to the following address: DIVISION OF AIR QUALITY, 655 S. Bay Road, Suite 5 N, Dover, DE 19901.

**NOTICE IS HEREBY GIVEN THAT NEW HAVEN PACKAGING, LLC** has submitted an application, pursuant to 7 DE Admin. Code 1102, Section 2.1, 11.2.9, and 12.3 for a construction permit at 1318 East 12th Street in Wilmington. New Haven Packaging, LLC. requests a limit for PM fugitive emissions of 1.052 tons per year, PM10 emissions of 5.12 tons per year, CO

emissions of 1.38 tons per year, NOx emissions of 1.65 tons per year, SOx emissions of 0.01 ton per year, and VOC's emissions of 0.09 ton per year. These limits are necessary to restrict New Haven Packaging, LLC. potential to emit air pollutants and the limit will be enforceable by the EPA and the state. Total estimated emissions from the facility without these restrictions are greater than 100 tons of Particulate Matter (PM) per year. A public hearing concerning the permitting action will not be held unless our agency Secretary receives a request for such hearing within thirty (30) days from the date of this notice, ending **January 13**. A request for a hearing shall be in writing and must show a familiarity with the application and a reasoned statement of the permit's probable impact. To submit comments, for additional information or for an appointment to inspect the public file, please contact Laura Bogus in the Dover office at (302) 739-9402; or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2557&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

**NOTICE HAS BEEN GIVEN THAT ALLEGA CONCRETE CORPORATION**, requests a Natural Minor permit to construct three (3) temporary central mix concrete plants and associated baghouses from March through November and from March 2016 through July 2016 at the Dover Air Force Base located at 442 13th Street, Dover. The potential to emit for Particulate Matter (PM) is 251.02 lb/hr and 34.33 TPY. Under Permit APC-2015/0048-C, APC-2015/0049-C, and APC-2015/0050-C the PM emitted will be 19.70 lb/hr and 2.69 TPY. A public hearing will NOT be held unless our agency Secretary receives a request for a hearing regarding that application within 15 days from the date of this notice, ending **January 22**. The application for this permit may be reviewed at the offices of the Division of Air Quality, Blue Hen Corporate Center, 655 S. Bay Road, Suite 5 N, Dover or 715 Grantham Lane, New Castle. For additional information or for an appointment to review the application, please contact Laura Bogus at (302) 739 9402; or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2585&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

**SITE INVESTIGATION AND RESTORATION SECTION** – The Division's Site Investigation and Restoration Section (SIRS) is responsible for the identification, evaluation and remediation of sites in Delaware that have had past releases of hazardous substances. The Section manages the contaminated sites under three major programs in accordance with the Hazardous Substance Cleanup Act (HSCA). The three programs are the Brownfields Development Program, the Voluntary Cleanup Program (VCP) and the HSCA Enforcement Program (for sites requiring enforcement action).

**PROPOSED PLAN OF REMEDIAL ACTION FOR THE 511 CONCORD AVENUE SITE LOCATED IN WILMINGTON.**

Remedial actions include an environmental covenant restricting use of the site, removal of the underground storage tanks (USTs), and any removal of asbestos containing material found during a survey. Details of the Final Plan are available at the SIRS office (391 Lukens Drive, New Castle, DE, 19720), or online at:

<http://www.dnrec.delaware.gov/whs/awm/SIRB/Pages/SIRBPlans.aspx>

The public may appeal this Final Plan for a period of, twenty (20) days from the date of this notice ending, **January 18**. For additional information, please contact Morgan Price, Project Manager, or Robert Newsome, Public Information Officer, at (302) 395-2600; or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2579&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

**DIVISION OF WATER - GROUND WATER DISCHARGES** – The Division of Water hereby gives notice that the applications below have been received. For additional information or to inspect the applications, please contact Kathleen Saunders in Ground Water Discharges, 89 Kings Highway, Dover, DE 19901; or by phone at (302) 739-9948.

## **On-Site Wastewater Treatment and Disposal System Permit**

Toomey Farms has applied for a permit to construct an on-site wastewater treatment and disposal system on their property located on the northeast side of Rt 20 (Armory Road) .2 miles northwest of County Road 355 (Murray Road), near Dagsboro, DE. Sussex County Tax Map # 4-33-1.00-4.00. The system would serve a proposed produce stand with food prep and would have a design flow rate of 820 gallons per day. A public hearing on the above application will NOT be held unless our agency Secretary determines that a public hearing is in the public interest or if a written meritorious objection to the application is received within 15 days from this notice ending **January 14**. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2582&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

Skipjack Inc. has applied for a permit to construct an on-site wastewater treatment and disposal system (septic system) on their property located at the intersection of DuPont Blvd. (Rt. 113) and East Piney Grove Road ( CR 329), near Georgetown, DE, Sussex County Tax Parcel number 1-33-11.00-1.00. The system will serve a proposed office/warehouse/retail facility with a design flow rate of 1180 gallons per day. A public hearing on the above application will NOT be held unless our agency Secretary determines that a public hearing is in the public interest or if a written meritorious objection to the application is received within 15 days from this notice ending, **January 22**. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2584&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

## **Non-Hazardous Liquid Waste Transporters Permit**

Environmental Products & Services of Vermont, Inc. has applied to the Ground Water Discharges Section for a renewal of Non-Hazardous Liquid Waste Transporters Permit DE OH-112 which allows for the transport of other non-petroleum, non-hazardous liquid wastes to be disposed of at out-of-state permitted facilities. . A public hearing on the above application will NOT be held unless our agency Secretary determines that a public hearing is in the public interest or if a written meritorious objection to the application is received within 15 days from this notice ending, **January 26**. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2590&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

**DIVISION OF WATER - SURFACE WATER DISCHARGES** – The Division of Water hereby gives notice that the following permit applications have been received.

### **NPDES Permit**

Notice is hereby given that IKO Production, Inc. has applied for a re-issuance of its National Pollutant Discharge Elimination System permit (“NPDES” Permit No. DE 0050857 and State Number WPCC 3110E/79) to discharge treated sanitary wastewater from their facility located at 120 Hay Road, Edge Moor, Wilmington, New Castle County, to the Delaware River. A public hearing on the above will NOT be held unless our agency Secretary receives a request by **January 20** or if the Secretary determines that a public hearing is in the public interest. For additional information contact Molly Mackil, Surface Water Discharges Section Division of Water, 89 Kings Highway, Dover, DE 19901, (302) 739-9946; or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2564&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

Notice is hereby given that the comment period has been extended 30 days for the Delaware City Refining Corporation, LLC (DCRC) National Pollutant Discharge Elimination System (NPDES) permit reissuance. The Delaware City Refinery, located on Wrangle Hill Road in Delaware City, to discharge cooling water, treated process wastewater, and storm water to Cedar Creek, the Delaware River, Dragon Run Creek and Red Lion Creek (NPDES Permit DE 0000256 and State Permit No. WPCC 3256C/74). The Delaware City Power Plant, located on Rte. 9 in Delaware City, to discharge cooling water, treated wastewater, and storm water to the Delaware River (NPDES Permit No. DE 0050601 and State Permit No. WPCC 3094D/76). The proposed reissuance will consolidate both permits into one NPDES permit, No. DE0000256. On the basis of a preliminary staff review and application of lawful standards and regulations, the Department proposes to re-issue the referenced permit for the facilities above, subject to certain effluent limitations and conditions. The proposed determinations are tentative. Persons wishing to comment upon or object to the proposed determinations are invited to submit same in writing to the Surface Water Discharges Section of the Division of Water, 89 Kings Highway Dover, Delaware 19901. A public hearing on the above will NOT be held unless our agency Secretary receives a request by **February 12**, or if the Secretary determines that a public hearing is in the public interest. A request for a hearing shall be in writing and shall state the nature of the issues to be raised at the hearing. It must also show familiarity with the proposal and a reasoned statement of the permit's probable impact. For additional information visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2591&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

**DIVISION OF WATER - WATER SUPPLY** - The Division of Water hereby gives notice that the following permit application and formal variance has been received

#### **Formal Variance**

Richard Sapp, representing Zion Church, has applied for a Formal Variance under Section 11.00 of The Regulations Governing the Construction and Use of Wells to construct a Miscellaneous Public well to serve the facility. The property is located at 26743 Broadkill Road, Milton, DE 19968. Tax map parcel 2-35.00-8.00-10.00. A public hearing on the below applications will NOT be held unless our agency Secretary determines that a public hearing is in the public interest or if a written meritorious objection to the application is received by **January 19**. For additional information, please contact: Allison Diggins at (302)739-9945 or visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2583&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

#### **Well Permits**

Melvin West proposes to construct an irrigation well, located 860 feet north of the Maryland state line, between Bethel and Parker Roads, in Gumboro, Sussex County. The well is proposed to be 100 feet deep and 10 inches in diameter. The desired capacity of this well is 800 gpm. A public hearing on the below applications will NOT be held unless our agency Secretary determines that a public hearing is in the public interest or if a written meritorious objection to the application is received by **January 19**. For additional information, please contact: Allison Diggins at (302)739-9945 or visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2583&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

Ockels Acres, LLC proposes to construct an irrigation well, located between Donovan and Sand Hill Roads, in Milton, Sussex County. The well is proposed to be 105 feet deep and 12 inches in diameter. The desired capacity of this well is 800 gpm. A public hearing on the above application

will NOT be held unless our agency Secretary determines that a public hearing is in the public interest or if a written meritorious objection to the application is received by **January 26**. For additional information, please contact: Allison Diggins at (302)739-9945 or visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2587&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

Teatown Road, LLC proposes to construct an irrigation well, located between Union Church and Clendaniel Roads, in Ellendale, Sussex County. The well is proposed to be 105 feet deep and 12 inches in diameter. The desired capacity of this well is 800 gpm. A public hearing on the above application will NOT be held unless our agency Secretary determines that a public hearing is in the public interest or if a written meritorious objection to the application is received by **January 26**. For additional information, please contact: Allison Diggins at (302)739-9945 or visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2587&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

**DIVISION OF WATER - WETLANDS AND SUBAQUEOUS LANDS SECTION** – The Division of Water hereby gives notice that the applications below are available for inspection or copies may be obtained by contacting: Gayle Calder, Wetlands and Subaqueous Lands Section, 89 Kings Highway, Dover – 19901, or by calling (302) 739-9943. A public hearing on the applications below will NOT be held unless our agency Secretary determines that a public hearing is in the public interest or if a written meritorious objection to the application is received by **January 20**. For additional information visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2582&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

#### **Subaqueous Lands Permit Application**

Herholdt Properties, LLC. (230-14.00-69.00) to install a road crossing with (2) 56 linear foot, 38 by 60 inch elliptical reinforced concrete pipes consisting of 174 cubic yards of fill impacting 5,752 square feet of subaqueous lands in Church Branch at 10200 Benson Road, Lincoln, Sussex County.

Delmarva Power & Light (TM 0703510042) To protect a gas main by stabilizing 77.5 linear feet of eroding streambank along Little Mill Creek using riprap, logs, a root wad and shrub plantings in Woodland Run Park located between Brookland Avenue and Wagoner Drive west of Ferris Road, Wilmington, New Castle County.

#### **Subaqueous Lands Supplemental Application**

Bruce Wright (Tax Parcel #334-20.17-2.00) to utilize three existing stand-alone pilings in an unnamed lagoon adjacent to Rehoboth Bay at 15 Venetian Ct., Seabreeze, Rehoboth Beach.

#### **Subaqueous Lands Permit and Wetlands Application**

Peter Scanlon (Tax Parcel #235-10.06-13 and 15) to replace an existing 3 by 40 foot walkway through State-regulated tidal wetlands and an 8 by 16 foot pier with a 3 by 50 foot walkway/pier and 5 by 20 foot dock in Deep Hole Creek at 1503 South Bayshore Drive, Broadkill Beach, Milton, Sussex County.

#### **CONTACT INFORMATION**

24-Hour Report and Spill Notification Line - 1-800-662-8802  
Aboveground Storage Tanks - 302-395-2500  
Air Quality - New Castle Office - 302-323-4542  
Air Quality – Kent & Sussex – 302-739-9402

Asbestos New Castle - 302-323-4542  
Asbestos Kent & Sussex - 302-739-9402  
Biosolids Permits - 302-739-9946  
Boiler Safety - 302-744-2735  
Brownfields - 302-395-2600  
Delaware Estuary Program - 302-739-9283 (Delaware Coastal Management Program)  
Division of Air Quality Director's Office - 302-739-9402  
Division of Waste and Hazardous Substances Director's Office - 302-739-9400  
Division of Water Information - 302-739-9950  
Dock/Dredging/Bulkheads/Rip-Rap/Wetlands & Subaqueous Lands - 302-739-9943  
Emergency Prevention and Response - 302-739-9404  
Environmental Crimes Unit - 302-739-9401 or 1-800-662-8802  
Environmental Laboratory - 302-739-9942  
Hazardous Waste - 302-739-9403  
Industrial Stormwater Permits - 302-739-9946  
Loans & Grants for Wastewater and Septic's (Financial Assistance Branch) - 302-739-9941  
Medical Waste - 302-739-9403  
Non-Hazardous Liquid Waste Transporters - 302-739-9948  
On-site Wastewater Licensing Program - 302-739-9948  
Open Burning - 302-739-9402  
Outreach Ombudsman - 302-395-2600  
Recycling - 302-739-9403  
Septic System Permits - Large Systems (Community & I/A) Statewide - 302-739-9948  
Septic System Permits - Small Systems for Kent & New Castle Counties - 302-739-9947  
Septic System Permits - Small Systems for Sussex County & Holding Tank Compliance Program  
302-856-4561  
Site Investigation & Restoration Section (Superfund/Brownfields) - 302-395-2600  
Solid Waste - 302-739-9403  
Source Water Protection - 302-739-9945  
Surface Water Discharge Permits (NPDES) - 302-739-9946  
Underground Injection Control & Spray Irrigation - 302-739-9948  
Underground Storage Tanks - 302-395-2500  
Wastewater Collection, Conveyance and/or Treatment Facility Construction Permits - 302-739-9946  
Wastewater Treatment Facility Operators - 302-739-9946  
Water Allocation Permits - 302-739-9945  
Water Testing - Drinking Water (Division of Public Health) - 302-741-8630  
Water Supply - 302-739-9945  
Well Driller's License - 302-739-9944  
Well Permits & Licensing - 302-739-9944  
Wells - 302-739-9944  
Wetlands and Subaqueous Lands Section - 302-739-9943