

The biweekly E-News Update features current information on the Divisions of Air Quality (DAQ), Waste and Hazardous Substances (WHS), and Water regarding public meetings, workshops, hearings, and regulatory documents available for public comment, as well as general news updates. For those of you who are receiving the E-News Update for the first time, the subscription is FREE!

Please sign up at: <http://www.dnrec.delaware.gov/Pages/DNRECLists.aspx> under "Division of Waste & Hazardous Substances Lists." There is no form to fill out; it's done in three clicks!

Suggestions? Additions? Please call Kathy Nedelka at 302-739-9400, or send an email to katherine.nedelka@state.de.us

Published by the Divisions of Air Quality, Waste and Hazardous Substances and Water.

Visit us at: www.awm.delaware.gov

SECRETARY'S ORDERS

[Secretary's Order No. 2016-W-0036](#)

RE: Issued pursuant to 7 Del. C. §6005(b) (2) to Kent County Levy Court, the Conciliation Order by Consent and Secretary's Order reflects the mutual effort by Kent County Levy Court and the Secretary of the Department of Natural Resources and Environmental Control to attain compliance with 7 Del. C. Chapter 60 by Conciliation for past Kent County wastewater violations cited by DNREC.

UPCOMING AIR, WASTE, & WATER-RELATED HEARINGS, MEETINGS, & EVENTS

WATER INFRASTRUCTURE ADVISORY COUNCIL – will discuss Clean Water, Drinking Water, and Storm water Issues on **October 19** from 9:00 AM to 12:00 PM. This meeting will take place at Kent County Administrative Complex Room 220 555 S. Bay Road Dover, DE, 19901. For additional information contact Laura Rafferty 302-739-9941; or visit:

<https://egov.delaware.gov/pmc/Event/Details/31967>

PUBLIC WORKSHOP FOR Applications Submitted by the City of Rehoboth Beach for Authority to Construct and Operate Wastewater Treatment Plant Improvements, Including an Atlantic Ocean Outfall, and Notice of a Public Workshop and a Public Hearing – The department provides public notice of a workshop and a hearing, which allows the public opportunities to participate in the Department's consideration of the above applications. The informal public workshop will be at the time and location set forth below: WORKSHOP 6 p.m. October 19, Rehoboth Beach Volunteer Fire Department, 219 Rehoboth Avenue, Rehoboth Beach 19971. The public workshop will include presentations from the Applicant and the department staff. The public may review the applications and other documents, and ask questions to assist in the understanding of the applications. NOTE: The Public Workshop will NOT be part of the Department's official record for the final decisions. The Department also will hold a public hearing before DNREC presiding hearing officer Robert P. Haynes, Esq. at 6 p.m., November 15, Rehoboth Elementary School, 500 Stockley Street, Rehoboth Beach 19971. The public hearing will receive comments from public speakers with priority given to preregistered speakers followed by speakers who sign up at the public hearing. To preregister to speak at the public hearing, please contact DNREC by e-mail or first class mail no later than **November 11** at: E-mail: Rehoboth_Wastewater_Comments@state.de.us , USPS Mail: John Schneider, DNREC State Street Commons, 100 W. Water St. - Suite 10B, Dover, DE 19904. As the department anticipates a large number of speakers, it accordingly will impose a 5-minute time limit on each speaker. If you are unable or choose not to attend the public hearing, you may submit written comments in advance that will be part of the record. Written comments should be sent to the above contact addresses, preferably by e-mail. The public comment period for written comments will commence on **October 15** and end **December 2**. For more information please visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3445&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

PUBLIC WORKSHOPS FOR PROPOSED CHANGES TO THE DELAWARE AIR REGULATIONS AND DELAWARE'S STATE IMPLEMENTATION PLAN (SIP) - The department will conduct two (2) public hearings on proposed amendments to Delaware air regulations and Delaware's State Implementation Plan (SIP). The hearings will address amendments to 7 DE Admin. Code 1125 regarding the calculation of greenhouse gas (GHG) emissions and to 7 DE Admin. Codes 1104, 1105, 1124 and 1142 to satisfy US EPA requirements related to air emissions during equipment start-up and shutdown as required by EPA's SIP Call (80 FR 33840). The hearings will be held on **October 25** beginning at 6 p.m. at the State Street Commons Training Room, 100 W. Water Street, Suite 6A, Dover. The first of the hearings will begin at 6 p.m., followed by the second hearing. For additional information on the two hearings, please contact David Fees at (302) 739-9402; or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3415&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

UNDERGROUND STORAGE TANK ADVISORY COMMITTEE- The purpose of the meeting is to exchange ideas with and solicit feedback from stakeholders on different matters concerning underground storage tanks in Delaware. Meeting will take place on **October 26** from 10 AM to 12 PM at DNREC - Lukens Drive Offices Conference Room A, 391 Lukens Dr. New Castle, DE 19720. For additional information contact Alex Rittberg, 302-395-2500; or visit:

<https://egov.delaware.gov/pmc/Event/Details/38876>

BOARD OF CERTIFICATION FOR WASTEWATER OPERATORS MONTHLY MEETING -This is a regular monthly meeting of the Board of Certification for Wastewater Operators. Meeting will take place on **November 1** from 9am to 11am at the Richardson and Robbins Building, Conference Room B172: 89 Kings Highway, Dover, DE, 19901. For additional information contact Faye Wheeler at 302-739-9946; or visit:

<https://egov.delaware.gov/pmc/Event/Details/33001>

SOURCE WATER PROTECTION CITIZEN TECHNICAL ADVISORY COMMITTEE MEETING - The Committee will hold a meeting on **November 2** from 9am to 12pm at the Kent County Administration Complex, Conference Rooms 220,555 Bay Road, Dover, DE, 19901. Dover, DE 19901. For additional information, please contact Kimberly Burris at 302-739-9945; or visit:

<https://egov.delaware.gov/pmc/Event/Details/30826>

ON-SITE SYSTEMS ADVISORY BOARD MEETING -The meeting will be held on **November 2** from 9:15am to 11:30am at the Richardson and Robbins Building, Conference Room B228: 89 Kings Highway, Dover, DE, 19901. For additional information, contact Dawn Dryden 302-739-9948; or visit:

<https://egov.delaware.gov/pmc/Event/Details/39034>

BOILER SAFETY COUNCIL MEETING -The purpose of this meeting is to review and discuss proposed changes to Boiler Safety Regulations. Meeting will be take place on **November 7** from 10am to 12pm at DNREC Lukens Drive Offices, Conference Room A: 391 Lukens Dr., New Castle, DE, 19720. For additional information contact Alex Rittberg at 302-395-2500; or visit:

<https://egov.delaware.gov/pmc/Event/Details/39032>

OPT-IN! THE DELAWARE DIVISION OF AIR QUALITY (DAQ) is committed to working with citizens to continuously optimize Delaware's air quality and protect public health, welfare, and the environment. To determine that the DAQ is meeting the air quality needs of the citizens across the state, we encourage you to participate in our opt-in list. In the future you will receive surveys that will allow us to analyze our performance. You can access the opt-in list by clicking:

https://survey.co1.qualtrics.com/jfe/form/SV_1RGZGUYt8fSuqkB

AIR QUALITY PERMITTING PROGRAM – Notice has been given that the facilities listed below have submitted applications for air quality management permits. The applications, the “draft/proposed” permits, all materials that the applicant has submitted (other than those granted confidential treatment under DNREC rules), and a copy of summary of other materials, if any, considered in preparing the “draft/proposed” permit, may be inspected at the offices of the Division of Air Quality, 100 W. Water Street, Suite 6A, Dover, 19904. **All comments and public hearing requests** should be mailed to the following address: DIVISION OF AIR QUALITY, 100 W. Water Street, Suite 6A, Dover, 19904. To submit comments, for additional information, or for an appointment to inspect the application, please contact Penny Gentry at (302) 739-9402.

NOTICE HAS BEEN GIVEN THAT FMC Health and Nutrition -1301 Ogletown Road, Newark has requested a federally enforceable 7 DE Admin. Code 1102 construction permit (APC-2017/0009 – CONSTRUCTION (FE)) for a new baghouse to replace the existing EP-124 baghouse of CMC Conveying System #1, which is nearing the end of its life. The new baghouse will be permitted to emit 0.25 ton of particulate matter (PM10) per year. Upon completion of construction, the Department will incorporate the operating conditions and limits of the 7 DE Admin. Code 1102 Construction permit into the facility’s existing Title V (Permit: AQM-003/00051 (Renewal 3) (Revision 4)) via an Administrative Amendment. A public hearing concerning the permitting action will not be held unless the agency Secretary receives a request for such hearing by **October 18**. A request for a hearing shall be in writing and must show a familiarity with the permit and a reasoned statement of the permit’s probable impact. For additional information visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3410&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTICE HAS BEEN GIVEN that DuPont Stine-Haskell Research Center requests a permit to construct two (2) Agricultural Sprayer Units at their 1090 Elkton Road, Newark, New Castle County facility. The two sprayer units combined will be permitted to emit 10.4 TPY of Acetone by Permit: APC-2016/0160-OPERATION, and Permit: APC-2016/0161-OPERATION. These emissions represent a 3.1 TPY increase from the original advertisement placed July 10. A public hearing on any of the above applications will NOT be held unless the Secretary receives a request for a hearing regarding that application by **October 24**. A request for a hearing shall be in writing. The request must also show a familiarity with the application and a reasoned statement of the permit’s probable impact. For more information visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3467&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTICE HAS BEEN GIVEN THAT Johnson Controls Battery Group, Inc., requests fifteen construction permits as part of an expansion project at their 700 North Broad Street, Middletown facility. The expansion project will include the construction of four Sovema Lead Oxide Mills, a pellet caster feeding all Sovema Lead Oxide Mills, construction of nine new silos for lead oxide storage, relocation of two existing silos and weigh hoppers emissions to new baghouses, two new surge hoppers, two new screening towers, a central vacuum system with a dedicated baghouse, relocation of two existing pasting lines, addition of two new pasting lines, relocation of the existing strip caster and trim dry oven to a common baghouse, and relocation of the North and South Barton melting pots to new baghouses. The new expansion will construct eleven baghouses to control PM and lead emissions. The expansion will be permitted by Permit: APC-2017/0019-CONSTRUCTION through Permit: APC-2017/0032-CONSTRUCTION and Permit: APC-2017/0061-CONSTRUCTION. The total facility-wide increase of emissions from the fifteen construction permits will be 1.0 ton/year of lead, 5.4 tons/year of PM/PM10, 1.9 tons/year of NOx, 1.6 tons/year of CO, 0.1 ton/year of VOC, and 0.01 ton/year of SO2. The existing emissions from the existing two pasting lines, trim dry, strip caster, Barton South and North melting pots, and

Barton Silo 1 and 2 will remain unchanged or will be reduced. A public hearing on any of the above applications will NOT be held unless the Secretary receives a request for a hearing regarding that application by **October 25**. A request for a hearing shall be in writing. The request must also show a familiarity with the application and a reasoned statement of the permit's probable impact. For more information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3453&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTICE HAS BEEN GIVEN THAT Siemens Healthcare Diagnostics-Glasgow has submitted an application, pursuant to 7 DE Admin. Code 1102, Section 2.1, 11.2.9, and 12.3 for an amendment to Permit: APC-1983/0397-OPERATION (Amendment 6) (SM). This amendment will include a 5.99 MMBTU/hr boiler, fueled by natural gas and No. 2 fuel, at 500 GBC Drive, Newark, New Castle County. Siemens Healthcare Diagnostics requests a limit for the hours of operation (8,712 hours for natural gas) for the new boiler. These limits are necessary to restrict the company's potential to emit air pollutants, and the limit will be enforceable by the EPA and the state. Total permitted emissions from the facility are 22.31 TPY NOx, 4.72 TPY VOC, 13.24 TPY CO, 3.62 TPY PM10, and 21.47 TPY SOx. The application, the "draft" permit (APC-1983/0397-OPERATION (Amendment 7) (SM)). A public hearing concerning the permitting action will not be held unless the Secretary receives a request for such hearing by **November 8**. A request for a hearing shall be in writing and must show a familiarity with the application and a reasoned statement of the permit's probable impact. For more information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3452&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTICE HAS BEEN GIVEN THAT MAGCO, Incorporated has submitted an application, pursuant to 7 DE Admin. Code 1102, Section 2.1, 11.2.9, and 12.3 for an amendment to their existing Synthetic Minor Permit for the construction of Alternative Salt Processing Equipment (Ag Salt Processing) which consists of the addition of a feed hopper, a conveyor, an enclosed bucket elevator, an enclosed Steadman "V-Slam" (Model VS-68) Vertical Shaft Impact Crusher, an enclosed screw conveyor, and a second enclosed bucket elevator at their facility located at 341 Pigeon Point Road, New Castle. MAGCO, Incorporated does not request any additional limits other than those already imposed by their existing Synthetic Minor Operating Permit. The current limits are necessary to restrict MAGCO, Incorporated's potential to emit air pollutants, and the limit will be enforceable by the EPA and the state. Total estimated emissions with the addition of this new Ag Salt Processing Line will not increase above the current existing permitted emission levels from the facility which are 12.27 TPY of PM, 0.27 TPY of PM2.5, 3.72 TPY of NOx, 6.31 TPY of CO, 0.0126 TPY of SO2 and 380 lbs./year of VOC. A public hearing concerning the permitting action will not be held unless the Secretary receives a request for such hearing by **November 8**. A request for a hearing shall be in writing and must show a familiarity with the application and a reasoned statement of the permit's probable impact. For more information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3451&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTICE IS HEREBY GIVEN that Dover Air Force Base located at Route 113 and Route 10, Dover, has submitted a request for a permit renewal pursuant to 7 DE Admin. Code 1130, Section 7 for operating permit: AQM-001/00001. Based on the data and certifications contained in the application, the Division of Air Quality concludes that the applicant meets all applicable requirements promulgated by the Environmental Protection Agency (EPA) and the Department of Natural Resources and Environmental Control (DNREC). Therefore a "draft/proposed" permit renewal has been prepared. This draft/proposed" permit renewal will allow the Dover Air Force Base to operate equipment associated with Air Base activities including the maintenance, repair and support of long-range military transport aircraft. A public hearing concerning the permitting action will not be held unless the Secretary receives a request for such hearing by **November**

15. A request for a hearing shall be in writing and must show a familiarity with the application and a reasoned statement of the permit renewal's probable impact. For more information visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3469&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTICE IS HEREBY GIVEN that Prince Minerals, Inc. has submitted an application, pursuant to 7 DE Admin. Code 1102, Section 2.1, 11.2.9, and 12.3, for an amendment to cancel the existing 35" Mill Unit and use existing equipment for a new Silica Loading Line, increase in production rate and operation hours for Auxiliary Raymond Unit (EU07) and Pyrite Process Line (EU20) at 301 Pigeon Point Road, New Castle. Prince Minerals, Inc. requests a limit for reduction in Particulate matter (PM10) emission levels. The limits are necessary to restrict Prince Minerals, Inc. potential to emit air pollutants, and the limit will be enforceable by the EPA and the state. There will be no increase in the plant wide particulate matter (PM10) emission levels. A public hearing concerning the permitting action will not be held unless the Secretary receives a request for such hearing by **November 15**. A request for a hearing shall be in writing and must show a familiarity with the application and a reasoned statement of the permit's probable impact. For more information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3466&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTICE IS HEREBY GIVEN that Aaero Technologies LLC located at 650 Dawson Drive, Newark has submitted a request for a permit renewal pursuant to 7 DE Admin. Code 1130, Section 7 for operating permit: AQM-003/00073 Renewal (3)(Rev. 1). Based on the data and certifications contained in the application, the Division of Air Quality concludes that the applicant meets all applicable requirements promulgated by the Environmental Protection Agency (EPA) and the Department of Natural Resources and Environmental Control (DNREC). Therefore a "draft/proposed" permit renewal has been prepared. This "draft/proposed" permit renewal removes the Organic Chemical Mixing Room and Cold Solvent Degreaser, and corrects the contents and capacities of five storage tanks. A public hearing concerning the permitting action will not be held unless the Secretary receives a request for such hearing by **November 29**. A request for a hearing shall be in writing and must show a familiarity with the application and a reasoned statement of the permit renewal's probable impact. For more information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3468&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

WHS - SITE INVESTIGATION AND RESTORATION SECTION (SIRS) is responsible for the identification, evaluation and remediation of sites in Delaware that have had past releases of hazardous substances. The section manages the contaminated sites under three major programs in accordance with the Hazardous Substance Cleanup Act (HSCA). The three programs are the **Brownfields Development Program, the Voluntary Cleanup Program (VCP) and the HSCA Enforcement Program** (for sites requiring enforcement action).

NOTIFICATION OF NEGOTIATIONS CONCERNING A VOLUNTARY CLEANUP WITH CAVALIERS REALTY LLC - SIRS is negotiating a VCP Agreement with Cavaliers Realty LLC regarding the Cavaliers Country Club Site (Site) located at 100 Addison Drive in Newark. The approximate 145.17 acre Site is identified on the maps of New Castle County as tax parcel number 09-024-00-013. The Site may have had a release of hazardous substances as a result of pesticide and herbicide use, as well as underground and aboveground petroleum product storage tanks at the Site. This notice expires **October 29**. For additional information, please contact the project officer, Christina Wirtz at (302) 395-2600; or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3450&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notic>

[es%2FAIItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A](http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3449&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAIItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A)

The Brownfields Development Program encourages the cleanup and redevelopment of vacant, abandoned or underutilized properties, which may be contaminated. A party seeking to develop such a property negotiates with SIRS for a **Brownfields Development Agreement (BDA)** to perform an investigation and, if necessary, a remedial action or remedy, for the purpose of addressing the risks posed by past releases of hazardous substances at these sites. However, a BDA is only available to parties that are not current site owners. The **Voluntary Cleanup Program (VCP) Agreement** is available to site owners who want to clean up their sites and are already liable as a potentially responsible party for the site.

NOTIFICATION OF NEGOTIATIONS FOR A BROWNFIELD DEVELOPMENT AGREEMENT FOR THE Riverfront Development Corporation of Delaware - SIRS is negotiating a BDA with the Riverfront Development Corporation of Delaware regarding the Former Shusters Auto Salvage Site located at 601 and 603 South Market Street in Wilmington. Identified by New Castle County as tax parcel numbers 26-057.00-001 and 26-057.00-048, the 5.89 acre Site had a release of hazardous substances as a result of past use as an auto salvage yard. This notice expires **October 29**. For more information, please contact the SIRS Project Manager, Meghan Crystall at (302) 395-2600; or visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3449&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAIItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

The Proposed and Final Plans of Remedial Action listed below outline site cleanup activities and covenants and are available online at:

<http://www.dnrec.delaware.gov/whs/awm/SIRB/Pages/SIRBPlans.aspx> under

“Announcements.” For site-specific information, please see DNREC’s Environmental Navigator at:

<http://www.nav.dnrec.delaware.gov/DEN3>

PROPOSED PLAN OF REMEDIAL ACTION FOR THE LAUREL GRAIN 2 SITE (DE-1625). The Department invites public comment on a proposal to clean up the Laurel Grain 2 Site located at 33222 Bi-State Boulevard, in Laurel. The 17.84-acre Site consists of a concrete structure, and several metal grain silos, with the remaining portion of the Site consisting of vegetative areas or gravel roads. The comment period ends on **October 24**. For additional information, please contact Kristen Thornton, Project Manager at (302)395-2600; or visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3440&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAIItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

FINAL PLAN OF REMEDIAL ACTION FOR THE 1215 Philadelphia Pike (DE-1621)-The Department has adopted a plan regarding the clean-up of 1215 Philadelphia Pike Site located in Wilmington. The use of the property will be restricted to non-residential uses, groundwater will be prohibited from use, and groundwater monitoring will be conducted in accordance with a proposed long-term stewardship plan. Our agency issued public notice of the Proposed Plan for the 1215 Philadelphia Pike Site on September 14. There were no comments or questions from the public regarding the Proposed Plan. The public has until **October 29** to appeal this Final Plan. For additional information, please contact Patrick Boettcher, Project Manager, at (302) 395-2600; or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3448&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAIItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

FINAL PLAN OF REMEDIAL ACTION FOR THE Riverwalk at the Deemers Beach Site (DE-1324) - The Department has adopted a plan regarding the clean-up of the Riverwalk at the Deemers Beach Site (DE-1324) located at 314 Bay West Boulevard and 465 Marina Lane in New Castle. The selected remedy for the Site includes submittal for DNREC's approval of a Contaminated Material Management Plan (CMMP), and an Environmental Covenant (EC) that restricts the use of the Property to non-residential type uses, prohibits land disturbing activities and the installation of groundwater wells on the Property without the prior written approval of SIRS. Our agency issued public notice of the Proposed Plan for Riverwalk at the Deemers Beach Site on September 11. There were no comments or questions from the public regarding the Proposed Plan. The public may appeal this Final Plan until **October 29**. For additional information, please contact Robert C. Asreen, Jr., Project Manager at (302) 395-2600; or visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3447&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

FINAL PLAN OF REMEDIAL ACTION FOR THE 1001 Garsches Lane Site (DE-1556) - The Department has adopted the proposed plan issued on April 24 as the Final Plan of Remedial Action for the 2.5 acre 1001 Garasches Lane Site located in south Wilmington. There were no public comments or questions generated during the comment period. The proposed plan called for the development of a Contaminated Material Management Plan and for a deed restriction. Groundwater with drawl is not permitted without DNREC's approval. The public may appeal this Final Plan until **October 29**. For additional information, please contact the project manager, Karissa Hendershot at (302) 395-2600; or visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3446&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

PROPOSED PLAN OF REMEDIAL ACTION FOR THE DON WILSON'S AUTO PARTS Site (DE-1174). The Department invites public comment on a proposal to clean up the Don Wilson's Auto Parts Site (Site) located in Wilmington. The Site is no longer operating as an automotive salvage yard and is currently vacant. Presently, there are no indications or plans that there will be a land use change for the Site at this time. The comment period ends on **October 31**. For additional information, please contact Morgan McGee-Solomon, Project Manager at (302)395-2600; or visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3462&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

FINAL PLAN OF REMEDIAL ACTION FOR THE 3006 Lancaster Ave Site (DE-1568). The Department has adopted a plan regarding the clean-up of the 3006 Lancaster Ave Site located in Wilmington. The Site appears has been used for stone cutting and sand blasting of grave headstones and monuments, offices and storage. DNREC issued public notice of the Proposed Plan for 3006 Lancaster Ave Site on September 18. There were no comments or questions from the public regarding the Proposed Plan. The public may appeal this Final Plan until **November 7**. For additional information, please contact Meghan Crystall, Project Manager, at (302) 395-2600; or visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3464&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

PROPOSED PLAN OF REMEDIAL ACTION FOR THE CASPER'S AUTO PARTS SITE

(DE-1185). The Department invites public comment on a proposal to clean up Casper's Auto Parts Site located at 741 South Market Street in Wilmington. The 3.70-acre Site is currently operating as an automotive salvage and storage yard and consists primarily of a mixture of concrete, pavement, and compacted soil and gravel with minimal areas of vegetation along the Site perimeter. The comment period ends on **November 7**. For additional information, please contact Morgan McGee-Solomon, Project Officer at (302)395-2600; or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3463&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAIItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

SOLID AND HAZARDOUS WASTE MANAGEMENT SECTION - The Solid and Hazardous Waste Management Section (SHWMS) hereby gives notice that a permit application has been received from the following companies to transport regulated RCRA hazardous and/or non-hazardous solid wastes in, out of, or through the State of Delaware. The applications are available for review by appointment during business hours at our agency Solid & Hazardous Waste Management Section office at 89 Kings Highway, Dover and also at our Lukens Drive office at 391 Lukens Drive in Wilmington.

NOTICE IS HEREBY GIVEN THAT Blue Bridge Trucking, LLC; CEMCO- Custom Environmental Management Co.,Inc.; Envirite of Pennsylvania, Inc.; Seaway Truck Inc.; Secured Med Waste, LLC; Tiumvirate Environmental, Inc. hereby gives notice that a permit application has been received. Please contact Tara Grazier, DWHS/SHWMS, 89 Kings Hwy, Dover, DE 19901, 302-739-9403. A public hearing concerning these applications will NOT be held unless the Secretary, in care of Karen J'Anthony, receives a meritorious request for a hearing by **October 27**. A request for a hearing must be in writing and shall state the nature of the issues to be raised at the hearing. It must also show a familiarity with the application and a reasoned statement of the activity's probable impact. For more information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3461&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAIItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTICE IS HEREBY GIVEN OF THE INTENT TO CONTINUE POST-CLOSURE CARE OF THE NEW BRINE SLUDGE LANDFILL UNDER THE DELAWARE REGULATIONS GOVERNING HAZARDOUS WASTE.

Pursuant to 7 Del. C., Chapters 60 and 63, Delaware's Regulations Governing Hazardous Waste (DRGHW), the Delaware Department of Natural Resources and Environmental Control (DNREC), Solid & Hazardous Waste Management Section (SHWMS) has made a preliminary decision to issue a hazardous waste Post-Closure Permit to Occidental Chemical Corporation, located at 1657 River Road in New Castle. The current Post-Closure Permit has expired, and, as required under the DRGHW, Occidental Chemical Corporation submitted an application to renew their post-closure permit entitled, Notification for Post-Closure Permit Renewal — Post-Closure Permit No. HW15A2 dated August 14, 2014. The Occidental Chemical Corporation's Delaware City Plant is located approximately three miles northwest of Delaware City off River Road (State Route 9). The facility began operation in 1965 and ownership was transferred to Occidental in 1986. The plant was an inorganic chemical manufacturing facility, until processing operations ceased in 2007. The New Brine Sludge Landfill is located in the southeast corner of the plant property. Closure of the landfill was public-noticed and approved pursuant to the DRGHW, and the work was overseen by DNREC. Closure consisted of capping each landfill cell. The closure certification report dated November 1992, as amended, was approved by DNREC on April 5, 1993. DNREC subsequently issued Post-Closure Permit No. HW04A09 on September 1, 1994, and Post-Closure Permit No. HW15A2 on February 18, 2005. Post-closure care consists of inspections, maintenance activities, and groundwater monitoring. These activities include inspecting the security measures (e.g. fencing), the cover integrity, the leachate collection and monitoring system, the monitoring-well system, and evidence of erosion. Groundwater monitoring will be conducted pursuant to the DRGHW and the Permit, but may also eventually be included under EPA's Corrective Action Long-Term Monitoring Program for the

entire site. Persons wishing to comment upon the draft permit application are invited to submit written comments. The written comments must be received no later than **November 23** and will be considered part of the record. Comments must be sent to DNREC, RE: DED003913266, File 16, at the address listed at the beginning of this notice. A public hearing may be held if the Department receives a meritorious request for a hearing prior to the **November 23** deadline, or if the Secretary deems it to be in the best interest of the State to do so. For additional information or to schedule an appointment to review this material, call Lawrence D. Matson of the Solid & Hazardous Waste Management Section at (302) 739-9403; or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3459&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

DIVISION OF WATER - GROUND WATER DISCHARGES -The Division of Water hereby gives notice that the applications below are available for inspection or copies may be obtained by contacting: Kathleen Saunders, Ground Water Discharges, 89 Kings Highway, Dover 19901, or by calling (302) 739-9948.

On-Site Wastewater Treatment and Disposal System

Living Hope Fellowship, Inc. has applied for a permit to construct an On-Site Wastewater Treatment and Disposal System on their property located on the southwest side of County Road 224 (Staytonville Road) ~.8 miles south of DE Rt. 36 (Shawnee Road). Sussex County Tax Map # 4-30-1.00-13.06. The system will serve a church with a design flow rate of 540 gallons per day. A public hearing on the above application will NOT be held unless our agency Secretary determines that a public hearing is in the public interest or if a written meritorious objection to the application is by **October 25**. A public hearing request shall be deemed meritorious if it exhibits a familiarity with the application and provides a reasoned statement of the action's probable impact. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3454&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

Non-Hazardous Liquid Waste Transporters Permit

B&P Environmental has applied to the Groundwater Discharges Section for a Non-Hazardous Liquid Waste Transporters Permit to transport grease trap waste and/or cooking oil waste to be disposed of at out-of-state permitted facilities. A public hearing on the above application will NOT be held unless our agency Secretary determines that a public hearing is in the public interest or if a written meritorious objection to the application is by **October 25**. A public hearing request shall be deemed meritorious if it exhibits a familiarity with the application and provides a reasoned statement of the action's probable impact. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3454&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

Willey & Co., Inc. has applied to the Groundwater Discharges Section for an amendment to their Non-Hazardous Liquid Waste Transporters Permit to include Clean Delaware, Inc. as a disposal facility for septage. A public hearing on the above application will NOT be held unless our agency Secretary determines that a public hearing is in the public interest or if a written meritorious objection to the application is by **October 31**. A public hearing request shall be deemed meritorious if it exhibits a familiarity with the application and provides a reasoned statement of the action's probable impact. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3465&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

Non-Hazardous Liquid Waste Transporters Permit Renewal

Perdue Foods LLC and Perdue Agribusiness Inc. has applied to the Groundwater Discharges Section for an amendment to their Non-Hazardous Liquid Waste Transporters Permit to include the transport of non-hazardous liquid wastes, belt filter biosolids and dissolved air floatation (DAF) biosolids to be disposed of at the Blessings Greenhouse and Compost Facility and Perdue (Seaford) AgriSoil. A public hearing on the above application will NOT be held unless our agency Secretary determines that a public hearing is in the public interest or if a written meritorious objection to the application is by **October 31**. A public hearing request shall be deemed meritorious if it exhibits a familiarity with the application and provides a reasoned statement of the action's probable impact. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3465&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

DIVISION OF WATER - SURFACE WATER DISCHARGES – The Division of Water hereby gives notice that the following permit applications have been received.

Wastewater Facilities Construction Permit Application

Sussex County, located at No.2 the Circle, Georgetown, Sussex County, Delaware, to construct (1) Pump station #311, with dual submersible non-clog wastewater pumps, valves and related facilities, (2) four grinder pumps and (3) 1,250 linear feet of 1.5 and 2" force main to serve the Millville Sanitary Sewer District (MSSD)-Northwest Expansion II area, Sussex County. The pump station will be located within MSSD, along Atlantic Avenue (State Route 25), between Irons Lane and Koenig Lane and will be connected to an existing 14" force main that runs along Atlantic Avenue and discharges to South Coastal Regional Wastewater facility. The 1.5" and 2" force mains, will respectively, be located along Murray Road and along Hole in the Woods Court, MSSD- Northwest Expansion II area, Sussex County, Delaware. Questions regarding the applications and plans for the above are available for inspection by contacting: Dr. Davison Mwale (PhD) Environmental Finance, Office of the Secretary 5E Reed Street, Suite 200, Dover, DE 19901, 302-739-9941. A public hearing concerning the above application will NOT be held unless the Secretary determines that a hearing is in the public interest or if a written meritorious request for a hearing is received on or before **October 26**. A request for a public hearing shall be deemed meritorious if it exhibits a familiarity with the application and provides a reasoned statement of the permit's probable impact. For more information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3458&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

Kent County Public Works Department, located at 555 Bay Road, Dover, Kent County to construct a Force Main consisting of approximately 1260' of underground 18" force main. There are two locations that will be replaced. The project limits and proposed sewer line alignment for Location 1 extends from a point on the existing 18" force main on the southeast side of NE Front street, then runs northward to a point where it turns and runs west under the proposed NE Front Street Service Road until it reaches and connects to the existing 18" Force Main alignment. The project limits and proposed sewer line alignment for Location 2 extends from a point on the existing 18" force main on the southwest side of the proposed Ramp C, then runs around the proposed curve until it reaches and connects to the existing 18" Force Main alignment just south of the intersection of Silicato Parkway and Ramp C. The purpose of the project is to replace the sections of the Southern Bypass 18" Force Main affected by the DelDOT Road Project. Questions regarding the applications and plans for the above are available for inspection by contacting: Greg Pope, P.E. Environmental Finance, Office of the Secretary 5E Reed Street, Suite 200, Dover, DE 19901 302-739-9941. A public hearing concerning the above application will NOT be held unless the Secretary determines that a hearing is in the public interest or if a written meritorious request for a hearing is received on or before **October 27**. A request for a public hearing shall be deemed

meritorious if it exhibits a familiarity with the application and provides a reasoned statement of the permit's probable impact. For more information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3460&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

The Daim Farm at 1735 Woodyard Road in Harrington has applied for coverage under National Pollutant Discharge Elimination System (NPDES) General Concentrated Animal Feeding Operation (CAFO) Permit Number DE 5000N/11, to operate a Large Poultry CAFO without land application of manure under Section 9.5 of the DNREC's Regulations Governing the Control of Water Pollution. Large CAFO's are characterized as having equal to or greater than 125,000 chickens. Chicken manure is not land applied by this farm and is exported off the farm. Manure is stored and mortalities are handled in a manner to prevent contamination of waters of the state. This farm has an Animal Waste Management Plan that meets the criteria of the CAFO Regulations. Manure, litter, and/or process wastewater discharges are prohibited from the production area. The Department previously published public notice of this application and received public comments and a request for public hearing. The purpose of this hearing is to address public comments such as the storage and management of manure and mortalities of the Daim Farm LLC. The Department determines that the public interest warrants holding a public hearing on the application to develop the record with the benefit of the Department's public hearing process. The public hearing on the application will begin at 6:00p.m. on **November 2** at the Department of Agriculture Commodities Building at the Harrington State Fair Complex at 18500 South DuPont Hwy, Harrington, DE 19952.

Persons wishing to comment may present written statements prior to or in person. Persons who want to speak at the public hearing are encouraged but not required to register in advance no later than **October 28**. Registration and any written comments should be send either by mail to: Robert P. Haynes, Esq

Senior Hearing Officer, Office of the Secretary, Department of Natural Resources and Environmental Control, P.O. Box 1401, 89 Kings Highway, Dover, Delaware 19901, or preferably email to: Robert.Haynes@state.de.us, or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3437&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

The City of Rehoboth Beach proposes to construct a 3.5 million gallon per day pump station at the WWTP, an 11,300 linear foot 24-inch diameter force main, and a 6,000-linear-foot, 24-inch ocean outfall pipe with a diffuser assembly. The public hearing will receive comments from public speakers with priority given to preregistered speakers followed by speakers who sign up at the public hearing. To preregister to speak at the public hearing, please contact DNREC by e-mail or first class mail no later than **November 11** at: Email:

Rehoboth_Wastewater_Comments@state.de.us; USPS Mail: John Schneider, DNREC State Street Commons, 100 W. Water St. - Suite 10B, Dover, DE 19904. As DNREC anticipates a large number of speakers, the Department accordingly will impose a 5-minute time limit on each speaker. If you are unable or choose not to attend the public hearing, you may submit written comments in advance that will be part of the record. Written comments should be sent to the above contact addresses, preferably by e-mail. The public comment period for written comments will commence on **October 15** and end **December 2**. For more information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3445&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NPDES Permits

City of Rehoboth Beach seeks to renew and amend its NPDES Permit No. DE0020028 (State Number WPCC 3084E/74), which authorizes the discharge of treated effluent from its WWTP. The WWTP receives wastewater from Rehoboth Beach and neighboring areas including

North Shores, Henlopen Acres, and the Dewey Beach Sanitary District and currently discharges treated effluent into the Lewes-Rehoboth (L-R) Canal located at Latitude 38°42'36.0"N, Longitude 75°05'34.0"W (Outfall 001), which will remain in use for Phase 1 of the permit. Phase 2 of the permit will commence when Ocean Outfall (Outfall 002) is completed for discharge into the Atlantic Ocean at Latitude 38° 43.787' N, Longitude 75° 03.505' W approximately one mile offshore of Deauville Beach. Wastewater treatment for Phase 1 is provided by bar screens, a grit collector, emergency off-line diversion tanks, two total barrier oxidation ditches, chemical addition for phosphorus removal, two secondary clarifiers, two microscreens, chlorination and de-chlorination tanks, and post aeration. Wastewater treatment for Phase 2 is provided by bar screens, a grit collector, emergency off-line diversion tanks, two total barrier oxidation ditches, chemical addition for phosphorus removal, two secondary clarifiers, filtration, chlorination and de-chlorination tanks, effluent pumping, and flow metering. Waste sludge is aerobically digested, thickened, and land applied as a liquid or dewatered by a belt press and taken to a sanitary landfill. As required by its NPDES Regulations, the Department is preparing a draft NPDES permit as a tentative decision and a Fact Sheet that explains its decision. The Department may revise its tentative decision in its final decision based on the record, including public comments. A public hearing is scheduled for 6 p.m. **November 15** at the Rehoboth Elementary School, 500 Stockley Street, Rehoboth Beach, Delaware 19971. For more information please visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3445&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

DIVISION OF WATER - WATER SUPPLY - The Division of Water hereby gives notice that the following Well permit application has been received. For additional information concerning the applications below, please contact Allison Diggins/Water Supply Section - 89 Kings Highway, Dover, DE 19901; or by phone at (302)739-9945.

DIVISION OF WATER - WETLANDS AND SUBAQUEOUS LANDS SECTION – The Division of Water hereby gives notice that the applications below are available for inspection or copies may be obtained by contacting: Gayle Calder, Wetlands and Subaqueous Lands Section, 89 Kings Highway, Dover – 19901, or by calling (302) 739-9943. A public hearing on the applications below will NOT be held unless our agency Secretary determines that a public hearing is in the public interest, or if a written meritorious objection to the application is received by **October 25**. For additional information on the items submitted below visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3443&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

Subaqueous Lands Permit Application

Division of Fish & Wildlife (1301000009)-To repair approximately 4,000 linear feet of existing dikes consisting of 47,000 cubic yards of material, to install a temporary coffer dam for the repair of one water control structure and to replenish 750 feet of shoreline by adding 400 tons of rip rap at the Lang Impoundment, within the Augustine Wildlife Area, New Castle County

Banks Harbor Marina – (134-12.00-270.00) Maintenance dredge 394 cubic yards of material to be placed over 2,829 ft² of intertidal zone and planted with *Spartina alterniflora* to create a living shoreline; repair 181 linear feet of rip-rap using 40 cubic yards of rip-rap; and install 30 linear feet of shell bag; 20 linear feet of coir log and a 5 foot by 50 foot floating wetland system for shoreline protection at Banks Harbor Marina, north end of River Drive, Ocean View, Sussex County

Subaqueous Lands Permit, Wetlands and Water Quality Application

Division of Parks and Recreation – Assawoman Canal (dredging -linear project, disposal site: 134-17.00-38.00 and 134-20.00-2.00) – to maintenance dredge the 35 foot wide channel of the

Assawoman Canal, 3 feet below mean low water, excavating 34,000 cubic yards of sediment, dredging from White Creek to the Little Assawoman Bay, from Ocean View to South Bethany, to dredge a 50 foot long by 35 foot wide section of the Bethany Loop Canal, to place a pipeline in 1,200 feet of tidal wetlands and to dispose of the material in a confined disposal facility located south of Double Bridges Road in South Bethany, Sussex County

Subaqueous Lands Lease Application

The City of Rehoboth Beach proposes to use public subaqueous lands to construct and operate an Ocean Outfall by installing a 24-inch diameter by 6,000-foot long buried beginning at the Deauville Beach parking area near the intersection of Henlopen Avenue and Duneway Drive in Rehoboth Beach, eastward into the Atlantic Ocean. The pipe would be installed using a combination of horizontal directional drill and excavate and backfill methods. A 24-inch diameter by 150-foot long diffuser pipe assembly would be attached to the east terminus of the pipe at an approximate water depth of 40 feet. A public hearing concerning the above application will be held by our agency at 6 p.m. **November 15** at the Rehoboth Elementary School 500 Stockley Street Rehoboth Beach, Delaware 19971. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3445&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

Subaqueous Water Quality Application

The City of Rehoboth Beach Water Quality Certification is required for the dredging associated with the United States Army Corps of Engineers permitting for the Ocean Outfall. The public hearing will receive comments from public speakers with priority given to preregistered speakers followed by speakers who sign up at the public hearing. To preregister to speak at the public hearing, please contact DNREC by e-mail or first class mail no later than **November 11** at: Email: Rehoboth_Wastewater_Comments@state.de.us; USPS Mail: John Schneider, DNREC State Street Commons, 100 W. Water St. - Suite 10B, Dover, DE 19904. As DNREC anticipates a large number of speakers, the Department accordingly will impose a 5-minute time limit on each speaker. If you are unable or choose not to attend the public hearing, you may submit written comments in advance that will be part of the record. Written comments should be sent to the above contact addresses, preferably by e-mail. The public comment period for written comments will commence on **October 15** and end **December 2**. For more information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3445&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

EMPLOYEE NEWS

Effective **October 17**, Judy Jordan has accepted the position of Environmental Scientist with Division of Water, Surface Water Discharges Section working with the MS4 program. **Welcome!**

Effective **October 10**, Praveen Galigutte has accepted the position of Analytical Chemist III with Division of Water, Environmental Laboratory Section. **Welcome!**

CONTACT INFORMATION

24-Hour Environmental Report and Spill Notification Line - 1-800-662-8802

Aboveground Storage Tanks - 302-395-2500
Air Quality - New Castle Office - 302-323-4542
Air Quality – Kent & Sussex – 302-739-9402
Asbestos New Castle - 302-323-4542
Asbestos Kent & Sussex - 302-739-9402
Biosolids Permits - 302-739-9946

Boiler Safety - 302-395-2500
Brownfields - 302-395-2600
Community Ombudsman - 302-739-9040
Community Services - 302-739-9959
Delaware Estuary Program - 302-739-9283 (Delaware Coastal Management Program)
Division of Air Quality Director's Office - 302-739-9402
Division of Energy & Climate - 302-735-3480
Division of Waste and Hazardous Substances Director's Office - 302-739-9400
Division of Water Information - 302-739-9950
Dock/Dredging/Bulkheads/Rip-Rap/Wetlands & Subaqueous Lands - 302-739-9943
Emergency Prevention and Response - 302-739-9404
Environmental Crimes Unit - 302-739-9401 or 1-800-662-8802
Environmental Laboratory - 302-739-9942
Hazardous Waste - 302-739-9403
Hazardous Chemical and Toxic Release Inventories – 302-739-9404
Industrial Stormwater Permits - 302-739-9946
Loans & Grants for Wastewater and Septic's (Environmental Finance) - 302-739-9941
Medical Waste - 302-739-9403
Non-Hazardous Liquid Waste Transporters - 302-739-9948
On-site Wastewater Licensing Program - 302-739-9948
Open Burning - 302-739-9402
Outreach Ombudsman - 302-395-2600
Recycling - 302-739-9403
Septic System Permits - Large Systems (Community & I/A) Statewide - 302-739-9948
Septic System Permits - Small Systems for Kent & New Castle Counties - 302-739-9947
Septic System Permits - Small Systems for Sussex Co. & Holding Tank Compli. Program - 302-856-4561
Site Investigation & Restoration Section (Superfund/Brownfields) - 302-395-2600
Small Business Ombudsman - 302-739-9909
Solid Waste - 302-739-9403
Source Water Protection - 302-739-9945
Surface Water Discharge Permits (NPDES) - 302-739-9946
Underground Injection Control & Spray Irrigation - 302-739-9948
Underground Storage Tanks - 302-395-2500
Wastewater Collection, Conveyance and/or Treatment Facility Construction Permits - 302-739-9946
Wastewater Treatment Facility Operators - 302-739-9946
Water Allocation Permits - 302-739-9945
Water Testing - Drinking Water (Division of Public Health) - 302-741-8630
Water Supply - 302-739-9945
Well Driller's License - 302-739-9944
Well Permits & Licensing - 302-739-9944
Wells - 302-739-9944
Wetlands and Subaqueous Lands Section - 302-739-9943