

The biweekly E-News Update features current information on the Divisions of Air Quality (DAQ), Waste and Hazardous Substances (WHS), and Water regarding public meetings, workshops, hearings, and regulatory documents available for public comment, as well as general news updates. For those of you who are receiving the E-News Update for the first time, the subscription is FREE!

Please sign up at: <http://www.delaware.gov/Pages/Lists.aspx> under "Division of Waste & Hazardous Substances Lists." There is no form to fill out; it's done in three clicks!

Suggestions? Additions? Please call Stacy Jones at 302-739-9400, or send an email to Stacy.Jones@state.de.us

Published by Divisions of Air Quality, Waste and Hazardous Substances and Water.

Visit us at: www.awm.delaware.gov

SECRETARY ORDER

[Secretary's Order No. 2015-WH-0039](#)

Approving Final Regulations to Amend 7 DE Admin. Code 1301: Delaware Regulations Governing Solid Waste

UPCOMING AIR, WASTE, & WATER-RELATED HEARINGS, MEETINGS, & EVENTS

PUBLIC HEARING TO DISCUSS PROPOSED SIP REVISION - This meeting will begin at 6pm on **October 28**. It will be held in the auditorium at DNREC's Richardson and Robbins Building, 89 Kings Highway Dover, DE, 19901. The proposed SIP revision addresses the infrastructure requirements of the CAA relative to the 2012 fine particulate matter NAAQS, which the EPA promulgated in December 14, 2012. DNREC is accepting comments on this SIP revision. For additional information, please contact Jack Sipple at 302-739-9402 or visit: <https://egov.delaware.gov/pmc/Event/Details/30539>

RECYCLING PUBLIC ADVISORY COUNCIL MEETING- will be held on **October 28** from 1:30 pm -3:30 pm at Appoquinimink State Service Center, 122 Silver Lake Rd. Middletown, DE, 19709, New Castle County. Recycling issues for the State of Delaware will be discussed. For additional information, please contact Harris Budin at 302-739-9403; or visit: <https://egov.delaware.gov/pmc/Event/Details/30589>

BOARD OF CERTIFICATION FOR WASTEWATER OPERATORS MONTHLY MEETING – Will be held on **November 2** from 9am to 11 am in conference room B136 at the Richardson and Robbins Building, 89 Kings Highway Dover, DE, 19901. For additional information, please contact Faye Myers at (302) 739-9946; or visit: <https://egov.delaware.gov/pmc/Event/Details/30141>

SOURCE WATER PROTECTION CITIZEN TECHNICAL ADVISORY COMMITTEE MEETING - The Committee will hold a meeting on **November 4** from 9am to 12pm at the Kent County Administration Complex, Conference Rooms 220 A&B, 555 Bay Road, Dover, DE, 19901. Dover, DE 19901. For additional information, please contact Kimberly Burris at (302) 739-9945; or visit: <https://egov.delaware.gov/pmc/Event/Details/25728>

REQUEST FOR PROPOSALS FROM LICENSED AND QUALIFIED CLASS D SOIL SCIENTISTS to perform site evaluations for on-site wastewater treatment and disposal systems <2500 gallons per day. The site evaluations will be performed in all 3 counties. All proposals are to be submitted no later than 1:00 pm on **November 16** to: DNREC/GWDS James Cassidy, 20653 N. DuPont Blvd., Georgetown, DE 19947. Interested parties should contact James Cassidy at James.Cassidy@state.de.us or by phone at (302) 856-4561. A copy of the application may be obtained at: www.bids.delaware.gov . Additional information can also be found by visiting:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2939&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

PUBLIC HEARING WILL BE HELD TO RECEIVE PUBLIC COMMENTS ON PERMIT APPLICATIONS SUBMITTED BY ALLEN HARIM FOODS, LLC. The public hearing on the applications and the draft permit will begin at 6:00 p.m. on **November 18**, at the Indian River Senior Center, 214 Irons Avenue, in Millsboro. Persons wishing to comment on the applications and draft permit may present written statements through the close of the public comment period, which is re-opened and extended until the conclusion of the public hearing on November 18. Persons may also present comment orally or in written form at the hearing. Persons who want to speak at the public hearing are encouraged to register in advance no later than November 16 and this registration will be used to determine the order of speakers at the public hearing. Registration and any written comments should be send either by mail or preferably email to: Robert.Haynes@state.de.us or Robert P. Haynes, Esq. Senior Hearing Officer, Office of the Secretary Department of Natural Resources and Environmental Control P.O. Box 1401, 89 Kings Highway Dover, Delaware 19901. Please visit the link below for more in-depth information:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2961&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

AIR QUALITY PERMITTING PROGRAM – Notice has been given that the facilities listed below have submitted applications for air quality management permits. The applications, the “draft/proposed” permits, all materials that the applicant has submitted (other than those granted confidential treatment under DNREC rules), and a copy of summary of other materials, if any, considered in preparing the “draft/proposed” permit, may be inspected at the offices of the Division of Air Quality, 655 S. Bay Road, Dover and 715 Grantham Lane, New Castle. **All comments and public hearing requests** should be mailed to the following address: DIVISION OF AIR QUALITY, 655 S. Bay Road, Suite 5 N, Dover, DE 19901. To submit comments, for additional information, or for an appointment to inspect the application, please contact Laura Bogus or Penny Gentry at (302) 739-9402.

NOTICE IS HEREBY GIVEN THAT RIVERFRONT DEVELOPMENT CORPORATION OF DELAWARE has submitted an application for the construction of one (1) 800 kW Caterpillar Diesel Generator for distributed used at 815 Justinson Street in Wilmington, Delaware. Permit: APC-2016/0023-CONSTRUCTION (NSPS). The generator will be permitted to operate for 40 hours a year. Total estimated emissions from the facility are 0.01 tpy of NOX, 0.00023 tpy of SO2, 0.011 tpy of CO, 51.2 tpy of CO2, 0.001 tpy of PM, and 0.0005 tpy of HC. A public hearing concerning the permitting action will not be held unless our agency Secretary receives a request for such by **October 26**. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2953&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTICE IS HEREBY GIVEN THAT SUPERIOR CONTRACTOR SERVICES, INC., requests a permit amendment to operate their jaw crusher, impact crusher, and other permitted equipment at 33080 Light House Road, Selbyville, Sussex County, Delaware. Permitted emissions from the portable crushing equipment will remain unchanged by Permit# APC-2015/0047-OPERATION (Amendment 5). A public hearing concerning the permitting action will not be held unless our agency Secretary receives a request for such by **October 26**. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2953&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTICE IS HEREBY GIVEN THAT SIEMENS HEALTHCARE DIAGNOSTICS, INC., requests a

construction permit to install a Cleaver-Brooks Model CBEX Elite 200-150-150-150ST Boiler, fueled by natural gas, at their facility located at 500 GBC Drive, Newark, in New Castle County. The boiler will be permitted to emit 0.116 tpy (tons per year) of PM, 0.015 tpy of SOX, 0.918 tpy of NOX, 0.197 tpy of CO, and 0.136 tpy of VOCs by Permit# APC-2016/0021-CONSTRUCTION. A public hearing concerning the permitting action will not be held unless our agency Secretary receives a request for such by **October 26**. For additional information visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2953&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTICE IS HEREBY GIVEN THAT LAYAOU LANDSCAPING, INC., requests a permit to construct one (1) 525 hp Vermeer Tub Grinder (Model TG525) at their 69 Albe Drive, Newark, New Castle County facility. The Vermeer Tub Grinder will be permitted to emit 4.83 tpy of NOx, 2.64 tpy of CO, 1.13 tpy of THC, 0.15 tpy of PM, and 0.94 tpy of SO2 by Permit: APC-2015/0057-CONSTRUCTION. Layaou Landscaping, Inc. is requesting to operate at the following locations: 69 Albe Drive, Newark, New Castle County. 1699 S. DuPont Highway Suite 109, St. Georges, New Castle County. A public hearing concerning the permitting action will not be held unless our agency Secretary receives a request for such by **October 26**. For additional information visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2953&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTICE HAS BEEN GIVEN THAT DELAWARE MUNICIPAL ELECTRIC CORPORATION, requests a permit to construct one (1) 291,400 gallon storage tank for Ultra Low Sulfur Diesel (ULSD) fuel oil at their Warren F. "Sam" Beasley Power Station 217 Artisan Drive, Smyrna, Kent County facility. The 291,400 gallon ULSD fuel oil storage tank will be permitted to emit 0.03 TPY of VOCs by Permit# APC-2016/0024-CONSTRUCTION (VOC RACT). A public hearing on any of the above applications will NOT be held unless our agency Secretary receives a request for a hearing regarding that application by **November 2**. For additional information visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2959&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTICE IS HEREBY GIVEN THAT FMC HEALTH AND NUTRITION having a facility at 1301 Ogletown Road, Newark, Delaware 19711 has requested a federally enforceable 7 DE Admin. Code 1102 construction permit (APC-2016/0025 – CONSTRUCTION (FE)) for a new baghouse to replace the existing EP-128 baghouse of CMC Conveying System #2. The new baghouse will be permitted at 0.13 ton of particulate matter (PM) per year, the same limit as the baghouse it replaces. Upon completion of construction, the Department will incorporate the operating conditions and limits of the 7 DE Admin. Code 1102 Construction permit into the facility's existing Title V (Permit: AQM-003/00051 (Renewal 3)(Revision 1)) via an Administrative Amendment. A public hearing concerning the permitting action will not be held unless our agency Secretary receives a request by **November 17**. For additional information visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2960&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

WHS - SITE INVESTIGATION AND RESTORATION SECTION is responsible for the identification, evaluation and remediation of sites in Delaware that have had past releases of hazardous substances. The section manages the contaminated sites under three major programs in accordance with the Hazardous Substance Cleanup Act (HSCA). The three programs are the **Brownfields Development Program, the Voluntary Cleanup Program (VCP) and the HSCA Enforcement Program** (for sites requiring enforcement action).

The Proposed and Final Plans of Remedial Action listed below outline site cleanup activities and covenants and are available online at:

<http://www.dnrec.delaware.gov/whs/awm/SIRB/Pages/SIRBPlans.aspx> under "Announcements." For site-specific information, please see DNREC's Environmental Navigator at <http://www.nav.dnrec.delaware.gov/DEN3>

FINAL PLAN OF REMEDIAL ACTION FOR THE 4001 NEW CASTLE AVENUE SITE A/K/A FORMER DIXON AUTO SALES SITE - located 4001 New Castle Avenue, Wilmington. The selected remedy is to adopt land use controls in the form of an Environmental Covenant limiting the Site to commercial development and restricting the use of groundwater, and submit for DNREC's approval a Contaminated Materials Management Plan. The Site is currently owned by C&S Properties, LLC. Our agency issued public notice of the Proposed Plan for the 4001 New Castle Avenue Site on September 6. There were no comments or questions from the public regarding the Proposed Plan. The public has until **October 27** to appeal this Final Plan. For additional information, please contact Kristen Thornton, Project Manager, or Robert Newsome, Public Information Officer, at (302) 395-2600; or visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2951&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

SOLID AND HAZARDOUS WASTE MANAGEMENT SECTION - The Solid and Hazardous Waste Management Section (SHWMS) hereby gives notice that a permit application has been received from the following companies to transport regulated RCRA hazardous and/or non-hazardous solid wastes in, out of, or through the State of Delaware. The renewal application and associated documents are available for review during business hours at our agency Solid & Hazardous Waste Management Section office at 89 Kings Highway, Dover and also at our Lukens Drive office at 391 Lukens Drive in Wilmington.

George Leck & Son, Inc. dba Leck Waste Services; Guardian Companies, Inc.; HEPACO-REACT, LLC; Livesay Trucking, LLC; PT Morgan, LLC; Shirley Express, LLC. To inspect application contact Zakary Fisch at 302.739.9403. A public hearing concerning these applications will NOT be held unless our agency Secretary, in care of Karen J'Anthony, receives a meritorious request for a hearing by **October 22**. For additional information visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2952&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

Able Recycling, Inc.; Grady & Son Excavation, LLC; Lewis Enterprises, Inc.; Nexeo Solutions, LLC. To inspect application contact Zakary Fisch at 302.739.9403. A public hearing concerning these applications will NOT be held unless our agency Secretary, in care of Karen J'Anthony, receives a meritorious request for a hearing by **October 22**. For additional information visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2958&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

DIVISION OF WATER - SURFACE WATER DISCHARGES – The Division of Water hereby gives notice that the following permit application has been received. For additional information or to inspect the applications below contact, Molly Mackil from Surface Water Discharges Section - Division of Water, 89 Kings Highway, Dover, DE 19901, (302) 739-9946.

WASTEWATER FACILITIES CONSTRUCTION PERMIT APPLICATION

Sussex County and the Cape Henlopen School District to construct 8" gravity sewer, one pump station with dual non-clog pumps, associated piping, valves, controls and related facilities, approximately 3,950 linear feet of 8" force main, 1,495 linear feet of 6" force main, and 55 linear feet of 4" force main, to serve the proposed Love Creek Elementary School, to be located on the

northwest side of John J. Williams Highway (DE Route 24), approximately 1,250 feet southwest of Mulberry Knoll Road (County Road 284), Midway area, Lewis and Rehoboth Hundred in Sussex County. A public hearing concerning the above application will NOT be held unless our agency Secretary determines that a hearing is in the public interest or if a written meritorious request for a hearing is received on or before **October 29**. A request for a public hearing shall be deemed meritorious if it exhibits a familiarity with the application and provides a reasoned statement of the permit's probable impact. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2956&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

DIVISION OF WATER - Ground Water Discharges -The Division of Water hereby gives notice that the applications below are available for inspection or copies may be obtained by contacting: Kathleen Saunders, Ground Water Discharges, 89 Kings Highway, Dover – 19901, or by calling (302) 739-9948.

PENINSULA OIL COMPANY, Inc. has applied to the Ground Water Discharges Section for a renewal of Non-Hazardous Liquid Waste Transporters Permit DE OH-121 which allows for the transport of portable toilet waste to be disposed of at the Town of Laurel Wastewater Treatment Facility, Sussex County; and the Kent County Wastewater Treatment System. A public hearing on the above application will NOT be held unless our agency Secretary determines that a public hearing is in the public interest or if a written meritorious objection to the application is received by **October 26**. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2955&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

A-1 SANITATION SERVICE, Inc. has applied to the Ground Water Discharges Section for a renewal of Non-Hazardous Liquid Waste Transporters Permit DE WH-052 which allows for the transport of septage, holding tank waste, grease trap waste and/or cooking oil waste, portable toilet waste, municipal or industrial biosolids (including sludge from treatment plants) to be disposed of as follows: Sludge and Municipal/Industrial Biosolids to out-of-state permitted facilities and the Kent County Wastewater Treatment Plant; Leachate from Delaware Solid Waste Authority to the Kent County Wastewater Treatment Plant; Septage, Holding Tank Waste, Grease Trap Waste, Portable Toilet Waste to the following locations: City of Seaford Wastewater Treatment Plant; Kent Co Wastewater Treatment Plant; New Castle County Sewer System; Out-of-state permitted facilities. A public hearing on the above application will NOT be held unless our agency Secretary determines that a public hearing is in the public interest or if a written meritorious objection to the application is received by **October 29**. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2957&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

HARRY CASWELL, Inc. has applied to the Ground Water Discharges Section for a renewal of Non-Hazardous Liquid Waste Transporters Permit DE WH-111 which allows for the transport of septage and holding tank waste to be disposed of at the South Coastal Regional Wastewater Facility; and Clean Delaware, LLC for land application in accordance with AGU 1202-S-03 (including subsequent amendments). A public hearing on the above application will NOT be held unless our agency Secretary determines that a public hearing is in the public interest or if a written meritorious objection to the application is received by **November 2**. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2962&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

UNITED WATER DELAWARE has applied to the Ground Water Discharges Section for a renewal of their Underground Injection Control (UIC) Permit (5R21-10-06N), for the operation one

(1) Aquifer Storage and Recovery (ASR) injection well. The UIC Permit is required for the injection of potable water, for storage in an aquifer. The site is located at 308 Clarks Corner Road, New Castle, New Castle County. A public hearing on the above application will NOT be held unless our agency Secretary determines that a public hearing is in the public interest or if a written meritorious objection to the application is received by **November 17**. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2963&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

DIVISION OF WATER - WETLANDS AND SUBAQUEOUS LANDS SECTION – The Division of Water hereby gives notice that the applications below are available for inspection or copies may be obtained by contacting: Gayle Calder, Wetlands and Subaqueous Lands Section, 89 Kings Highway, Dover – 19901, or by calling (302) 739-9943. A public hearing on the applications below will NOT be held unless our agency Secretary determines that a public hearing is in the public interest, or if a written meritorious objection to the application is received by **October 27**. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2948&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

Subaqueous Lands Permit Application

Delaware Department of Transportation-To replace and lengthen two existing road culverts, impacting 78 square feet, to place riprap in 550 square feet, and to temporarily impact 1,345 square feet of an unnamed tributary to the Smyrna River, at Shorts Landing Road, Smyrna

Subaqueous Lands Permit and Wetlands Application

Vince Walsh-To maintenance dredge approximately 130 cubic yards of material, dredging to a depth of 5 feet below mean low water in the Lewes and Rehoboth Canal at 358 Pilottown Road, and to temporarily place a pipeline on 100 linear feet of State-regulated wetlands for disposal of the dredge material at the Army Corps of Engineers confined disposal site, in Lewes, Sussex County

Delaware Division of Fish & Wildlife-To repair and expand approximately 5,000 linear feet of existing dikes and to add a ditch plug consisting of a total of 30,000 cubic yards of material, to repair by replace two water control structures and the associated sheet piling around the structures in the Ted Harvey south impoundment, within the Ted Harvey Wildlife Area, Kent County

CONTACT INFORMATION

24-Hour Report and Spill Notification Line - 1-800-662-8802

Aboveground Storage Tanks - 302-395-2500

Air Quality - New Castle Office - 302-323-4542

Air Quality – Kent & Sussex – 302-739-9402

Asbestos New Castle - 302-323-4542

Asbestos Kent & Sussex - 302-739-9402

Biosolids Permits - 302-739-9946

Boiler Safety - 302-395-2500

Brownfields - 302-395-2600

Community Ombudsman - 302-739-9040

Delaware Estuary Program - 302-739-9283 (Delaware Coastal Management Program)

Division of Air Quality Director's Office - 302-739-9402

Division of Waste and Hazardous Substances Director's Office - 302-739-9400

Division of Water Information - 302-739-9950

Dock/Dredging/Bulkheads/Rip-Rap/Wetlands & Subaqueous Lands - 302-739-9943
Emergency Prevention and Response - 302-739-9404
Environmental Crimes Unit - 302-739-9401 or 1-800-662-8802
Environmental Laboratory - 302-739-9942
Hazardous Waste - 302-739-9403
Hazardous Chemical and Toxic Release Inventories – 302-739-9404
Industrial Stormwater Permits - 302-739-9946
Loans & Grants for Wastewater and Septic's (Financial Assistance Branch) - 302-739-9941
Medical Waste - 302-739-9403
Non-Hazardous Liquid Waste Transporters - 302-739-9948
On-site Wastewater Licensing Program - 302-739-9948
Open Burning - 302-739-9402
Outreach Ombudsman - 302-395-2600
Recycling - 302-739-9403
Septic System Permits - Large Systems (Community & I/A) Statewide - 302-739-9948
Septic System Permits - Small Systems for Kent & New Castle Counties - 302-739-9947
Septic System Permits - Small Systems for Sussex County & Holding Tank Compliance Program - 302-856-4561
Site Investigation & Restoration Section (Superfund/Brownfields) - 302-395-2600
Small Business Ombudsman - 302-739-9909
Solid Waste - 302-739-9403
Source Water Protection - 302-739-9945
Surface Water Discharge Permits (NPDES) - 302-739-9946
Underground Injection Control & Spray Irrigation - 302-739-9948
Underground Storage Tanks - 302-395-2500
Wastewater Collection, Conveyance and/or Treatment Facility Construction Permits - 302-739-9946
Wastewater Treatment Facility Operators - 302-739-9946
Water Allocation Permits - 302-739-9945
Water Testing - Drinking Water (Division of Public Health) - 302-741-8630
Water Supply - 302-739-9945
Well Driller's License - 302-739-9944
Well Permits & Licensing - 302-739-9944
Wells - 302-739-9944
Wetlands and Subaqueous Lands Section - 302-739-9943
