

The biweekly E-News Update features current information on the Divisions of Air Quality (DAQ), Waste and Hazardous Substances (WHS), and Water regarding public meetings, workshops, hearings, and regulatory documents available for public comment, as well as general news updates. For those of you who are receiving the E-News Update for the first time, the subscription is FREE!

Please sign up at: <http://www.dnrec.delaware.gov/Pages/DNRECLists.aspx> under "Division of Waste & Hazardous Substances Lists." There is no form to fill out; it's done in three clicks!

Suggestions? Additions? Please call Kathy Nedelka at 302-739-9400, or send an email to katherine.nedelka@state.de.us

Published by the Divisions of Air Quality, Waste and Hazardous Substances and Water.

Visit us at: www.awm.delaware.gov

UPCOMING AIR, WASTE, & WATER-RELATED HEARINGS, MEETINGS, & EVENTS

PUBLIC HEARING ON PROPOSED UNIVERSAL RECYCLING REGULATIONS (Modified) -

The purpose of the hearing is regarding proposed Universal Recycling Regulations. Meeting will take place **November 21** from 4pm to 7pm. The meeting will be held at DNREC Auditorium, 89 Kings Highway, Richardson and Robbins Building Dover, 19901, Kent County. For additional information please contact Don Long @ (302)739-9403 (x8) or donald.long@state.de.us; or visit: <https://egov.delaware.gov/pmc/Event/Details/39297>

NOTICE OF PUBLIC HEARING JOHNSON CONTROLS BATTERY GROUP, INC- The Department will conduct a public hearing on the Regulation 1102 Natural Minor permit application submitted by Johnson Controls Battery Group, Inc. for the installation of Chemsets and an expansion of its Facility at 700 North Broad Street, Middletown. This consists of constructing eight curing and drying ovens (Chemsets), four Sovema Lead Oxide Mills, a pellet caster feeding all Sovema Lead Oxide Mills, construction of nine new silos for lead oxide storage, relocation of two existing silos and weigh hoppers emissions to new baghouses, two new surge hoppers, two new screening towers, a central vacuum system with a dedicated baghouse, relocation of two existing pasting lines, addition of two new pasting lines, relocation of the existing strip caster and trim dry oven to a common baghouse, and relocation of the North and South Barton melting pots to new baghouses. The public hearing will be held in the auditorium of Appoquinimink High School, 1080 Bunker Hill Road, Middletown on **November 30** at 6:00 pm. For additional information or for an appointment to inspect the application, please contact Angela Marconi or Chavis Bianco in the New Castle Office at (302) 323-4542. Public comments may be presented orally or in written form at the public hearing, and written comments may be submitted in advance without attending the public hearing, if received prior to the hearing. Persons who want to speak at the public hearing are encouraged to register in advance, no later than **November 29**, and this registration will be used to determine the order of speakers at the public hearing. Registration should be sent by email to: Robert.Haynes@state.de.us , or USPS to DIVISION OF AIR QUALITY, State Street Commons, 100 W. Water Street, SUITE 6A Dover, 19904, (302) 739-9402. For more information please visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3490&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeId=0x010034FD6D348B0CF04392485E93FC15AB3A>

HSCA ADVISORY COMMITTEE (FORMERLY BROWNFIELDS ADVISORY COMMITTEE) –

The Committee will hold a public meeting to review, provide guidance and input for DNREC's cleanup programs related to the Hazardous Substance Cleanup Act (HSCA). This meeting will take place on **December 1** from 9:00am to 12:00pm at the Lukens Drive Field Office, 391 Lukens Drive, New Castle, 19720, New Castle County. For additional information, please contact Christina Wirtz at (302) 395-2600 or visit:

<https://egov.delaware.gov/pmc/Event/Details/39373>

BOARD OF CERTIFICATION FOR WASTEWATER OPERATORS MONTHLY MEETING – This is a regular monthly meeting of the Board of Certification for Wastewater Operators. Meeting will take place on **December 6** from 9am to 11am at the Richardson and Robbins Building, Conference Room B172: 89 Kings Highway, Dover, 19901. For additional information contact Faye Wheeler at (302) 739-9946; or visit: <https://egov.delaware.gov/pmc/Event/Details/33002>

NOTICE OF PUBLIC HEARING ABOVEGROUND TANK (AST) REGULATIONS (Modified) – The purpose of this meeting is to discuss the AST regulations. This meeting will take place on **December 6** beginning 6pm and held in the Lukens Drive Field Office, 391 Lukens Drive, New Castle, 19720, New Castle County. For additional information, please contact Alex Rittberg at (302) 395-2500; or visit: <https://egov.delaware.gov/pmc/Event/Details/39458>

ON-SITE SYSTEMS ADVISORY BOARD MEETING – will be held on **December 7** from 9:15am to 11:30am at the Richardson and Robbins Building, Conference Room B228: 89 Kings Highway, Dover, 19901. For additional information, contact Dawn Dryden, 302-739-9948; or visit: <https://egov.delaware.gov/pmc/Event/Details/39452>

NOTICE OF PUBLIC HEARING Hercules, LLC – The Department will conduct a public hearing on the Regulation 1130 Synthetic Minor permit application submitted by Hercules, LLC for the operation of a spray drying process consisting of two (2) PSD-1 Spray Dryers, one (1) SD Micro Spray Dryer and one (1) MP1 Fluid Bed located at 500 Hercules Road in Wilmington. The public hearing will be held at the Mill Creek Fire Company, Chambers Memorial Hall, at 3900 Kirkwood Highway, Marshallton 19808 on **December 8** at 6:00 pm. For additional information or for an appointment to review the proposed permit, please contact Angela Marconi or Lindsay Rennie in the New Castle Office at (302) 323-4542. Public comments may be presented orally or in written form at the public hearing, and written comments may be submitted in advance without attending the public hearing if received prior to the hearing. Persons who want to speak at the public hearing are encouraged to register in advance no later than **December 7** and this registration will be used to determine the order of speakers at the public hearing. Registration should be sent by email to: Robert.Haynes@state.de.us, or USPS to DIVISION OF AIR QUALITY, State Street Commons, 100 W. Water Street, SUITE 6A Dover, 19904, (302) 739-9402. For more information please visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3503&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

WATER WELL LICENSING BOARD MEETING – This meeting is to review prior month's meeting minutes and new driller applications. This meeting will be held on **December 13** from 9:30 am to 11:30am at the Richardson and Robbins Building, 89 Kings Highway, Dover, 19901. For additional information contact Lori Foraker at 302-739-9944; or visit: <https://egov.delaware.gov/pmc/Event/Details/39429>

WATER SUPPLY COORDINATING COUNCIL MEETING - The Council will hold a meeting on **January 26, 2017** from 10am to 12pm at the Kent County Administration Complex, Conference Room 220,555 Bay Road, Dover, 19901. For additional information, please contact Kimberly Burris at (302) 739-9945; or visit: <https://egov.delaware.gov/pmc/Event/Details/39268>

OPT-IN! THE DELAWARE DIVISION OF AIR QUALITY (DAQ) is committed to working with citizens to continuously optimize Delaware's air quality and protect public health, welfare, and the environment. To determine that the DAQ is meeting the air quality needs of the citizens across the state, we encourage you to participate in our opt-in list. In the future you will receive surveys

that will allow us to analyze our performance. You can access the opt-in list by clicking:
https://survey.co1.qualtrics.com/jfe/form/SV_1RGZGUYt8fSugkB

AIR QUALITY PERMITTING PROGRAM – Notice has been given that the facilities listed below have submitted applications for air quality management permits. The applications, the “draft/proposed” permits, all materials that the applicant has submitted (other than those granted confidential treatment under DNREC rules), and a copy of summary of other materials, if any, considered in preparing the “draft/proposed” permit, may be inspected at the offices of the Division of Air Quality, 100 W. Water Street, Suite 6A, Dover, 19904. **All comments and public hearing requests** should be mailed to the following address: DIVISION OF AIR QUALITY, 100 W. Water Street, Suite 6A, Dover, 19904. To submit comments, for additional information, or for an appointment to inspect the application, please contact Penny Gentry at (302) 739-9402.

NOTICE IS HEREBY GIVEN THAT DOVER AIR FORCE BASE located at Route 113 and Route 10, Dover, has submitted a request for a permit renewal pursuant to 7 DE Admin. Code 1130, Section 7 for operating permit: AQM-001/00001. Based on the data and certifications contained in the application, the department concludes that the applicant meets all applicable requirements promulgated by the Environmental Protection Agency (EPA) and the Department of Natural Resources and Environmental Control (DNREC). Therefore a “draft/proposed” permit renewal has been prepared. This draft/proposed” permit renewal will allow the Dover Air Force Base to operate equipment associated with Air Base activities including the maintenance, repair and support of long-range military transport aircraft. A public hearing concerning the permitting action will not be held unless the Secretary receives a request for such hearing by **November 15**. A request for a hearing shall be in writing and must show a familiarity with the application and a reasoned statement of the permit renewal’s probable impact. For more information visit:
<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3469&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTICE IS HEREBY GIVEN THAT PRINCE MINERALS, INC. has submitted an application, pursuant to 7 DE Admin. Code 1102, Section 2.1, 11.2.9, and 12.3, for an amendment to cancel the existing 35” Mill Unit and use existing equipment for a new Silica Loading Line, increase in production rate and operation hours for Auxiliary Raymond Unit (EU07) and Pyrite Process Line (EU20) at 301 Pigeon Point Road, New Castle. Prince Minerals, Inc. requests a limit for reduction in Particulate matter (PM10) emission levels. The limits are necessary to restrict Prince Minerals, Inc. potential to emit air pollutants, and the limit will be enforceable by the EPA and the state. There will be no increase in the plant wide particulate matter (PM10) emission levels. A public hearing concerning the permitting action will not be held unless the Secretary receives a request for such hearing by **November 15**. A request for a hearing shall be in writing and must show a familiarity with the application and a reasoned statement of the permit’s probable impact. For more information visit:
<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3466&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTICE IS HEREBY GIVEN THAT BEAR MATERIALS, LLC requests a construction permit to modify their existing concrete batch plant located at 600 Industrial Road, Middletown 19709. Permit: APC-2017/0068-CONSTRUCTION will allow for the following modifications: • Replacement of the three existing 3000 ft³ storage silos by one (1) 12,000 ft³ silo with four compartments each equipped with a bin dust collector. • Installation of a new batch mixer to allow for the production of wet mix rather than dry mix concrete. Emissions from this unit will be controlled by an existing dust collector. • Installation of a new conveyor system to feed the aggregate bins. There will be no change to the current production limit of 125,000 ft³ per 12-month rolling period. Permit: APC-2017/0068-CONSTRUCTION will limit total Particulate Matter emissions from the facility to 3.32 tons per 12-month rolling period. A public hearing on any of the above applications will NOT be held unless the Secretary receives a request for a hearing

regarding the application by **November 28**. A request for a hearing shall be in writing. The request must also show a familiarity with the application and a reasoned statement of the permit's probable impact. For more information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3515&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTICE IS HEREBY GIVEN THAT AEARO TECHNOLOGIES LLC located at 650 Dawson Drive, Newark has submitted a request for a permit renewal pursuant to 7 DE Admin. Code 1130, Section 7 for operating permit: AQM-003/00073 Renewal (3) (Rev. 1). Based on the data and certifications contained in the application, the Division of Air Quality concludes that the applicant meets all applicable requirements promulgated by the Environmental Protection Agency (EPA) and the Department of Natural Resources and Environmental Control (DNREC). Therefore a "draft/proposed" permit renewal has been prepared. This "draft/proposed" permit renewal removes the Organic Chemical Mixing Room and Cold Solvent Degreaser, and corrects the contents and capacities of five storage tanks. A public hearing concerning the permitting action will not be held unless the Secretary receives a request for such hearing by **November 29**. A request for a hearing shall be in writing and must show a familiarity with the application and a reasoned statement of the permit renewal's probable impact. For more information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3468&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTICE IS HEREBY GIVEN THAT AIR LIQUIDE USA, LLC has submitted an application, pursuant to 7 DE Admin. Code 1102, Section 2.1, 11.2.9, and 12.3 for construction of Coater F at 304 Water Street, Newport. Air Liquide USA, LLC requests a limit for Volatile Organic Compound emissions from the new equipment to be 1.03 lbs/hr, 24.5 lbs/day and 4.5 tons/12 month rolling period. Air Liquide USA, LLC requests an Annual Facility Wide Limit for Volatile Organic Compound emissions of 22.5 tons/year which is an increase of only 3 tons/year. A public hearing concerning the permitting action will not be held unless the Secretary receives a request for such by **December 6**. A request for a hearing shall be in writing and must show a familiarity with the application and a reasoned statement of the permit's probable impact. For more information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3505&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

WHS - SITE INVESTIGATION AND RESTORATION SECTION (SIRS) is responsible for the identification, evaluation and remediation of sites in Delaware that have had past releases of hazardous substances. The section manages the contaminated sites under three major programs in accordance with the Hazardous Substance Cleanup Act (HSCA). The three programs are the **Brownfields Development Program, the Voluntary Cleanup Program (VCP) and the HSCA Enforcement Program** (for sites requiring enforcement action).

The Brownfields Development Program encourages the cleanup and redevelopment of vacant, abandoned or underutilized properties, which may be contaminated. A party seeking to develop such a property negotiates with SIRS for a **Brownfields Development Agreement (BDA)** to perform an investigation and, if necessary, a remedial action or remedy, for the purpose of addressing the risks posed by past releases of hazardous substances at these sites. However, a BDA is only available to parties that are not current site owners. The **Voluntary Cleanup Program (VCP) Agreement** is available to site owners who want to clean up their sites and are already liable as a potentially responsible party for the site.

NOTIFICATION OF NEGOTIATIONS FOR A BROWNFIELDS DEVELOPMENT AGREEMENT FOR THE Uniqema/Cherry Utility Corridor Site (DE-1638) The Department is negotiating a BDA with BMR-1000 Uniqema Boulevard LLC regarding the Uniqema/Cherry Utility Corridor Site located at 900 Uniqema Boulevard in New Castle. Identified by New Castle County as tax parcel

number 10-015.00-021, the 2.06 acre Site had a release of hazardous substances as a result of heavy industrial use, including proximity to the Croda Atlas Point Site (DE-0049). The public comment period ends **November 15**. For more information contact the Project Manager, Wendy March at (302) 395-2600; or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3484&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTICE OF A SIGNING OF A SECOND AMENDMENT TO THE CONSENT DECREE FOR THE SUSSEX LUMBER SITE (DE-0118) The Department is requesting public comment regarding the Second Amendment to the Consent Decree (2nd Consent Decree) for the Sussex Lumber Site (Site). This Second Amendment to the Consent Decree ("Decree") is entered into voluntarily by the Delaware Department of Natural Resources and Environmental Control ("DNREC" or "Department") and the Vessels Company. DNREC proposes to enter into this 2nd Consent Decree with the Respondents under the authority of the Hazardous Substance Cleanup Act (HSCA), 7 Del. C. § 9107 (b). The 2nd Consent Decree concerns redefining the Site boundaries to reflect the division of the Site into separate operational units (OUs) in order to complete the remedial actions required by the Final Plan of Remedial Action for the Site. Operable Unit 1 (OU-1) consists of .28 acres +/- and Operable Unit 2 (OU-2) consist of 6.72 acres +/-, the combined acreage of which is surrounded by a fifty foot (50') buffer extending from the perimeter of OU-1 and OU-2 as further described in the survey attached to the 2nd Consent Decree. Pursuant to 7 Del. C. § 9112, the public may request a public hearing regarding the Consent Decree. The public comment period will end on **November 21**. For more information project officer, Wendy March at (302) 395-2600; or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3493&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTIFICATION OF NEGOTIATIONS CONCERNING A VOLUNTARY CLEANUP FOR THE WILMINGTON PIECE DYE SITE (DE-1304) The Department is negotiating a VCP Agreement with Rockford Falls Partners, LLC regarding the Wilmington Piece Dye Site (Site) located at 1 Mill Road in Wilmington. The approximate 20.78 acre Site is identified on the maps of New Castle County as tax parcel numbers 26-006.20-046 and 26-006.20-041. The Site has had a release of hazardous substances as a result of past industrial operations at the Site. The public comment period will end **November 26**. For additional information, please contact the project officer, Patrick Boettcher at (302) 395-2600; or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3499&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTIFICATION OF PUBLIC COMMENT FOR A BROWNFIELDS DEVELOPMENT

AGREEMENT FOR THE 201 GOLD PROPERTY SITE (DE-0323) The Department negotiated a BDA with the City of Wilmington regarding the 201 Gold Property Site (Site), located at 201 Vandever Avenue in Wilmington. Identified by New Castle County as tax parcel number 26-029.20-095, the 0.71 acre Site may have had a release of hazardous substances as a result of commercial/industrial use and its proximity to an underground storage tank. The public comment period will end on **December 5**. Please submit written comments to the Project Manager, Morgan Price at SIRS, 391 Lukens Drive, New Castle 19720. For more information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3511&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTIFICATION OF NEGOTIATIONS FOR A BROWNFIELD DEVELOPMENT AGREEMENT FOR THE 1001 GARASCHE LANCE SITE (DE-1556)

The Department is negotiating a Brownfield Development Agreement with Delaware Lawn Crew LLC regarding the 1001 Garasches Lane Site located at 1001 Garasches Lane in Wilmington. Identified on the tax maps

of New Castle County as parcel number 26-057.00-034 the 2.49 acre Site may have had a release of hazardous substances from former use as a salvage yard. The public comment period will end **December 5**. For additional information contact Project Manager, Karissa Hendershot at (302) 395-2600; or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3510&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

The Proposed and Final Plans of Remedial Action listed below outline site cleanup activities and covenants and are available online at:

<http://www.dnrec.delaware.gov/whs/awm/SIRB/Pages/SIRBPlans.aspx> under "Announcements." For site-specific information, please see DNREC's Environmental Navigator at:

<http://www.nav.dnrec.delaware.gov/DEN3>

FINAL PLAN OF REMEDIAL ACTION for the 3022-3028 New Castle Avenue Operable Unit 3 (OU-3) Site (DE-1577) The Department has adopted a plan regarding the clean-up of Operable Unit 3 (OU-3) of the 3022-3028 New Castle Avenue Site located in New Castle. The remedy includes capping the site and recording an Environmental Covenant that restricts the use of the property to non-residential and restricts the use of contaminated groundwater. The department issued public notice of the Proposed Plan for OU-3 of the 3022-3028 New Castle Avenue Site on September 25. There were no comments or questions from the public regarding the Proposed Plan. The public may appeal this Final Plan until **November 16**. For additional information, please contact Kathryn Durant, Project Manager, at (302) 395-2600; or visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3486&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

FINAL PLAN OF REMEDIAL ACTION for the Christina River Bridge and Approaches Site (DE-0334) The Department has adopted a plan regarding the clean-up of the Christina River Bridge and Approaches Site (DE-0334) located in Wilmington. The selected remedy for the Site includes capping the Site with at least one foot of clean fill or impervious material, a Contaminated Material Management Plan, a Long Term Stewardship Plan, and an Environmental Covenant. The department issued public notice of the Proposed Plan for Christina River Bridge and Approaches Site on September 25. There were no comments or questions from the public regarding the Proposed Plan. The public may appeal this Final Plan until **November 16**. For additional information, please contact Robert C. Asreen, Jr., Project Manager at (302) 395-2600; or visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3485&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

FINAL PLAN OF REMEDIAL ACTION LAUREL GRAIN 2 SITE (DE-1625) The Department has adopted a plan regarding the clean-up of the Laurel Grain 2 Site located at 33222 Bi-State Blvd, in Laurel. The remedy will consist of the placement of an environmental covenant restricting future use to commercial use only, compliance with a site specific, DNREC-approved Contaminated Materials Management Plan, and a Long Term Stewardship Plan to monitor the groundwater. The department issued public notice of the Proposed Plan for the Laurel Grain 2 Site on October 2. There were no comments or questions from the public regarding the Proposed Plan. The public may appeal this Final Plan until **November 21**. For additional information, please contact Kristen Thornton, Project Manager, at (302) 395-2600; or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3488&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

[es%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A](http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=0x010034FD6D348B0CF04392485E93FC15AB3A)

PROPOSED PLAN OF REMEDIAL ACTION FOR THE Possum Park Mall Dry Cleaner Site (DE-1629)

The Department invites public comment on a proposal to address the former site of a dry cleaning operation located in the Possum Park Mall at 700 Capitol Trail, Newark. There are no risks to human health or the environment warranting further action under current conditions. An environmental covenant will be recorded on the deed of the property to prevent future installation of water supply wells. The comment period ends **November 24**. For additional information, please contact Stephen Johnson, at (302) 395-2600; or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3481&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

FINAL PLAN OF REMEDIAL ACTION FOR THE Amtrak Former Fueling Facility OU-4 (DE-0266) Locomotive Track 1 Replacement

The Department has adopted a plan regarding the clean-up of Operable Unit 4 of the Amtrak Former Fueling Facility Site located in Wilmington. The Site is currently operated by Amtrak and requires a remedy consist with a TSCA approved self-implementing plan under 40 CFR 761.61(a) for disposal of PCB contaminated soils above a concentration of 50 parts per million and maintenance of security fencing around the area. As a result, other HSCA related compounds in soil within the Track 1 footprint will be removed from the property for disposal at a permitted facility. The department issued public notice of the Proposed Plan for Operable Unit 4, the Locomotive Track 1 Replacement area, on September 11. There were no comments or questions from the public regarding the Proposed Plan. The public may appeal this Final Plan until **November 28**. For additional information, please contact John Cargill, Project Manager, at (302) 395-2600; or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3501&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

FINAL PLAN OF REMEDIAL ACTION FOR THE DON WILSON'S AUTO PARTS SITE (DE-1174)

The Department has adopted a plan regarding the clean-up of Don Wilson's Auto Parts Site located in Wilmington. The Site was once used as a Salvage yard and the remedy requires: a soil cap; perimeter fencing; an environmental covenant; a Contaminated Materials Management Plan; and a Long-Term Stewardship (LTS) plan. The department issued public notice of the Proposed Plan for Don Wilson's Auto Parts Site on October 12. There were no comments or questions from the public regarding the Proposed Plan. The public may appeal this Final Plan until **November 28**. For additional information, please contact Morgan McGee-Solomon, Project Officer, at (302) 395-2600; or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3500&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

FINAL PLAN OF REMEDIAL ACTION FOR THE CASPER'S AUTO PARTS (DE-1185)

The department has adopted a plan regarding the clean-up of the Casper's Auto Parts Site located in Wilmington. The site is currently used as an automotive parts salvage and storage yard, and is likely to remain industrial. The department requires the following remedial actions for the site which will need to be completed before a Certificate of Completion of Remedy (COCR) can be issued: a soil or impervious materials cap; perimeter fencing; an Environmental Covenant; a Contaminated Materials Management Plan (CMMP); and a Long-Term Stewardship (LTS) plan. The department issued public notice of the Proposed Plan for the Casper's Auto Parts Site on

October 16. There were no comments or questions from the public regarding the Proposed Plan. The public may appeal this Final Plan by **December 5**. For additional information, please contact Morgan McGee-Solomon, Project Officer at (302) 395-2600; or visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3509&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

SOLID AND HAZARDOUS WASTE MANAGEMENT SECTION - The Solid and Hazardous Waste Management Section (SHWMS) hereby gives notice that a permit application has been received from the following companies to transport regulated RCRA hazardous and/or non-hazardous solid wastes in, out of, or through the State of Delaware. The applications are available for review by appointment during business hours at our agency Solid & Hazardous Waste Management Section office at 89 Kings Highway, Dover and also at our Lukens Drive office at 391 Lukens Drive in Wilmington.

NOTICE IS HEREBY GIVEN THAT MILLVILLE ORGANIC CENTER HAS SUBMITTED AN APPLICATION FOR COMPOSTING PERMIT. The Department has received a permit renewal application from Millville Organic Center for a composting facility to be located at 30916 Whites Neck Road in Millville. The applicant seeks to operate a yard waste composting facility which would produce compost from yard waste, leaves, and brush. A public hearing concerning the permit request for a composting facility will NOT be held unless the Secretary receives a request for such a hearing by **November 17**. A request for a hearing shall be in writing and must show a familiarity with the application and a reasoned statement of the approval's probable impact. To submit comments, please contact Mindy Anthony, 89 Kings Highway, Dover, 19901, 302-739-9403 ext. 8, email mindy.anthony@state.de.us. For more information visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3498&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTICE IS HEREBY GIVEN OF THE INTENT TO CONTINUE POST-CLOSURE CARE OF THE NEW BRINE SLUDGE LANDFILL UNDER THE DELAWARE REGULATIONS GOVERNING HAZARDOUS WASTE. Pursuant to 7 Del. C., Chapters 60 and 63, Delaware's Regulations Governing Hazardous Waste (DRGHW), the Department's Solid & Hazardous Waste Management Section (SHWMS) has made a preliminary decision to issue a hazardous waste Post-Closure Permit to Occidental Chemical Corporation, located at 1657 River Road in New Castle. The current Post-Closure Permit has expired, and, as required under the DRGHW, Occidental Chemical Corporation submitted an application to renew their post-closure permit entitled, Notification for Post-Closure Permit Renewal — Post-Closure Permit No. HW15A2 dated August 14, 2014. The Occidental Chemical Corporation's Delaware City Plant is located approximately three miles northwest of Delaware City off River Road (State Route 9). The facility began operation in 1965 and ownership was transferred to Occidental in 1986. The plant was an inorganic chemical manufacturing facility, until processing operations ceased in 2007. The New Brine Sludge Landfill is located in the southeast corner of the plant property. Closure of the landfill was public-noticed and approved pursuant to the DRGHW, and the work was overseen by the department. Closure consisted of capping each landfill cell. The closure certification report dated November 1992, as amended, was approved by the department on April 5, 1993. DNREC subsequently issued Post-Closure Permit No. HW04A09 on September 1, 1994, and Post-Closure Permit No. HW15A2 on February 18, 2005. Post-closure care consists of inspections, maintenance activities, and groundwater monitoring. These activities include inspecting the security measures (e.g. fencing), the cover integrity, the leachate collection and monitoring system, the monitoring-well system, and evidence of erosion. Groundwater monitoring will be conducted pursuant to the DRGHW and the Permit, but may also eventually be included under EPA's Corrective Action Long-Term Monitoring Program for the entire site. Persons wishing to comment upon the draft permit application are invited to submit written comments. Comments must be sent to DNREC, RE: DED003913266, File 16, at the address listed at the beginning of this notice. A public hearing may be held if the Department receives a meritorious request for a hearing prior to the **November 23** deadline, or if the Secretary deems it to be in the best interest of the State to do so. For additional information or to schedule an appointment to review this

material, call Lawrence D. Matson of the Solid & Hazardous Waste Management Section at (302) 739-9403; or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3459&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

DIVISION OF WATER - GROUND WATER DISCHARGES -The Division of Water hereby gives notice that the applications below are available for inspection or copies may be obtained by contacting: Kathleen Saunders, Ground Water Discharges, 89 Kings Highway, Dover 19901, or by calling (302) 739-9948.

Non-Hazardous Liquid Waste Transporters Permit

Blessing Greenhouses & Compost has applied to for permit to transport non-hazardous liquid waste (DAF cake) to be disposed of at Blessings Greenhouses & Compost, Milford. A public hearing on the above applications will NOT be held unless the Secretary determines that a public hearing is in the public interest or if a written meritorious objection to the application is received by **November 24**. A public hearing request shall be deemed meritorious if it exhibits a familiarity with the application and provides a reasoned statement of the action's probably impact. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3508&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

Perdue Foods LLC and Perdue Agribusiness Inc. has applied for an amendment to their permit to include Perdue (Seaford) AgriSoil as a disposal facility for belt filter pressed solids and dissolved air flotation biosolids. A public hearing on the above applications will NOT be held unless the Secretary determines that a public hearing is in the public interest or if a written meritorious objection to the application is received by **November 28**. A public hearing request shall be deemed meritorious if it exhibits a familiarity with the application and provides a reasoned statement of the action's probably impact. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3514&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

Old Line Environmental, Inc. has applied for an amendment to their permit to include Perdue (Seaford) AgriSoil and the New Castle County Sewer System as disposal facilities for municipal/industrial biosolids. A public hearing on the above applications will NOT be held unless the Secretary determines that a public hearing is in the public interest or if a written meritorious objection to the application is received by **November 28**. A public hearing request shall be deemed meritorious if it exhibits a familiarity with the application and provides a reasoned statement of the action's probably impact. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3514&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

Allstate Power Vac, Inc. has applied for a permit to transport other non-hazardous liquid waste (municipal/industrial wastewater) to be disposed of at out-of-state permitted facilities. A public hearing on the above applications will NOT be held unless the Secretary determines that a public hearing is in the public interest or if a written meritorious objection to the application is received by **November 28**. A public hearing request shall be deemed meritorious if it exhibits a familiarity with the application and provides a reasoned statement of the action's probably impact. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3514&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

Formal Waiver

Land Holding LLC., has applied for a Formal Waiver to construct an on-site wastewater treatment and disposal system (septic system), on their property, that does not meet the minimum soil siting criteria established in the Regulations Governing the Design, Installation and Operation of On-Site Wastewater Treatment and Disposal Systems. The property is located on the north side of Dennis Lane (C.R. 416), ~.4 miles east of Lynch Road (413) near Millsboro, Sussex County Tax Parcel # 3-33-7.00-64.01 The system will serve a single family dwelling with a design flow rate not to exceed 600 gallons per day. A public hearing on the above application will NOT be held unless our agency Secretary determines that a public hearing is in the public interest or if a written meritorious objection to the application is by **November 21**. A public hearing request shall be deemed meritorious if it exhibits a familiarity with the application and provides a reasoned statement of the action's probable impact. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3504&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

Spray Irrigation Permit

Hometown Angola Beach, LLC has applied for reissuance of State of Delaware Spray Irrigation Operations Permit DEN Number 359000-03. The permit authorizes the operation and maintenance of the Hometown America Angola Estates Wastewater Treatment Facility. Hometown Angola Beach, LLC has also applied for both a construction permit to upgrade and expand the existing wastewater treatment and disposal system; and, an amended Operations Permit to incorporate the upgrades and expansion. The Hometown America Angola Estates Wastewater Treatment Facility is a domestic wastewater treatment and spray irrigation facility serving Angola Beach and Angola Estates developments. The facility is located west of County Road 278 and south of County Road 277, Sussex County. The 8.4 acres of spray irrigation fields are located on Suburban Drive adjacent to the office and clubhouse in the Angola Estates development, Sussex County. Both the facility and the spray irrigation fields are located on Sussex County Tax Map Number 234-12.00-7.00 and serve communities located on Sussex County Tax Map Numbers 234-12.00-7.00 and 234-12.00-1.00. A public hearing on the above application will NOT be held unless the Secretary determines that a public hearing is in the public interest or if a written meritorious objection to the application is by **November 21**. A public hearing request shall be deemed meritorious if it exhibits a familiarity with the application and provides a reasoned statement of the action's probable impact. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3504&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

DIVISION OF WATER - SURFACE WATER DISCHARGES – The Division of Water hereby gives notice that the following permit applications have been received.

NPDES Permits

City of Rehoboth Beach seeks to renew and amend its NPDES Permit No. DE0020028 (State Number WPCC 3084E/74), which authorizes the discharge of treated effluent from its WWTP. The WWTP receives wastewater from Rehoboth Beach and neighboring areas including North Shores, Henlopen Acres, and the Dewey Beach Sanitary District and currently discharges treated effluent into the Lewes-Rehoboth (L-R) Canal located at Latitude 38°42'36.0"N, Longitude 75°05'34.0"W (Outfall 001), which will remain in use for Phase 1 of the permit. Phase 2 of the permit will commence when Ocean Outfall (Outfall 002) is completed for discharge into the Atlantic Ocean at Latitude 38° 43.787' N, Longitude 75° 03.505' W approximately one mile offshore of Deauville Beach. Wastewater treatment for Phase 1 is provided by bar screens, a grit collector, emergency off-line diversion tanks, two total barrier oxidation ditches, chemical addition for phosphorus removal, two secondary clarifiers, two microscreens, chlorination and de-

chlorination tanks, and post aeration. Wastewater treatment for Phase 2 is provided by bar screens, a grit collector, emergency off-line diversion tanks, two total barrier oxidation ditches, chemical addition for phosphorus removal, two secondary clarifiers, filtration, chlorination and dechlorination tanks, effluent pumping, and flow metering. Waste sludge is aerobically digested, thickened, and land applied as a liquid or dewatered by a belt press and taken to a sanitary landfill. As required by its NPDES Regulations, the Department is preparing a draft NPDES permit as a tentative decision and a Fact Sheet that explains its decision. The Department may revise its tentative decision in its final decision based on the record, including public comments. A public hearing is scheduled for 6 p.m. **November 15** at the Rehoboth Elementary School, 500 Stockley Street, Rehoboth Beach, 19971. For more information please visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3445&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

DIVISION OF WATER - WATER SUPPLY - The Division of Water hereby gives notice that the following Well permit application has been received. For additional information concerning the applications below, please contact Allison Diggins/Water Supply Section - 89 Kings Highway, Dover, 19901; or by phone at (302)739-9945.

Dewatering Permits

Kent County Levy Court proposes a dewatering project for road construction. The proposed system consists of 150 well points. Sediment control measures will be in place and the water discharge location is a nearby swale. The duration of this project is ninety days. The site is located east of Rt. 1, on Milford Neck Road in Frederica, Kent County. The requested capacity of this system is 1,440,000 gallons per day. The State of Delaware proposes a dewatering project for road construction. The proposed system consists of 150 well points. Sediment control measures will be in place and the water discharge location is a nearby swale. The duration of this project is 90 days. The site is located east of Rt. 1 in Little Heaven, Kent County. The requested capacity of this system is 1,440,000 gallons per day. The State of Delaware proposes a dewatering project for storm water pond construction. The proposed system consists of 150 well points. Sediment control measures will be in place and the water discharge location is a nearby swale. The duration of this project is 3 months. The site is located east of Rt. 1 in Little Heaven, Kent County. The requested capacity of this system is 1,440,000 gallons per day. A public hearing on the above applications will NOT be held unless the Secretary determines that a public hearing is in the public interest or if a written meritorious objection to the application is received by **November 28**. A public hearing request shall be deemed meritorious if it exhibits a familiarity with the application and provides a reasoned statement of the action's probable impact. For more information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3513&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

Allocation Permits

Clifton R. Parker Jr. has requested an irrigation allocation for his farming operations. The proposed well is located east of Frankford in Sussex County. The requested daily withdrawal is 1,728,000 gallons per day. A public hearing on the above applications will NOT be held unless the Secretary determines that a public hearing is in the public interest or if a written meritorious objection to the application is received by **November 21**. A public hearing request shall be deemed meritorious if it exhibits a familiarity with the application and provides a reasoned statement of the action's probable impact. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3507&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

DIVISION OF WATER - WETLANDS AND SUBAQUEOUS LANDS SECTION – The Division of Water hereby gives notice that the applications below are available for inspection or copies may be obtained by contacting: Gayle Calder, Wetlands and Subaqueous Lands Section, 89 Kings Highway, Dover 19901, or by calling (302) 739-9943. A public hearing on the applications below will NOT be held unless our agency Secretary determines that a public hearing is in the public interest, or if a written meritorious objection to the application is received by **November 22**. For additional information on the items submitted below visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3495&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeId=0x010034FD6D348B0CF04392485E93FC15AB3A>

Subaqueous Lands Permit Application

Division of Watershed Stewardship-Install 58 linear feet of riprap to control erosion in Little Bay Tax Ditch at 34055 Monterray Ave., Frankford, Sussex County

Habib and Nastaran Bolourchi-To construct a 4 by 15 foot long pier and a 5 by 15 foot long dock in Red Mill Pond located at 31391 Red Mill Drive, Lewes, Sussex County

Subaqueous Lands Lease Application

Tammy & Greg Ordway-To construct a 4 by 70 foot long pier, a 6 by 30 foot long dock, a 4 piling boatlift, a 6 by 12 foot long floating dock and a PWC lift in Guinea Creek at 43 Creek Drive, Millsboro, Sussex County

Subaqueous Lands Permit and Wetlands Application

Gregory March-To construct a 3 by 25 foot long wetland walkway, 4 by 200 foot long pier, a 6 by 20 foot long linear dock and a 4-piling boatlift in Broad Creek at 17 Sailors Path, Bethel, Sussex County

Subaqueous Lands Lease Supplemental Application

Bay Forest, LLC-To construct a 2 foot wide extension on the decking of the existing dock, to install railings and a ladder on the dock and to authorize a 1 foot extension on the length of the dock in Collins Creek located east of Sprogell Lane, Dagsboro, Bay Forest Club, Winding Creek Village, Sussex County

CONTACT INFORMATION

24-Hour Environmental Report and Spill Notification Line - 1-800-662-8802

Aboveground Storage Tanks - 302-395-2500

Air Quality - New Castle Office - 302-323-4542

Air Quality – Kent & Sussex – 302-739-9402

Asbestos New Castle - 302-323-4542

Asbestos Kent & Sussex - 302-739-9402

Biosolids Permits - 302-739-9946

Boiler Safety - 302-395-2500

Brownfields - 302-395-2600

Community Ombudsman - 302-739-9040

Community Services - 302-739-9959

Delaware Estuary Program - 302-739-9283 (Delaware Coastal Management Program)

Division of Air Quality Director's Office - 302-739-9402

Division of Energy & Climate - 302-735-3480

Division of Waste and Hazardous Substances Director's Office - 302-739-9400

Division of Water Information - 302-739-9950

Dock/Dredging/Bulkheads/Rip-Rap/Wetlands & Subaqueous Lands - 302-739-9943
Emergency Prevention and Response - 302-739-9404
Environmental Crimes Unit - 302-739-9401 or 1-800-662-8802
Environmental Laboratory - 302-739-9942
Hazardous Waste - 302-739-9403
Hazardous Chemical and Toxic Release Inventories – 302-739-9404
Industrial Stormwater Permits - 302-739-9946
Loans & Grants for Wastewater and Septic's (Environmental Finance) - 302-739-9941
Medical Waste - 302-739-9403
Non-Hazardous Liquid Waste Transporters - 302-739-9948
On-site Wastewater Licensing Program - 302-739-9948
Open Burning - 302-739-9402
Outreach Ombudsman - 302-395-2600
Recycling - 302-739-9403
Septic System Permits - Large Systems (Community & I/A) Statewide - 302-739-9948
Septic System Permits - Small Systems for Kent & New Castle Counties - 302-739-9947
Septic System Permits - Small Systems for Sussex Co. & Holding Tank Compli. Program - 302-856-4561
Site Investigation & Restoration Section (Superfund/Brownfields) - 302-395-2600
Small Business Ombudsman - 302-739-9909
Solid Waste - 302-739-9403
Source Water Protection - 302-739-9945
Surface Water Discharge Permits (NPDES) - 302-739-9946
Underground Injection Control & Spray Irrigation - 302-739-9948
Underground Storage Tanks - 302-395-2500
Wastewater Collection, Conveyance and/or Treatment Facility Construction Permits - 302-739-9946
Wastewater Treatment Facility Operators - 302-739-9946
Water Allocation Permits - 302-739-9945
Water Testing - Drinking Water (Division of Public Health) - 302-741-8630
Water Supply - 302-739-9945
Well Driller's License - 302-739-9944
Well Permits & Licensing - 302-739-9944
Wells - 302-739-9944
Wetlands and Subaqueous Lands Section - 302-739-9943