

The biweekly E-News Update features current information on the Divisions of Air Quality (DAQ), Waste and Hazardous Substances (WHS), and Water regarding public meetings, workshops, hearings, and regulatory documents available for public comment, as well as general news updates. For those of you who are receiving the E-News Update for the first time, the subscription is FREE!

Please sign up at: <http://www.delaware.gov/Pages/Lists.aspx> under "Division of Waste & Hazardous Substances Lists." There is no form to fill out; it's done in three clicks!

Suggestions? Additions? Please call Stacy Jones at 302-739-9400, or send an email to Stacy.Jones@state.de.us

Published by Divisions of Air Quality, Waste and Hazardous Substances and Water.

Visit us at: www.awm.delaware.gov

UPCOMING AIR, WASTE, & WATER-RELATED HEARINGS, MEETINGS, & EVENTS

PUBLIC HEARING WILL BE HELD TO RECEIVE PUBLIC COMMENTS ON PERMIT APPLICATIONS SUBMITTED BY ALLEN HARIM FOODS, LLC. The Department had previously published public notices of these applications (Wastewater Facilities Construction and NPDES permit applications) and received public comments during the public comment periods that have closed. The Department determined that the public interest warrants consolidating the applications for decision and holding a public hearing. The hearing is scheduled to begin at 6 pm on **November 18**, at the Indian River Senior Center, 214 Irons Avenue, in Millsboro. Persons wishing to comment on the applications and draft permit may present written statements through the close of the public comment period, which is re-opened and extended until the conclusion of the public hearing on November 18. For further information email our Senior Hearing Officer, Robert P. Haynes, Esquire at Robert.Haynes@state.de.us. You could also call the Surface Water Discharge Section at 739-9946; or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2961&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

HSCA ADVISORY COMMITTEE (FORMERLY BROWNFIELDS ADVISORY COMMITTEE) – The Committee will hold a public meeting on **December 3** beginning 9am at the DNREC Lukens Field Office, 391 Lukens Drive, New Castle, DE 19720. For additional information, please contact Christina Wirtz at (302) 395-2600 or visit: <https://egov.delaware.gov/pmc/Event/Details/30266>

A PUBLIC HEARING ON THE DRAFT GENERAL CONCENTRATED ANIMAL FEEDING OPERATING (CAFO) POULTRY PERMIT - The Division of Water, Surface Water Discharges Section and the Department of Agriculture's (DDA) Nutrient Management Program will cooperatively conduct (for CAFO's that do not land apply manure). The purpose of the hearing is to provide the public with an opportunity to comment on the aforementioned approved CAFO permit. This hearing will begin at 7pm on **December 3** at the Delaware Department of Agriculture Conference Center, located at 2320 South DuPont Highway in Dover. Comments may be submitted in writing by mail, fax, or e-mail to Brian Churchill, at DNREC, 89 Kings Highway, Dover, DE 19901, from October 28, 2015 until 4:30 PM on November 27, 2015, and/or in person at the hearing on **December 3**. Comment submission information follows: E-Mail – Brian.Churchill@state.de.us; Fax (302) 739-8369. For more in-depth information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2976&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

BOARD OF CERTIFICATION FOR WASTEWATER OPERATORS MONTHLY MEETING – will be held on **December 7** from 9am to 11 am in conference room B136 at the Richardson and Robbins Building, 89 Kings Highway Dover, DE, 19901. For additional information contact Faye Myers at (302) 739-9946; or visit: <https://egov.delaware.gov/pmc/Event/Details/30142>

AIR QUALITY PERMITTING PROGRAM – Notice has been given that the facilities listed below have submitted applications for air quality management permits. The applications, the “draft/proposed” permits, all materials that the applicant has submitted (other than those granted confidential treatment under DNREC rules), and a copy of summary of other materials, if any, considered in preparing the “draft/proposed” permit, may be inspected at the offices of the Division of Air Quality, 655 S. Bay Road, Dover and 715 Grantham Lane, New Castle. **All comments and public hearing requests** should be mailed to the following address: DIVISION OF AIR QUALITY, 655 S. Bay Road, Suite 5 N, Dover, DE 19901. To submit comments, for additional information, or for an appointment to inspect the application, please contact Laura Bogus or Penny Gentry at (302) 739-9402.

NOTICE IS HEREBY GIVEN THAT FMC HEALTH AND NUTRITION having a facility at 1301 Ogletown Road, Newark, Delaware 19711 has requested a federally enforceable 7 DE Admin. Code 1102 construction permit (APC-2016/0025 – CONSTRUCTION (FE)) for a new baghouse to replace the existing EP-128 baghouse of CMC Conveying System #2. The new baghouse will be permitted at 0.13 ton of particulate matter (PM) per year, the same limit as the baghouse it replaces. Upon completion of construction, the Department will incorporate the operating conditions and limits of the 7 DE Admin. Code 1102 Construction permit into the facility’s existing Title V (Permit: AQM-003/00051 (Renewal 3) (Revision 1)) via an Administrative Amendment. A public hearing concerning the permitting action will not be held unless our agency Secretary receives a request by **November 17**. For more information visit:
<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2960&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTICE HAS BEEN GIVEN THAT DELAWARE CITY REFINING COMPANY LLC (DCRC) requests a construction permit to replace 4 existing burners (110 mmBtu/hr each) in the Fluid Coking Unit’s (FCU’s) Carbon Monoxide Boiler with 4 ultra-low NOx burners (ULNBs 66 mmBtu/hr each) at the Delaware City Refinery located at 4550 Wrangle Hill Road, DE City, DE 19706. The ULNBs are expected to reduce FCU NOx emissions by approximately 10 %. DCRC has identified the FCU ULNB Project as a necessary element in its implementation of its NOx control strategy for it to comply with the facility’s declining NOx cap limit of 1,650 TPY. Emissions of all other pollutants remain unchanged. The burners will be permitted under APC-1982/0829-Operation (Amendment 10). A public hearing on the above application will NOT be held unless our agency Secretary receives a request for that application by **November 23**. For additional information or for an appointment to review the application, please contact Laura Bogus at (302) 739-9402; or visit:
<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2997&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTICE HAS BEEN GIVEN THAT NORAMCO, requests four permits to construct three dust collectors and a dryer at their 500 Swedes Landing Road, Wilmington, Delaware facility. The three dust collectors will be permitted by permits: APC-2016/0043-CONSTRUCTION, APC-2016/0045-CONSTRUCTION, and APC-2016/0046-CONSTRUCTION. The dryer will be permitted by permit: APC-2016/0044-CONSTRUCTION. Emissions from the equipment will be included in the facility-wide emission calculations. The existing facility-wide emission limits will remain unchanged. A public hearing on the above application will NOT be held unless our agency Secretary receives a request for that application by **November 23**. For additional information visit:
<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2996&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTICE HAS BEEN GIVEN THAT MCCONNELL JOHNSON REAL ESTATE, requests a construction permit to construct an 1141 horsepower emergency generator at their 1201 North

Market Street, Wilmington, Delaware, facility. The emergency generator will be permitted to emit 0.025 tpy of PM, 3.96 tpy of NOx, 0.29 tpy of CO, and 0.03 tpy of HC by Permit# APC-2016/0042-CONSTRUCTION. A public hearing on the above application will NOT be held unless our agency Secretary receives a request for that application by **November 23**. For additional information visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2994&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTICE IS HEREBY GIVEN THAT THE EASTERN SHORE NATURAL GAS COMPANY HAVING A FACILITY AT 17035 BLACK CHERRY DRIVE, BRIDGEVILLE, has requested a federally enforceable 7 DE Admin. Code 1102 construction permits (Permit: APC-2016/0001 & 0002-CONSTRUCTION (NSPS)(SM)) for the construction of (1) new 1,775 HP Caterpillar G3606 TALE natural gas-fired reciprocating internal combustion engine (RICE) compressor unit, equipped with an oxidation catalyst, and one new (1) 300 kW Waukesha VGF18GL natural gas-fueled Emergency Generator. The new engine has the potential to emit (PTE) 8.57 TPY of NOX, 34.28 TPY of CO, 10.80 TPY of VOCs, 0.59 TPY of PM2.5 and PM10, and 5.60 TPY of total HAPs. The engine will be limited to 8.57 TPY of NOX, 3.30 TPY of CO, 2.16 TPY of VOCs, 0.59 TPY of PM2.5 and PM10, and 1.63 TPY of total HAPs. Both units will be required to comply with the applicable U.S. EPA regulations under the provisions of 40 CFR Part 60, Subpart JJJJ. Upon completion of construction, the Department will incorporate the operating conditions and limits of the 7 DE Admin. Code 1102 Construction permit into the facility's existing Synthetic Minor Operating Permit (Permit: APC-2005/0031-Construction/Operation) via an Administrative Amendment. A public hearing on the above application will NOT be held unless our agency Secretary request for a hearing regarding that application by **November 24**. A request for a hearing shall be in writing. For additional information visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2970&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTICE IS HEREBY GIVEN THAT CLEAN EARTH OF NEW CASTLE, LLC having a facility at 94 Pyles Lane, New Castle, Delaware, has submitted a request for permit renewal pursuant to 7 DE Admin. Code 1130, Section 7 for operating permit: AQM-003/00290 (Renewal 3). Based on the data and certifications contained in the application, the Division of Air Quality concludes that the applicant meets all applicable requirements promulgated by the Environmental Protection Agency (EPA) and the Department of Natural Resources and Environmental Control (DNREC). A public hearing concerning the permitting action will not be held unless our agency Secretary receives a request for such hearing by **December 1**. A request for a hearing shall be in writing and must show a familiarity with the application and a reasoned statement of the permit renewal's probable impact. For additional information visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2982&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTICE IS HEREBY GIVEN THAT MAGELLAN TERMINALS HOLDINGS, L.P. having a facility at 1050 Christina Avenue, Wilmington, Delaware, has submitted a request for a significant permit modification pursuant to 7 DE Admin. Code 1130, Section 7 for operating Permit: AQM-003/00291-RENEWAL 3. Based on the data and certifications contained in the application, the Division of Air Quality concludes that the applicant meets all applicable requirements. A public hearing concerning the permitting action will not be held unless our agency Secretary receives a request for such hearing by **December 1**. A request for a hearing shall be in writing and must show a familiarity with the application and a reasoned statement of the permit renewal's probable impact. For additional information visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2981&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notic>

[es%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A](http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3006&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A)

NOTIFICATION OF NEGOTIATIONS CONCERNING A VOLUNTARY CLEANUP PROGRAM AGREEMENT FOR THE NEW CASTLE COUNTY AIRPORT SITE (DE-0357) - The Site Investigation and Restoration Section (SIRS), is negotiating a VCP

Agreement with New Castle County regarding the New Castle County Airport Site located at 151 North DuPont Highway in New Castle. The approximate 900 acre Site is identified on the maps of New Castle County as a portion of tax parcel number 10-018.00-006 and had a release of hazardous substances at the Site. This notice expires **December 4**. For additional information, please contact the project officer, Stephanie Gordon at (302) 395-2600; or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3006&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTICE IS HEREBY GIVEN THAT DELAWARE SOLID WASTE AUTHORITY (DSWA)

having a facility at 1706 E. 12th Street, Wilmington, has submitted a request for a significant permit modification pursuant to 7 DE Admin. Code 1130, Section 7 for operating Permit: AQM-003/00111-Renewal 2, Revision 1. Based on the data and certifications contained in the application, the Division of Air Quality concludes that the applicant meets all applicable requirements promulgated by the Environmental Protection Agency (EPA) and the Department of Natural Resources and Environmental Control (DNREC). A public hearing concerning the permitting action will not be held unless our agency Secretary receives a request for such hearing by **December 8**. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2995&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTICE IS HEREBY GIVEN THAT MAGELLAN TERMINALS HOLDINGS, L.P. having a facility at 1050 Christina Avenue, Wilmington, Delaware, has requested federally enforceable 7 DE Admin. Code 1102 construction permits (APC-2016/0008, APC-2016/0009, APC-2016/0010, and APC-2016/0011) for modifying existing storage vessels Tank-21, 22 & 29 to allow additional liquids be stored and to modify the existing truck loading rack to increase gasoline loading. The permits will limit combined emissions from modifications of Tank-21, 22 & 29 to not exceed 14.19 TPY of VOCs, 0.21 TPY of PM, 0.02 TPY of SO_x, 5.01 TPY of NO_x and 7.43 TPY of CO. The VOC emissions from modification of the truck loading rack will remain unchanged. A public hearing concerning the permitting action will not be held unless our agency Secretary receives a request for such hearing by **December 15**. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3008&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

WHS - SITE INVESTIGATION AND RESTORATION SECTION is responsible for the identification, evaluation and remediation of sites in Delaware that have had past releases of hazardous substances. The section manages the contaminated sites under three major programs in accordance with the Hazardous Substance Cleanup Act (HSCA). The three programs are the **Brownfields Development Program, the Voluntary Cleanup Program (VCP) and the HSCA Enforcement Program** (for sites requiring enforcement action).

PUBLIC COMMENT REGARDING TWO CONSENT ORDERS FOR THE SETTLEMENT BY THE AMERICAN PREMIER UNDERWRITERS, INC. (APU) AND THE CITY OF WILMINGTON FOR RESPONSE COSTS AND NATURAL RESOURCE DAMAGES FOR THE FOX POINT PARK SITE (SITE OR PROPERTY), located in Wilmington. The

Fox Point Park Site consists of approximately 60 acres and lies between Interstate 495 and the Delaware River in Wilmington. The Site was created by the filling of subaqueous lands of the Delaware River with industrial slag material, and the application of sewage sludge. DNREC has investigated the release of hazardous substances, and has implemented Final Plans of Remedial Action for Phase I, dated December 18, 1992, and for Phase II, dated December 23, 2005, on the Site pursuant to HSCA. The Consent Orders are entered into voluntarily by DNREC and APU (Respondent) and DNREC and the City of Wilmington (Respondent) and concern the resolution of the Respondents' liability, as a former owner or operator, and the settlement of DNREC's natural resource damage (NRD) claims against Respondents, as well as the reimbursement of past response costs and NRD assessment costs. DNREC entered into a similar Consent Decree with New Castle County in 2009 which also settled DNREC claims for response costs and natural resource damages at the Site. The public comment period began on November 9 and will end on **November 30**. For additional information, please contact Tim Ratsep at (302) 395-2600; or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2998&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTIFICATION OF NEGOTIATIONS CONCERNING A VOLUNTARY CLEANUP PROGRAM AGREEMENT FOR HOCKESSIN CLEANERS (DE-1591) - Site

Investigation and Restoration Section (SIRS) our agency is negotiating a VCP Agreement with the Hartnett Properties, LLC regarding the Hockessin Cleaners Site located in Hockessin. The 0.89 acre Site is identified on the maps of New Castle County as tax parcel number 08-008.30-008 had a release of hazardous substances at the Site. This notice expires **November 30**. For additional information, please contact the project officer, Bob Asreen at (302) 395-2600; or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2993&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

The Brownfields Development Program encourages the cleanup and redevelopment of vacant, abandoned or underutilized properties, which may be contaminated. A party seeking to develop such a property negotiates with SIRS for a **Brownfields Development Agreement (BDA)** to perform an investigation and, if necessary, a remedial action or remedy, for the purpose of addressing the risks posed by past releases of hazardous substances at these sites. However, a BDA is only available to parties that are not current site owners. The **Voluntary Cleanup Program (VCP) Agreement** is available to site owners, who want to clean up their sites and are already liable as a potentially responsible party for the site.

PUBLIC COMMENT FOR A BROWNFIELD DEVELOPMENT AGREEMENT FOR THE FORMER PHILADELPHIA PIKE TEXACO SITE (DE-1622) the Site Investigation and Restoration Section (SIRS) negotiated a Brownfield Development Agreement with Saggione Holdings LLC regarding the Former Philadelphia Pike Texaco Site located at 801 Philadelphia Pike in Wilmington. Identified on the tax maps of New Castle County as parcel number 06-132.00-131, the 0.39 acre Site may have had a release of hazardous substances from past use as a gasoline service station. Please submit written comments by **November 30**, to the DNREC-SIRS Project Manager, Lindsay Hall at DNREC-SIRS, 391 Lukens Drive, New Castle, DE 19720. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2999&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTIFICATION OF NEGOTIATIONS FOR A BROWNFIELD DEVELOPMENT AGREEMENT FOR THE SEAFORD POWER PLANT SITE (DE-1031)

SIRS is negotiating a Brownfield Development Agreement with The Galleria at Riverwalk, LLC regarding the Seaford Power Plant Site located at 200 South Pine Street in Seaford. Identified on the tax maps of Sussex County as parcel number 431-5.00-291, the 1.86 acre Site may have had a release of hazardous substances from past use as a former power plant. This notice expires **November 30**. For additional information, please contact the project manager, Krystal Stanley at (302) 395-2600; or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2992&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTIFICATION OF NEGOTIATIONS FOR A BROWNFIELD DEVELOPMENT AGREEMENT FOR THE BOWEN TRACT SITE (DE-1623)

SIRS is negotiating a Brownfield Development Agreement with Quarry Walk, LLC regarding the Bowen Tract Site located at 838 Yorklyn Road in Hockessin. Identified on the tax maps of New Castle County as parcel number 08-008.00-023, the 16.99 acre Site may have had a release of hazardous substances from past use as a debris pit containing construction debris. This notice expires **November 30**. Learn more about this Site by contacting the project manager, John Cargill at (302) 395-2600; or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2991&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTIFICATION OF NEGOTIATIONS FOR A BROWNFIELD DEVELOPMENT AGREEMENT FOR THE BOWEN TRACT SITE (DE-1623)

- SIRS is negotiating a Brownfield Development Agreement with Quarry Walk, LLC regarding the Bowen Tract Site located at 838 Yorklyn Road in Hockessin. Identified on the tax maps of New Castle County as parcel number 08-008.00-023, the 16.99 acre Site may have had a release of hazardous substances from past use as a debris pit containing construction debris. This notice expires **November 30**. Learn more about this Site by contacting the project manager, John Cargill at (302) 395-2600; or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2991&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTIFICATION OF NEGOTIATIONS FOR A BROWNFIELD DEVELOPMENT AGREEMENT FOR THE 459 OLD AIRPORT ROAD SITE (DE-1624)

- the Site Investigation and Restoration Section (SIRS) is negotiating a Brownfield Development Agreement with Shamrock3 LLC regarding the Old Airport Road Site located at 459 Old Airport Road in New Castle. Identified on the tax maps of New Castle County as parcel number 10-008.00-013, the 0.96 acre Site may have had a release of hazardous substances from past use as a former auto salvage facility. This notice will expire on **December 4**. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3005&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

The Proposed and Final Plans of Remedial Action listed below outline site cleanup activities and covenants and are available online at:

<http://www.dnrec.delaware.gov/whs/awm/SIRB/Pages/SIRBPlans.aspx> under "Announcements." For site-specific information, please see DNREC's Environmental Navigator at <http://www.nav.dnrec.delaware.gov/DEN3>

FINAL PLAN OF REMEDIAL ACTION FOR THE FORMER WINGS TO GO SITE (DE-1513) The Department has adopted a plan regarding the clean-up of the Former Wings to Go Site located in Wilmington. The remedy includes capping the site, limitation of groundwater withdrawal and implementation of a long term stewardship. The Site is currently owned by Casale and Associates, LLC will be redeveloped into residential use. Our agency issued public notice of the Proposed Plan for the Former Wings to Go Site on September 13. There were no comments or questions from the public regarding the Proposed Plan. The public has until **November 23** to appeal the Final Plan. For additional information, please contact Morgan M. Price, Project Manager, or Robert Newsome, Public Information Officer, at (302) 395-2600; or visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2979&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

AMENDED PROPOSED PLAN OF REMEDIAL ACTION FOR THE REICHHOLD CHEMICAL INC. OU-1 The Department invites public comment on a proposal to clean up a portion of the Reichhold Chemical Inc. Operable Unit 1 (OU-1) in Dover. Groundwater in OU-1 has been impacted by poly-nuclear aromatic hydrocarbons. The contamination will be addressed in OU-1 by restricting the area to commercial use, limiting the use of the groundwater and a plan for construction workers to safely handle the soil and groundwater. The comment period ends on **November 23**. For additional information, please contact Rick Galloway, Project Manager, or Robert Newsome, Public Information Officer, at (302)395-2600; or visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2978&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

PROPOSED PLAN OF REMEDIAL ACTION FOR THE 800 FOULK ROAD SITE (DE-1572) The Department invites public comment on a proposal to clean up the 800 Foulk Road Site located at 800 Foulk Road in Wilmington. The 0.44-acre Site currently consists of a vacant lot. The Site groundwater is contaminated with metals, volatile and semi-volatile organic compounds related to the Site's historical use. The comment period ends on **November 24**. For additional information, please contact Morgan Price, Project Manager, or Robert Newsome, Public Information Officer, at (302)395-2600; or visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2988&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

SOLID AND HAZARDOUS WASTE MANAGEMENT SECTION - The Solid and Hazardous Waste Management Section (SHWMS) hereby gives notice that a permit application has been received from the following companies to transport regulated RCRA hazardous and/or non-hazardous solid wastes in, out of, or through the State of Delaware. The renewal application and associated documents are available for review during business hours at our agency Solid & Hazardous Waste Management Section office at 89 Kings Highway, Dover and also at our Lukens Drive office at 391 Lukens Drive in Wilmington.

NOTICE IS HEREBY GIVEN THAT A PERMIT APPLICATION HAS BEEN RECEIVED FROM A.J. CATAGNUS, INC.; PATRICK'S GARBAGE DISPOSAL, LLC; PLYMOUTH ENVIRONMENTAL CO., INC.; TITAN SPECIALIZED CARRIERS, LLC., to transport regulated RCRA hazardous and/or non-hazardous solid wastes in, out of, or through the

State of Delaware. A public hearing concerning these applications will NOT be held unless our agency Secretary, in care of Karen J'Anthony, receives a meritorious request for a hearing by **November 26**. A request for a hearing must be in writing and shall state the nature of the issues to be raised at the hearing. It must also show a familiarity with the application and a reasoned statement of the activity's probable impact. For additional information or an appointment to inspect the applications, please contact Zakary Fisch, DWHS/SHWMS, 89 Kings Hwy, Dover, DE 19901, 302.739.9403; or visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3003&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

DIVISION OF WATER - SURFACE WATER DISCHARGES – The Division of Water hereby gives notice that the following permit application has been received. For additional information or to inspect the applications below contact, Molly Mackil from Surface Water Discharges Section - Division of Water, 89 Kings Highway, Dover, DE 19901, (302) 739-9946. A public hearing will NOT be held unless our agency Secretary determines that a hearing is in the public interest or if a written meritorious request for a hearing is received on or before **November 19**. For additional information visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2986&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

Wastewater Facilities Construction Permit Application

Kent County Regional Sports Complex Corporation to construct 6" gravity sewer, five (5) pump stations with semi-positive displacement grinder pumps, associated piping, valves, controls and related facilities, approximately 3,160 linear feet of 1.5" diameter force main and 160 linear feet of 2.0" diameter force main, to serve the proposed Kent County Regional Sports Complex, to be located on the east side of Bay Road (U. S. Route 1, County Road 8) at Frederica Road (County Road 10) and Milford Neck Road (County Road 120), south of the Town of Frederica, Kent County, Delaware;

Sussex County to construct modifications and improvements to existing Pump Station #34, including an exterior valve vault, replacement of discharge piping, by-pass connections, valves, pumps, buried conduit and control devices, located along southbound Coastal Highway (DE Route 1), north of Fenwick Island, Baltimore Hundred, Sussex County, Delaware; and

Sussex County to construct 8", 10" and 12" gravity sewer, one pump station with dual submersible pumps, associated piping, valves, controls and related facilities, to be known as the Concord Road Pump Station, and 975 linear feet of 4" force main, to be located on 3rd Street and along Concord Road (DE Route 20), between Memorial Highway (U.S. Route 13, County Road 2) and east of Johnson Avenue, as an expansion of the Blades Sanitary Sewer District, Blades, Sussex County, Delaware.

DIVISION OF WATER - Ground Water Discharges -The Division of Water hereby gives notice that the applications below are available for inspection or copies may be obtained by contacting: Kathleen Saunders, Ground Water Discharges, 89 Kings Highway, Dover – 19901, or by calling (302) 739-9948.

Underground Injection Control Permit

United Water Delaware has applied to the Ground Water Discharges Section for a renewal of their Underground Injection Control (UIC) Permit (5R21-10-06N), for the operation one (1) Aquifer Storage and Recovery (ASR) injection well. The UIC Permit is required for the injection of potable water, for storage in an aquifer. The site is located at 308 Clarks Corner Road, New Castle, New Castle County. A public hearing on the above application will NOT be held unless our agency Secretary determines that a public hearing is in the public interest or if a written

meritorious objection to the application is received by **November 17**. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2963&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

Non-Hazardous Liquid Waste Transporters Permit

Enviro-Organic Technologies Inc. has applied to the Ground Water Discharges Section for an amendment to their Non-Hazardous Liquid Waste Transporters Permit to include the transport of grease trap waste generated by Perdue Georgetown DE Processing Facility, to be disposed of at out-of-state permitted facilities. A public hearing on the above application will NOT be held unless our agency Secretary determines that a public hearing is in the public interest or if a written meritorious objection to the application is received by **November 23**. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3001&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

On-Site Wastewater Treatment and Disposal System

Lennar has submitted an application for a temporary holding tank for the Plantation Lakes Development. The system has been designed to accommodate 7,200 gallons per day of wastewater. The site is located at Brunswick Lane, Sussex County, tax parcel # 133-16.00-1500.00. A public hearing on the above application will NOT be held unless our agency Secretary determines that a public hearing is in the public interest or if a written meritorious objection to the application is received by **November 23**. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3001&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

Spray Irrigation Permit

Sussex County Council has applied to the Groundwater Discharges Section for reissuance of their Spray Irrigation Permit DEN 359224-02 for the Piney Neck Regional Wastewater Facility located in Dagsboro, Sussex County. Piney Neck RWF treats domestic wastewater from the towns of Dagsboro and Frankford, Sussex County and spray irrigates the treated effluent onto 38 acres of spray fields and 19 acres of loblolly pine plantation located on the north side of County Road 336, approximately 0.2 miles east of County Road 336A, Dagsboro, Sussex County. A public hearing on the above application will NOT be held unless our agency Secretary determines that a public hearing is in the public interest or if a written meritorious objection to the application is received by **November 30**. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3004&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

DIVISION OF WATER - WETLANDS AND SUBAQUEOUS LANDS SECTION – The Division of Water hereby gives notice that the applications below are available for inspection or copies may be obtained by contacting: Gayle Calder, Wetlands and Subaqueous Lands Section, 89 Kings Highway, Dover – 19901, or by calling (302) 739-9943. A public hearing on the applications below will NOT be held unless our agency Secretary determines that a public hearing is in the public interest, or if a written meritorious objection to the application is received by **November 24**. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2985&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

Subaqueous Lands Permit Application

Dove Barrington Development, LLC (1-34-12.00-383.00 & 382.02) To construct an 80 by 72 foot long 43 by 68 inch elliptical culvert pipes for two road crossings in Prong 7 of Derrickson Canal at Bishops Landing Subdivision, Millville, Sussex County

Thomas Gilmore (1-34-5.00-339.00) To install two (2) single piling PWC lifts in unnamed lagoon adjacent to Beach Cove at 38908 Bayfront Drive, Quillens Point, Ocean View, Sussex County

Cono Namorato (3-34-8.17-64.00) To install a 6 by 12 foot long floating kayak dock and associated access ladder connecting to a previously authorized structure in the Lewes and Rehoboth Canal at 85 Anchor Road, North Shores, Rehoboth Beach, Sussex County

DNREC-Div. of Watershed Stewardship (8-00-117.02-01-19.00-000) To install 50 linear feet of riprap along Petersburg Tax Ditch at 407 Refuge Run, Camden-Wyoming, Kent County

Mark J. Davis (2-31-11.00-22.00) To construct two farm crossings using (2) 42" by 60' culvert pipes for each crossing, one in Sub3 Prong 1 and the other in Prong 1 of New Ditch Tax Ditch at 17741 Davis Road, Georgetown, Sussex County

Subaqueous Lands Lease Supplemental Application

Charles and Fern Dillman (2-34-17.00-60.00), To install a boat lift with 4 associated pilings and a 5 by 12 foot long floating PWC dock connecting to a previously authorized structure in Hopkins Prong at 24234 Big Oak Lane, Millsboro

Merrill McCabe (2-33-3.00-9.00) To remove existing floating structures and to authorize a 6 by 40 foot long pier, a 6 by 40 foot long floating dock, and a 4 by 20 foot long gangway connecting to existing structures in the Indian River at 29975 Ware Cove, Dagsboro, Sussex County

Subaqueous Lands Lease Application

Stephen and Johanna Owsiany (2-34-34.12-50.00) To construct a 4 by 220 foot long pier, a 6 by 30 foot long linear dock, a boat lift with 4 associated pilings, and a single mooring piling in the Indian River at 32472 River Road, Millsboro, Sussex County

Subaqueous Lands Lease Supplemental and Permit Application

Russell and Dianne Reece (4-32-3.00-23.02) To install 210 linear feet of rip-rap consisting of 70 cubic yards of material and 4 piling boat lift in Broad Creek at 7195 Shell Bridge Road, Laurel, Sussex County

Subaqueous Lands Permit and Water Quality Application

Tunnell Companies, LP (2-34-30.00-2.01) Maintenance dredge 112 cubic yards of material from two existing slips along Lingo Creek at 34215 River Road, Pot Nets Bayside Subdivision, Long Neck, Sussex County

EMPLOYEE UPDATES

Laura Bogus has accepted a position with the Division of Motor Vehicles as a Public Information Officer. Her last day with Air Quality is **November 27**.

CONTACT INFORMATION

24-Hour Report and Spill Notification Line - 1-800-662-8802

Aboveground Storage Tanks - 302-395-2500
Air Quality - New Castle Office - 302-323-4542
Air Quality – Kent & Sussex – 302-739-9402
Asbestos New Castle - 302-323-4542
Asbestos Kent & Sussex - 302-739-9402
Biosolids Permits - 302-739-9946
Boiler Safety - 302-395-2500
Brownfields - 302-395-2600
Community Ombudsman - 302-739-9040
Delaware Estuary Program - 302-739-9283 (Delaware Coastal Management Program)
Division of Air Quality Director's Office - 302-739-9402
Division of Waste and Hazardous Substances Director's Office - 302-739-9400
Division of Water Information - 302-739-9950
Dock/Dredging/Bulkheads/Rip-Rap/Wetlands & Subaqueous Lands - 302-739-9943
Emergency Prevention and Response - 302-739-9404
Environmental Crimes Unit - 302-739-9401 or 1-800-662-8802
Environmental Laboratory - 302-739-9942
Hazardous Waste - 302-739-9403
Hazardous Chemical and Toxic Release Inventories – 302-739-9404
Industrial Stormwater Permits - 302-739-9946
Loans & Grants for Wastewater and Septic's (Financial Assistance Branch) - 302-739-9941
Medical Waste - 302-739-9403
Non-Hazardous Liquid Waste Transporters - 302-739-9948
On-site Wastewater Licensing Program - 302-739-9948
Open Burning - 302-739-9402
Outreach Ombudsman - 302-395-2600
Recycling - 302-739-9403
Septic System Permits - Large Systems (Community & I/A) Statewide - 302-739-9948
Septic System Permits - Small Systems for Kent & New Castle Counties - 302-739-9947
Septic System Permits - Small Systems for Sussex County & Holding Tank Compliance Program - 302-856-4561
Site Investigation & Restoration Section (Superfund/Brownfields) - 302-395-2600
Small Business Ombudsman - 302-739-9909
Solid Waste - 302-739-9403
Source Water Protection - 302-739-9945
Surface Water Discharge Permits (NPDES) - 302-739-9946
Underground Injection Control & Spray Irrigation - 302-739-9948
Underground Storage Tanks - 302-395-2500
Wastewater Collection, Conveyance and/or Treatment Facility Construction Permits - 302-739-9946
Wastewater Treatment Facility Operators - 302-739-9946
Water Allocation Permits - 302-739-9945
Water Testing - Drinking Water (Division of Public Health) - 302-741-8630
Water Supply - 302-739-9945
Well Driller's License - 302-739-9944
Well Permits & Licensing - 302-739-9944
Wells - 302-739-9944
Wetlands and Subaqueous Lands Section - 302-739-99435