

The biweekly E-News Update features current information on the Divisions of Air Quality (DAQ), Waste and Hazardous Substances (WHS), and Water regarding public meetings, workshops, hearings, and regulatory documents available for public comment, as well as general news updates.

Suggestions? Additions? Please call Caroline Miller Horton at 302-739-9400, or send an email to caroline.miller-horton@state.de.us

To subscribe go to: <http://www.dnrec.delaware.gov/dwhs/Info/E-News/Pages/E-News.aspx>

Published by the Divisions of Air Quality, Waste and Hazardous Substances, and Water.

Visit us at: www.awm.delaware.gov

SECRETARY'S ORDERS

Secretary's Order No. 2018-A-0061

RE: Approving Final Regulations to Amend 7 DE Admin. Code 1147: CO₂ Budget Trading Program ("RGGI Regulations"). Hearing officer's report included.

Secretary's Order No. 2018-CCE-0059

RE: Approving Final Regulations to Amend 7 DE Admin. Code 2105: Evaluation, Measurement & Verification Procedures and Standards ("EM & V Regulations"). Hearing officer's report included.

Secretary's Order No. 2018-WH-0058

RE: Application of Blessing Greenhouses and Compost Facility, Inc., for a State of Delaware Solid Waste Transporter Permit. Hearing officer's report included.

UPCOMING AIR, WASTE, & WATER-RELATED HEARINGS, MEETINGS, & EVENTS

Source Water Protection Citizen Technical Advisory Committee/Subcommittee Meeting

DNREC Division of Water / Water / Natural Resources and Environmental Control
Subcommittee Meeting, **November 29 at 10:00 AM**, Tidewater Utilities, 1100 S Little Creek Rd, Dover DE 19901. Contact: kimberly.burris@state.de.us, 302-739-9945. You may also visit: <https://publicmeetings.delaware.gov/Meeting/60721>

Board of Certification for Wastewater Operators Monthly Meeting

DNREC Division of Water / Water / Natural Resources and Environmental Control
Regular Monthly Meeting of the Board of Certification for Wastewater Operators.
December 04 at 09:00 AM, Richardson & Robbins Building, 89 Kings Hwy, Dover DE 19901.
Contact faye.wheeler@state.de.us, 302-739-9946. You may also visit: <https://publicmeetings.delaware.gov/Meeting/50810>

On-Site Systems Advisory Board

DNREC Division of Water / Water / Natural Resources and Environmental Control
Monthly Meeting, **December 05 at 09:15 AM**, Richardson & Robbins Building
89 Kings Hwy, Dover DE 19901. Contact dawn.dryden@state.de.us, 302-739-9948. You may also visit: <https://publicmeetings.delaware.gov/Meeting/56846>

HSCA Advisory Committee

DNREC Division of Waste and Hazardous Substances / Waste and Hazardous Substances / Natural Resources and Environmental Control
Review and provide guidance and input for DNREC's cleanup programs regulated under the Hazardous Substance Cleanup Act (HSCA), **December 06 at 09:00 AM**, Department of Natural Resources & Environmental Control, 391 Lukens Dr., New Castle DE 19720. Contact christina.wirtz@state.de.us, 302-395-2600. You may also visit: <https://publicmeetings.delaware.gov/Meeting/61086>

Water Well Licensing Board

DNREC Division of Water / Water / Natural Resources and Environmental Control
Board Meeting, **December 11 at 09:30 AM**, Richardson & Robbins Building, 89 Kings Hwy
Dover DE 19901. Contact sarah.silves@state.de.us, 302-739-9944. You may also
visit: <https://publicmeetings.delaware.gov/Meeting/56820>

DIVISION OF AIR QUALITY

OPT-IN! THE DELAWARE DIVISION OF AIR QUALITY (DAQ) is committed to working with citizens to continuously optimize Delaware's air quality and protect public health, welfare, and the environment. To determine that the DAQ is meeting the air quality needs of the citizens across the state, we encourage you to participate in our opt-in list. In the future you will receive surveys that will allow us to analyze our performance. You can access the opt-in list by clicking: https://survey.co1.qualtrics.com/jfe/form/SV_1RGZGUYt8fSuqkB

AIR QUALITY PERMITTING PROGRAM – Notice has been given that the facilities listed below have submitted applications for air quality management permits. The applications, the “draft/proposed” permits, all materials that the applicant has submitted (other than those granted confidential treatment under DNREC rules), and a copy of summary of other materials, if any, considered in preparing the “draft/proposed” permit, may be inspected at the offices of the Division of Air Quality, 100 W. Water Street, Suite 6A, Dover, 19904. **All comments and public hearing requests** should be mailed to the following address: DIVISION OF AIR QUALITY, 100 W. Water Street, Suite 6A, Dover 19904. To submit comments, for additional information, or for an appointment to inspect the application, please contact Tracy Mattson at (302) 739-9402.

DIVISION OF WASTE AND HAZARDOUS SUBSTANCES

TANK MANAGEMENT SECTION

LEGAL NOTICE - REG. 2 PERMITS APPLICATIONS

Notice is hereby given that applications have been filed by Costco Wholesale, Inc., for a construction/operating permit for a Stage I EVR vapor recovery system, at their facility located 900 Center Boulevard, Newark, DE in New Castle County.

The application may be inspected at the office of the Tank Management Section, 391 Lukens Drive, New Castle, Delaware. For additional information or an appointment to inspect the application, please contact:

Jennifer Vavala
Division of Waste and Hazardous Substances
Tank Management Section
391 Lukens Drive
New Castle, DE 19720
(302) 395-2500

A public hearing on the above applications will NOT be held unless the Secretary of DNREC receives a request within 15 days from the date of this notice. A request for a hearing shall be in writing and must also show a familiarity with the application and a reasoned statement of the permit's probable impact. **THIS IS THE ONLY LEGAL NOTICE TO APPEAR.** For more information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=4482&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

SITE INVESTIGATION AND RESTORATION SECTION (SIRS) is responsible for the identification, evaluation, and remediation of sites in Delaware that have had past releases of hazardous substances. The section manages the contaminated sites under three major programs in accordance with the Hazardous Substance Cleanup Act (HSCA). The three programs are the **Brownfields Development**

Program, the Voluntary Cleanup Program (VCP), and the HSCA Enforcement Program (for sites requiring enforcement action).

The Brownfields Development Program encourages the cleanup and redevelopment of either the entire property, the expansion of the property, or the reuse of the property which may be hindered by the reasonable held belief that the property may be contaminated. A party seeking to develop such a property negotiates with SIRS for a **Brownfields Development Agreement (BDA)** to perform an investigation and, if necessary, a remedy, for the purpose of addressing the risks posed by past releases of hazardous substances at these sites. However, a BDA is only available to parties that are not current owners or operators of the site. The **Voluntary Cleanup Program (VCP) Agreement** is available to site owners who want to clean up their sites and are already liable as a potentially responsible party for the site.

The Proposed and Final Plans of Remedial Action listed below outline site cleanup activities and covenants and are available online at:

<http://www.dnrec.delaware.gov/whs/awm/SIRB/Pages/SIRBPlans.aspx> under "Announcements." For site-specific information, please see DNREC's Environmental Navigator at:

<http://www.nav.dnrec.delaware.gov/DEN3>

LEGAL NOTICE - AMENDED FINAL PLAN OF REMEDIAL ACTION FOR THE Oyster House Village Site (DE-1573)

The Department has adopted a plan regarding the clean-up of the Oyster House Village Site located in Rehoboth, DE. The remedy consists of: 1) Placement of a cap in the South Area, 2) Submittal of a Remedial Action Work Plan (RAWP) for the North Area to remove buried organic debris and relocation onsite or disposal off-site of any surface organic debris, 3) placement of an environmental covenant limiting land disturbing activities, limiting groundwater withdrawal, compliance with a contaminated material management plan (CMMP) and Long-Term Stewardship (LTS) Plan, 4) preparation of a CMMP for new construction or soil disturbing activities, 5) Development of a DNREC approved Long-Term Stewardship (LTS) Plan to monitor the cap.

DNREC issued public notice of the Amended Proposed Plan for the Oyster House Village Site on October 3, 2018. There were no comments or questions from the public regarding the Amended Proposed Plan. Details of the Amended Final Plan are available at the DNREC office (21309 Berlin Road, Suite 2 Georgetown, DE 19947), or online at: <http://www.nav.dnrec.delaware.gov/DEN3/>

For additional information, please contact Rick Galloway, Project Manager at (302) 395-2600 or rick.galloway@state.de.us. You may also

visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=4467&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeId=0x010034FD6D348B0CF04392485E93FC15AB3A>

LEGAL NOTICE - FINAL PLAN OF REMEDIAL ACTION FOR THE CitiSteel (Former EVRAZ-Claymont Steel) Operable Unit #2 (DE-0046)

The Department has adopted a plan regarding the clean-up of Operable Unit 2 of the CitiSteel (Former EVRAZ-Claymont Steel) Site located at 4001 Philadelphia Pike in Claymont, Delaware. The 165-acre Operable Unit is primarily undeveloped, but was utilized as a former landfill for electric arc furnace dust, for disposal of sediment from dredging of the former cooling water pond drainage swale/old Naamans Creek, and for disposal of slag from former production processes. Site soils need to be kept from the adjacent Naamans Creek, the Delaware River and the small onsite pond during redevelopment activities to protect identified Key Wildlife Habitat. Further, the former cooling pond drainage swale will be closed/filled, select "hotspots" of contaminated soil will be excavated and transported to a permitted disposal facility, petroleum sheen in two site monitoring wells will be addressed, and the former electric arc furnace dust landfill located onsite will be protected from disturbance. Additionally, future uses of the site will be restricted to non-residential uses, groundwater use will be restricted at the site, and no land disturbing activities will take place without prior written approval from DNREC.

DNREC issued public notice of the Proposed Plan for the Site on October 14, 2018. There were

no comments or questions from the public regarding the Proposed Plan. Details of the Final Plan are available at the office of DNREC-SIRS (391 Lukens Drive, New Castle, DE, 19720), or online at <http://www.nav.dnrec.delaware.gov/DEN3/>.

For additional information, please contact John G. Cargill, Project Manager at (302) 395-2600 or via email at John.Cargill@state.de.us. You may also

visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=4477&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeId=0x010034FD6D348B0CF04392485E93FC15AB3A>

LEGAL NOTICE - FINAL PLAN OF REMEDIAL ACTION FOR THE CitiSteel (Former EVRAZ-Claymont Steel) Operable Unit #3 (DE-0046)

The Department has adopted a plan regarding the clean-up of Operable Unit 3 of the CitiSteel (Former EVRAZ-Claymont Steel) Site located at 4001 Philadelphia Pike in Claymont, Delaware. The 85-acre Operable Unit was the former steel production area(s) of the Site, and is located on both sides of Philadelphia Pike. Site soils need to be kept from the adjacent Naamans Creek and areas surrounding the creek during redevelopment activities to protect identified Key Wildlife Habitat. Additionally, future uses of the Site will be restricted to non-residential uses, and groundwater use will be restricted at the Site.

DNREC issued public notice of the Proposed Plan for the Site on September 19, 2018. There were no comments or questions from the public regarding the Proposed Plan. Details of the Final Plan are available at the office of DNREC-SIRS (391 Lukens Drive, New Castle, DE, 19720), or online at <http://www.nav.dnrec.delaware.gov/DEN3/>.

For additional information, please contact John G. Cargill, Project Manager at (302) 395-2600 or via email at John.Cargill@state.de.us. You may also

visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=4478&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeId=0x010034FD6D348B0CF04392485E93FC15AB3A>

LEGAL NOTICE - AMENDED PROPOSED PLAN OF REMEDIAL ACTION FOR THE South Wilmington Stormwater Pilot Site (DE-1500)

The Department invites public comment on an amended proposal to clean up the South Wilmington Stormwater Pilot Site located in Wilmington, Delaware. The approximate 23-acre wetland Site was historically filled with industrial waste and soil. The Site owner is designing a large scale wetland restoration to relieve area flooding and to provide park space for area residents. The original Final Plan of Remedial Action, issued in March 2017, was amended due to a small change in overall wetland design.

Details of the Amended Proposed Plan are available at the office of DNREC-SIRS (391 Lukens Drive, New Castle, DE, 19720), or online at <http://www.nav.dnrec.delaware.gov/DEN3/>

The comment period ends on **December 1**. For additional information, please contact John G. Cargill, Project Manager, at (302)395-2600 or via email at John.Cargill@state.de.us. You may also

visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=4475&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeId=0x010034FD6D348B0CF04392485E93FC15AB3A>

LEGAL NOTICE - PROPOSED PLAN OF REMEDIAL ACTION FOR THE HESSLER PROPERTY SITE (OPERABLE UNIT 2) (DE-1203)

The Department invites public comment on a proposal to clean-up Operable Unit 2 (OU 2) of the Hessler Property Site located at 401 Garasches Lane and 610 South Market Street Wilmington. The Site was heavily filled with construction waste and other debris and most recently used as a lay-down and storage area for steel products. OU-2 consists of the shallow soils (the top two (2) feet of soil) located on tax parcel 26-057.00-05. The proposed remedy will require the following: Construction and maintenance of a lined and fenced sediment stockpile area, recording an environmental covenant restricting digging and the use of groundwater, and submittals for DNREC's approval of a Contaminated Materials Management Plan and a Long Term Stewardship Plan.

Details of the Proposed Plan are available at the office of DNREC-SIRS (391 Lukens Drive, New Castle, DE, 19720), or online at: <http://www.nav.dnrec.delaware.gov/DEN3/>

The comment period ends on **December 12**. For additional information, please contact Kristen Thornton, Project Manager at (302) 395-2600 or via email at Kristen.Thornton@state.de.us. You may also

visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=4484&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeId=0x010034FD6D348B0CF04392485E93FC15AB3A>

DIVISION OF WATER - WATER SUPPLY - The Division of Water hereby gives notice that the following Well permit application has been received. For additional information concerning the applications below, please contact Water Supply Section - 89 Kings Highway, Dover, 19901; email Water.Allocation@state.de.us; or by phone at (302) 739-9945.

LEGAL NOTICE - Allocation Permits

Tri-Oak Farms, Inc. has requested an irrigation allocation for one existing irrigation well. The maximum daily withdrawal for the well is 864,000 gallons per day. The well will be located northwest of Laurel in Sussex County, near the intersection of High Street and Woodland Ferry Road. Tax parcel 2-32-11.00-0079.01.

Regional Enterprises, LLC has requested an irrigation allocation for two existing irrigation wells. The maximum daily withdrawal for the wells is 1,008,000 gallons per day. The wells are located south of Magnolia in Kent County, near the intersection of Bay Rd and Bowers Beach Rd. Tax parcel SM00-122.00-02-25.00.

Water Supply Section

89 Kings Highway, Dover, DE 19901

(302) 739-9945

Water.Allocation@state.de.us

A public hearing on the above applications will NOT be held unless the Secretary of DNREC determines that a public hearing is in the public interest or if a written meritorious objection to the application is received by **December 10 at 4:30 p.m.** A public hearing request shall be deemed meritorious if it exhibits a familiarity with the application and provides a reasoned statement of the action's probable impact. For more information

visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=4485&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeId=0x010034FD6D348B0CF04392485E93FC15AB3A>

DIVISION OF WATER – GROUNDWATER DISCHARGES SECTION

LEGAL NOTICE - Board of Certification for Wastewater Operators – Board Member Opening

The Delaware Department of Natural Resources and Environmental Control, Division of Water, hereby gives notice that the Board of Certification for Wastewater Operators member-at-large board member position is currently open for application.

The Board is appointed by the Secretary to advise and assist the Secretary in the administration of the wastewater operator's licensing program. The Board meets monthly. Members of the Board are volunteers, and are appointed for three (3) year terms. The member-at-large position represents the community as a whole, and is not required to hold a license themselves.

For more information regarding the Board visit: <https://dnrec.alpha.delaware.gov/water/surface-water/wastewater-operators/board-of-certification/>

If you would like to be considered for the member-at-large board member position, please submit your resume to Faye Wheeler, Executive Assistant to the Board at

Faye.Wheeler@state.de.us before **December 1**. If you have any questions, please contact Faye Wheeler at (302) 739-9946. For more information

visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=4460&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeId=0x010034FD6D348B0CF04392485E93FC15AB3A>

LEGAL NOTICE - On-Site Wastewater Treatment and Disposal System

Church of God of Prophecy has applied for a permit to connect a new sanctuary to an existing on-site wastewater treatment and disposal system on their property located on the west side of County Road 48 (Zoar Road) approximately 200' south of County Road 324 (Sussex Pines Road) near Georgetown Sussex County tax parcels 135-23.00-18.01, 18.02 & 18.03 The new sanctuary will have a design flow rate 1358 with the original permit's flow rate being 1500 gpd.

The above mentioned applications may be inspected by contacting:

Kathleen Saunders, Groundwater Discharges, 89 Kings Highway, Dover, DE 19901

Kathleen.Saunders@state.de.us, (302) 739-9948.

A public hearing on the above applications will NOT be held unless the Secretary of DNREC determines that a public hearing is in the public interest or if a written meritorious objection to the application is received within 15 days from this notice. A public hearing request shall be deemed meritorious if it exhibits a familiarity with the application and provides a reasoned statement of the action's probable impact. For more information

visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=4476&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeId=0x010034FD6D348B0CF04392485E93FC15AB3A>

LEGAL NOTICE - Non-Hazardous Liquid Waste Transporters Permit

GTO Services has applied to the Groundwater Discharges Section for a Non-Hazardous Liquid Waste Transporters Permit to transport grease trap waste/cooking oil waste to be disposed of at out of state permitted facilities.

Non-Hazardous Liquid Waste Transporters Permit (Renewal)

S-J Transportation Co has applied to the Groundwater Discharges Section for a renewal of Non-Hazardous Liquid Waste Transporters Permit DE OH-605 which allows for the transport of other non-hazardous liquid waste (leachate) to be disposed of at the Kent County Sewer System.

The above mentioned applications may be inspected by contacting:

Kathleen Saunders, Groundwater Discharges, 89 Kings Highway, Dover, DE 19901

Kathleen.Saunders@state.de.us, (302) 739-9948.

A public hearing on the above applications will NOT be held unless the Secretary of DNREC determines that a public hearing is in the public interest or if a written meritorious objection to the application is received within 15 days from this notice. A public hearing request shall be deemed meritorious if it exhibits a familiarity with the application and provides a reasoned statement of the action's probable impact. For more information

visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=4474&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeId=0x010034FD6D348B0CF04392485E93FC15AB3A>

LEGAL NOTICE - On-Site Wastewater Treatment and Disposal System

Church of God of Prophecy has applied for a permit to connect a new sanctuary to an existing on-site wastewater treatment and disposal system on their property located on the west side of County Road 48 (Zoar Road) approximately 200' south of County Road 324 (Sussex Pines Road) near Georgetown Sussex County tax parcels 135-23.00-18.01, 18.02 & 18.03 The new sanctuary will have a design flow rate 1358 with the original permit's flow rate being 1500 gpd.

The above mentioned applications may be inspected by contacting:

Kathleen Saunders, Groundwater Discharges, 89 Kings Highway, Dover, DE 19901

Kathleen.Saunders@state.de.us, (302) 739-9948.

A public hearing on the above applications will NOT be held unless the Secretary of DNREC determines that a public hearing is in the public interest or if a written meritorious objection to the application is received within 15 days from this notice. A public hearing request shall be deemed meritorious if it exhibits a familiarity with the application and provides a reasoned statement of the action's probable impact. For more information you may

visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=4479&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeId=0x010034FD6D348B0CF04392485E93FC15AB3A>

LEGAL NOTICE - Non-Hazardous Liquid Waste Transporters Permit (Renewal)

Jesse Baro, Inc. has applied to the Groundwater Discharges Section for a renewal of Non-

Hazardous Liquid Waste Transporters Permit DE OH-645 which allows for the transport of municipal or industrial biosolids to be disposed of at out-of-state permitted facilities.

The above mentioned application may be inspected by contacting:

Kathleen Saunders, Groundwater Discharges, 89 Kings Highway, Dover, DE 19901
Kathleen.Saunders@state.de.us, (302) 739-9948.

A public hearing on the above application will NOT be held unless the Secretary of DNREC determines that a public hearing is in the public interest or if a written meritorious objection to the application is received within 15 days from this notice. A public hearing request shall be deemed meritorious if it exhibits a familiarity with the application and provides a reasoned statement of the action's probable impact. For more information

visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=4483&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeId=0x010034FD6D348B0CF04392485E93FC15AB3A>

LEGAL NOTICE - TEMPORARY HOLDING TANK

Lencraft, LLC has submitted an application for a Temporary Holding Tank Permit to serve the Plantation Lakes Subdivision. The system has been designed to accommodate 29,885 gallons per day of wastewater. The site is located at 24250 Sheep Pen Road, Sussex County, tax parcel #1-33-16-73.00. The above mentioned application may be inspected by contacting:

Kathleen Saunders, Groundwater Discharges, 89 Kings Highway, Dover, DE 19901
Kathleen.Saunders@state.de.us, (302) 739-9948.

A public hearing on the above application will NOT be held unless the Secretary of DNREC determines that a public hearing is in the public interest or if a written meritorious objection to the application is received within 15 days from this notice. A public hearing request shall be deemed meritorious if it exhibits a familiarity with the application and provides a reasoned statement of the action's probable impact. For more information

visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=4489&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeId=0x010034FD6D348B0CF04392485E93FC15AB3A>

DIVISION OF WATER - SURFACE WATER DISCHARGES – The Division of Water hereby gives notice that the following permit applications have been received.

LEGAL NOTICE - DNREC – Division of Water, Surface Water Discharges Section - Public Hearing

The Department of Natural Resources and Environmental Control, Division of Water, (Department) will conduct a public hearing on Perdue Foods, LLC (Perdue) National Pollutant Discharge System (NPDES) Permit No. DE 0000469 (State Number WPCC 3011G/74) reissuance application to discharge treated process wastewater, sanitary wastewater, boiler blowdown, and storm water from their facility located at 20621 Savannah Rd in Georgetown, Sussex County, to Savannah Ditch. The facility is a poultry processing plant.

There are two (2) outfalls at this site which discharge to Savannah Ditch. Outfall 002 consists of discharge from the process wastewater treatment system and Outfall 004 consists of stormwater from a grassed non-process area. The wastewater treatment system consists of screening, anaerobic lagoons, activated sludge, chemical precipitation, clarification, and ultraviolet (UV) disinfection. Sanitary wastewater is treated in a batch aerobic treatment system and is then pumped to the ultraviolet disinfection unit.

The public notice of the Department's receipt of the application and of reaching a tentative determination was published in the Wilmington News Journal and the Delaware News on August 26, 2018. The Department received one public hearing request on September 24, 2018. The issues outlined in the request include concerns over impacts of the discharge in the receiving waters, the schedule of compliance for permit limits, notification of discharge violations to waterways users, contamination in receiving waters, pollutant monitoring and analysis in receiving waters, efficiency of the treatment process, and implementation of TMDLs in the permit. The public hearing will be held on **November 27 at 6pm** at Georgetown Middle School, located at 301 West Market St, Georgetown, DE 19947. The purpose of the hearing is to provide the public an opportunity to comment on the aforementioned permit application, and will include

presentation from DNREC staff.

On the basis of staff review and application of lawful standards and regulations, the Department proposes to issue a NPDES permit for the facility above, subject to certain effluent limitations and conditions. This proposal is tentative pending the development of a formal hearing record, including the public hearing, and a final decision by the DNREC Secretary.

Persons wishing to comment on the applications and draft permit may do so either orally or in written form at the public hearing on **November 27**. In lieu of attending the public hearing, written comment may be submitted to the Hearing Officer via either email to Lisa.Vest@state.de.us or via USPS to the following address:

Lisa A. Vest, Hearing Officer, Office of the Secretary, Department of Natural Resources and Environmental Control, 89 Kings Highway, Dover, Delaware 19901

The application, draft fact sheet, and draft permit are available for inspection at

<http://www.dnrec.delaware.gov/wr/information/swdinfo/pages/individual.aspx> or copies may be obtained by contacting: Division of Water, Surface Water Discharges Section, 89 Kings Highway Dover, Delaware 19901, (302) 739-9946. You may also visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=4446&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeId=0x010034FD6D348B0CF04392485E93FC15AB3A>

LEGAL NOTICE - DNREC – Division of Water, Surface Water Discharges Section Wastewater Facilities Construction Permit Application

The Delaware Department of Natural Resources and Environmental Control, Division of Water, hereby gives notice that a permit application has been received from:

Sussex County proposes to construct approximately 2.2 miles of ten (10) inch diameter sanitary sewer force main along Rt. 13 from Heritage Shores Drive in Bridgeville to Swain Road in Seaford, Delaware. The proposed force main's purpose is to transmit sanitary sewer flow from Greenwood and Bridgeville that is presently served by the Bridgeville Wastewater Treatment Facility. The new flow is to enter the existing City of Seaford sanitary sewer system and be treated at their Wastewater Treatment Plant. The proposed force main doesn't represent the entire force main needed to complete the Bridgeville to Seaford switch. The proposed project represents just the force main to be installed along U.S. Route 13.

Questions regarding the applications and plans for the above are available for inspection by contacting: Keith Kooker, P.E., Environmental Finance, Office of the Secretary, Enterprise Business Park, 97 Commerce Way, Suite 106, Dover, DE 19904, (302) 739-9941

A public hearing concerning the above application will NOT be held unless the Secretary of DNREC determines that a hearing is in the public interest or if a written meritorious request for a hearing is received on or before **November 28**. A request for a public hearing shall be deemed meritorious if it exhibits a familiarity with the application and provides a reasoned statement of the permit's probable impact. For more information

visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=4476&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeId=0x010034FD6D348B0CF04392485E93FC15AB3A>

DIVISION OF WATER - WETLANDS SECTIONS

Subaqueous Lands Lease Renewal

Mark and Ada Puzzo (8-01-11517-02-6900-00001) To maintain a 4 by 30 foot long pier and a 6.5 by 39 foot long dock in the Murderkill River at 158 Cooper Avenue Frederica, Kent County, DE

Subaqueous Lands Lease Application

Dewey Beach Enterprises Inc. (334-23.06-1.00) To install a 16 by 415 foot long Public bay walk and a 8 by 40 foot long Public crabbing and fishing pier in the Rehoboth Bay at Ruddertowne between Dickinson and Van Dyke Avenue, Dewey Beach, Sussex County, DE.

Dewey Beach Enterprises Inc. (334-23.06-1.00) To install pilings and decking for commercial space consisting of a 1,250 square foot area and a 968 square foot area in the Rehoboth Bay at Ruddertowne between Dickinson and Van Dyke Avenue, Dewey Beach, Sussex County, DE.

Manaen Robinson (1-34-7.00-99.00) To install a 4 by 60 foot long pier, two (2) mooring pilings, and to replace 50 linear feet of bulkhead in the Indian River Bay at 30476 West Beach Road, Sea

Grass Plantation, Dagsboro, Sussex County, DE

Subaqueous Lands Permit Applications

Leroy F. Murray-(1-33-17.10-8.00) To repair by replace 70 linear feet of bulkhead and to install 30 linear feet of new bulkhead including return walls to fill in an existing boat slip and to backfill with approximately 9.5 cubic yards of sandy fill material in the Indian River at 241 River Drive, Millsboro, Sussex County, DE

Nicholas and Robyn Pirone (1-34-23.16-118.00) To install two 4.5 by 14 foot floating personal watercraft docks at in an unnamed lagoon at 21 West Atlantic Avenue, Fenwick Island, Sussex County, DE

Subaqueous Lands Permit and Wetlands Applications

Bethany Woods LLC (1-34-13.00-2185.00) To install a 3 by 89 foot long wetland walkway and a 4 by 30 foot long crabbing and fishing pier in the Salt Pond at 19 Charley's Run, Bethany Woods, Bethany Beach, DE.

Map Change Application

Map Change to Delaware Tidal Wetland Map-(2-35-4.17-102.00) To revise Delaware State Wetland Map DNR-110 by removing the scrub-shrub designation from approximately 1,740 square feet of land near the intersection of South Bayshore Drive and Tyler Avenue adjacent to Deep Creek, Broadkill Beach, Milton, Sussex County, DE

These Documents/Applications above are available for review by contacting:

Gayle Calder, Wetlands and Subaqueous Lands Section, 89 Kings Highway
Dover, DE 19901, (302) 739-9943, FAX (302) 739-6304.

If you have any comments, please return this memo to this office by **December 4**. For more information

visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=4470&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeId=0x010034FD6D348B0CF04392485E93FC15AB3A>

CONTACT INFORMATION

24-Hour Environmental Report and Spill Notification Line - 1-800-662-8802

Aboveground Storage Tanks - 302-395-2500

Air Quality - New Castle Office - 302-323-4542

Air Quality – Kent & Sussex – 302-739-9402

Asbestos New Castle - 302-323-4542

Asbestos Kent & Sussex - 302-739-9402

Biosolids Permits - 302-739-9946

Boiler Safety - 302-395-2500

Brownfields - 302-395-2600

Community Ombudsman - 302-739-9040

Community Services - 302-739-9959

Delaware Estuary Program - 302-739-9283 (Delaware Coastal Management Program)

Division of Air Quality Director's Office - 302-739-9402

Division of Energy & Climate - 302-735-3480

Division of Waste and Hazardous Substances Director's Office - 302-739-9400

Division of Water Information - 302-739-9950

Dock/Dredging/Bulkheads/Rip-Rap/Wetlands & Subaqueous Lands - 302-739-9943

Emergency Prevention and Response - 302-739-9404

Environmental Crimes Unit - 302-739-9401 or 1-800-662-8802

Environmental Laboratory - 302-739-9942

Hazardous Waste - 302-739-9403

Hazardous Chemical and Toxic Release Inventories – 302-739-9404

Industrial Stormwater Permits - 302-739-9946

Loans & Grants for Wastewater and Septic's (Environmental Finance) - 302-739-9941

Medical Waste - 302-739-9403

Non-Hazardous Liquid Waste Transporters - 302-739-9948

On-site Wastewater Licensing Program - 302-739-9948
Open Burning - 302-739-9402
Outreach Ombudsman - 302-395-2600
Recycling - 302-739-9403
Septic System Permits - Large Systems (Community & I/A) Statewide - 302-739-9948
Septic System Permits - Small Systems for Kent & New Castle Counties - 302-739-9947
Septic System Permits - Small Systems for Sussex Co. & Holding Tank Compli. Program - 302-856-4561
Site Investigation & Restoration Section (Superfund/Brownfields) - 302-395-2600
Small Business Ombudsman - 302-739-9069
Solid Waste - 302-739-9403
Source Water Protection - 302-739-9945
Surface Water Discharge Permits (NPDES) - 302-739-9946
Underground Injection Control & Spray Irrigation - 302-739-9948
Underground Storage Tanks - 302-395-2500
Wastewater Collection, Conveyance, and/or Treatment Facility Construction Permits - 302-739-9946
Wastewater Treatment Facility Operators - 302-739-9946
Water Allocation Permits - 302-739-9945
Water Testing - Drinking Water (Division of Public Health) - 302-741-8630
Water Supply - 302-739-9945
Well Driller's License - 302-739-9944
Well Permits & Licensing - 302-739-9944
Wells - 302-739-9944
Wetlands and Subaqueous Lands Section - 302-739-9943