

The biweekly E-News Update features current information on the Divisions of Air Quality (DAQ), Waste and Hazardous Substances (WHS), and Water regarding public meetings, workshops, hearings, and regulatory documents available for public comment, as well as general news updates. For those of you who are receiving the E-News Update for the first time, the subscription is FREE!

Please sign up at: <http://www.delaware.gov/Pages/Lists.aspx> under "Division of Waste & Hazardous Substances Lists." There is no form to fill out; it's done in three clicks!

Suggestions? Additions? Please call Stacy Jones at 302-739-9400, or send an email to Stacy.Jones@state.de.us

Published by Divisions of Air Quality, Waste and Hazardous Substances and Water.

Visit us at: www.awm.delaware.gov

SECRETARY ORDER

[Secretary's Order No. 2015-WH-0039](#)

Approving Final Regulations to Amend 7 DE Admin. Code 1301: Delaware Regulations Governing Solid Waste

UPCOMING AIR, WASTE, & WATER-RELATED HEARINGS, MEETINGS, & EVENTS

SOURCE WATER PROTECTION CITIZEN TECHNICAL ADVISORY COMMITTEE MEETING -

The Committee will hold a meeting on **November 4** from 9am to 12pm at the Kent County Administration Complex, Conference Rooms 220 A&B, 555 Bay Road, Dover, DE, 19901. Dover, DE 19901. For additional information, please contact Kimberly Burriss at (302) 739-9945; or visit: <https://egov.delaware.gov/pmc/Event/Details/25728>

DNREC AND DHSS WORKSHOP - The Tank Management Section and the Department of Health and Social Services' Division of Public Health are holding a public workshop to provide information on environmental investigations in the vicinity of Lincoln United Methodist Church and laboratory analytical results for Lincoln UMC, Evelyn Early Childhood Education Center and private wells in the area. The workshop will be held on **November 4** at 6pm at Lincoln United Methodist Church, 8641 Second Street, Lincoln, DE, 19960 in Kent County. If you have any questions regarding the workshop, please contact Chris Brown or Christina Wirtz at 302-395-2500; or visit: <https://egov.delaware.gov/pmc/Event/Details/30847>

NOTICE OF PUBLIC LISTENING SESSIONS REGARDING THE ENVIRONMENTAL PROTECTION AGENCY (EPA) CLEAN POWER PLAN - Division of Air Quality, will hold an informal listening session on the federal Clean Power plan to hear from Delawareans on **November 10** from 6:00 to 8:00 p.m. at DNREC: 89 Kings Highway Dover, DE. You can also learn more about the details at EPA's website (<http://www2.epa.gov/cleanpowerplan>), where they have posted the final rule, technical analyses, and other supporting information. You may attend and present your comments at the listening session, email written comments to valerie.gray@state.de.us, or you may send comments to: Division of Air Quality, 655 S. Bay Road, Suite 5N Dover, DE 19901. For additional information visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2968&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

PUBLIC HEARING WILL BE HELD TO RECEIVE PUBLIC COMMENTS ON PERMIT APPLICATIONS SUBMITTED BY ALLEN HARIM FOODS, LLC. The public hearing on the applications and the draft permit will begin at 6:00 p.m. on **November 18**, at the Indian River Senior Center, 214 Irons Avenue, in Millsboro. Persons wishing to comment on the applications and draft permit may present written statements through the close of the public comment period, which is re-opened and extended until the conclusion of the public hearing on November 18. Persons may also present comment orally or in written form at the hearing. Persons who

want to speak at the public hearing are encouraged to register in advance no later than November 16 and this registration will be used to determine the order of speakers at the public hearing. Registration and any written comments should be send either by mail or preferably email to: Robert.Haynes@state.de.us or Robert P. Haynes, Esq. Senior Hearing Officer, Office of the Secretary Department of Natural Resources and Environmental Control P.O. Box 1401, 89 Kings Highway Dover, Delaware 19901. Please visit the link below for more information: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2961&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

A PUBLIC HEARING ON THE DRAFT GENERAL CONCENTRATED ANIMAL FEEDING OPERATING (CAFO) POULTRY PERMIT - The Division of Water, Surface Water Discharges Section and the Department of Agriculture's (DDA) Nutrient Management Program will cooperatively conduct (for CAFO's that do not land apply manure). The purpose of the hearing is to provide the public with an opportunity to comment on the aforementioned approved CAFO permit. This hearing will begin at 7pm on **December 3** at the Delaware Department of Agriculture Conference Center, located at 2320 South DuPont Highway in Dover. Comments may be submitted in writing by mail, fax, or e-mail to Brian Churchill, at DNREC, 89 Kings Highway, Dover, DE 19901, from October 28, 2015 until 4:30 PM on November 27, 2015, and/or in person at the hearing on **December 3**. Comment submission information follows: E-Mail – Brian.Churchill@state.de.us; Fax – (302) 739-8369. For more in-depth information visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2976&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

AIR QUALITY PERMITTING PROGRAM – Notice has been given that the facilities listed below have submitted applications for air quality management permits. The applications, the “draft/proposed” permits, all materials that the applicant has submitted (other than those granted confidential treatment under DNREC rules), and a copy of summary of other materials, if any, considered in preparing the “draft/proposed” permit, may be inspected at the offices of the Division of Air Quality, 655 S. Bay Road, Dover and 715 Grantham Lane, New Castle. **All comments and public hearing requests** should be mailed to the following address: DIVISION OF AIR QUALITY, 655 S. Bay Road, Suite 5 N, Dover, DE 19901. To submit comments, for additional information, or for an appointment to inspect the application, please contact Laura Bogus or Penny Gentry at (302) 739-9402.

NOTICE HAS BEEN GIVEN THAT JOHNSON CONTROLS BATTERY GROUP, INC., requests four construction permits to construct three cast on strap process lines and one central vacuum system at their 700 North Broad Street, Middletown facility. The three cast on strap process lines (C.O.S. Lines 4B, 5B & 6B) will be permitted to emit 0.029 lb./hr. and 0.13 TPY of lead, each. The automatic post burners, associated with each cast on strap process line, will be permitted to emit 0.000116 lb./hr. and 0.00034 TPY of lead, each. Additionally, the heat seal machines, associated with each cast on strap process line, will be permitted to emit 0.11 lb./hr. and 0.48 TPY of total suspended particulates, each. The three cast on strap process lines will be permitted by Permit: APC-2016/0028-CONSTRUCTION, Permit: APC-2016/0029-CONSTRUCTION and Permit: APC-2016/0030-CONSTRUCTION. The central vacuum system will be permitted to emit 0.005 lb./hr. and 0.018 TPY of lead by Permit: APC-2016/0031-CONSTRUCTION. The total facility wide increase of emissions for the four construction permits are 0.41 TPY of lead and 1.44 TPY of total suspended particulates. A public hearing on the above application will NOT be held unless our agency Secretary request for a hearing regarding that application by **November 10**. A request for a hearing shall be in writing. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2969&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notic>

[es%2FAIItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A](http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2977&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAIItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A)

NOTICE HAS BEEN GIVEN THAT AMAZON, requests a construction permit to upgrade the existing dust collector system at their fulfillment Center located in Middletown. The upgrades include the addition of two pressure relief valves, the addition of a trim separator, and the replacement of an existing blower. The upgrades will be permitted by Permit: APC-2016/0038-C. The facility's PM emission limit will remain at 0.53 tpy. A public hearing on the above application will NOT be held unless our agency Secretary request for a hearing regarding that application by **November 12**. A request for a hearing shall be in writing. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2977&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAIItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTICE IS HEREBY GIVEN THAT FMC HEALTH AND NUTRITION having a facility at 1301 Ogletown Road, Newark, Delaware 19711 has requested a federally enforceable 7 DE Admin. Code 1102 construction permit (APC-2016/0025 – CONSTRUCTION (FE)) for a new baghouse to replace the existing EP-128 baghouse of CMC Conveying System #2. The new baghouse will be permitted at 0.13 ton of particulate matter (PM) per year, the same limit as the baghouse it replaces. Upon completion of construction, the Department will incorporate the operating conditions and limits of the 7 DE Admin. Code 1102 Construction permit into the facility's existing Title V (Permit: AQM-003/00051 (Renewal 3) (Revision 1)) via an Administrative Amendment. A public hearing concerning the permitting action will not be held unless our agency Secretary receives a request by **November 17**. For more information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2960&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAIItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTICE IS HEREBY GIVEN THAT THE EASTERN SHORE NATURAL GAS COMPANY HAVING A FACILITY AT 17035 BLACK CHERRY DRIVE, BRIDGEVILLE, has requested a federally enforceable 7 DE Admin. Code 1102 construction permits (Permit: APC-2016/0001 & 0002-CONSTRUCTION (NSPS)(SM)) for the construction of (1) new 1,775 HP Caterpillar G3606 TALE natural gas-fired reciprocating internal combustion engine (RICE) compressor unit, equipped with an oxidation catalyst, and one new (1) 300 kW Waukesha VGF18GL natural gas-fueled Emergency Generator. The new engine has the potential to emit (PTE) 8.57 TPY of NOX, 34.28 TPY of CO, 10.80 TPY of VOCs, 0.59 TPY of PM2.5 and PM10, and 5.60 TPY of total HAPs. The engine will be limited to 8.57 TPY of NOX, 3.30 TPY of CO, 2.16 TPY of VOCs, 0.59 TPY of PM2.5 and PM10, and 1.63 TPY of total HAPs. Both units will be required to comply with the applicable U.S. EPA regulations under the provisions of 40 CFR Part 60, Subpart JJJJ. Upon completion of construction, the Department will incorporate the operating conditions and limits of the 7 DE Admin. Code 1102 Construction permit into the facility's existing Synthetic Minor Operating Permit (Permit: APC-2005/0031-Construction/Operation) via an Administrative Amendment. A public hearing on the above application will NOT be held unless our agency Secretary request for a hearing regarding that application by **November 24**. A request for a hearing shall be in writing. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2970&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAIItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTICE IS HEREBY GIVEN THAT CLEAN EARTH OF NEW CASTLE, LLC having a facility at 94 Pyles Lane, New Castle, Delaware, has submitted a request for permit renewal pursuant to 7 DE Admin. Code 1130, Section 7 for operating permit: AQM-003/00290 (Renewal 3). Based on the data and certifications contained in the application, the Division of Air Quality concludes that the applicant meets all applicable requirements promulgated by the Environmental Protection

Agency (EPA) and the Department of Natural Resources and Environmental Control (DNREC). A public hearing concerning the permitting action will not be held unless our agency Secretary receives a request for such hearing by **December 1**. A request for a hearing shall be in writing and must show a familiarity with the application and a reasoned statement of the permit renewal's probable impact. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2982&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTICE IS HEREBY GIVEN THAT MAGELLAN TERMINALS HOLDINGS, L.P. having a facility at 1050 Christina Avenue, Wilmington, Delaware, has submitted a request for a significant permit modification pursuant to 7 DE Admin. Code 1130, Section 7 for operating Permit: AQM-003/00291-RENEWAL 3. Based on the data and certifications contained in the application, the Division of Air Quality concludes that the applicant meets all applicable requirements. A public hearing concerning the permitting action will not be held unless our agency Secretary receives a request for such hearing by **December 1**. A request for a hearing shall be in writing and must show a familiarity with the application and a reasoned statement of the permit renewal's probable impact. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2981&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

WHS - SITE INVESTIGATION AND RESTORATION SECTION is responsible for the identification, evaluation and remediation of sites in Delaware that have had past releases of hazardous substances. The section manages the contaminated sites under three major programs in accordance with the Hazardous Substance Cleanup Act (HSCA). The three programs are the **Brownfields Development Program, the Voluntary Cleanup Program (VCP) and the HSCA Enforcement Program** (for sites requiring enforcement action).

The Brownfields Development Program encourages the cleanup and redevelopment of vacant, abandoned or underutilized properties, which may be contaminated. A party seeking to develop such a property negotiates with SIRS for a **Brownfields Development Agreement (BDA)** to perform an investigation and, if necessary, a remedial action or remedy, for the purpose of addressing the risks posed by past releases of hazardous substances at these sites. However, a BDA is only available to parties that are not current site owners. The **Voluntary Cleanup Program (VCP) Agreement** is available to site owners, who want to clean up their sites and are already liable as a potentially responsible party for the site.

NOTIFICATION OF NEGOTIATIONS FOR A BROWNFIELD DEVELOPMENT AGREEMENT FOR THE FORMER PHILADELPHIA PIKE TEXACO SITE (DE-1622) -

the Site Investigation and Restoration Section (SIRS) is negotiating a Brownfield Development Agreement with Saggione Holdings LLC regarding the Former Philadelphia Pike Texaco Site located at 801 Philadelphia Pike in Wilmington. Identified on the tax maps of New Castle County as parcel number 06-132.00-131, the 0.39 acre Site may have had a release of hazardous substances from past use as a gasoline service station. This notice expires **November 9**. For addition information contact Lindsay Hall at (302) 395-2600; or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2967&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTIFICATION OF NEGOTIATIONS FOR A BROWNFIELD DEVELOPMENT AGREEMENT FOR THE 1215 PHILADELPHIA PIKE SITE (DE-1621) - The Site

Investigation and Restoration Section (SIRS) is negotiating a Brownfield Development Agreement with JEJA Enterprises, LLC regarding the 1215 Philadelphia Pike Site located at the same address in Wilmington. Identified on the tax maps of New Castle County as tax parcel number 06-115.00-171, the 0.86 acre Site may have had a release of hazardous substances due to use as a former gasoline service station. This notice expires **November 9**. For additional information contact the project manager, Patrick Boettcher (302) 395-2600; or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2966&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTIFICATION OF PUBLIC COMMENT FOR A BROWNFIELD DEVELOPMENT AGREEMENT FOR THE BOYDS CORNER PROPERTY SITE (DE-1620)

The Site Investigation and Restoration Section (SIRS) negotiated a Brownfield Development Agreement with Sentinel Self Storage, LLC regarding the Boyds Corner Property Site, located at 451 Boyds Corner Road in Middletown. Identified on the tax maps of New Castle County as tax parcel number 13-007.00-031, the 4.8 acre Site may have had a release of hazardous substances due to its close proximity to the Mt. Pleasant Railroad Dump. The public comment period began on October 21 and will on **November**

9. Please submit written comments to the SIRS Project Manager, Stephanie Gordon at DNREC-SIRS, 391 Lukens Drive, New Castle, DE 19720. For additional information visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2965&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

The Proposed and Final Plans of Remedial Action listed below outline site cleanup activities and covenants and are available online at:

<http://www.dnrec.delaware.gov/whs/awm/SIRB/Pages/SIRBPlans.aspx> under

“Announcements.” For site-specific information, please see DNREC’s Environmental Navigator at <http://www.nav.dnrec.delaware.gov/DEN3>

FINAL PLAN OF REMEDIAL ACTION FOR THE WHITTINGTON WOODS SITE DE-1509 OPERABLE UNIT 3

– The Department has adopted a plan regarding the clean-up of the Whittington Woods Site, Operable Unit 3 (OU-3) located in at Minnies Lane in Bear, Delaware. The selected remedy is to maintain the OU-3 area as open space and complete the ecological risk assessment for OU-3 and OU-2 within 180 days of the issuance of the conditional Certificate of Completion of Remedy (COCR) for OU-3. DNREC will also hold in escrow \$50,000 from the owner until this further investigation has been completed. DNREC issued public notice of the Proposed Plan for the Whittington Woods Site OU-3 on September 27. There were no comments or questions from the public regarding the Proposed Plan. The public has until **November 16** to appeal this Final Plan. For additional information, please contact Kristen Thornton, Project Manager, or Robert Newsome, Public Information Officer, at (302) 395-2600; or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2973&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

FINAL PLAN OF REMEDIAL ACTION FOR THE 945 RIVER ROAD (FORMER BP TRUCKING) SITE (DE-1592)

The Department has adopted a plan regarding the clean-up of 945 River Road Site located in New Castle, DE. The selected remedy for the Site is to establish an Environmental Covenant which restricts use of the Site, prohibits disturbance of the pavement cap, and prevents the installation of groundwater wells

without prior approval from DNREC. DNREC issued public notice of the Proposed Plan for 945 River Road (Former BP Trucking) Site on September 27. There were no comments or questions from the public regarding the Proposed Plan. The public has until **November 16** to appeal this Final Plan. For additional information, please contact Krystal Stanley, Project Managers, or Robert Newsome, Public Information Officer, at (302) 395-2600; or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2972&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

FINAL PLAN OF REMEDIAL ACTION FOR THE FORMER WINGS TO GO SITE (DE-1513)

The Department has adopted a plan regarding the clean-up of the Former Wings to Go Site located in Wilmington. The remedy includes capping the site, limitation of groundwater withdrawal and implementation of a long term stewardship. The Site is currently owned by Casale and Associates, LLC will be redeveloped into residential use. Our agency issued public notice of the Proposed Plan for the Former Wings to Go Site on September 13. There were no comments or questions from the public regarding the Proposed Plan. The public has until **November 23** to appeal the Final Plan. For additional information, please contact Morgan M. Price, Project Manager, or Robert Newsome, Public Information Officer, at (302) 395-2600; or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2979&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

AMENDED PROPOSED PLAN OF REMEDIAL ACTION FOR THE REICHOLD

CHEMICAL INC. OU-1 The Department invites public comment on a proposal to clean up a portion of the Reichhold Chemical Inc. Operable Unit 1 (OU-1) in Dover. Groundwater in OU-1 has been impacted by poly-nuclear aromatic hydrocarbons. The contamination will be addressed in OU-1 by restricting the area to commercial use, limiting the use of the groundwater and a plan for construction workers to safely handle the soil and groundwater. The comment period ends on **November 23**. For additional information, please contact Rick Galloway, Project Manager, or Robert Newsome, Public Information Officer, at (302)395-2600; or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2978&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

DIVISION OF WATER - SURFACE WATER DISCHARGES – The Division of Water hereby gives notice that the following permit application has been received. For additional information or to inspect the applications below contact, Molly Mackil from Surface Water Discharges Section - Division of Water, 89 Kings Highway, Dover, DE 19901, (302) 739-9946.

Wastewater Facilities Construction Permit Application

NOTICE IS HEREBY GIVEN THAT A PERMIT APPLICATION HAS BEEN RECEIVED FROM SUSSEX COUNTY AND HARLTON COMMUNITIES, LLC, to construct 8” and 10” gravity sewer, one pump station with dual non-clog pumps, associated piping, valves, controls and related facilities, approximately 4,475 linear feet of 8” force main, to serve the proposed Harlton residential development, on the east sides of Iron Lane (County Road 348) and Murray Road (County Road 348A), south of Old Mill Road (County Road 349), west of Whites Neck Road (County Road 347), near Millville, Baltimore Hundred, Sussex County. A public hearing concerning the above application will NOT be held unless our agency Secretary determines that a hearing is in the public interest or if a written meritorious request for a hearing is received on or before **November 12**. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2975&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

[3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A](http://www.dnrec.delaware.gov/Lists/Public%20Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A)

DIVISION OF WATER - Ground Water Discharges -The Division of Water hereby gives notice that the applications below are available for inspection or copies may be obtained by contacting: Kathleen Saunders, Ground Water Discharges, 89 Kings Highway, Dover – 19901, or by calling (302) 739-9948.

FORMAL WAIVER

Mr. DJ Shannahan, President, Sharp Water Culligan, seeking a Formal Waiver for Sharp Water Culligan to install Demand Initiated Regeneration (DIR) water softeners which discharge regenerative waters directly into a conventional on-site wastewater treatment and disposal system pursuant to 7 Del. Admin. C. §7101-5.6.2 of the Regulations Governing the Design, Installation, and Operation of On-Site Wastewater Treatment and Disposal Systems. The request includes documentation that the homeowner and Sharp Water Culligan Company must sign, agree to, notarize, and have recorded in the respective County Recorder of Deeds for each system installed. A public hearing on the above application will NOT be held unless our agency Secretary determines that a public hearing is in the public interest or if a written meritorious objection to the application is received by **November 9**. For additional information visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2974&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

ON-SITE WASTEWATER TREATMENT AND DISPOSAL SYSTEM

Steamboat Landing, LLC has submitted a renewal application for an Operation Permit for an on-site wastewater treatment and disposal system. The system has been designed to accommodate 16,250 gallons per day of wastewater. The site is located at 13849 Steamboat Landing Road, Sussex County, tax parcel # 2-35-16.00-20.00. A public hearing on the above application will NOT be held unless our agency Secretary determines that a public hearing is in the public interest or if a written meritorious objection to the application is received by **November 9**. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2974&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

Tidewater Environmental Services, Inc. has submitted a renewal application for an operation permit for an on-site wastewater treatment and disposal system. The system has been designed to accommodate 81,000 gallons per day of wastewater. The site is located at 32732 Cedar Grove Road, Sussex County, tax parcel # 3-34-11.00-83.00. A public hearing on the above application will NOT be held unless our agency Secretary determines that a public hearing is in the public interest or if a written meritorious objection to the application is received by **November 15**. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2983&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

The Division of Water's Groundwater Discharges Section in conjunction with the State Revolving Fund's Septic Rehabilitation Program are soliciting proposals from licensed and qualified Class D Soil Scientists to perform site evaluations for on-site wastewater treatment and disposal systems <2500 gallons per day. The site evaluations will be performed in all 3 counties. All proposals are to be submitted no later than 1:00 pm on **November 16** to: DNREC/GWDS James Cassidy, 20653 N. DuPont Blvd., Georgetown, DE 19947. Interested parties should contact James Cassidy at James.Cassidy@state.de.us or by phone at (302) 856-4561. A copy of the application may be obtained at: www.bids.delaware.gov. Additional information can also be found by visiting:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2939&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

UNDERGROUND INJECTION CONTROL PERMIT

United Water Delaware has applied to the Ground Water Discharges Section for a renewal of their Underground Injection Control (UIC) Permit (5R21-10-06N), for the operation one (1) Aquifer Storage and Recovery (ASR) injection well. The UIC Permit is required for the injection of potable water, for storage in an aquifer. The site is located at 308 Clarks Corner Road, New Castle, New Castle County. A public hearing on the above application will NOT be held unless our agency Secretary determines that a public hearing is in the public interest or if a written meritorious objection to the application is received by **November 17**. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2963&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

DIVISION OF WATER - WETLANDS AND SUBAQUEOUS LANDS SECTION – The Division of Water hereby gives notice that the applications below are available for inspection or copies may be obtained by contacting: Gayle Calder, Wetlands and Subaqueous Lands Section, 89 Kings Highway, Dover – 19901, or by calling (302) 739-9943. A public hearing on the applications below will NOT be held unless our agency Secretary determines that a public hearing is in the public interest, or if a written meritorious objection to the application is received by **November 10**. For additional information visit:
<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2964&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

Subaqueous Lands Permit Application

James Welu, Parcel (2-35-22-74) To construct a pier, 4 by 27 feet, a pier 4 by 16 feet and a floating dock 5 by 16 feet, in Red Mill Pond, at 30263 East Mill Run, Overbrook Shores, Milton, Sussex County

James Welu, Parcel (2-35-22-73) To construct a pier 4 by 24 feet in Red Mill Pond, at 30247 East Mill Run, Overbrook Shores, Milton, Sussex County

Delaware Department of Transportation – To construct a new 394 by 43 foot bridge by placing 2,130 square feet of permanent riprap, 2,300 square feet of temporary riprap and 113 square feet of steel caissons; and to remove the existing bridge by removing 2,512 square feet of piers in the Christina River at James Street in Newport, New Castle County

John McCullin (DC-17-019.09-02-21.00-000) to construct a 4 by 5 foot wide pier and a 5 by 20 foot long dock in Lake Como at 771 Dorchester Court, West Shores, Smyrna

Massey's Landing Properties, LLC (2-34-25.00-31.00) To construct a 6 by 182.5 foot long pier, a 6 by 74 foot long pier and an associated 6 by 98.9 foot long dock, a 20 by 20 foot long kayak launch consisting of 19.4 cubic yards of sand, stone, and geo-cell grid, to install 189.5 linear feet of pipe channelward of the mean high water line consisting of storm water outfalls and dry hydrant intakes ranging in pipe sizes from 6"-36", to install 3,720 linear feet of bio-logs consisting of 168 cubic yards of sandy fill and wetland vegetation in and adjacent to Roman Pond at 36625 Long Neck Road, Millsboro

City of Wilmington (0703310168) To expand an existing 1.34 acre pond into a 1.60 acre pond, create one 1.42 acre and one 0.8 acre pond and perform stream restoration and enhancement

along 1,700 LF of stream channel in an unnamed tributary to the Christina River at the Ed Oliver Golf Course, 800, N. DuPont Road, New Castle County, Wilmington

Delaware Department of Transportation – (linear project) – Christina River Bridge and Approaches- To construct a new bridge and approaches with 1,700 square feet (permanent) and 4,150 square feet (temporary) of State regulated wetlands impacts, and 928 square feet (permanent) and 89,250 square feet (temporary) subaqueous lands impacts in the Christina River and adjacent wetlands, extending from S. Market St to the Wilmington Riverfront, Wilmington, New Castle County

Subaqueous Lands Lease Applications

Massey's Landing Properties, LLC (2-34-25.00-31.00) To construct a 6 by 182.5 foot long pier, a 6 by 74 foot long pier and an associated 6 by 98.9 foot long dock, a 20 by 20 foot long kayak launch consisting of 19.4 cubic yards of sand, stone, and geo-cell grid, to install 189.5 linear feet of pipe channelward of the mean high water line consisting of storm water outfalls and dry hydrant intakes ranging in pipe sizes from 6"-36", to install 3,720 linear feet of bio-logs consisting of 168 cubic yards of sandy fill and wetland vegetation in and adjacent to Roman Pond at 36625 Long Neck Road, Millsboro

Mark Kopec (5-33-12.00-53.00) to construct a 5 by 27 foot long dock and 2 mooring pilings connecting to a previously authorized pier in Dirickson Creek at 36415 Dirickson Drive, Magnolia Shores, Selbyville

Subaqueous Lands Lease Supplemental Application

Natalie Ferrise Bush, Trustee and Wesley G. Bush, Trustee (3-34-14.09-1.00) To install a 3 by 10 foot long gangway and a 6 by 12 foot long floating dock connecting to a previously authorized structure in the Lewes and Rehoboth Canal at 67 Tidewaters, Henlopen Acres

Wetlands Permit and Subaqueous Lands Supplemental Application

Rebecca Gareis-Bent (335-4.19-85.00) To construct a 3 x 15 foot wetland walkway in State-regulated wetlands and a 4 x 5 foot pier. To relocate the existing 3 x 20 foot gangway, the existing 6 x 10 foot floating pier and existing 6 x 90 foot floating dock to the channelward end of new pier in the Lewes and Rehoboth Canal at 352 Pilottown Road, Lewes, Sussex County

Subaqueous Lands Lease Renewal Application

Barbara Neuse (1-34-5-324) to renew a subaqueous lands lease to maintain pier 4 by 14 feet and a dock 5 by 25 feet in Beach Cove at 208 Bay Front Drive, Quillens Point, Ocean View, Sussex County

Subaqueous Water Quality Application

DNREC-Division of Parks and Recreation (07-009.00-002,025,026,027&076) Construct 3 paved recreational trails impacting 0.0278 acres of federally regulated non-tidal wetlands at the NVF-Auburn Heights State Park along Snuff Mill Road in Yorklyn, New Castle County

EMPLOYEE NEWS

Effective **Oct 5**, Matthew Jones was hired as an Environmental Scientist II for the Division of Water, Wetlands and Subaqueous Lands Section. Welcome!

Effective **October 12**, Dong Kim was hired as an Analytical Chemist III for the Division of Water, Environmental Laboratory. Welcome!

Effective **October 19**, Katie Huegel was hired as an Environmental Scientist II for the Division of Water, Wetlands and Subaqueous Lands Section. Welcome!

CONTACT INFORMATION

24-Hour Report and Spill Notification Line - 1-800-662-8802

Aboveground Storage Tanks - 302-395-2500
Air Quality - New Castle Office - 302-323-4542
Air Quality – Kent & Sussex – 302-739-9402
Asbestos New Castle - 302-323-4542
Asbestos Kent & Sussex - 302-739-9402
Biosolids Permits - 302-739-9946
Boiler Safety - 302-395-2500
Brownfields - 302-395-2600
Community Ombudsman - 302-739-9040
Delaware Estuary Program - 302-739-9283 (Delaware Coastal Management Program)
Division of Air Quality Director's Office - 302-739-9402
Division of Waste and Hazardous Substances Director's Office - 302-739-9400
Division of Water Information - 302-739-9950
Dock/Dredging/Bulkheads/Rip-Rap/Wetlands & Subaqueous Lands - 302-739-9943
Emergency Prevention and Response - 302-739-9404
Environmental Crimes Unit - 302-739-9401 or 1-800-662-8802
Environmental Laboratory - 302-739-9942
Hazardous Waste - 302-739-9403
Hazardous Chemical and Toxic Release Inventories – 302-739-9404
Industrial Stormwater Permits - 302-739-9946
Loans & Grants for Wastewater and Septic's (Financial Assistance Branch) - 302-739-9941
Medical Waste - 302-739-9403
Non-Hazardous Liquid Waste Transporters - 302-739-9948
On-site Wastewater Licensing Program - 302-739-9948
Open Burning - 302-739-9402
Outreach Ombudsman - 302-395-2600
Recycling - 302-739-9403
Septic System Permits - Large Systems (Community & I/A) Statewide - 302-739-9948
Septic System Permits - Small Systems for Kent & New Castle Counties - 302-739-9947
Septic System Permits - Small Systems for Sussex County & Holding Tank Compliance Program - 302-856-4561
Site Investigation & Restoration Section (Superfund/Brownfields) - 302-395-2600
Small Business Ombudsman - 302-739-9909
Solid Waste - 302-739-9403
Source Water Protection - 302-739-9945
Surface Water Discharge Permits (NPDES) - 302-739-9946
Underground Injection Control & Spray Irrigation - 302-739-9948
Underground Storage Tanks - 302-395-2500
Wastewater Collection, Conveyance and/or Treatment Facility Construction Permits - 302-739-9946
Wastewater Treatment Facility Operators - 302-739-9946
Water Allocation Permits - 302-739-9945
Water Testing - Drinking Water (Division of Public Health) - 302-741-8630
Water Supply - 302-739-9945
Well Driller's License - 302-739-9944
Well Permits & Licensing - 302-739-9944
Wells - 302-739-9944
Wetlands and Subaqueous Lands Section - 302-739-99435