

The biweekly E-News Update features current information on the Divisions of Air Quality (DAQ), Waste and Hazardous Substances (WHS), and Water regarding public meetings, workshops, hearings, and regulatory documents available for public comment, as well as general news updates. For those of you who are receiving the E-News Update for the first time, the subscription is FREE!

Please sign up at: <http://www.dnrec.delaware.gov/Pages/DNRECLists.aspx> under "Division of Waste & Hazardous Substances Lists." There is no form to fill out; it's done in three clicks!

Suggestions? Additions? Please call Caroline Miller Horton at 302-739-9400, or send an email to

caroline.miller-horton@state.de.us

Published by the Divisions of Air Quality, Waste and Hazardous Substances, and Water.

Visit us at: www.awm.delaware.gov

SECRETARYS ORDERS

UPCOMING AIR, WASTE, & WATER-RELATED HEARINGS, MEETINGS, & EVENTS

CANCELLED - HSCA ADVISORY COMMITTEE– Meeting was scheduled to take place on **December 14**, from 9am to 12:30pm at DNREC's Lukens Office, 391 Lukens Drive, New Castle, DE. 19720. For additional information contact Christina Wirtz at 302-395-2600 or visit <https://publicmeetings.delaware.gov/Meeting/54514>

OPT-IN! THE DELAWARE DIVISION OF AIR QUALITY (DAQ) is committed to working with citizens to continuously optimize Delaware's air quality and protect public health, welfare, and the environment. To determine that the DAQ is meeting the air quality needs of the citizens across the state, we encourage you to participate in our opt-in list. In the future you will receive surveys that will allow us to analyze our performance. You can access the opt-in list by clicking: https://survey.co1.qualtrics.com/jfe/form/SV_1RGZGUYt8fSugkB

AIR QUALITY PERMITTING PROGRAM – Notice has been given that the facilities listed below have submitted applications for air quality management permits. The applications, the "draft/proposed" permits, all materials that the applicant has submitted (other than those granted confidential treatment under DNREC rules), and a copy of summary of other materials, if any, considered in preparing the "draft/proposed" permit, may be inspected at the offices of the Division of Air Quality, 100 W. Water Street, Suite 6A, Dover, 19904. **All comments and public hearing requests** should be mailed to the following address: DIVISION OF AIR QUALITY, 100 W. Water Street, Suite 6A, Dover 19904. To submit comments, for additional information, or for an appointment to inspect the application, please contact Tracy Mattson at (302) 739-9402

Federally Enforceable 7 DE ADMIN. CODE 1102 APPLICATIONS

Notice is hereby given that DuPont Chestnut Run Plaza having a facility at 974 Centre Road, Delaware, has requested a federally enforceable 7 DE Admin. Code 1102 operation permit (APC-1982/0509-O) for Boiler C-4 to change NOx emission limit to 12.36 lbs/hr and CO emissions to 4.8 lbs/hr and annual emissions are not changed.

Upon completion of legal notice period, the Department will incorporate the operating conditions and limits of the 7 DE Admin. Code 1102 Operation Permit into the facility's existing Title V permit (Permit: AQM-003/00126(Renewal 3)) via an Administrative Amendment. The application, the "draft/proposed" construction permit, all materials that the applicant has submitted (other than those granted confidential treatment under DNREC rules), and a copy of summary of other materials, if any, considered in preparing the "draft/proposed" permit may be inspected at the offices of the Division of Air Quality, State Street Commons, 100 W. Water Street, Suite 6A, Dover, Delaware and 715 Grantham Lane, New Castle, Delaware. To submit comments, for additional information or for an appointment to inspect the application, please contact Tracy Mattson at the Dover Office at 739 9402. The "draft/proposed" construction permit is being

submitted to EPA for concurrent processing. If there are no significant comments, the "draft/proposed" construction permit will be issued as a final permit after the expiration of the EPA review period. A public hearing on the above application will NOT be held unless the Secretary of DNREC receives a request for a hearing regarding that application within 30 days from the date of this notice, ending **December 12**. A request for a hearing shall be in writing. The request must also show a familiarity with the application and a reasoned statement of the permit's probable impact. All comments and public hearing requests should be mailed to the following address:

Division of Air Quality
State Street Commons
100 W. Water Street, Suite 6A
Dover, DE 19904

(302) 739-9402. For more information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3993&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeId=0x010034FD6D348B0CF04392485E93FC15AB3A>

LEGAL NOTICE - Federally Enforceable 7 DE Admin. Code 1102 PERMIT APPLICATIONS

Notice is hereby given that Siemens Healthcare Diagnostics Inc. requests a federally enforceable 7 DE Admin. Code 1102 construction permit APC-2018/0037-CONSTRUCTION (NSPS)(GACT)(FE) for the installation of one (1) emergency generator, rated 200 kW (324 HP) at Route 896 & Corporate Blvd, Newark, New Castle County, Delaware. The engine used in this generator set complies with U. S. EPA regulations under the provisions of 40 CFR 89, Non-Road Tier 3 emissions limits. Permitted emissions based on 150 hours per year are 0.002 TPY HC, 0.25 TPY NOx, 0.01 TPY CO, 0.001 TPY PM, and 0.01 TPY SO2.

Upon completion of construction, the Department will incorporate the operating conditions and limits of 7 DE Admin. Code 1102 Construction permit into the facility's existing Synthetic Minor permit (Permit: APC-83/0397-OPERATION (Amendment 7) (SM)) via an Administrative Amendment.

The application, the "draft/proposed" construction permit, all materials that the applicant has submitted (other than those granted confidential treatment under DNREC rules), and a copy or summary of other materials, if any, considered in preparing the "draft/proposed" permit may be inspected at the office of the Division of Air Quality, State Street Commons, 100 W. Water Street, Suite 6A, Dover, DE 19904. To submit comments, for additional information or for an appointment to inspect the public file, please contact Tracy Mattson in the Dover office at (302) 739-9402.

The "draft/proposed" construction permit is being submitted to EPA for concurrent processing. If there are no significant comments, the "draft/proposed" construction permit will be issued as a final permit after the expiration of the EPA review period

A public hearing on any of the above applications will NOT be held unless the Secretary of DNREC receives a request for a hearing regarding that application within 30 days from the date of this notice, ending **December 19**. A request for a hearing shall be in writing. The request must also show a familiarity with the application and a reasoned statement of the permit's probable impact.

All comments and public hearing requests should be mailed to the following address:

DIVISION OF AIR QUALITY
STATE STREET COMMONS 100 W. WATER STREET, SUITE 6A
DOVER, DE 19904
(302) 739-9402

For More information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3999&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeId=0x010034FD6D348B0CF04392485E93FC15AB3A>

DNREC – Division of Air Quality Title V Permit Renewal Application

Notice is hereby given that Printpack Inc., U.S. Flexible Division, located at 600 Grantham Lane, New Castle, Delaware, has submitted a request for a permit renewal pursuant to 7 DE Admin. Code 1130, Section 7 for operating permit: AQM-003/00093. Based on the data and certifications contained in the application, the Division

of Air Quality concludes that the applicant meets all applicable requirements promulgated by the Environmental Protection Agency (EPA) and the Department of Natural Resources and Environmental Control (DNREC). Therefore a "draft/proposed" permit renewal has been prepared. The application, the "draft/proposed" permit renewal (AQM-003/00093) all materials that the applicant has submitted (other than those granted confidential treatment under DNREC rules), and a copy of summary of other materials, if any, considered in preparing the "draft/proposed" permit renewal may be inspected at the offices of the Division of Air Quality, State Street Commons, 100 W. Water Street, Suite 6A, Dover, Delaware and 715 Grantham Lane, New Castle, Delaware. To submit comments, for additional information or for an appointment to inspect the application, please contact Tracy Mattson at the Dover Office at 739 - 9402. The "draft/proposed" permit renewal is being submitted to EPA for concurrent processing. If there are no significant comments, the "draft/proposed" permit renewal will be issued as a final permit after expiration of the EPA review period.

A public hearing concerning the permitting action will not be held unless the Secretary of the Department of Natural Resources and Environmental Control receives a request for such hearing within thirty (30) days from the date of this notice, ending **January 8, 2018**. A request for a hearing shall be in writing and must show a familiarity with the application and a reasoned statement of the permit renewal's probable impact. DIVISION OF AIR QUALITY STATE STREET COMMONS 100 W. WATER STREET, SUITE 6A DOVER, DE 19904 (302) 739-9402. For more information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=4027&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

LEGAL NOTICE - Federally Enforceable 7 DE Admin. Code 1102 PERMIT

APPLICATIONS Notice is hereby given that Siemens Healthcare Diagnostics Inc. requests a federally enforceable 7 DE Admin. Code 1102 construction permit APC-2018/0052-CONSTRUCTION (NSPS)(GACT)(FE) for the installation of one (1) natural gas fired emergency generator, rated 100 kW (162.7 HP) at Route 896 & Corporate Blvd, Newark, New Castle County, Delaware. The generator complies with the emission limitations of 40 CFR Part 60 Subpart JJJJ. Permitted emissions based on 150 hours per year are 0.05 TPY NOx, 0.00 7TPY HC, 0.02 TPY CO, 0.001 TPY PM, and 0.0015 TPY SO2. Upon completion of construction, the Department will incorporate the operating conditions and limits of 7 DE Admin. Code 1102 Construction permit into the facility's existing Synthetic Minor permit (Permit: APC-83/0397-OPERATION (Amendment 7)(SM)) via an Administrative Amendment. The application, the "draft/proposed" construction permit, all materials that the applicant has submitted (other than those granted confidential treatment under DNREC rules), and a copy or summary of other materials, if any, considered in preparing the "draft/proposed" permit may be inspected at the office of the Division of Air Quality, State Street Commons, 100 W. Water Street, Suite 6A, Dover, DE 19904. To submit comments, for additional information or for an appointment to inspect the public file, please contact Tracy Mattson in the Dover office at (302) 739-9402. The "draft/proposed" construction permit is being submitted to EPA for concurrent processing. If there are no significant comments, the "draft/proposed" construction permit will be issued as a final permit after the expiration of the EPA review period. A public hearing on any of the above applications will NOT be held unless the Secretary of DNREC receives a request for a hearing regarding that application within 30 days from the date of this notice, ending **January 9, 2018**. A request for a hearing shall be in writing. The request must also show a familiarity with the application and a reasoned statement of the permit's probable impact. All comments and public hearing requests should be mailed to the following address:

DIVISION OF AIR QUALITY
STATE STREET COMMONS 100 W. WATER STREET, SUITE 6A
DOVER, DE 19904
(302) 739-9402

For more information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=4018&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeId=0x010034FD6D348B0CF04392485E93FC15AB3A>

WHS - SITE INVESTIGATION AND RESTORATION SECTION (SIRS) is responsible for the identification, evaluation, and remediation of sites in Delaware that have had past releases of hazardous substances. The section manages the contaminated sites under three major programs in accordance with the Hazardous Substance Cleanup Act (HSCA). The three programs are the **Brownfields Development Program, the Voluntary Cleanup Program (VCP), and the HSCA Enforcement Program** (for sites requiring enforcement action).

The Brownfields Development Program encourages the cleanup and redevelopment of either the entire property, the expansion of the property, or the reuse of the property which may be hindered by the reasonable held belief that the property may be contaminated. A party seeking to develop such a property negotiates with SIRS for a **Brownfields Development Agreement (BDA)** to perform an investigation and, if necessary, a remedy, for the purpose of addressing the risks posed by past releases of hazardous substances at these sites. However, a BDA is only available to parties that are not current owners or operators of the site. The **Voluntary Cleanup Program (VCP) Agreement** is available to site owners who want to clean up their sites and are already liable as a potentially responsible party for the site.

NOTIFICATION OF NEGOTIATIONS FOR A BROWNFIELDS DEVELOPMENT AGREEMENT FOR THE SUSSEX LUMBER SITE (DE-0118)

Pursuant to the Hazardous Substance Cleanup Act (HSCA), 7 Del. C. Chapter 91, §9126, the Department of Natural Resources and Environmental Control (DNREC) is required to issue a public notice within twenty days after entering into negotiations for a Brownfields Development Agreement (BDA). A BDA is an agreement between DNREC and a Brownfields developer with respect to a Certified Brownfield Site that sets forth a scope of work and schedule of remedial activities during the development of the Site.

DNREC's Site Investigation and Restoration Section (DNREC-SIRS) is negotiating a BDA with Meris Properties, LLC regarding the Sussex Lumber Site (Site), located at Tract 1B, Robinsonville Road in Lewes. Identified by Sussex County as tax parcel number 234-6.00-90.00, the 8.8 acre Site may have had a release of hazardous substances as a result of past use as an a lumber yard. For more information, please see DNREC's navigator at

<http://www.nav.dnrec.delaware.gov/DEN3>.

Learn more about this Site and other Brownfields sites by accessing DNREC-SIRS' web page at <http://www.awm.delaware.gov/SIRB/Pages/Brownfields.aspx> or by contacting the DNREC-SIRS Project Manager, Wendy March at (302) 395-2600 or wendy.march@state.de.us. For more information

visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=4015&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeId=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTIFICATION OF NEGOTIATIONS FOR A BROWNFIELDS DEVELOPMENT AGREEMENT FOR THE TIMKO BROTHERS LANDFILL SITE (DE-0055)

Pursuant to the Hazardous Substance Cleanup Act (HSCA), 7 Del. C. Chapter 91, §9126, the Department of Natural Resources and Environmental Control (DNREC) is required to issue a public notice within twenty days after entering into negotiations for a Brownfields Development Agreement (BDA). A BDA is an agreement between DNREC and a Brownfields developer with respect to a Certified Brownfield Site that sets forth a scope of work and schedule of remedial activities during the development of the Site.

DNREC's Site Investigation and Restoration Section (DNREC-SIRS) is negotiating a BDA with regarding the Timko Brothers Site (Site), located at 602 Main Street in Wilmington. Identified by New Castle County as tax parcel number 08-050.00-013, the 22.26 acre Site may have had a release of hazardous substances as a result of past use as an a lumber yard. For more information, please see DNREC's navigator at <http://www.nav.dnrec.delaware.gov/DEN3>.

Learn more about this Site and other Brownfields sites by accessing DNREC-SIRS' web page at <http://www.awm.delaware.gov/SIRB/Pages/Brownfields.aspx> or by contacting the DNREC-SIRS Project Manager, Eileen Capitoli at (302) 395-2600 or eileen.capitoli@state.de.us. For more information

visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=4016&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

LEGAL NOTICE - NOTIFICATION OF NEGOTIATIONS CONCERNING A VOLUNTARY AGREEMENT FOR THE CITY OF DOVER-PUBLIC WORKS YARD SITE (DE- 0152)

Pursuant to the June 2000 amendment to the Hazardous Substance Cleanup Act (HSCA), 7 Del. C. § 9107 (a)(1), the Department of Natural Resources and Environmental Control (DNREC) is required to issue a public notice announcing the onset of negotiations concerning Voluntary Cleanup Program (VCP) Agreements, as well as any voluntary settlement agreements requiring a remedy, between DNREC and potentially responsible parties.

The amendment states that DNREC must provide "public notification within 20 days after entering into negotiations for a voluntary cleanup settlement agreement with any person that agrees to perform a remedy."

The Site Investigation and Restoration Section (SIRS), on behalf of DNREC, initiated the VCP in February 1995 in an effort to lessen the time and cost required in cleaning up contaminated sites by reducing litigation. VCP Agreements are available, upon application to DNREC, to potentially responsible parties or prospective purchasers who may be liable for the contamination of a property, but who wish to settle their liabilities with DNREC under HSCA.

DNREC is negotiating a VCP Agreement with the City of Dover regarding the City of Dover-Public Works Yard Site, located along Kerbin Street in Dover, Delaware. The approximate 5.9 acre Site is identified on the maps of Kent County as tax parcel number 2-05-07713-01-5000-00001. The Site may have had a release of hazardous substances as a result of past use as a public works yard. For Site-specific information, please see DNREC's Environmental Navigator at

<http://www.nav.dnrec.delaware.gov/DEN3>. For additional information, please contact the project officer John Cargill @ (302) 395-2600 or john.cargill@state.de.us. For more information visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=4005&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTIFICATION OF NEGOTIATIONS FOR A BROWNFIELDS DEVELOPMENT AGREEMENT FOR THE CARNEY MACHINE STORES (DE-1669)

Pursuant to the Hazardous Substance Cleanup Act (HSCA), 7 Del. C. Chapter 91, §9126, the Department of Natural Resources and Environmental Control (DNREC) is required to issue a public notice within twenty days after entering into negotiations for a Brownfields Development Agreement (BDA). A BDA is an agreement between DNREC and a Brownfields developer with respect to a Certified Brownfield Site that sets forth a scope of work and schedule of remedial activities during the development of the Site.

DNREC's Site Investigation and Restoration Section (DNREC-SIRS) is negotiating a BDA with Rust Point LLC regarding the Carney Machine Stores Site located at 0 East Front Street in Wilmington. The 1.65 acre parcel is identified by New Castle County as Parcel number 26-043.00-021 and may have had a release of hazardous substances as a result of past use as a shipyard. For more information, please see DNREC's navigator at

<http://www.nav.dnrec.delaware.gov/DEN3>. Learn more about this Site and other Brownfields sites by accessing DNREC-SIRS' web page at or by contacting the DNREC-SIRS Project Manager, Eileen Capitoli at (302) 395-2600 or For more information

visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=4006&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

The Proposed and Final Plans of Remedial Action listed below outline site cleanup activities and covenants and are available online at:

<http://www.dnrec.delaware.gov/whs/awm/SIRB/Pages/SIRBPlans.aspx> under "Announcements." For site-specific information, please see DNREC's Environmental Navigator at: <http://www.nav.dnrec.delaware.gov/DEN3>

LEGAL NOTICE - PROPOSED PLAN OF REMEDIAL ACTION FOR THE 200 West 9th Street Site (DE-1637)

The Department invites public comment on a proposal to clean up of the 200 West 9th Street Site located in Wilmington, Delaware. Soil was impacted by metals including antimony, arsenic, barium, iron, lead and vanadium. Low levels of vapor were detected in the basement but do not present a risk. The contamination will be addressed by restricting soil disturbance under the basement slab, requiring a soil management plan during slab disturbance and completing a monitoring plan to monitor vapor in the building. Details of the Proposed Plan are available at the office of DNREC-SIRS (391 Lukens Drive, New Castle, DE, 19720), or online at <http://www.nav.dnrec.delaware.gov/DEN3/>. The comment period ends on **January 3, 2018**. For additional information, please contact Rick Galloway, Project Manager at (302)395-2600 or rick.galloway@state.de.us. For more information

visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=4019&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

LEGAL NOTICE - PROPOSED PLAN OF REMEDIAL ACTION FOR THE CitiSteel (Former EVRAZ-Claymont Steel) Operable Unit #7 (DE-0046)

The Department invites public comment on a proposal to clean up Operable Unit #7 of the CitiSteel (Former EVRAZ-Claymont Steel) Site located at 4001 Philadelphia Pike in Claymont, Delaware. The 20-acre Operable Unit was used for steel production/storage and handling. Future uses of the site will be restricted to non-residential uses, and groundwater use will be restricted at the site. Details of the Proposed Plan are available at the office of DNREC-SIRS (391 Lukens Drive, New Castle, DE, 19720), or online at <http://www.nav.dnrec.delaware.gov/DEN3/>. The comment period ends on **December 15**. For additional information, please contact John G. Cargill, Project Manager at (302)395-2600, or via email to John.Cargill@state.de.us or

visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3996&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

LEGAL NOTICE - PROPOSED PLAN OF REMEDIAL ACTION FOR THE FORMER MCGRELLIS AUCTION HOUSE SITE ((DE1610)

The Department invites public comment on a proposal to clean-up the Former McGrellis Auction House Site located in Hockessin. The remedial action limits the land use, groundwater withdraw, and soil disturbance including monitoring groundwater conditions to meet future use as mixed residential and commercial. Details of the Proposed Plan are available at the office of DNREC-SIRS (391 Lukens Drive, New Castle, DE, 19720), or online at:

<http://www.nav.dnrec.delaware.gov/DEN3/>

The comment period ends on **December 15**. For additional information, please contact Patrick Boettcher, Project Manager at (302) 395-2600 or via email at Patrick.Boettcher@state.de.us or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=4009&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

SOLID AND HAZARDOUS WASTE MANAGEMENT SECTION - The Solid and Hazardous Waste Management Section (SHWMS) hereby gives notice that a permit application has been received from the following companies to transport regulated RCRA hazardous and/or non-hazardous solid wastes in, out of, or through the State of Delaware. The renewal application and associated documents are available for review during business hours at our agency Solid & Hazardous Waste Management Section office at 89 Kings Highway, Dover and also at our Lukens Drive office at 391 Lukens Drive in Wilmington.

PUBLIC NOTICE - Permits Pending

The Department of Natural Resources and Environmental Control, Division of Waste and Hazardous Substances, hereby gives notice that a permit application has been received from the following companies to operate a scrap tire facility in the State of Delaware:

Firestone Complete Auto Care #000043; Firestone Complete Auto Care #000035

The applications may be inspected by appointment from 8:00 AM to 4:30 PM Monday through Friday at the offices of DNREC. For additional information or an appointment to inspect the applications, please contact Lance Caulk, DWHS/SHWMS, 89 Kings Hwy, Dover, DE 19901, 302.739.9403, option 8.

A public hearing concerning these applications will NOT be held unless the Secretary of DNREC, in care of Karen J'Anthony, receives a meritorious request for a hearing by **December 21**, which is within fifteen (15) days from the date of this notice. A request for a hearing must be in writing and shall state the nature of the issues to be raised at the hearing. It must also show a familiarity with the application and a reasoned statement of the activity's probable impact.

For more information

visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=4020&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easp&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

DIVISION OF WATER – GROUNDWATER DISCHARGES SECTION

LEGAL NOTICE - TEMPORARY HOLDING TANK PERMIT

Proximity Malt LLC has submitted an application for a Temporary Holding Tank Permit. The system has been designed to accommodate 90,000 gallons per day of wastewater. The site is located at the intersection of Bi-State Blvd and St. Georges Rd, Sussex County, tax parcel #3-32-3.00-56.00. The above mentioned application may be inspected by contacting:

Kathleen Saunders

Groundwater Discharges

89 Kings Highway, Dover, DE 19901

Kathleen.Saunders@state.de.us

(302) 739-9948

A public hearing on the above application will NOT be held unless the Secretary of DNREC determines that a public hearing is in the public interest or if a written meritorious objection to the application is received within 15 days from this notice. A public hearing request shall be deemed meritorious if it exhibits a familiarity with the application and provides a reasoned statement of the action's probable impact. For more information

visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=4026&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easp&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

LEGAL NOTICE - On-Site Wastewater Treatment and Disposal System Construction Permit

Artesian Wastewater Management Inc. has submitted renewal application for a construction permit for an on-site wastewater treatment and disposal system to serve the Island Farm Regional Wastewater System. The system has been designed to accommodate 562,000 gallons per day of wastewater. The site is located at the intersection of Cool Spring Road and Log Cabin Road, Sussex County, tax parcel # 2-35-27.0-12.01. On-Site Wastewater Treatment and Disposal System Operation Permit Artesian Wastewater Management Inc. has submitted renewal application for an operation permit for an on-site wastewater treatment and disposal system to serve the Beaver Creek Wastewater Treatment Plant. The system has been designed to accommodate 150,000 gallons per day of wastewater. The site is located at 26233 Maple Ln, Sussex County, tax parcel #2-35-30.0-24.0.

On-Site Wastewater Treatment and Disposal System Construction Permit

Artesian Wastewater Management Inc. has submitted renewal application for a construction permit for an on-site wastewater treatment and disposal system to serve the Beaver Creek Wastewater Treatment Plant. The system has been designed to accommodate 150,000 gallons per day of wastewater. The site is located at 26233 Maple Ln, Sussex County, tax parcel #2-35-30.0-24.0.

The above mentioned applications may be inspected by contacting:

Kathleen Saunders
Groundwater Discharges
89 Kings Highway, Dover, DE 19901
Kathleen.Saunders@state.de.us
(302) 739-9948

A public hearing on the above applications will NOT be held unless the Secretary of DNREC determines that a public hearing is in the public interest or if a written meritorious objection to the application is received within 15 days from this notice. A public hearing request shall be deemed meritorious if it exhibits a familiarity with the application and provides a reasoned statement of the action's probable impact. For more information visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=4013&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx%3FView%3D%7Ba0c915eb%2D1295%2D437f%2D9dfc%2D70fce49cb6cc%7D%26SortField%3DDivision%26SortDir%3DAsc&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

DIVISION OF WATER - SURFACE WATER DISCHARGES – The Division of Water hereby gives notice that the following permit applications have been received.

LEGAL NOTICE - Wastewater Facilities Construction Permit Application

The Delaware Department of Natural Resources and Environmental Control, Division of Water, hereby gives notice that a permit application has been received from: The City of Dover proposes to replace the existing recessed packaged pumps, piping and controls and rehabilitate the existing wet well with a liner at their Walker Woods pump station located on the north side of Walker Road and east of Harmony Lane in Dover, Delaware.

Questions regarding the applications and plans for the above are available for inspection by contacting:

Keith Kooker, P.E.
Environmental Finance, Office of the Secretary
Enterprise Business Park
97 Commerce Way, Suite 106
Dover, DE 19904
(302) 739-9941

A public hearing concerning the above application will NOT be held unless the Secretary of DNREC determines that a hearing is in the public interest or if a written meritorious request for a hearing is received on or before **December 24**. A request for a public hearing shall be deemed meritorious if it exhibits a familiarity with the application and provides a reasoned statement of the permit's probable impact. For more information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=4022&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx%3FView%3D%7Ba0c915eb%2D1295%2D437f%2D9dfc%2D70fce49cb6cc%7D%26SortField%3DDivision%26SortDir%3DAsc&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

LEGAL NOTICE - Wastewater Facilities Construction Permit Application

The Delaware Department of Natural Resources and Environmental Control, Division of Water, hereby gives notice that a permit application has been received from:

The City of Dover, Department of Public Works, to replace an existing Smith & Loveless package pump station, associated piping, valves, controls and related facilities and approximately thirty eight linear feet of six inch force main (38 LF of 6" FM). The pump station is located along Silver Lake Boulevard, north of Walker Road, Dover, Kent County, Delaware.

Questions regarding the applications and plans for the above are available for inspection by contacting:

Dr. Davison Mwale (PhD)
Environmental Finance, Office of the Secretary
5E Reed Street, Suite 200
Dover, DE 19901
(302) 739-9941

A public hearing concerning the above application will NOT be held unless the Secretary of DNREC determines that a hearing is in the public interest or if a written meritorious request for a hearing is received on or before **December 24**. A request for a public hearing shall be deemed meritorious if it exhibits a familiarity with the application and provides a reasoned statement of the permit's probable impact. For more information

visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=4017&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx%3FView%3D%7Ba0c915eb%2D1295%2D437f%2D9dfc%2D70fce49cb6cc%7D%26SortField%3DDivision%26SortDir%3DAsc&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

DIVISION OF WATER - WATER SUPPLY - The Division of Water hereby gives notice that the following Well permit application has been received. For additional information concerning the applications below, please contact Water Supply Section - 89 Kings Highway, Dover, 19901; email Water.Allocation@state.de.us; or by phone at (302)739-9945.

LEGAL NOTICE - B & E Farms, LLC has requested an irrigation allocation for a proposed irrigation well. The requested daily withdrawal for the well is 576,000 gallons per day. The well will be located northwest of Cheswold in Kent County, near the intersection of Moorton and Lynnbury Woods Roads. Tax Map Parcel KH-03-046.00-01-02.00.000.

Water Supply Section
89 Kings Highway, Dover, DE 19901
(302) 739-9945

Water.Allocation@state.de.us

A public hearing on the above application will NOT be held unless the Secretary of DNREC determines that a public hearing is in the public interest or if a written meritorious objection to the application is received within 15 days from this notice. A public hearing request shall be deemed meritorious if it exhibits a familiarity with the application and provides a reasoned statement of the action's probable impact. For more information

visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=4024&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

LEGAL NOTICE - Indian Riverview Marina, Inc. has requested an irrigation allocation for a proposed irrigation well. The requested daily withdrawal for the well is 504,000 gallons per day. The well will be located north of Dagsboro in Sussex County, near the intersection of Train Lane and Dagsboro Road. Tax Map Parcel 2-33-11.00-0003.00. D.C. Farms, Inc. has requested an irrigation allocation for a proposed irrigation well. The requested daily withdrawal for the well is 1,152,000 gallons per day. The well will be located north of Seaford in Sussex County, near the intersection of Atlanta and Ross Station Roads. Tax Map Parcel 5-31-07.00-0017.01. Alternative Method of Compliance

Christian Grant has applied for an Alternative Method of Compliance under Section 12.0 of The Delaware Regulations Governing the Construction and Use of Wells to construct a Public well to serve a delicatessen. The property is located on 1219 Nottingham Road, Newark DE, 19711. Tax map parcel 09-013.00-004.

Water Supply Section
89 Kings Highway, Dover, DE 19901
(302) 739-9945

Water.Allocation@state.de.us

A public hearing on the above applications will NOT be held unless the Secretary of DNREC determines that a public hearing is in the public interest or if a written meritorious objection to the application is received within 15 days from this notice. A public hearing request shall be deemed meritorious if it exhibits a familiarity with the application and provides a reasoned statement of the action's probable impact. For more information

visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=4012&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx%3FView%3D%7Ba0c915eb%2D1295%2D437f%2D9dfc%2D70fce49cb6cc%7D%26SortField%3DDivision%26SortDir%3DAsc&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

LEGAL NOTICE - NPDES PERMITS

The Department of Natural Resources and Environmental Control, Division of Water, hereby gives notice of the following proposal regarding National Pollutant Discharge Elimination System (NPDES) permits:

Croda Inc has applied for reissuance of its NPDES Permit No. DE0000621 (State Number WPC 3127F/74) permit to discharge non-contact cooling water and storm water to the Delaware River and Magazine Ditch from its facilities located at 315 Cherry Lane, New Castle, New Castle County, Delaware. The facility produces ethylene oxide from ethanol in a continuous process. Side-streams include technical grade monoethylene glycol and polyglycols, and carbon dioxide. The ethylene oxide is then used at the facility in the production of ester-type and alkoxylate-type surfactants, and blended surfactant mixtures. An analytical lab and research & development activities which support the surfactant business are also present on the site. The permittee has identified 26 discharge points at the facility (Outfalls 001A, 001B, 003, and 1 through 23) in the permit application. Outfalls 001A, 001B and 003 consist of non-contact cooling water and storm water. Outfalls 1 through 23 consist of storm water only. All of the discharges go directly or via Magazine Ditch to the Delaware River. Process wastewater is directed to the New Castle County wastewater collection system and pretreatment program.

Based on a preliminary staff review and application of lawful standards and regulations, the Department proposes to re-issue this permit, subject to certain effluent limitations and conditions. The proposed determinations are tentative. Persons wishing to comment upon or object to the proposed determinations are invited to submit same in writing to the Surface Water Discharges Section of the Division of Water, at the address listed below, no later than 30 days from this notice. All comments received prior to said date will be considered in the formulation of final determinations regarding this application.

A public hearing on the above will NOT be held unless the Secretary of DNREC receives a request by 4:30pm **December 22**, or if the Secretary determines that a public hearing is in the public interest. A request for a hearing shall be in writing and shall state the nature of the issues to be raised at the hearing. It must also show familiarity with the proposal and a reasoned statement of the permit's probable impact.

The applications, fact sheets, and permits are available for inspection or copies may be obtained by contacting:

Division of Water
Surface Water Discharges Section
89 Kings Highway
Dover, Delaware 19901
(302) 739-9946 For more information

visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=4003&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeId=0x010034FD6D348B0CF04392485E93FC15AB3A>

Subaqueous Lands Permit Application

Indian Riverview Marina (134-4.00-4.00)-To excavate approximately 300 cubic yards of sediment to -4 feet MLW in an artificial lagoon adjacent to Indian River Bay, authorizing up to 3 events during a 5 year period, and to dispose of the excavated material in an upland disposal facility at the terminus of Indian Riverview Road in Dagsboro, Sussex County, DE

Delaware Department of Transportation (adjacent to 235-30.00-8.02)-To replace an existing 45 foot long, 5 by 6 foot-diameter concrete box culvert with a 63 foot long, 12 by 6 foot-diameter concrete box culvert and to replace a 42 foot long, 4 foot-diameter reinforced concrete pipe with a 61-foot long, 12 by 6 foot-diameter concrete box culvert by placing 2.5 cubic yards of fill and 63 cubic yards of rip-rap in Beaverdam Creek, near the intersection of Harbeson Road and Lewes Georgetown Highway in Harbeson, Sussex County, DE

Subaqueous Lands Permit and Marina Permit

Delaware Division of Fish and Wildlife (3-31-3.00-84.01)- To install a 5 by 30 foot long gangway connecting to a 5 by 20 foot long floating dock immediately adjacent to a previously authorized boat ramp in Hearn Pond, Seaford, Sussex County, DE

Subaqueous Lands Lease, Permit, and Wetlands Application

Ezra Rickards (2-33-7.00-28.00)-To construct a 3 by 40 foot long wetland walkway, a 4 by 100 foot long pier, a 4 by 12 foot long "L" section of pier connecting to a 6 by 40 foot long dock, two (2) 6 by 26 foot long finger docks, to install four boat lifts with 4 associated pilings each, two stand-alone mooring pilings, and to construct a 12 by 26 foot long boat ramp by placing 6.7 cubic yards of fill channelward of the Mean High Water Line in Pepper Creek at the terminus of Marina Road, Dagsboro, Sussex County, DE

Subaqueous Lands Lease Application

Craig Lussi (134-5.00-265.01)-To construct a 4 by 24 foot long pier and install 1 mooring piling and a boatlift with 4 associated pilings in the Indian River Bay at 29576 Second Street, Ocean View, Sussex County, DE

Subaqueous Lands Lease Renewal Application

Andrew Putterman (335-8.08-14.00-B)-To renew a lease to maintain a 8 by 42 foot long pier, 8 by 40 foot long pier, an 8 by 18 foot long dock, a 2 by 10 foot long catwalk and 10 mooring pilings in the Lewes and Rehoboth Canal at 117 B Front Street in Lewes, Sussex County, DE

Questions or comments should be directed to:

Gayle Calder

Wetlands and Subaqueous Lands Section

89 Kings Highway

Dover, DE 19901

Gayle.Calder@state.de.us

(302) 739-9943 FAX (302) 739-6304

If you have any comments, please return this memo to this office by **December 26**.

A public hearing on the above applications will NOT be held unless the Secretary of DNREC determines that a public hearing is in the public interest or if a written meritorious objection to the application is received within 20 days from this notice. A public hearing request shall be deemed meritorious if it exhibits familiarity with the application and provides a reasoned statement of the action's probable impact.

For more information

visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=4023&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeId=0x010034FD6D348B0CF04392485E93FC15AB3A>

CONTACT INFORMATION

24-Hour Environmental Report and Spill Notification Line - 1-800-662-8802

Aboveground Storage Tanks - 302-395-2500

Air Quality - New Castle Office - 302-323-4542

Air Quality – Kent & Sussex – 302-739-9402

Asbestos New Castle - 302-323-4542

Asbestos Kent & Sussex - 302-739-9402

Biosolids Permits - 302-739-9946

Boiler Safety - 302-395-2500

Brownfields - 302-395-2600

Community Ombudsman - 302-739-9040

Community Services - 302-739-9959

Delaware Estuary Program - 302-739-9283 (Delaware Coastal Management Program)

Division of Air Quality Director's Office - 302-739-9402

Division of Energy & Climate - 302-735-3480

Division of Waste and Hazardous Substances Director's Office - 302-739-9400

Division of Water Information - 302-739-9950

Dock/Dredging/Bulkheads/Rip-Rap/Wetlands & Subaqueous Lands - 302-739-9943

Emergency Prevention and Response - 302-739-9404

Environmental Crimes Unit - 302-739-9401 or 1-800-662-8802

Environmental Laboratory - 302-739-9942

Hazardous Waste - 302-739-9403

Hazardous Chemical and Toxic Release Inventories – 302-739-9404

Industrial Stormwater Permits - 302-739-9946

Loans & Grants for Wastewater and Septic's (Environmental Finance) - 302-739-9941
Medical Waste - 302-739-9403
Non-Hazardous Liquid Waste Transporters - 302-739-9948
On-site Wastewater Licensing Program - 302-739-9948
Open Burning - 302-739-9402
Outreach Ombudsman - 302-395-2600
Recycling - 302-739-9403
Septic System Permits - Large Systems (Community & I/A) Statewide - 302-739-9948
Septic System Permits - Small Systems for Kent & New Castle Counties - 302-739-9947
Septic System Permits - Small Systems for Sussex Co. & Holding Tank Compli. Program - 302-856-4561
Site Investigation & Restoration Section (Superfund/Brownfields) - 302-395-2600
Small Business Ombudsman - 302-739-9069
Solid Waste - 302-739-9403
Source Water Protection - 302-739-9945
Surface Water Discharge Permits (NPDES) - 302-739-9946
Underground Injection Control & Spray Irrigation - 302-739-9948
Underground Storage Tanks - 302-395-2500
Wastewater Collection, Conveyance, and/or Treatment Facility Construction Permits - 302-739-9946
Wastewater Treatment Facility Operators - 302-739-9946
Water Allocation Permits - 302-739-9945
Water Testing - Drinking Water (Division of Public Health) - 302-741-8630
Water Supply - 302-739-9945
Well Driller's License - 302-739-9944
Well Permits & Licensing - 302-739-9944
Wells - 302-739-9944
Wetlands and Subaqueous Lands Section - 302-739-9943