

The biweekly E-News Update features current information on the Divisions of Air Quality, Waste and Hazardous Substances, and Water regarding public meetings, workshops, hearings, and regulatory documents available for public comment, as well as general news updates. For those of you who are receiving the E-News Update for the first time, the subscription is FREE! Please sign up at the following link under the Divisions of Air Quality and Waste and Hazardous Substances at:

<http://www..delaware.gov/Pages/Lists.aspx>

There is no form to fill out; it's done in three clicks! Suggestions? Additions? Please call Stacy Jones at 302-739-9400, or send an email to Stacy.Jones@state.de.us

Published by Divisions of Air Quality, Waste and Hazardous Substances, and Water.

Visit us at: www.awm.delaware.gov

UPCOMING AIR, WASTE, & WATER-RELATED HEARINGS, MEETINGS, & EVENTS

PUBLIC WORKSHOPS FOR PROPOSED CHANGES TO THE DELAWARE REGULATIONS GOVERNING HAZARDOUS SUBSTANCE CLEANUP - The Department will hold two (2) public workshops regarding the proposed changes to the Delaware Regulations Governing Hazardous Substance Cleanup. The same information will be presented at both workshops.

- The 1st workshop will take place at 2pm on **February 11** at our Lewes Field Office located at 901 Pilottown Rd. Lewes, De, 19958 in Sussex County. For more information, please visit:
<http://egov.delaware.gov/pmc/Event/Details/26383>
- The 2nd workshop will take place at 6pm on **February 12** at our Lukens Drive Field Office located at 391 Lukens Drive New Castle, De.19720 in Kent County. For additional information, please visit:

<http://egov.delaware.gov/pmc/Event/Details/26382>

For additional information on the two workshops, please contact Robert Newsome at (302)-395-2600.

SOLID WASTE PUBLIC HEARING AND HAZARDOUS WASTE PUBLIC HEARING - Public hearing regarding proposed solid waste amendments will start at 6:00 PM on **February 26** with the public hearing regarding proposed hazardous waste amendments immediately thereafter, in the Richardson and Robbins Auditorium at 89 Kings Highway, Dover, DE with a presentation by DNREC. Public comments are welcome afterwards. For additional information contact Bethany Fiske at (302)-739-9403; or visit:

<http://egov.delaware.gov/pmc/Event/Details/26536>

HSCA ADVISORY COMMITTEE (FORMERLY BROWNFIELDS ADVISORY

COMMITTEE) – The Committee will hold a public meeting on **March 5** from 9:30am-12:30pm at the Dover Public Library, Conference Room B, 35 Loockerman Plaza, Dover, DE 19901. For additional information, please contact Christina Wirtz at (302) 395-2600 or visit:

<http://egov.delaware.gov/pmc/Event/Details/26356>

WATER SUPPLY COORDINATING COUNCIL MEETING - The Council will hold a meeting on **April 29** from 10am to 12pm at the Kent County Administration Complex, Conference Room 220, 555 Bay Road, Dover, DE, 19901. Dover, DE 19901. For additional information, please contact Kimberly Burris at (302) 739-9945; or visit:

<http://egov.delaware.gov/pmc/Event/Details/26468>

SOURCE WATER PROTECTION CITIZEN TECHNICAL ADVISORY COMMITTEE MEETING -

The Committee will hold a meeting on **May 6** from 9am to 12pm at the Kent County Administration Complex, Conference Rooms 220 A&B, 555 Bay Road, Dover, DE, 19901. Dover, DE 19901. For additional information, please contact Kimberly Burris at (302) 739-9945; or visit:

<http://egov.delaware.gov/pmc/Event/Details/25727>

DOCUMENTS AVAILABLE FOR PUBLIC COMMENT OR APPEAL

AIR QUALITY PERMITTING PROGRAM – Notice has been given that the facilities listed below have submitted applications for air quality management permits. The applications, the “draft/proposed” permits, all materials that the applicant has submitted (other than those granted confidential treatment under rules), and a copy of summary of other materials, if any, considered in preparing the “draft/proposed” permit, may be inspected at the offices of the Division of Air Quality, 655 S. Bay Road, Dover and 715 Grantham Lane, New Castle. All comments and public hearing requests should be mailed to the following address: DIVISION OF AIR QUALITY, 655 S. Bay Road, Suite 5 N, Dover, DE 19901.

NOTICE HAS BEEN GIVEN THAT SUPERIOR CONTRACTOR SERVICES, INC., requests a Natural Minor permit to install portable concrete and asphalt crushing equipment including an Excavator for preliminary preparation, Excavator for loading, Jaw Crusher, Impact Crusher, Conveyor Belt, and Power Screener at the following locations:

140 Southern Blvd., Wyoming
3700 Bay Rd., Little Creek
30234 Milford Hwy., Millsboro
22260 Lewis-Georgetown Hwy., Georgetown
25136 DuPont Blvd., Georgetown
26581 Lewis-Georgetown Hwy., Harbeson
378 South Railroad Ave., Georgetown

The portable concrete and asphalt crushing equipment will be permitted to emit 0.29 TPY of Particulate Matter (PM), 11 TPY of Nitrogen Oxides (NOX), 6.2 TPY of Carbon Monoxide (CO), 1 TPY of Volatile Organic Compounds (VOC), and 2.8 TPY of Particulate Matter (PM10) by Permit# APC-2015/0047-C. A public hearing on any of the above applications will NOT be held unless our agency Secretary receives a request for a hearing regarding that application within 15 days from the date of this notice, ending **February 19**. For additional information or for an appointment to review the application, please contact Laura Bogus at (302) 7399402; or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2619&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTICE HAS BEEN GIVEN THAT DELAWARE HOSPITAL FOR THE CHRONICALLY ILL- has requested a federally enforceable permit (APC-2015/0062-CONSTRUCTION (FE)) to install one emergency generator, rated 450 kW (603.45 HP) at 100 Sunnyside Blvd, Kent County, Delaware. The engine used in this generator set complies with U. S. EPA regulations under the provisions of 40 CFR 89, Non-Road Tier 3 emissions limits. An application was originally submitted on June 6, 2012 for the above listed emergency generator; the original construction permit (Permit: APC-2012/0150-CONSTRUCTION (FE)) expired before the generator was installed. Therefore, the application and draft permit are being re-advised for issuance to the facility. Delaware Hospital for the Chronically Ill requests limits for the criteria pollutants. The rolling twelve (12) month tons per year from the facility will be limited to: NOx=20.3 TPY, CO=4.82 TPY, VOC=0.98 TPY, PM-1.42 TPY, and SOx=12.78 TPY. Facility-wide emissions will not change as a result of this additional emergency generator. Upon completion of construction, the Department will incorporate the operating conditions and limits of the 7 DE Admin. Code 1102 Construction permit into the facility’s existing Synthetic Minor permit (Permit: APC-1994/0887-CONSTRUCTION/OPERATION (Amendment 4)) via an Administrative Amendment. A public hearing on the above application will NOT be held unless our agency Secretary receives a request for a hearing regarding that application by **February 27**. A request for a hearing shall be in writing. To submit comments, for additional information or for an appointment to inspect the application, please contact Laura Bogus at the Dover Office at (302) 739-9402; or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2610&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTICE IS HEREBY GIVEN THAT NORAMCO HAVING A FACILITY AT 500 SWEDES LANDING ROAD in Wilmington, has submitted a request for a significant permit modification pursuant to 7 DE Admin. Code 1130, Section 7 for operating permit: AQM-003/00324. Based on the data and certifications contained in the application, the Division of Air Quality concludes that the applicant meets all applicable requirements promulgated by the Environmental Protection Agency (EPA) and the Department of Natural Resources and Environmental Control (DNREC). Therefore, a “draft/proposed” significant permit modification has been prepared. This “draft/proposed” adds a new batch process to the facility’s existing Title V permit. Emissions from the new process will not exceed 0.02 TPY of Dimethylformamide (DMF) and 0.02 TPY of Triethylamine (TEA). Additionally, this “draft/proposed” increases the existing hydrogen limit from 0.1 TPY to 0.2 TPY. A public hearing concerning the permitting action will not be held unless our agency Secretary receives a request for such hearing within thirty (30) days from the date of this notice, ending **March 3**. A request for a hearing shall be in writing and must show a familiarity with the application and a reasoned statement of the permit renewal’s probable impact. To submit comments, for additional information or for an appointment to inspect the application, please contact Laura Bogus at the Dover Office at 739-9402; or visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2615&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

Notice is hereby given that DuPont Experimental Station having a facility at 200 Powder Mill Road Wilmington, Delaware, has submitted a request for a significant permit modification pursuant to 7 DE Admin. Code 1130, Section 7 for operating Permit: AQM-003/00011-Renewal 2-Revision 1. Based on the data and certifications contained in the application, the Division of Air Quality concludes that the applicant meets all applicable requirements promulgated by the Environmental Protection Agency (EPA) and the Department of Natural Resources and Environmental Control (DNREC). Therefore a “draft/proposed” significant permit modification has been prepared. This “draft/proposed” significant permit modification allows for the addition of a second shift for the R&D Coatings, Spray Booths, Related Equipment, and Regenerative Thermal Oxidizer (RTO) located in Building E308 at the DuPont Experimental Station. The expected emissions increase as a result of this change is an additional 1.2 tons per year (TPY) of volatile organic compounds (VOCs). A public hearing concerning the permitting action will not be held unless our agency Secretary receives a request for such hearing by **March 10**. For additional information visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2622&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

SITE INVESTIGATION AND RESTORATION SECTION – The Division’s Site Investigation and Restoration Section (SIRS) is responsible for the identification, evaluation and remediation of sites in Delaware that have had past releases of hazardous substances. The Section manages the contaminated sites under three major programs in accordance with the Hazardous Substance Cleanup Act (HSCA). The three programs are the Brownfields Development Program, the Voluntary Cleanup Program (VCP) and the HSCA Enforcement Program (for sites requiring enforcement action).

FINAL PLAN OF REMEDIAL ACTION FOR THE MITCH ROAD SITE, DE-1543- The Department has adopted a plan regarding the clean-up of the Mitch Road Site located in Wilmington. The proposed cleanup includes the adoption of an Environmental Covenant and development of agency approved Contaminated Material Management and Long Term Stewardship Plans. Our agency issued public notice of the Proposed Plan for the Mitch Road Site on December 21, 2014. There were no comments or questions from the public regarding the Proposed Plan. Details of the Final Plan at our SIRS (391 Lukens Drive, New Castle, DE, 19720) The public may appeal this Final Plan for a period of, twenty (20) days from the date of this notice ending **February 17**. For additional information, please contact Larry Jones, Project Manager, or Robert Newsome, Public Information Officer, at (302) 395-2600; or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2612&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

PROPOSED PLAN OF REMEDIAL ACTION FOR THE 3022-3028 NEW CASTLE AVENUE SITE (DE-1577)

- The Department invites public comment on a proposal to clean up the 3022-3028 New Castle Avenue Site located at 3022 & 3028 New Castle Avenue and 230 Hillview Avenue in New Castle. Soil at the portion of the Site is contaminated with benzo(a)pyrene, iron, mercury and thallium related to the Site's former use. The comment period ends on **February 23**. For additional information, please contact Kathryn Durant, Project Manager, or Robert Newsome, Public Information Officer, at (302)395-2600; or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2616&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

The Brownfields Development Program encourages the cleanup and redevelopment of vacant, abandoned or underutilized properties, which may be contaminated. A party seeking to develop such a property negotiates with SIRS for a **Brownfields Development Agreement (BDA)** to perform an investigation and, if necessary, a remedial action or remedy, for the purpose of addressing the risks posed by past releases of hazardous substances at these sites. However, a BDA is only available to parties that are not current site owners. The **Voluntary Cleanup Program (VCP) Agreement** is available to site owners, who want to clean up their sites and are already liable as a potentially responsible party for the site. Proposed and Final Plans of Remedial Action are available online at:

<http://www.dnrec.delaware.gov/whs/awm/SIRB/Pages/SIRBPlans.aspx> under "Announcements."
For site-specific information, please see DNREC's Environmental Navigator at <http://www.nav.dnrec.delaware.gov/DEN3>

NOTIFICATION OF PUBLIC COMMENT FOR A BROWNFIELDS DEVELOPMENT AGREEMENT FOR THE FORMER COMMUNICATIONS PRINTERS SITE (DE-1599)

- SIRS negotiated a BDA with GFP Properties LLC regarding the Former Communications Printers Site located at 2840-2850 Ogletown Road in Newark. Identified by New Castle County as tax parcel number 09-022.00-110, the 0.88 acre Site may have had a release of hazardous substances as a result of past use as a printing business. The public comment period ends, **February 16**. Please submit written comments to the SIRS Project Manager, Stephanie Gordon at SIRS, 391 Lukens Drive, New Castle, DE 19720. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2607&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTIFICATION OF NEGOTIATIONS FOR A BROWNFIELDS DEVELOPMENT AGREEMENT FOR THE 4001 NEW CASTLE AVENUE (AKA DIXON AUTO) SITE (DE-1455)

- SIRS is negotiating a BDA with BLA, LLC regarding the 4001 New Castle Avenue Site. Identified by New Castle County as tax parcel number 10-005.40-437, the 0.60 acre Site may have had a release of hazardous substances as a result of past use as former gas station and automobile repair facility. Our agency certified the Site in November 2008 as a certified Brownfields Site, but the developer did not complete the investigation. This notice ends **February 16**. For additional information contact Kristen Thornton at (302) 395-2600; or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2609&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTIFICATION OF NEGOTIATIONS FOR A BROWNFIELDS DEVELOPMENT AGREEMENT FOR THE ENNIS DUMP SITE (DE-0127)

- SIRS is negotiating a BDA with BTL Foundation for International Services regarding the Ennis Dump Site located along First Avenue in Smyrna. Identified by Kent County as tax parcel number 1-17-01009-01-0301, the 22.5 acre Site

may have had a release of hazardous substances as a result of past use as former landfill. This notice ends **February 16**. For additional information contact John Cargill at (302) 395-2600; or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2608&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTIFICATION OF PUBLIC COMMENT FOR A BROWNFIELDS DEVELOPMENT

AGREEMENT FOR THE HESSLER PROPERTY SITE (DE-1203)- Site Investigation and Restoration Section (SIRS) negotiated a BDA with Cornerstone West Community Development Center regarding the Hessler Property Site located at 401 Garasches Lane and 610 South Market Street in Wilmington. Identified on the New Castle County tax maps as tax parcel numbers 26-057.00-011 and 26-057.00-005, the 8.75 acre Site may have had a release of hazardous substances as a result of past use as the location that contained historic fill. The public comment period ends **March 2**. Please submit your written comments to SIRS Project Manager, Larry Jones at our SIRS location, 391 Lukens Drive, New Castle, DE 19720. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2623&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

DIVISION OF WATER - GROUND WATER DISCHARGES – The Division of Water hereby gives notice that the applications below have been received. For additional information or to inspect the applications, please contact Kathleen Saunders in Ground Water Discharges, 89 Kings Highway, Dover, DE 19901; or by phone at (302) 739-9948.

Non-Hazardous Liquid Waste Transporters Permit

Atlantic Pumping Inc. has applied to the Ground Water Discharges Section for an amendment to their Non-Hazardous Liquid Waste Transporters Permit to allow for the transport of septage and holding tank waste, to include the Town of Laurel as a disposal location. A public hearing on the above application will NOT be held unless our agency Secretary determines that a public hearing is in the public interest or if a written meritorious objection to the application is received by **February 16**. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2617&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

Wm. P. McGovern, Inc. aka McGovern Environmental LLC has applied to the Ground Water Discharges Section for a renewal of Non-Hazardous Liquid Waste Transporters Permit DE OH-510 which allows for the transport of septage; holding tank waste; portable toilet waste; grease trap waste and/or cooking oil waste, to be disposed of at the New Castle County Sewer System at the Sanitary Waste Depository located at the Airport Pump Station on McArthur Drive, New Castle; and out-of-state permitted facilities. A public hearing on the above application will NOT be held unless our agency Secretary determines that a public hearing is in the public interest or if a written meritorious objection to the application is received by **February 23**. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2624&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&RootFolder=%2FLists%2FPublic%20Notices&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

DIVISION OF WATER - SURFACE WATER DISCHARGES – The Division of Water hereby gives notice that the following permit applications have been received.

Wastewater Facilities Construction Permit Application

Kent County Department of Public Works to construct approximately 2,010 linear feet of 16" force main, 2,040 linear feet of 20 force main, air release valves and related facilities, known as the Kent County Central Transmission Bypass North Force Main Project, to be generally located from 5200 West Denneys Road, across Fork Branch and Scarborough Drive, and southeast of West Rustic Lane, near North DuPont Highway, City of Dover, East Dover Hundred, Kent County. A public hearing concerning the above applications will NOT be held unless our agency Secretary determines that a hearing is in the public interest or if a written meritorious request for a hearing is received on or before **February 12**. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2605&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

The Town of Millsboro and Lencraft, LLC, to construct gravity sewer, one submersible pump station No. 7A with dual pumps, check valves, gate valves, emergency generator and related facilities, and a short section of force main, to be located within the Plantation Lakes residential subdivision, Phase 2, Section "H", which is located on the north side of Millsboro Highway (DE Routes 24 and 30, County Road 24), east of Godwin School Road (County Road 328A) and south of Betts Pond, Town of Millsboro, Sussex County. A public hearing concerning the above applications will NOT be held unless our agency Secretary determines that a hearing is in the public interest or if a written meritorious request for a hearing is received on or before **February 12**. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2605&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NPDES Permit

Notice is hereby given that the comment period has been extended 30 days for the Delaware City Refining Corporation, LLC (DCRC) National Pollutant Discharge Elimination System (NPDES) permit reissuance. The Delaware City Refinery, located on Wrangle Hill Road in Delaware City, to discharge cooling water, treated process wastewater, and storm water to Cedar Creek, the Delaware River, Dragon Run Creek and Red Lion Creek (NPDES Permit DE 0000256 and State Permit No. WPCC 3256C/74). The Delaware City Power Plant, located on Rte. 9 in Delaware City, to discharge cooling water, treated wastewater, and storm water to the Delaware River (NPDES Permit No. DE 0050601 and State Permit No. WPCC 3094D/76). The proposed reissuance will consolidate both permits into one NPDES permit, No. DE0000256. On the basis of a preliminary staff review and application of lawful standards and regulations, the Department proposes to re-issue the referenced permit for the facilities above, subject to certain effluent limitations and conditions. The proposed determinations are tentative. Persons wishing to comment upon or object to the proposed determinations are invited to submit same in writing to the Surface Water Discharges Section of the Division of Water, 89 Kings Highway Dover, Delaware 19901. A public hearing on the above will NOT be held unless our agency Secretary receives a request by **February 12**, or if the Secretary determines that a public hearing is in the public interest. A request for a hearing shall be in writing and shall state the nature of the issues to be raised at the hearing. It must also show familiarity with the proposal and a reasoned statement of the permit's probable impact. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2591&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

DIVISION OF WATER - WATER SUPPLY - The Division of Water hereby gives notice that the following well permit application has been received. A public hearing on the above applications will NOT be held unless our agency Secretary determines that a public hearing is in the public interest or if a written meritorious objection to the application is received by **February 23**.

Water Allocation

The City of Dover has applied for a modification of its public water allocation which serves approximately 38,000 people in Kent County. The request is for the replacement of one well, and modification of the withdrawals in the 21-well system. The proposed allocation is 11,043,000 gallons per day, 258 million gallons (MG) per month, and 2.252 billion gallons (BG) per year. For additional information contact Allison Diggins at (302)739-9945; or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2625&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

EMPLOYEE UPDATE

Muller Lou Morel, Lab Instrument Technician with Environmental Laboratory, passed away on **January 26**. He will be missed.

Melinda "Mel" Palmer, Analytical Chemist with Environmental Laboratory retired **February 1** with 42 plus years with the agency.

Aaron Schneider started, **February 2** as a Seasonal Environmental Control Tech for Air Quality at their Grantham Lane office.

Christie Ray started **February 9** as an Administrative Specialist I for Air Quality at their Blue Hen Corporate Center office.

CONTACT INFORMATION

24-Hour Report and Spill Notification Line - 1-800-662-8802

Aboveground Storage Tanks - 302-395-2500

Air Quality - New Castle Office - 302-323-4542

Air Quality – Kent & Sussex – 302-739-9402

Asbestos New Castle - 302-323-4542

Asbestos Kent & Sussex - 302-739-9402

Biosolids Permits - 302-739-9946

Boiler Safety - 302-744-2735

Brownfields - 302-395-2600

Delaware Estuary Program - 302-739-9283 (Delaware Coastal Management Program)

Division of Air Quality Director's Office - 302-739-9402

Division of Waste and Hazardous Substances Director's Office - 302-739-9400

Division of Water Information - 302-739-9950

Dock/Dredging/Bulkheads/Rip-Rap/Wetlands & Subaqueous Lands - 302-739-9943

Emergency Prevention and Response - 302-739-9404

Environmental Crimes Unit - 302-739-9401 or 1-800-662-8802

Environmental Laboratory - 302-739-9942

Hazardous Waste - 302-739-9403

Industrial Stormwater Permits - 302-739-9946

Loans & Grants for Wastewater and Septic's (Financial Assistance Branch) - 302-739-9941

Medical Waste - 302-739-9403

Non-Hazardous Liquid Waste Transporters - 302-739-9948

On-site Wastewater Licensing Program - 302-739-9948

Open Burning - 302-739-9402

Outreach Ombudsman - 302-395-2600

Recycling - 302-739-9403

Septic System Permits - Large Systems (Community & I/A) Statewide - 302-739-9948

Septic System Permits - Small Systems for Kent & New Castle Counties - 302-739-9947

Septic System Permits - Small Systems for Sussex County & Holding Tank Compliance Program
302-856-4561
Site Investigation & Restoration Section (Superfund/Brownfields) - 302-395-2600
Solid Waste - 302-739-9403
Source Water Protection - 302-739-9945
Surface Water Discharge Permits (NPDES) - 302-739-9946
Underground Injection Control & Spray Irrigation - 302-739-9948
Underground Storage Tanks - 302-395-2500
Wastewater Collection, Conveyance and/or Treatment Facility Construction Permits - 302-739-9946
Wastewater Treatment Facility Operators - 302-739-9946
Water Allocation Permits - 302-739-9945
Water Testing - Drinking Water (Division of Public Health) - 302-741-8630
Water Supply - 302-739-9945
Well Driller's License - 302-739-9944
Well Permits & Licensing - 302-739-9944
Wells - 302-739-9944
Wetlands and Subaqueous Lands Section - 302-739-9943