

The biweekly E-News Update features current information on the Divisions of Air Quality (DAQ), Waste and Hazardous Substances (WHS), and Water regarding public meetings, workshops, hearings, and regulatory documents available for public comment, as well as general news updates. For those of you who are receiving the E-News Update for the first time, the subscription is FREE!

Please sign up at: <http://www.dnrec.delaware.gov/Pages/DNRECLists.aspx> under "Division of Waste & Hazardous Substances Lists." There is no form to fill out; it's done in three clicks!

Suggestions? Additions? Please call Caroline Miller Horton at 302-739-9400, or send an email to [caroline.miller-horton@state.de.us](mailto:caroline.miller-horton@state.de.us)

Published by the Divisions of Air Quality, Waste and Hazardous Substances, and Water.

Visit us at: [www.awm.delaware.gov](http://www.awm.delaware.gov)

## **SECRETARY'S ORDERS**

### [Secretary's Order No. 2018-A-0008](#)

RE: State Implementation Plan ("SIP"), to wit: (1) Certification of Delaware's Non-Attainment New Source Review and Emissions Statement Programs; and (2) Negative Declaration for Emissions Sources Specified in the Oil and Gas Control Techniques Guidelines ("CTG") respondent's hazardous waste storage permit HW04F22.

### [Secretary's Order No. 2018-A-0007](#)

RE: Approving Final Regulations to Amend 7 DE Admin. Code 1140: Delaware Low Emission Vehicle Program. Hearing officer's report and technical response memorandum included.

### [Secretary's Order No. 2018-W-0006](#)

RE: Approving Final Regulations to Amend 7 DE Admin. Code 7204: Regulations for Licensing Operators of Wastewater Facilities. Hearing officer's report and technical response memorandum included.

### [Secretary's Order No. 2018-A-0005](#)

RE: Approving Final Regulations to Amend 7 DE Admin. Code 1136: "Acid Rain Program". Hearing officer's report and technical response memorandum included.

### [Secretary's Order No. 2018-A-0004](#)

RE: Approving Final Repeal of 7 DE Admin. Code 1123: Standards of Performance for Steel Plants: "Electric Arc Furnaces". Hearing officer's report and technical response memorandum included.

### [Secretary's Order No. 2018-W-0003](#)

Re: Bayville Communities, LLC's Application for Permission under the Subaqueous Lands Act to Construct and Operate The Overlook Community Marina on Little Assawoman Bay, Selbyville, Sussex County

### [Secretary's Order No. 2018-WH-0001](#)

RE: Notice of administrative penalty assessment and Secretary's Order pursuant to 7 Del. C. § 6005 issued to E.I. DuPont de Nemours and Company for violation of 7 Del. C. Chapters 60 and 63, 7 DE Admin. Code 1302, Delaware's Regulations Governing Hazardous Waste ("DRGHW"), and Respondent's hazardous waste storage permit HW04F22.

## **UPCOMING AIR, WASTE, & WATER-RELATED HEARINGS, MEETINGS, & EVENTS**

### **Underground Storage Tank Advisory Committee Meeting**

DNREC Division of Waste and Hazardous Substances / Waste and Hazardous Substances / Natural Resources and Environmental Control. The purpose of the USTAC is for the Department to exchange ideas with and solicit feedback from stakeholders on different matters concerning underground storage tanks in Delaware. **February 27 at 10:00 AM**, Department of Natural Resources & Environmental Control, 391 Lukens Dr., New Castle DE 19720. Contact [alex.rittberg@state.de.us](mailto:alex.rittberg@state.de.us) 302-395-2500 or visit: <https://publicmeetings.delaware.gov/Meeting/57207> for more information.

### **Sandblasting Technical Committee**

DNREC Division of Air Quality / Air Quality / Natural Resources and Environmental Control  
To review and discuss a draft source category permit for the dry abrasive blasting of outdoor water tanks coated with lead-based coatings.

**February 27, 09:30 – 11:30 AM**, Department of Natural Resources & Environmental Control, 100 W Water St, Dover DE 19904. Contact David Fees, 302-739-9401, [david.fees@state.de.us](mailto:david.fees@state.de.us) or visit: <https://publicmeetings.delaware.gov/Meeting/57319>

### **LEGAL NOTICE - Notice of Public Hearing Date Change**

The DNREC-TMS will conduct the public hearing on the proposed amendments to Delaware Administrative Code 1353: Boiler Safety Regulations for Boilers, Pressure Vessels, and Nuclear Installations on **Thursday, February 28**, instead of January 25, 2018. This change is due to the recent severe weather which prevented a legal notice from appearing in two newspapers with statewide circulation 20 days prior to the scheduled public hearing. These amendments are being proposed to reduce the likelihood of an incident that could cause harm to life or property from a regulated boiler system or pressure vessel. The public hearing on the proposed amendments to the Boiler Safety Regulations will now be held on February 28, 2018, beginning at 6:00 PM at the DNREC Richardson and Robbins (R&R) Building Auditorium at 89 Kings Highway, Dover, DE 19901. The proposed amendments may be inspected at DNREC's offices located at: 391 Lukens Drive, New Castle, DE, R&R Building, 89 Kings Highway, Dover, DE Online at: <http://regulations.delaware.gov/register/january2018/>. For additional information, or to set up an appointment to inspect the amendments, please contact Alex Rittberg at 391 Lukens Drive, New Castle, DE 19720; by phone at 302-395-2500; or, by email at [Alex.Rittberg@state.de.us](mailto:Alex.Rittberg@state.de.us). Interested parties shall submit comments in writing on the proposed amendments by the end of the comment period to the public hearing officer, Ms. Lisa Vest, via email to [Lisa.Vest@state.de.us](mailto:Lisa.Vest@state.de.us) or via the USPS to Lisa Vest, Hearing Officer, DNREC, 89 Kings Highway, Dover, DE 19901. Statements and testimony may be presented either orally or in writing at the **February 28** public hearing. It is requested that those interested in presenting statements at the public hearing register in advance, and that written statements and comments be addressed to: Lisa Vest, DNREC – Public Hearing Officer, 89 Kings Highway, Dover, DE 19901, **THIS IS THE ONLY TIME THIS NOTICE WILL APPEAR.**

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=4053&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

### **HSCA Advisory Committee**

DNREC Division of Waste and Hazardous Substances / Waste and Hazardous Substances / Natural Resources and Environmental Control

Review and provide guidance and input for DNREC's cleanup programs regulated under the Hazardous Substance Cleanup Act (HSCA). **March 01 at 9:00 AM – 12:30 PM**, Department of Natural Resources & Environmental Control, 391 Lukens Dr., New Castle DE 19720, contact Christina Wirtz, 302-395-2600, [christina.wirtz@state.de.us](mailto:christina.wirtz@state.de.us) or visit: <https://publicmeetings.delaware.gov/Meeting/57075>

### **Board of Certification for Wastewater Operators Monthly Meeting**

DNREC Division of Water / Water / Natural Resources and Environmental Control  
Regular Monthly Meeting of the Board of Certification for Wastewater Operators.

**March 06 at 9:00 AM**, Richardson & Robbins Building, 89 Kings Hwy, Dover DE 19901.

For more information contact [Faye.Wheeler@state.de.us](mailto:Faye.Wheeler@state.de.us), 302-739-9946 or

visit: <https://publicmeetings.delaware.gov/Meeting/50794>

### **On-Site Systems Advisory Board**

DNREC Division of Water / Water / Natural Resources and Environmental Control

Monthly Meeting, **March 07, 09:15 – 11:30 AM**, Richardson & Robbins Building, 89 Kings Hwy,

Dover DE 19901, Conference Room B228. For more information contact Dawn Dryden,

[dawn.dryden@state.de.us](mailto:dawn.dryden@state.de.us) or visit: <https://publicmeetings.delaware.gov/Meeting/56665>

### **Water Well Licensing Board**

DNREC Division of Water / Water / Natural Resources and Environmental Control

Board Meeting, **March 13 at 9:30 AM – 12:00 PM**, Richardson & Robbins Building, 89 Kings

Hwy, Dover DE 19901, DNREC Conference Room B172. For more information contact Sarah

Silves, 302-739-9944, [sarah.silves@state.de.us](mailto:sarah.silves@state.de.us) or visit: <https://publicmeetings.delaware.gov/Meeting/56808>

## **DIVISION OF AIR QUALITY**

**OPT-IN! THE DELAWARE DIVISION OF AIR QUALITY (DAQ)** is committed to working with citizens to continuously optimize Delaware's air quality and protect public health, welfare, and the environment. To determine that the DAQ is meeting the air quality needs of the citizens across the state, we encourage you to participate in our opt-in list. In the future you will receive surveys that will allow us to analyze our performance. You can access the opt-in list by clicking: [https://survey.co1.qualtrics.com/jfe/form/SV\\_1RGZGUYt8fSugkB](https://survey.co1.qualtrics.com/jfe/form/SV_1RGZGUYt8fSugkB)

**AIR QUALITY PERMITTING PROGRAM** – Notice has been given that the facilities listed below have submitted applications for air quality management permits. The applications, the “draft/proposed” permits, all materials that the applicant has submitted (other than those granted confidential treatment under DNREC rules), and a copy of summary of other materials, if any, considered in preparing the “draft/proposed” permit, may be inspected at the offices of the Division of Air Quality, 100 W. Water Street, Suite 6A, Dover, 19904. **All comments and public hearing requests** should be mailed to the following address: DIVISION OF AIR QUALITY, 100 W. Water Street, Suite 6A, Dover 19904. To submit comments, for additional information, or for an appointment to inspect the application, please contact Tracy Mattson at (302) 739-9402.

### **LEGAL NOTICE - 7 DE Admin. Code 1102 NATURAL MINOR PERMIT APPLICATIONS**

Notice has been given that:

Croda, Inc., requests a construction permit to install a 3,500 gallon reactor (4A Autoclave) and deodorizer (4A Deodorizer), new vacuum systems and ancillary equipment on 4A and 3A autoclaves and deodorizers, and a scrubber (pollution control equipment) to reduce emissions from 3A and 4A autoclaves and deodorizers at their 315 Cherry Lane, New Castle, New Castle County facility. The 4A Autoclave and deodorizer will be replacing an existing unit. The new scrubber will reduce ethylene oxide emissions by 99%. Permitted emissions for this equipment will be 1.40 TPY VOC, 1.29 TPY HAPs, 0.060 TPY ethylene oxide, 0.050 TPY propylene oxide, and 1.20 TPY 1,4 dioxane by Permit# APC-2017/0133-CONSTRUCTION (Amendment 1)(MNSR).

The application for this permit may be reviewed at the offices of the Division of Air Quality, State Street Commons, 100 W. Water Street, Suite 6A, Dover, Delaware or 715 Grantham Lane, New Castle, Delaware. For additional information or for an appointment to review the application, please contact Tracy Mattson at (302) 739-9402.

A public hearing on any of the above applications will NOT be held unless the Secretary of DNREC receives a request for a hearing regarding that application within 15 days from

the date of this notice, ending **February 26**. A request for a hearing shall be in writing. The request must also show a familiarity with the application and a reasoned statement of the permit's probable impact.

All comments and public hearing requests should be mailed to the following address: DIVISION OF AIR QUALITY, STATE STREET COMMONS, 100 W. WATER STREET, SUITE 6A, DOVER, DE 19904, (302) 739-9402. For more information

visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=4085&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTy peId=0x010034FD6D348B0CF04392485E93FC15AB3A>

#### **LEGAL NOTICE - REG. 1102 PERMIT APPLICATION**

Notice has been given that One Off Rod & Custom Inc. located at 118 Sleepy Hollow Dr., Middletown has applied for a permit to operate an Auto Body Shop that conducts any or all of the following: collision repair, vehicle painting, paint stripping, or sanding. This Auto Body Shop has a potential to emit less than a combined total of 25 tons per year of Volatile Organic Compounds (VOCs) and Hazardous Air Pollutants (HAPs).

The application for this permit may be reviewed at the offices of the Division of Air Quality, State Street Commons, 100 W. Water Street, Suite 6A, Dover, DE 19904 and 715 Grantham Lane, New Castle, DE, 19720. For additional information or for an appointment to review the application, please contact Tracy Mattson at the Dover Office at 739-9402.

A public hearing on the above application will NOT be held unless the Secretary of DNREC receives a request for a hearing regarding that application within 15 days from the date of this notice, ending **February 26**. A request for a hearing shall be in writing. The request must also show a familiarity with the application and a reasoned statement of the permit's probable impact.

All comments and public hearing requests should be mailed to the following address: DIVISION OF AIR QUALITY, State Street Commons, 100 W. Water Street, Suite 6A, DOVER, DE 19904, (302) 739-9402. For more information

visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=4087&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTy peId=0x010034FD6D348B0CF04392485E93FC15AB3A>

#### **LEGAL NOTICE - REG. 1102 PERMIT APPLICATION**

Notice has been given that Paragon Auto Body Inc. located at 34516 DuPont Blvd., Frankford DE has applied for a permit to operate an Auto Body Shop that conducts any or all of the following: collision repair, vehicle painting, paint stripping, or sanding. This Auto Body Shop has a potential to emit less than a combined total of 25 tons per year of Volatile Organic Compounds (VOCs) and Hazardous Air Pollutants (HAPs).

The application for this permit may be reviewed at the offices of the Division of Air Quality, State Street Commons, 100 W. Water Street, Suite 6A, Dover, DE 19904 and 715 Grantham Lane, New Castle, DE, 19720. For additional information or for an appointment to review the application, please contact Tracy Mattson at the Dover Office at 739-9402.

A public hearing on the above application will NOT be held unless the Secretary of DNREC receives a request for a hearing regarding that application within 15 days from the date of this notice, ending **February 26**. A request for a hearing shall be in writing. The request must also show a familiarity with the application and a reasoned statement of the permit's probable impact.

All comments and public hearing requests should be mailed to the following address: DIVISION OF AIR QUALITY, State Street Commons, 00 W. Water Street, Suite 6A, DOVER, DE 19904, (302) 739-9402. For more information

visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=4091&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTy peId=0x010034FD6D348B0CF04392485E93FC15AB3A>

## **LEGAL NOTICE 7 DE Admin. Code 1102 NATURAL MINOR PERMIT APPLICATIONS**

Notice has been given that:

Terra Technical Services, LLC, requests a permit to temporary operate a crusher and conveyor for demolition project at the Old Burnett Middle School, Wilmington and New Castle County facility. The crusher and conveyor will be permitted to emit 0.1 ton/year of NOX, 0.4 ton/year of CO, 0.2 ton/year of PM, 0.01 ton/year of THC, and 0.001 ton/year of SO2 by Permit# APC-2018/0063.

The application for this permit may be reviewed at the offices of the Division of Air Quality, State Street Commons, 100 W. Water Street, Suite 6A, Dover, Delaware or 715 Grantham Lane, New Castle, Delaware. For additional information or for an appointment to review the application, please contact Tracy Mattson at (302) 739-9402.

A public hearing on any of the above applications will NOT be held unless the Secretary of DNREC receives a request for a hearing regarding that application within 15 days from the date of this notice, ending **February 26**. A request for a hearing shall be in writing. The request must also show a familiarity with the application and a reasoned statement of the permit's probable impact.

All comments and public hearing requests should be mailed to the following address: DIVISION OF AIR QUALITY, STATE STREET COMMONS 100 W. WATER STREET, SUITE 6A, DOVER, DE 19904, (302) 739-9402. For more information

visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=4092&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTy peId=0x010034FD6D348B0CF04392485E93FC15AB3A>

### **Title V Significant Permit Modification Applications**

Notice is hereby given that the Delaware City Refining Company having a facility at 4550 Wrangle Hill Road, Delaware City, Delaware, has submitted an application dated March 31, 2017 requesting a significant permit modification pursuant to 7 DE Admin. Code 1130, Section 7 for operating permit: AQM-003/00016-Part 1 (Renewal 2), Part 2 (Renewal 1) and Part 3 (Renewal 2). Based on the data and certifications contained in the application, the Division of Air Quality concludes that the applicant meets all applicable requirements promulgated by the Environmental Protection Agency (EPA) and the Department of Natural Resources and Environmental Control (DNREC). Therefore a "draft/proposed" significant permit modification has been prepared. This "draft/proposed" significant permit modification incorporates terms from 7 DE Admin. Code 1102 operating permits issued in 2015, 2016, and 2017.

The application, the "draft/proposed" significant permit modification AQM-003/00016-Part 1 (Renewal 2)(Revision 3), Part 2 (Renewal 1)(Revision 3), and Part 3 (Renewal 2)(Revision 3), all materials that the applicant has submitted (other than those granted confidential treatment under DNREC rules), and a copy of summary of other materials, if any, considered in preparing the "draft/proposed" significant permit modification may be inspected at the offices of the Division of Air Quality, State Street Commons, 100 W. Water Street, Suite 6A, Dover, DE 19904 and 715 Grantham Lane, New Castle, DE 19720. To submit comments, for additional information or for an appointment to inspect the application, please contact Tracy Mattson at the Dover Office at 739-9402.

The "draft/proposed" significant permit modification is being submitted to EPA for concurrent processing. If there are no significant comments, the "draft/proposed" significant permit modification will be issued as a final permit after expiration of the EPA review period. A public hearing concerning the permitting action will not be held unless the Secretary of the Department of Natural Resources and Environmental Control receives a request for such hearing within thirty (30) days from the date of this notice, ending **February 27**. A request for a hearing shall be in writing and must show a familiarity with the application and a reasoned statement of the significant permit modification's probable impact. DIVISION OF AIR QUALITY, State Street Commons 100 W. Water Street, Suite 6A DOVER, DE 19904, (302) 739-9402. For more information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=4077&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeId=0x010034FD6D348B0CF04392485E93FC15AB3A>

#### **LEGAL NOTICE - TITLE V SYNTHETIC MINOR PERMIT APPLICATIONS**

Notice is hereby given that Allan Myers, Delaware, Inc. has submitted an application, pursuant to 7 DE Admin. Code 1102, Section 2.1, 11.2.9, and 12.3 for construction of a stacker conveyor at 3700 Bay Road, Dover, Delaware.

Allan Myers Delaware, Inc. requests addition of a stacker conveyor for an existing portable impact crusher and screener to process Recycled Asphalt Pavement (RAP). The company requests limits on operating hours and throughput rate. These limits are necessary to restrict Allan Myers Delaware, Inc. potential to emit air pollutants, and the limit will be enforceable by the EPA and the state. Permitted emissions from the conveyor are 0.16 TPY CO, 0.74 TPY NOx, 0.049 TPY SO2, 0.060 TPY TOC, 0.12 TPY PM10, and 0.23 TPY PM.

Allan Myers Delaware, Inc. operates three facilities under permits: (APC-2016/0026-OPERATION (NSPS)(SM)) Wilmington, (APC-2012/0154-OPERATION (NSPS) (MNSR)(SM)) Dover and (APC-1997/0494-OPERATION (MNSR)(NSPS)(SM)) Georgetown. Operational limits for the stacker conveyor will be applied at each location when the construction permit is administratively amended to the respective synthetic minor permits.

The application, the "draft" permit (APC-2018/0030-CONSTRUCTION (MNSR)(FE)), all materials that the applicant has submitted (other than those granted confidential treatment under DNREC rules), and a copy or summary of other materials, if any, considered in preparing the "draft" permit may be inspected at the office of the Division of Air Quality, State Street Commons, 100 W. Water Street, Suite 6A, Dover, DE 19904. To submit comments, for additional information or for an appointment to inspect the public file, please contact Tracy Mattson in the Dover office at (302) 739-9402.

A public hearing concerning the permitting action will not be held unless the Secretary of the Department of Natural Resources and Environmental Control receives a request for such hearing within thirty (30) days from the date of this notice, ending **February 27**. A request for a hearing shall be in writing and must show a familiarity with the application and a reasoned statement of the permit's probable impact. DIVISION OF AIR QUALITY, STATE STREET COMMONS 100 W. WATER STREET, SUITE 6A DOVER, DE 19904, (302) 739-9402 or

visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=4072&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeId=0x010034FD6D348B0CF04392485E93FC15AB3A>

#### **LEGAL NOTICE - TITLE V SYNTHETIC MINOR PERMIT APPLICATIONS**

Notice is hereby given that Allan Myers, Delaware, Inc. has submitted an application, pursuant to 7 DE Admin. Code 1102, Section 2.1, 11.2.9, and 12.3 for construction of a stacker conveyor at 22351 Joseph Road, Georgetown, Delaware.

Allan Myers Delaware, Inc. requests addition of a stacker conveyor for an existing portable impact crusher and screener to process Recycled Asphalt Pavement (RAP). The company requests limits on operating hours and throughput rate. These limits are necessary to restrict Allan Myers Delaware, Inc. potential to emit air pollutants, and the limit will be enforceable by the EPA and the state. Permitted emissions from the conveyor are 0.16 TPY CO, 0.74 TPY NOx, 0.049 TPY SO2, 0.060 TPY TOC, 0.118 TPY PM10, and 0.232 TPY PM.

Allan Myers Delaware, Inc. operates three facilities under permits: (APC-2016/0026-OPERATION (NSPS)(SM)) Wilmington, (APC-2012/0154-OPERATION (NSPS) (MNSR)(SM)) Dover and (APC-1997/0494-OPERATION (MNSR)(NSPS)(SM)) Georgetown. Operational limits for the stacker conveyor will be applied at each location when the construction permit is administratively amended to the respective synthetic minor permits.

The application, the "draft" permit (APC-2018/0031-CONSTRUCTION (MNSR)(FE)), all materials that the applicant has submitted (other than those granted confidential treatment under DNREC rules), and a copy or summary of other materials, if any, considered in preparing the "draft" permit

may be inspected at the office of the Division of Air Quality, State Street Commons, 100 W. Water Street, Suite 6A, Dover, DE 19904. To submit comments, for additional information or for an appointment to inspect the public file, please contact Tracy Mattson in the Dover office at (302) 739-9402.

A public hearing concerning the permitting action will not be held unless the Secretary of the Department of Natural Resources and Environmental Control receives a request for such hearing within thirty (30) days from the date of this notice, ending **February 27**. A request for a hearing shall be in writing and must show a familiarity with the application and a reasoned statement of the permit's probable impact.

DIVISION OF AIR QUALITY, STATE STREET COMMONS 100 W. WATER STREET, SUITE 6A, DOVER, DE 19904, (302) 739-9402. For more information

visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=4070&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

### **LEGAL NOTICE - 7 DE Admin Code 1102 NATURAL MINOR PERMIT APPLICATIONS**

Notice has been given that: Noramco having a facility at 550 Swedes Landing Rd, in Wilmington, Delaware has requested a construction permit (Permit: APC-2018/0027-CONSTRUCTION) to install a secondary condenser on Reactor 6. The new condenser will be coupled in series with the primary condenser and will function primarily as a control device. Permitted emissions will not be effected by this project.

The application for this permit may be reviewed at the offices of the Division of Air Quality, State Street Commons, 100 W. Water Street, Suite 6A, Dover, Delaware or 715 Grantham Lane, New Castle, Delaware. For additional information or for an appointment to review the application, please contact Tracy Mattson at (302) 7399402.

A public hearing on any of the above applications will NOT be held unless the Secretary of DNREC receives a request for a hearing regarding that application within 15 days from the date of this notice, ending **March 5**. A request for a hearing shall be in writing. The request must also show a familiarity with the application and a reasoned statement of the permit's probable impact.

All comments and public hearing requests should be mailed to the following address:

DIVISION OF AIR QUALITY, STATE STREET COMMONS 100 W. WATER STREET, SUITE 6A DOVER, DE 19904, (302) 739-9402. For more information

visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=4097&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

### **Federally Enforceable 7 DE Admin Code 1102 Applications**

Notice is hereby given that the DuPont Experimental Station having a facility at 200 Powder Mill Road in Wilmington, Delaware, has requested a federally enforceable 7 DE Admin. Code 1102 construction permit (Permit: APC-2017/0147-CONSTRUCTION (NSPS)(FE)) for the construction of Boiler 7 which is replacing Boiler 4 and will be equipped with both low NOX burner (LNB) and flue gas recirculation (FGR) technology. Boiler 7 has the potential, and will be permitted, to emit up to 3.6 pounds per hour and 15.7 tons per year (TPY) of nitrogen oxides (NOX), 7.4 pounds per hour and 32.4 TPY of carbon monoxide (CO), 0.50 pounds per hour and 2.188 TPY of particulate matter less than 10 microns (PM10), 0.059 pounds per hour and 0.26 TPY of sulfur oxides (SOX), and 0.40 pounds per hour and 1.75 TPY of volatile organic compounds (VOCs) while combusting natural gas. While combusting No. 2 fuel oil, to be used only as an emergency back-up fuel source, the boiler will be permitted to emit up to 10.0 pounds per hour of NOX, 7.4 pounds per hour of CO, 3.0 pounds per hour of PM10, 0.15 pounds per hour of SOX, and 0.40 pounds per hour of VOCs.

Upon completion of construction, the Department will incorporate the operating conditions and limits of the 7 DE Admin. Code 1102 Construction permit into the facility's Title V permit (Permit: AQM-003/00011) via the ongoing Title V renewal process.

The application, the "draft/proposed" construction permit, all materials that the applicant has submitted (other than those granted confidential treatment under DNREC rules), and a copy of summary of other materials, if any, considered in preparing the "draft/proposed" permit may be

inspected at the offices of the Division of Air Quality, State Street Commons, 100 W. Water Street, Suite 6A, Dover, Delaware and 715 Grantham Lane, New Castle, Delaware. To submit comments, for additional information or for an appointment to inspect the application, please contact Tracy Mattson at the Dover Office at 739-9402.

The "draft/proposed" construction permit is being submitted to EPA for concurrent processing. If there are no significant comments, the "draft/proposed" construction permit will be issued as a final permit after the expiration of the EPA review period.

A public hearing on the above application will NOT be held unless the Secretary of DNREC receives a request for a hearing regarding that application within 30 days from the date of this notice, ending **March 6**. A request for a hearing shall be in writing. The request must also show a familiarity with the application and a reasoned statement of the permit's probable impact.

All comments and public hearing requests should be mailed to the following address:

DIVISION OF AIR QUALITY, STATE STREET COMMONS, 100 W. WATER STREET, SUITE 6A DOVER, DE 19904, (302) 739-9402. For more information

visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=4079&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeId=0x010034FD6D348B0CF04392485E93FC15AB3A>

### **Federally Enforceable 7 DE Admin Code 1102 Applications**

Notice is hereby given that DuPont Chestnut Run Plaza having a facility at 974 Centre Road, Wilmington, Delaware, has requested a federally enforceable 7 DE Admin. Code 1102 construction permits [Permits: APC-1982/0508-C(A3) for Boiler C-3 & APC-1982/0509-C(A4) for Boiler C-4] for to replace the existing stack used for two boilers and to construct individual stack for each boiler. This modification will not change current permitted air pollutant emissions and operation limitations.

Upon completion of construction, the Department will incorporate the operating conditions and limits of the 7 DE Admin. Code 1102 Construction permit into the facility's existing Title V permit (Permit: AQM-003/00126(Renewal 3) via an Administrative Amendment.

The application, the "draft/proposed" construction permit, all materials that the applicant has submitted (other than those granted confidential treatment under DNREC rules), and a copy of summary of other materials, if any, considered in preparing the "draft/proposed" permit may be inspected at the offices of the Division of Air Quality, State Street Commons, 100 W. Water Street, Suite 6A, Dover, Delaware and 715 Grantham Lane, New Castle, Delaware. To submit comments, for additional information or for an appointment to inspect the application, please contact Tracy Mattson at the Dover Office at 739-9402.

The "draft/proposed" construction permit is being submitted to EPA for concurrent processing. If there are no significant comments, the "draft/proposed" construction permit will be issued as a final permit after the expiration of the EPA review period.

A public hearing on the above application will NOT be held unless the Secretary of DNREC receives a request for a hearing regarding that application within 30 days from the date of this notice, ending **March 20**. A request for a hearing shall be in writing. The request must also show a familiarity with the application and a reasoned statement of the permit's probable impact.

All comments and public hearing requests should be mailed to the following address:

DIVISION OF AIR QUALITY, STATE STREET COMMONS, 100 W. WATER STREET, SUITE 6A DOVER, DE 19904, (302) 739-9402. For more information

visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=4098&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeId=0x010034FD6D348B0CF04392485E93FC15AB3A>

## **DIVISION OF WASTE AND HAZARDOUS SUBSTANCES**

**SOLID AND HAZARDOUS WASTE MANAGEMENT SECTION** - The Solid and Hazardous Waste Management Section (SHWMS) hereby gives notice that a permit application has been received from the following companies to transport regulated RCRA hazardous and/or non-hazardous solid wastes in, out of, or through the State of Delaware. The renewal application and associated documents are available for review during business hours at our agency Solid & Hazardous Waste Management Section office at 89 Kings Highway, Dover and also at our Lukens Drive office at 391 Lukens Drive in Wilmington.

### **PUBLIC NOTICE - Permits Pending**

The Department of Natural Resources and Environmental Control, Division of Waste and Hazardous Substances, hereby gives notice that a permit application has been received from the following company to operate a scrap tire facility in the State of Delaware:

CarMax #6001

The application may be inspected by appointment from 8:00 AM to 4:30 PM Monday through Friday at the offices of DNREC. For additional information or an appointment to inspect the applications, please contact Lance Caulk, DWHS/SHWMS, 89 Kings Hwy, Dover, DE 19901, 302.739.9403, option 8.

A public hearing concerning this application will NOT be held unless the Secretary of DNREC, in care of Karen J'Anthony, receives a meritorious request for a hearing by **March 1**, which is within fifteen (15) days from the date of this notice. A request for a hearing must be in writing and shall state the nature of the issues to be raised at the hearing. It must also show a familiarity with the application and a reasoned statement of the activity's probable impact. For more information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=4093&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

**SITE INVESTIGATION AND RESTORATION SECTION (SIRS)** is responsible for the identification, evaluation, and remediation of sites in Delaware that have had past releases of hazardous substances. The section manages the contaminated sites under three major programs in accordance with the Hazardous Substance Cleanup Act (HSCA). The three programs are the **Brownfields Development Program, the Voluntary Cleanup Program (VCP), and the HSCA Enforcement Program** (for sites requiring enforcement action).

**The Brownfields Development Program** encourages the cleanup and redevelopment of either the entire property, the expansion of the property, or the reuse of the property which may be hindered by the reasonable held belief that the property may be contaminated. A party seeking to develop such a property negotiates with SIRS for a **Brownfields Development Agreement (BDA)** to perform an investigation and, if necessary, a remedy, for the purpose of addressing the risks posed by past releases of hazardous substances at these sites. However, a BDA is only available to parties that are not current owners or operators of the site. The **Voluntary Cleanup Program (VCP) Agreement** is available to site owners who want to clean up their sites and are already liable as a potentially responsible party for the site.

### **NOTIFICATION OF PUBLIC COMMENT FOR A BROWNFIELD DEVELOPMENT AGREEMENT FOR THE 1289-1313 FREDERICA ROAD SITE (DE-1667)**

Pursuant to the Hazardous Substance Cleanup Act (HSCA), 7 Del. C. Chapter 91, §9126, the Department of Natural Resources and Environmental Control (DNREC) is required to issue a public notice within twenty days after entering into negotiations for a Brownfield Development Agreement (BDA). A BDA is an agreement between DNREC and a Brownfield developer with respect to a Certified Brownfield Site that sets forth a scope of work and schedule of remedial activities during the development of the Site.

DNREC's Site Investigation and Restoration Section (DNREC-SIRS) negotiated a BDA with the Town of Frederica regarding the 1289-1313 Frederica Road Site located at the same address in Frederica, Delaware. Identified by Kent County as tax parcel numbers 8-08-14107-01-3900-00001 and 8-08-14107-01-4000-0000, the Site may have had a release of hazardous substances as result of past use as a salvage yard and gas station For more information, please see DNREC's navigator at <http://www.nav.dnrec.delaware.gov/DEN3>.

The public comment period begins Monday, **February 5**, and will close at the end of the business day (4:30 p.m.) on **Monday, February 26**. Please submit written comments to the DNREC-SIRS Project Manager, Wendy March at DNREC-SIRS, 391 Lukens Drive, New Castle, DE 19720. A copy of the BDA is available at the office of DNREC – SIRS or by accessing the DNREC-SIRS' site files database. Learn more about this Site and other Brownfields sites by accessing DNREC-SIRS' web page at <http://www.awm.delaware.gov/SIRB/Pages/Brownfields.aspx> or by contacting

the DNREC-SIRS Project Manager, Wendy March at (302) 395-2600 or [wendy.march@state.de.us](mailto:wendy.march@state.de.us). You may also

visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=4081&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeId=0x010034FD6D348B0CF04392485E93FC15AB3A>

### **NOTIFICATION OF PUBLIC COMMENT FOR A BROWNFIELD DEVELOPMENT AGREEMENT FOR THE FORMER PIT STOP DELI SITE (DE-1666)**

Pursuant to the Hazardous Substance Cleanup Act (HSCA), 7 Del. C. Chapter 91, §9126, the Department of Natural Resources and Environmental Control (DNREC) is required to issue a public notice within twenty days after entering into negotiations for a Brownfield Development Agreement (BDA). A BDA is an agreement between DNREC and a Brownfield developer with respect to a Certified Brownfield Site that sets forth a scope of work and schedule of remedial activities during the development of the Site.

DNREC's Site Investigation and Restoration Section (DNREC-SIRS) negotiated a BDA with Gullwing Contracting, Inc. and Rose Industries, LLC regarding the Former Pit Stop Deli Site (Site), located at 9758 South DuPont Highway in Felton. Identified by Kent County as tax parcel numbers 8-00-1290-01-6000-0001, -00002 and -0003, the 8.2+ acre Site may have had a release of hazardous substances as a result of past use as an a gasoline filling station. For more information, please see DNREC's navigator at <http://www.nav.dnrec.delaware.gov/DEN3>.

The public comment period begins Monday, **February 5** and will close at the end of the business day (4:30 p.m.) on Monday, **February 26**. Please submit written comments to the DNREC-SIRS Project Manager, Eileen Capitoli at DNREC-SIRS, 391 Lukens Drive, New Castle, DE 19720. A copy of the BDA is available at the office of DNREC – SIRS or by accessing the DNREC-SIRS' site files database. Learn more about this Site and other Brownfields sites by accessing DNREC-SIRS' web page at <http://www.awm.delaware.gov/SIRB/Pages/Brownfields.aspx> or by contacting the DNREC-SIRS Project Manager, Eileen Capitoli at (302) 395-2600 or [eileen.capitoli@state.de.us](mailto:eileen.capitoli@state.de.us). You may also

visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=4080&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeId=0x010034FD6D348B0CF04392485E93FC15AB3A>

### **NOTIFICATION OF NEGOTIATIONS FOR A BROWNFIELD DEVELOPMENT AGREEMENT FOR THE 516 NORTH KING STREET & ALICO ROAD SITE (DE-0371)**

Pursuant to the Hazardous Substance Cleanup Act (HSCA), 7 Del. C. Chapter 91, §9126, the Department of Natural Resources and Environmental Control (DNREC) is required to issue a public notice within twenty days after entering into negotiations for a Brownfield Development Agreement (BDA). A BDA is an agreement between DNREC and a Brownfield developer with respect to a Certified Brownfield Site that sets forth a scope of work and schedule of remedial activities during the development of the Site.

DNREC's Site Investigation and Restoration Section (DNREC-SIRS) is negotiating a BDA with the State of Delaware, Office of Management and Budget's Division of Facilities Management regarding the 516 North King Street & Alico Road Site in Wilmington. Identified by New Castle County as tax parcel numbers 26-035.40-084 and 26-035.40-157, the Site may have had a release of hazardous substances as result past use containing historical fill. For more information, please see DNREC's navigator at <http://www.nav.dnrec.delaware.gov/DEN3>.

Learn more about this Site and other Brownfields sites by accessing DNREC-SIRS' web page at <http://www.awm.delaware.gov/SIRB/Pages/Brownfields.aspx> or by contacting the DNREC-SIRS Project Manager, Morgan McGee-Solomon at (302) 395-2600 or [morgan.mcgree-solomon@state.de.us](mailto:morgan.mcgree-solomon@state.de.us). For more information

visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=4096&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeId=0x010034FD6D348B0CF04392485E93FC15AB3A>

**The Proposed and Final Plans of Remedial Action** listed below outline site cleanup activities and covenants and are available online at: <http://www.dnrec.delaware.gov/whs/awm/SIRB/Pages/SIRBPlans.aspx> under "Announcements." For

site-specific information, please see DNREC's Environmental Navigator at:  
<http://www.nav.dnrec.delaware.gov/DEN3>

#### **LEGAL NOTICE - PROPOSED PLAN OF REMEDIAL ACTION FOR THE SEAFORD POWER PLANT SITE (DE-1031)**

The Department invites public comment on a proposal to clean-up the Seaford Power Plant Site located in Seaford. The 1.86 acre Site, once used as an oil-fired power plant, requires capping, abating asbestos, abating oil from concrete trenches in the former power plant building and then performing additional sampling. An Environmental Covenant will restrict digging without prior approval of DNREC, limit groundwater withdrawal, and will require compliance with the Long-Term Stewardship Plan and Contaminated Materials Management Plan.

Details of the Proposed Plan are available at the office of DNREC-SIRS (391 Lukens Drive, New Castle, DE, 19720), or 21309 Berlin Road, Suite 2, Georgetown, DE 19947 or online at:

<http://www.nav.dnrec.delaware.gov/DEN3/>. The comment period ends on **February 20**. For additional information, please contact Stephanie Gordon, Project Manager at (302) 395-2600 or via email at [stephanie.gordon@state.de.us](mailto:stephanie.gordon@state.de.us). You may also

visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=4074&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeId=0x010034FD6D348B0CF04392485E93FC15AB3A>

#### **LEGAL NOTICE - PROPOSED PLAN OF REMEDIAL ACTION FOR THE HESSLER PROPERTY SITE (OPERABLE UNIT-1) (DE-1203)**

The Department invites public comment on a proposal to clean-up Operable Unit 1 of the Hessler Property Site located at 401 Garasches Lane and 610 South Market Street Wilmington. OU-1 is approximately 6.5 acres and consists of a portion of tax parcel 26-057.00-01, a portion of tax parcel 26-057.00-005, the ditch portion of tax parcel 26-050.00-031, and certain right of way areas. The right of way areas included in OU-1 were previously included in the site investigation and Final Plan of Remedial Action for the Christina River Bridge Site (DE-0334) and are included in this Proposed Plan of Remedial Action for development purposes. The Site was heavily filled with construction waste and other debris and most recently used as a lay-down and storage area for steel products. The proposed remedy will require the following: placement of an impervious cap across the property, groundwater monitoring, culverting or placing a concrete liner in the associated ditch, recording an environmental covenant restricting digging and the use of groundwater, and submittals for DNREC's approval of a Remedial Action Work Plan, Contaminated Materials Management Plan and a Long Term Stewardship Plan.

Details of the Proposed Plan are available at the office of DNREC-SIRS (391 Lukens Drive, New Castle, DE, 19720), or online at: <http://www.nav.dnrec.delaware.gov/DEN3/>

The comment period ends on **March 5**. For additional information, please contact Kristen Thornton, Project Manager or Paul Will, Program Manager at (302) 395-2600 or via email at [Kristen.Thornton@state.de.us](mailto:Kristen.Thornton@state.de.us) or [Paul.Will@state.de.us](mailto:Paul.Will@state.de.us). For more information

visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=4089&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeId=0x010034FD6D348B0CF04392485E93FC15AB3A>

#### **LEGAL NOTICE - PROPOSED PLAN OF REMEDIAL ACTION FOR THE AMERICAN TANK TRAILER CLEANING COMPANY (DE-1180)**

The Department invites public comment on a proposal to clean-up the American Tank Trailer Cleaning Company Site located in Wilmington. The Site, once used as Tank Cleaning Facility requires the removal and offsite disposal of PCB contaminated soil at concentrations >50 ppm, and the Site is to be capped with clean fill material. An Environmental Covenant will restrict digging without prior approval of DNREC, limit groundwater withdrawal, and will require compliance with the Long-Term Stewardship Plan and Contaminated Materials Management Plan. Details of the Proposed Plan are available at the office of DNREC-SIRS (391 Lukens Drive, New Castle, DE, 19720), or online at: <http://www.nav.dnrec.delaware.gov/DEN3/>

The comment period ends on **March 12**. For additional information, please contact Eileen Capitoli, Project Manager at (302) 395-2600 or via email at [eileen.capitoli@state.de.us](mailto:eileen.capitoli@state.de.us) or

visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=4095&Source=http%3A%2F%2Fwww>

<http://www.dnrec.de.gov/Lists/Public%20Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

**DIVISION OF WATER - WATER SUPPLY** - The Division of Water hereby gives notice that the following Well permit application has been received. For additional information concerning the applications below, please contact Water Supply Section - 89 Kings Highway, Dover, 19901; email [Water.Allocation@state.de.us](mailto:Water.Allocation@state.de.us); or by phone at (302)739-9945.

**LEGAL NOTICE - Alternative Method of Compliance**

Harold Dukes has applied for an Alternative Method of Compliance under Section 12.0 of The Delaware Regulations Governing the Construction and Use of Wells to construct a Public well to serve a warehouse facility. The property is located on #26023 & #26029 Governor Stockley Road, Georgetown DE, 19947. Tax map parcel 1-33-6.00-44.00.

Variance - Timothy Johnson representing Woods Edge Park LLC has applied for a Variance under Section 13.0 of The Delaware Regulations Governing the Construction and Use of Wells to construct a Public well to serve a mobile home park. The property is located on RT 24 John Williams Highway Lewes DE, 19958. Tax map parcel 2-34-7.00-119.00.

Water Supply Section, 89 Kings Highway, Dover, DE 19901, (302) 739-9945

[Water.Allocation@state.de.us](mailto:Water.Allocation@state.de.us)

A public hearing on the above application will NOT be held unless the Secretary of DNREC determines that a public hearing is in the public interest or if a written meritorious objection to the application is received within 15 days from this notice. A public hearing request shall be deemed meritorious if it exhibits a familiarity with the application and provides a reasoned statement of the action's probable impact. For more information

visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=4088&Source=http%3A%2F%2Fwww.%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

**DIVISION OF WATER - SURFACE WATER DISCHARGES** – The Division of Water hereby gives notice that the following permit applications have been received.

**LEGAL NOTICE - DNREC – Division of Water, Surface Water Discharges Section Wastewater Facilities Construction Permit Application**

The Delaware Department of Natural Resources and Environmental Control, Division of Water, hereby gives notice that a permit application has been received from:

Reybold Venture Group XI-E, LLC proposes to construct a duplex three (3) horsepower grinder sanitary sewer pump station and approximately six hundred and ninety linear feet (690 LF) of two (2) inch diameter force main to serve a proposed mixed use development called Lincoln Center, located between Delaware Routes 1 and 7 on East Songsmith Drive in Bear, Delaware.

Questions regarding the applications and plans for the above are available for inspection by contacting: Keith Kooker, P.E., Environmental Finance, Office of the Secretary, Enterprise Business Park, 97 Commerce Way, Suite 106, Dover, DE 19904, (302) 739-9941

A public hearing concerning the above application will NOT be held unless the Secretary of DNREC determines that a hearing is in the public interest or if a written meritorious request for a hearing is received on or before **February 21**. A request for a public hearing shall be deemed meritorious if it exhibits a familiarity with the application and provides a reasoned statement of the permit's probable impact. For more information

visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=4084&Source=http%3A%2F%2Fwww.%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

**DIVISION OF WATER – GROUNDWATER DISCHARGES SECTION**

**LEGAL NOTICE - Non-Hazardous Liquid Waste Transporters Permit**

**Franc Environmental, Inc.** has applied to the Groundwater Discharges Section for a renewal of Non-Hazardous Liquid Waste Transporters Permit DE WH-207 which allows for the transport of grease trap waste and/or cooking oil waste to be disposed of at out-of-state permitted facilities.

#### Non-Hazardous Liquid Waste Transporters Permit

Terra Renewal Services, Inc. has applied to the Groundwater Discharges Section for a Non-Hazardous Liquid Waste Transporters Permit to transport other non-hazardous liquid waste (DAF skimmings) to be disposed of at out-of-state permitted facilities.

**Artesian Wastewater Management, Inc.** has applied to the Groundwater Discharges Section for a renewal of Non-Hazardous Liquid Waste Transporters Permit DE OH-300 which allows for the transport of non-hazardous liquid waste generated in the collection or treatment of domestic wastewater to be disposed of at the same site from which it was collected.

The above mentioned applications may be inspected by contacting:

Kathleen Saunders, Groundwater Discharges, 89 Kings Highway, Dover, DE 19901

[Kathleen.Saunders@state.de.us](mailto:Kathleen.Saunders@state.de.us), (302) 739-9948.

A public hearing on the above applications will NOT be held unless the Secretary of DNREC determines that a public hearing is in the public interest or if a written meritorious objection to the application is received within 15 days from this notice. A public hearing request shall be deemed meritorious if it exhibits a familiarity with the application and provides a reasoned statement of the action's probable impact. For more information

visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=4090&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

#### **LEGAL NOTICE - Non-Hazardous Liquid Waste Transporters Permit (Amendment)**

Denali Water Solutions has applied to the Groundwater Discharges Section for an amendment to their Non-Hazardous Liquid Waste Transporters Permit to include the transportation of other non-hazardous liquid waste (non-sanitary wastewater) to the Allen Foods Wastewater Treatment Plant (Harbeson).

#### **Non-Hazardous Liquid Waste Transporters Permit (Renewal)**

Freehold Cartage, Inc. has applied to the Groundwater Discharges Section for a renewal of Non-Hazardous Liquid Waste Transporters Permit DE OH-237 which allows for the transport of non-hazardous liquid waste (landfill leachate) from the Delaware Solid Waste Authority to be disposed of at the City of Wilmington Sewer System via Cherry Island Landfill pumping station; City of Seaford Wastewater Treatment Facility, Sussex County; and the Kent County Wastewater Treatment Facility.

#### **On-Site Wastewater Treatment and Disposal System**

Proximity Malt LLC has submitted an application for a construction permit for an on-site wastewater treatment and disposal system to serve the Proximity Malt processing facility. The system has been designed to accommodate 84,000 gallons per day of wastewater. The site is located at the southwest corner of the intersection of Bi-State Blvd and St. George Road, Sussex County, tax parcel # 3-32-3.0-56.00.

The above mentioned applications may be inspected by contacting: Kathleen Saunders, Groundwater Discharges, 89 Kings Highway, Dover, DE 19901, [Kathleen.Saunders@state.de.us](mailto:Kathleen.Saunders@state.de.us) (302) 739-9948. A public hearing on the above applications will NOT be held unless the Secretary of DNREC determines that a public hearing is in the public interest or if a written meritorious objection to the application is received within 15 days from this notice. A public hearing request shall be deemed meritorious if it exhibits a familiarity with the application and provides a reasoned statement of the action's probable impact. For more information

visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=4099&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

#### **CONTACT INFORMATION**

##### **24-Hour Environmental Report and Spill Notification Line - 1-800-662-8802**

Aboveground Storage Tanks - 302-395-2500

Air Quality - New Castle Office - 302-323-4542

Air Quality – Kent & Sussex – 302-739-9402

Asbestos New Castle - 302-323-4542

Asbestos Kent & Sussex - 302-739-9402

Biosolids Permits - 302-739-9946  
Boiler Safety - 302-395-2500  
Brownfields - 302-395-2600  
Community Ombudsman - 302-739-9040  
Community Services - 302-739-9959  
Delaware Estuary Program - 302-739-9283 (Delaware Coastal Management Program)  
Division of Air Quality Director's Office - 302-739-9402  
Division of Energy & Climate - 302-735-3480  
Division of Waste and Hazardous Substances Director's Office - 302-739-9400  
Division of Water Information - 302-739-9950  
Dock/Dredging/Bulkheads/Rip-Rap/Wetlands & Subaqueous Lands - 302-739-9943  
Emergency Prevention and Response - 302-739-9404  
Environmental Crimes Unit - 302-739-9401 or 1-800-662-8802  
Environmental Laboratory - 302-739-9942  
Hazardous Waste - 302-739-9403  
Hazardous Chemical and Toxic Release Inventories – 302-739-9404  
Industrial Stormwater Permits - 302-739-9946  
Loans & Grants for Wastewater and Septic's (Environmental Finance) - 302-739-9941  
Medical Waste - 302-739-9403  
Non-Hazardous Liquid Waste Transporters - 302-739-9948  
On-site Wastewater Licensing Program - 302-739-9948  
Open Burning - 302-739-9402  
Outreach Ombudsman - 302-395-2600  
Recycling - 302-739-9403  
Septic System Permits - Large Systems (Community & I/A) Statewide - 302-739-9948  
Septic System Permits - Small Systems for Kent & New Castle Counties - 302-739-9947  
Septic System Permits - Small Systems for Sussex Co. & Holding Tank Compli. Program - 302-856-4561  
Site Investigation & Restoration Section (Superfund/Brownfields) - 302-395-2600  
Small Business Ombudsman - 302-739-9069  
Solid Waste - 302-739-9403  
Source Water Protection - 302-739-9945  
Surface Water Discharge Permits (NPDES) - 302-739-9946  
Underground Injection Control & Spray Irrigation - 302-739-9948  
Underground Storage Tanks - 302-395-2500  
Wastewater Collection, Conveyance, and/or Treatment Facility Construction Permits - 302-739-9946  
Wastewater Treatment Facility Operators - 302-739-9946  
Water Allocation Permits - 302-739-9945  
Water Testing - Drinking Water (Division of Public Health) - 302-741-8630  
Water Supply - 302-739-9945  
Well Driller's License - 302-739-9944  
Well Permits & Licensing - 302-739-9944  
Wells - 302-739-9944  
Wetlands and Subaqueous Lands Section - 302-739-9943