

The biweekly E-News Update features current information on the Divisions of Air Quality (DAQ), Waste and Hazardous Substances (WHS), and Water regarding public meetings, workshops, hearings, and regulatory documents available for public comment, as well as general news updates. For those of you who are receiving the E-News Update for the first time, the subscription is FREE!

Please sign up at: <http://www.delaware.gov/Pages/Lists.aspx> under "Division of Waste & Hazardous Substances Lists." There is no form to fill out; it's done in three clicks!

Suggestions? Additions? Please call Stacy Jones at 302-739-9400, or send an email to Stacy.Jones@state.de.us

Published by the Divisions of Air Quality, Waste and Hazardous Substances and Water.
Visit us at: www.awm.delaware.gov

UPCOMING AIR, WASTE, & WATER-RELATED HEARINGS, MEETINGS, & EVENTS

PUBLIC WORKSHOP AND LISTENING SESSION REGARDING THE CLEAN POWER PLAN – Our agency will present an outline of its current thinking on Delaware's approach to meet the federal Clean Power Plan requirements, and soliciting comments and input on all aspects of the approach. This workshop and listening session will be held at 6pm on **March 1** at the Richardson and Robbins Building, Auditorium: 89 Kings Highway, Dover, DE, 19901. For additional information, please contact Valerie Gray at (302) 739-9402; visit the Statewide Calendar: <https://egov.delaware.gov/pmc/Event/Details/34171> or review the public notice at:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3142&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

BOARD OF CERTIFICATION FOR WASTEWATER OPERATORS MONTHLY MEETING – This is a regular monthly meeting of the Board of Certification for Wastewater Operators. Meeting will take place on **March 1** from 9am to 11am at the Richardson and Robbins Building, Conference Room B172: 89 Kings Highway, Dover, DE, 19901. For additional information, contact Faye Wheeler at (302) 739-9946 or visit: <https://egov.delaware.gov/pmc/Event/Details/32988>

ON-SITE SYSTEMS ADVISORY BOARD MEETING – will be held on **March 2** from 9:15am to 11:30am at the Richardson and Robbins Building, Conference Room B228: 89 Kings Highway, Dover, DE, 19901. For additional information, contact Dryden 302-739-9948 or visit: <https://egov.delaware.gov/pmc/Event/Details/34198>

HSCA ADVISORY COMMITTEE (FORMERLY BROWNFIELDS ADVISORY COMMITTEE) – The Committee will hold a public meeting to review, provide guidance and input for DNREC's cleanup programs related to the Hazardous Substance Cleanup Act (HSCA). This meeting will take place on **March 3** from 10am to 12:30pm at the St. Jones Reserve, 818 Kitts Hummock Road, Dover, DE 19901. For additional information, please contact Robert Newsome at (302) 395-2600 or visit: <https://egov.delaware.gov/pmc/Event/Details/34262>

PUBLIC HEARING ON THE PERMIT APPLICATION TO MAKE VINEYARD FARM AN AGRICULTURAL UTILIZATION SITE – will be held on **March 10** at 6:30pm at the Lake Forest East Elementary School cafeteria, located at 124 West Front Street, Frederica, Delaware 19946. The purpose of the hearing is to provide the public with an opportunity to comment on the aforementioned permit application. For additional information visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3123&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

AIR QUALITY PERMITTING PROGRAM – Notice has been given that the facilities listed below have submitted applications for air quality management permits. The applications, the “draft/proposed” permits, all materials that the applicant has submitted (other than those granted confidential treatment under DNREC rules), and a copy of summary of other materials, if any, considered in preparing the “draft/proposed” permit, may be inspected at the offices of the Division of Air Quality, 655 S. Bay Road, Dover and 715 Grantham Lane, New Castle. **All comments and public hearing requests** should be mailed to the following address: DIVISION OF AIR QUALITY, 655 S. Bay Road, Suite 5 N, Dover, DE 19901. To submit comments, for additional information, or for an appointment to inspect the application, please contact Penny Gentry at (302) 739-9402.

NOTICE IS HEREBY GIVEN THAT THE VETERANS HEALTH ADMINISTRATION, having a facility at 1601 Kirkwood Highway, Wilmington, has submitted a request for a significant permit modification pursuant to 7 DE Admin. Code 1130, Section 7 for operating Permit: AQM-003/00077-Renewal 3, Revision 2. Based on the data and certifications contained in the application, the Division of Air Quality concludes that the applicant meets all applicable requirements promulgated by the USEPA and DNREC. Therefore a “draft/proposed” significant permit modification has been prepared. This “draft/proposed” significant permit modification will increase the limit on the amount of fuel oil that can be used at the facility. The facility wide emissions increase included in the permit modification is 8.65 ton per year (TPY) nitrogen oxide (NO_x), 5.67 tons of sulfur oxides (SO_x), 0.72 tons of particulate matter (PM), 0.92 tons of volatile organic compounds (VOC), and 5.76 tons of carbon monoxide (CO) in any rolling twelve (12) month period. A public hearing will NOT be held on the application above unless our agency Secretary receives a request for a hearing regarding that application by **February 23**. A request for a hearing shall be in writing. The request must also show a familiarity with the application and a reasoned statement of the permit’s probable impact. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3109&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&RootFolder=%2FLists%2FPublic%20Notices&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTICE IS HEREBY GIVEN THAT ATLANTIC CONTRACTING & MATERIAL CO. requests a permit to construct a Portable Concrete Plant for the DelDOT, 113 Road Project near Lincoln, Sussex County facility. The on-site Portable Batch Plant will emit only Particulate Matter (PM) at the rate of 3.3 lbs. per hour, 33 pounds per day and 1.6 tons total. Permit: APC-2016/0077-CONSTRUCTION/OPERATION. A public hearing will NOT be held on the application above unless our agency Secretary receives a request for a hearing regarding that application by **February 29**. A request for a hearing shall be in writing. The request must also show a familiarity with the application and a reasoned statement of the permit’s probable impact. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3139&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTICE IS HEREBY GIVEN THAT PROXIMITY MALT, LLC, requests a construction permit to modify an existing grain elevator into a malting facility at their 33222 Bi-State Boulevard, Laurel location in Sussex County. The facility will consist of barley shipping, receiving, cleaning, storing, bagging, and kilning or roasting. The malting facility has the potential to emit 76.68 TPY of PM₁₀, 23.10 TPY of PM_{2.5}, 4.12 TPY of NO_x, 3.34 TPY of SO₂, 21.66 TPY of CO, and 10.83 TPY of VOCs. A public hearing will NOT be held on the application above unless our agency Secretary receives a request for a hearing regarding that application by **February 29**. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3137&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTICE IS HEREBY GIVEN THAT RCJJ INTERNATIONAL, LLC has submitted an application for the construction of a temporary crushing process at 500 Eagle Run Road in Newark, Delaware. Permit: APC-2016/0078-CONSTRUCTION. The crushing process will be permitted to operate for 500 hours. Total estimated emissions from the facility are 4.53 tons per year CO, 1.32 tons per year NOX, 0.27 tons per year PM, 0.19 tons per year VOCs, 0.008 tons per year SOx and 0.007 tons per year HAPs. A public hearing will NOT be held on the application above unless our agency Secretary receives a request for a hearing regarding that application by **February 29**. For additional information visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3137&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTICE IS HEREBY GIVEN THAT CHOPTANK EXCAVATING, requests a permit to construct a 202 kW Scania Crusher at 1275 S DuPont Highway, Dover, Delaware. The 202 kW Scania Crusher will be permitted to emit 0.880 tpy NOx, 0.324 tpy CO, 0.0.009 tpy THC, 0.009 tpy PM, and 0.578 tpy SO2 by Permit: APC-2016/0080-CONSTRUCTION. A public hearing will NOT be held on the application above unless our agency Secretary receives a request for a hearing regarding that application by **February 29**. For additional information visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3137&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>.

NOTICE IS HEREBY GIVEN THAT THE DUPONT EXPERIMENTAL STATION HAVING A FACILITY AT 200 POWDER MILL ROAD WILMINGTON, has requested a federally enforceable 7 DE Admin. Code 1102 construction permit (Permit: APC-1982/0083-CONSTRUCTION (NOX RACT) (FE)) for the conversion of Boiler #3 to combust natural gas primarily and No. 2 fuel oil as the emergency backup fuel. Upon completion of construction, the Department will incorporate the operating conditions and limits of the 7 DE Admin. Code 1102 Construction permit into the facility's existing Title V permit (Permit: AQM-003/00011 (Renewal 2) (Revision 1)) via an Administrative Amendment. A public hearing on any of the above application will NOT be held unless our agency Secretary receives a request for a hearing regarding that application by **March 1**. For additional information visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3117&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTICE IS HEREBY GIVEN THAT FOXFIRE PRINTING AND PACKAGING, INC. has submitted an application, pursuant to 7 DE Admin. Code 1102, Section 2.1, 11.2.9, and 12.3 for two printing presses operations at 20 Tylers Way, Newark. Foxfire Printing and Packaging, Inc. requests a limit for emissions of VOCs up to 12.85 tons per year (TPY) and HAPs up to 8 TPY. These limits are necessary to restrict Foxfire Printing and Packaging, Inc.'s potential to emit air pollutants, and the limit will be enforceable by the USEPA and the State. A public hearing concerning the permitting action will not be held unless our agency Secretary receives a request for such hearing by **March 15**. A request for a hearing shall be in writing and must show a familiarity with the application and a reasoned statement of the permit's probable impact. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3136&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTICE IS HEREBY GIVEN THAT HOLLAND MULCH, INC. has submitted an application, pursuant to 7 DE Admin. Code 1102, Section 2.1, 11.2.9, and 12.3 for a construction/operation permit for two Morbark 6600 and 7600 wood grinders located at 135 Hay Road, Edgemoor, DE and 1034 South Chapel Street (Route 72), Newark. Holland Mulch requests a limit of 650 operating hours per rolling twelve (12) months for each unit. These limits are necessary to restrict Holland Mulch's potential to emit air pollutants, and the limit will be enforceable by the EPA and the state. Total estimated emissions are 9.84 TPY NOx, 12.18 TPY CO, 1.38 TPY THC, 1.40 TPY PM, and 0.007 TPY SO2 for the two wood grinders. A public hearing concerning the permitting action will not be held unless our agency Secretary receives a request for such hearing by **March 15**. A request for a hearing shall be in writing and must show a familiarity with the application and a reasoned statement of the permit's probable impact. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3135&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTICE IS HEREBY GIVEN THAT EASTERN SHORE NATURAL GAS – DELAWARE CITY has submitted an application, pursuant to 7 DE Admin. Code 1102, Section 2.1, 11.2.9, and 12.3 for a permit to construct one (1) emergency generator, rated 300 kW (402.3 HP) at 711 School House Road, New Castle. Eastern Shore Natural Gas – Delaware City requests a limit for 0.50 TPY NOx, 0.32 TPY CO, 0.06 TPY VOC, 0.0005 TPY SO2, and 0.009 TPY PM. These limits are necessary to restrict Eastern Shore Natural Gas – Delaware City's potential to emit air pollutants, and the limit will be enforceable by the EPA and the state. Total estimated emissions from the facility are 17.6 TPY NOx, 6.92 TPY CO, 4.56 TPY VOC, 1.2005 TPY SO2, and 1.209 TPY PM. A public hearing concerning the permitting action will not be held unless our agency Secretary receives a request for such hearing by **March 15**. A request for a hearing shall be in writing and must show a familiarity with the application and a reasoned statement of the permit's probable impact. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3134&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTICE IS HEREBY GIVEN THAT MAGCO INCORPORATED has submitted an application, pursuant to 7 DE Admin. Code 1102, Section 2.1, 11.2.9, and 12.3 for a Synthetic Minor Operating Permit Amendment at 341 Pigeon Point Road, New Castle. MAGCO Incorporated requests an increase in the limit for the maximum throughput of salt produced and the hours of operation. These limits are necessary to restrict MAGCO Incorporated's potential to emit air pollutants, and the limit will be enforceable by the EPA and the state. Total estimated emissions from the facility are 12.27 TPY of PM, 0.27 TPY of PM2.5, 3.72 TPY of NOX, 6.31 TPY of CO, 0.126 TPY of SO2 and 380 lbs./year of VOC. A public hearing concerning the permitting action will not be held unless our agency Secretary receives a request for such hearing by **March 15**. A request for a hearing shall be in writing and must show a familiarity with the application and a reasoned statement of the permit's probable impact. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3133&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

[es%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A](http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=0x010034FD6D348B0CF04392485E93FC15AB3A)

WHS - SITE INVESTIGATION AND RESTORATION SECTION is responsible for the identification, evaluation and remediation of sites in Delaware that have had past releases of hazardous substances. The section manages the contaminated sites under three major programs in accordance with the Hazardous Substance Cleanup Act (HSCA). The three programs are the **Brownfields Development Program, the Voluntary Cleanup Program (VCP) and the HSCA Enforcement Program** (for sites requiring enforcement action).

NOTIFICATION OF PUBLIC COMMENT FOR THE SETTLEMENT AGREEMENT FOR THE 459 OLD AIRPORT ROAD SITE (DE-1624) the Site Investigation and Restoration Section (SIRS) negotiated a Settlement Agreement with the Shamrock3, LLC regarding the 459 Old Airport Road Site located at 459 Old Airport Road in New Castle. Identified on the tax maps of New Castle County as tax parcel number 10-008.00-013, the 0.96 acre Site may have had a release of hazardous substances as a result of past use as former auto salvage facility. Our agency invites the public to comment on this Settlement Agreement. The public comment period began on February 15 and will close at the end on **March 7**. Please submit written comments to the DNREC-SIRS Project Manager, Lindsay Hall at DNREC-SIRS, 391 Lukens Drive, New Castle, DE 19720. For additional information contact Project Manager, Lindsay Hall at (302) 395-2600; or visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3132&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

The Brownfields Development Program encourages the cleanup and redevelopment of vacant, abandoned or underutilized properties, which may be contaminated. A party seeking to develop such a property negotiates with SIRS for a **Brownfields Development Agreement (BDA)** to perform an investigation and, if necessary, a remedial action or remedy, for the purpose of addressing the risks posed by past releases of hazardous substances at these sites. However, a BDA is only available to parties that are not current site owners. The **Voluntary Cleanup Program (VCP) Agreement** is available to site owners, who want to clean up their sites and are already liable as a potentially responsible party for the site.

The Proposed and Final Plans of Remedial Action listed below outline site cleanup activities and covenants and are available online at:

<http://www.dnrec.delaware.gov/whs/awm/SIRB/Pages/SIRBPlans.aspx> under "Announcements." For site-specific information, please see DNREC's Environmental Navigator at: <http://www.nav.dnrec.delaware.gov/DEN3>

PROPOSED PLAN OF REMEDIAL ACTION FOR THE VEI DOVER CROSSROADS PROPERTY The Department invites public comment on a proposal to clean up the VEI Dover Crossroads Property located in Dover. The Site was formally used for storage and moving operations, and housed four underground storage tanks containing various petroleum products. The comment period ends on **February 23**. For additional information, please contact Eileen Capitoli, Project Manager, or Robert Newsome, Public Information Officer, at (302)395-2600; or visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3122&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

PROPOSED PLAN OF REMEDIAL ACTION FOR THE FORMER COMMUNICATIONS PRINTERS SITE (DE-1599) The Department invites public comment on a proposal to clean up the Former Communications Printers Site located at 2840 – 2850 Ogletown

Road in Newark. The Site groundwater is contaminated with metals. The comment period ends on **February 29**. For additional information, please contact Stephanie Gordon, Project Manager, or Robert Newsome, Public Information Officer, at (302) 395-2600; or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3126&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

FINAL PLAN OF REMEDIAL ACTION FOR THE WALKER FARM PROPERTY (DE-1607) located in Hockessin. The Site is the soil contained within a 0.32 acre plot, which formerly housed a burn pit and two heating fuel underground storage tanks. The Site is only a part of a larger area owned by CCS Farms LLC. DNREC issued public notice of the Proposed Plan for The Walker Farm Property on January 20, 2016. There were no comments or questions from the public regarding the Proposed Plan; therefore, the Proposed Plan is adopted as the Final Plan. The public may appeal the Final Plan by **March 12**. For additional information, please contact Patrick Boettcher, Project Manager, or Robert Newsome, Public Information Officer, at (302) 395-2600, or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3147&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

DIVISION OF WATER - GROUND WATER DISCHARGES -The Division of Water hereby gives notice that the applications below are available for inspection or copies may be obtained by contacting: Kathleen Saunders, Ground Water Discharges, 89 Kings Highway, Dover – 19901, or by calling (302) 739-9948. A public hearing concerning the first two permitting actions below will not be held unless our agency Secretary receives a request for such hearing by **February 29**. A request for a hearing shall be in writing and must show a familiarity with the application and a reasoned statement of the permit's probable impact. For more information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3130&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

FORMAL WAIVER

Mr. Chris Powell, Corporate Secretary, Edward Powell Pump & Well Drilling, is seeking a Formal Waiver for Edward Powell Pump & Well Drilling to install Demand Initiated Regeneration (DIR) water softeners which discharge regenerative waters directly into a conventional on-site wastewater treatment and disposal system pursuant to 7 Del. Admin. C. §7101-5.6.2 of the Regulations Governing the Design, Installation, and Operation of On-Site Wastewater Treatment and Disposal Systems. The request includes documentation that the homeowner and Edward Powell Pump & Well Drilling must sign, agree to, notarize, and have recorded in the respective County Recorder of Deeds for each system installed.

NON-HAZARDOUS LIQUID WASTE TRANSPORTERS PERMITS

Aqua Wastewater Management, Inc. has applied to the Ground Water Discharges Section for a renewal of Non-Hazardous Liquid Waste Transporters Permit DE OH-196 which allows for the transport of septage, and grease trap waste and/or cooking oil waste to be disposed of at out-of-state permitted facilities.

Tony Streett & Sons Septic Service has applied to the Ground Water Discharges Section for a renewal of Non-Hazardous Liquid Waste Transporters Permit DE WH-242 which allows for the transport of septage and holding tank waste to be disposed of at Clean Delaware Inc., and the South Coastal Regional Wastewater Facility. A public hearing on the application will NOT be held unless the Secretary of DNREC determines that a public hearing is in the public interest or if a written meritorious objection to the application is received by **March 7**. A public hearing request

shall be deemed meritorious if it exhibits a familiarity with the application and provides a reasoned statement of the action's probable impact. For more information, please visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3144&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

DIVISION OF WATER - WATER SUPPLY - The Division of Water hereby gives notice that the following well permit application has been received. For additional information concerning the applications below, please contact Allison Diggins/Water Supply Section - 89 Kings Highway, Dover, DE 19901; or, by phone at (302) 739-9945.

Dewatering Permits

Kent County Sports Complex proposes a dewatering project for grading and excavating. The proposed system consists of one sump pump. Sediment control measures will be in place and the water discharge location is storm sewer. The duration of this project is 18 months. The site is located east of Rt. 1, on Milford Neck Road in Frederica, Kent County. The requested capacity of this system is 1,440,000 gallons per day. A public hearing will NOT be held unless our agency Secretary determines that a public hearing is in the public interest, or if a written meritorious objection to the application is received by **February 29**. For additional information, please visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3140&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

Allocation Permits

H. Ronald Webb has requested a modification to his existing irrigation allocation. Four wells have been added to his farming operations which are located northwest of Greenwood in Sussex County. The requested maximum daily withdrawal of the modification is 3,636,000 gallons per day. A public hearing on the application will NOT be held unless the Secretary of DNREC determines that a public hearing is in the public interest or if a written meritorious objection to the application **March 7**. A public hearing request shall be deemed meritorious if it exhibits a familiarity with the application and provides a reasoned statement of the action's probable impact. For more information, please visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3145&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

DIVISION OF WATER - WETLANDS AND SUBAQUEOUS LANDS SECTION – The Division of Water hereby gives notice that the applications below are available for inspection or copies may be obtained by contacting: Gayle Calder, Wetlands and Subaqueous Lands Section, 89 Kings Highway, Dover – 19901, or by calling (302) 739-9943. A public hearing on the applications below will NOT be held unless our agency Secretary determines that a public hearing is in the public interest, or if a written meritorious objection to the application is received by **March 1**. For additional information, please visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3127&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

Subaqueous Lands Lease Application

Theodore Harrison (1-34-23.16-05.00) to demolish a 5 foot section of an existing parallel dock and swap the existing boat lift with an existing PWC lift in Little Assawoman Bay at 904 S. Schultz Road, Fenwick, Sussex County.

Karen Sue Brunner (3-31-6.00-383.00) To construct a 4 x 20 foot long pier and 6 x 25 foot long dock with a boat lift and 4 stand-alone piles in the Nanticoke River at 9848 North Shore Drive in Seaford, Sussex County.

Subaqueous Lands Permit Application

Ken and Carol Niehaus (134-9.00-265.00) to remove 4' x 30' of an existing 4' x 50' dock and install an elevator style boat lift on 2 associated pilings behind the bulkhead in Martin's Way lagoon at 38155 Martins Way, Ocean View, Sussex County.

Richard Stokes (3-34-19-233) to install a boat lift with 2 associated pilings connecting to a previously authorized structure in Bald Eagle Creek at 137 East Side Dr. Rehoboth Beach.

Delaware Dept. of Transportation – (DeIDOT Right-of-way, adjacent tax parcels 2400600009, 16 and 08) to place 471 cubic yards of grout bags, gabion rock mattress, and riprap for scour protection in 4,998 square feet around the pier and along the bottom of the Appoquinimink River, at Route 299 in Odessa, New Castle County.

CONTACT INFORMATION

24-Hour Report and Spill Notification Line - 1-800-662-8802

Aboveground Storage Tanks - 302-395-2500

Air Quality - New Castle Office - 302-323-4542

Air Quality – Kent & Sussex – 302-739-9402

Asbestos New Castle - 302-323-4542

Asbestos Kent & Sussex - 302-739-9402

Biosolids Permits - 302-739-9946

Boiler Safety - 302-395-2500

Brownfields - 302-395-2600

Community Ombudsman - 302-739-9040

Delaware Estuary Program - 302-739-9283 (Delaware Coastal Management Program)

Division of Air Quality Director's Office - 302-739-9402

Division of Waste and Hazardous Substances Director's Office - 302-739-9400

Division of Water Information - 302-739-9950

Dock/Dredging/Bulkheads/Rip-Rap/Wetlands & Subaqueous Lands - 302-739-9943

Emergency Prevention and Response - 302-739-9404

Environmental Crimes Unit - 302-739-9401 or 1-800-662-8802

Environmental Laboratory - 302-739-9942

Hazardous Waste - 302-739-9403

Hazardous Chemical and Toxic Release Inventories – 302-739-9404

Industrial Stormwater Permits - 302-739-9946

Loans & Grants for Wastewater and Septic's (Financial Assistance Branch) - 302-739-9941

Medical Waste - 302-739-9403

Non-Hazardous Liquid Waste Transporters - 302-739-9948

On-site Wastewater Licensing Program - 302-739-9948

Open Burning - 302-739-9402

Outreach Ombudsman - 302-395-2600

Recycling - 302-739-9403

Septic System Permits - Large Systems (Community & I/A) Statewide - 302-739-9948

Septic System Permits - Small Systems for Kent & New Castle Counties - 302-739-9947

Septic System Permits - Small Systems for Sussex County & Holding Tank Compliance Program - 302-856-4561

Site Investigation & Restoration Section (Superfund/Brownfields) - 302-395-2600

Small Business Ombudsman - 302-739-9909

Solid Waste - 302-739-9403

Source Water Protection - 302-739-9945

Surface Water Discharge Permits (NPDES) - 302-739-9946

Underground Injection Control & Spray Irrigation - 302-739-9948

Underground Storage Tanks - 302-395-2500

Wastewater Collection, Conveyance and/or Treatment Facility Construction Permits - 302-739-9946

Wastewater Treatment Facility Operators - 302-739-9946
Water Allocation Permits - 302-739-9945
Water Testing - Drinking Water (Division of Public Health) - 302-741-8630
Water Supply - 302-739-9945
Well Driller's License - 302-739-9944
Well Permits & Licensing - 302-739-9944
Wells - 302-739-9944
Wetlands and Subaqueous Lands Section - 302-739-9943