

Please Be Advised:

DELAWARE REGULATIONS GOVERNING THE CONSTRUCTION AND USE OF WELLS WORKSHOP

This meeting was initially scheduled for March 26, and changed to April 2, has been **postponed**. The new date will be announced as soon as the details are confirmed. For additional information, please contact Kimberly Burris at (302) 739-9945; or visit: <https://egov.delaware.gov/pmc/Event/Details/26800>

NEWS FROM DNREC'S OFFICE OF ENVIRONMENTAL PROTECTION, 3/10/15

The biweekly E-News Update features current information on the Divisions of Air Quality, Waste and Hazardous Substances, and Water regarding public meetings, workshops, hearings, and regulatory documents available for public comment, as well as general news updates. For those of you who are receiving the E-News Update for the first time, the subscription is FREE! Please sign up at the following link under the Divisions of Air Quality and Waste and Hazardous Substances at:

<http://www..delaware.gov/Pages/Lists.aspx>

There is no form to fill out; it's done in three clicks! Suggestions? Additions? Please call Stacy Jones at 302-739-9400, or send an email to Stacy.Jones@state.de.us

Published by Divisions of Air Quality, Waste and Hazardous Substances, and Water.

Visit us at: www.awm.delaware.gov

UPCOMING AIR, WASTE, & WATER-RELATED HEARINGS, MEETINGS, & EVENTS

DRAFT AST REGULATIONS PUBLIC WORKSHOPS – Waste and Hazardous Substances, Tank Management Section will hold three (3) public workshops regarding the proposed changes to the Delaware AST Regulations. The same information will be presented at all of the workshops. For more information, please contact Tara Chambers at (302) 395-2500.

- **The 1st workshop** will take place at 10am on **March 10** at the Lukens Drive Field Office located at 391 Lukens Drive in New Castle County, 19720. For additional information, please visit: <https://egov.delaware.gov/pmc/Event/Details/26498>
- **The 2nd workshop** will take place at 6pm on **March 12** in the auditorium at the Richardson and Robbins Building located at 89 Kings Highway in Kent County. For additional information, please visit: <https://egov.delaware.gov/pmc/Event/Details/26474>
- **The 3rd workshop** will take place at 10am on **March 17** at the Lewes Field Office located at 901 Pilottown Rd. Lewes, DE, 19958 in Sussex County. For additional information, please visit: <https://egov.delaware.gov/pmc/Event/Details/26475>

HSCA ADVISORY COMMITTEE (FORMERLY BROWNFIELDS ADVISORY COMMITTEE) will hold a public meeting on **March 12** from 9:30am-12:30pm at the Dover Public Library, Conference Room B, 35 Loockerman Plaza, Dover, DE 19901. Please note this meeting was rescheduled from 3/5 to 3/12 due to inclement weather. For additional information, please contact Christina Wirtz at (302) 395-2600 or visit:

<https://egov.delaware.gov/pmc/Event/Details/26356>

PUBLIC HEARING TO HEAR PUBLIC COMMENTS ON DELAWARE CITY REFINERY AND POWER PLANT applications and draft permit for the issuance of the National Pollutant Discharge Elimination System (NPDES) permit. The public hearing will begin at 6:00pm on **March 24** in the auditorium of the Gunning Bedford Middle School, 801 Cox Neck Road in New Castle. For additional information, please contact the Surface Water Discharges Section at (302)739-9946; or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2629&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

PUBLIC HEARING CONCERNING THE APPLICATION FOR A COASTAL ZONE ACT PERMIT FOR DELAWARE CITY REFINING COMPANY LLC. The refinery is seeking a Coastal Zone permit to construct and operate new hydrogen production equipment to enable the Refinery to enhance clean fuel production as part of its low sulfur fuels project. The hearing will be held on **March 18** at 391 Lukens Drive, New Castle, beginning at 6:00pm. For more information, please contact Kevin Coyle at (302) 739-9071, or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2632&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

THE DEPARTMENT INVITES PUBLIC COMMENT ON A PROPOSAL TO CLEAN UP 127 THE GREEN site located at 127 The Green in Newark. The 0.02 acre Site consists

of a former transformer pad outside of DuPont Hall at the University of Delaware. The Site soil was contaminated with polychlorinated biphenyls (PCBs) related to the Site's former use as a transformer pad outside of DuPont Hall at the University of Delaware. The Site soil was contaminated with polychlorinated biphenyls (PCBs) related to the Site's former use as a transformer pad. The comment period ends on **March 23**. For additional information, please contact Wendy March, Project Manager, or Robert Newsome, Public Information Officer, at . Additional information can be found at:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2638&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

DELAWARE REGULATIONS GOVERNING THE CONSTRUCTION AND USE OF WELLS WORKSHOP to inform the public of the history of current regulations governing well construction and use of wells and changes to the regulations. The workshop will begin at 6:00pm on **March 26** at the DNREC Auditorium located in the Richardson and Robbins Building at 89 Kings Highway, Dover, DE, 19901 in Kent County. For additional information, please contact Kimberly Burris at (302) 739-9945; or visit:

<https://egov.delaware.gov/pmc/Event/Details/26800>

WATER SUPPLY COORDINATING COUNCIL MEETING - The Council will hold a meeting on **April 29** from 10am to 12pm at the Kent County Administration Complex, Conference Room 220, 555 Bay Road, Dover, DE, 19901. Dover, DE 19901. For additional information, please contact Kimberly Burris at (302) 739-9945; or visit:

<http://egov.delaware.gov/pmc/Event/Details/26468>

SOURCE WATER PROTECTION CITIZEN TECHNICAL ADVISORY COMMITTEE MEETING -

The Committee will hold a meeting on **May 6** from 9am to 12pm at the Kent County Administration Complex, Conference Rooms 220 A&B, 555 Bay Road, Dover, DE, 19901. Dover, DE 19901. For additional information, please contact Kimberly Burris at (302) 739-9945; or visit:

<http://egov.delaware.gov/pmc/Event/Details/25727>

DOCUMENTS AVAILABLE FOR PUBLIC COMMENT OR APPEAL

AIR QUALITY PERMITTING PROGRAM – Notice has been given that the facilities listed below have submitted applications for air quality management permits. The applications, the “draft/proposed” permits, all materials that the applicant has submitted (other than those granted confidential treatment under rules), and a copy of summary of other materials, if any, considered in preparing the “draft/proposed” permit, may be inspected at the offices of the Division of Air Quality, 655 S. Bay Road, Dover and 715 Grantham Lane, New Castle. Requests for hearings shall be in writing and must show a familiarity with the application and a reasoned statement of the permit renewal’s probable impact. To submit comments, for additional information or for an appointment to inspect the application, please contact Laura Bogus at the Dover Office at (302) 739-9402. All comments and public hearing requests should be mailed to the following address: DIVISION OF AIR QUALITY, 655 S. Bay Road, Suite 5 N, Dover, DE 19901.

NOTICE IS HEREBY GIVEN THAT DELAWARE HOSPITAL FOR THE CHRONICALLY ILL

request permission for the installation of one (1) emergency generator, rated 450 kW at 100 Sunnyside Road, Kent County, Delaware. The engine used in this generator set complies with U. S. EPA regulations under the provisions of 40 CFR 89, Non-Road Tier 2 emissions limits. Permit: APC-2015/0062-CONSTRUCTION. The application for this permit may be reviewed at the offices of the Division of Air Quality, Blue Hen Corporate Center, 655 S. Bay Road, Suite 5 N, Dover, Delaware or 715 Grantham Lane, New Castle, Delaware A public hearing on any of the above applications will NOT be held unless our agency Secretary receives a request for a hearing regarding that application by **March 12**. For additional information or for an appointment to review the application, please contact Laura Bogus at (302) 739-9402; or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2637&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTICE IS HEREBY GIVEN THAT HOCKESSIN HEALTH PARTNERS, LLC requests permission for the operation of one (1) emergency generator, rated 800 kW (1073 HP) at 5850 Limestone Road in Hockessin, New Castle County, Delaware. The engine used in this generator set complies with U. S. EPA regulations under the provisions of 40 CFR 89, Non-Road Tier II emissions limits. Permit # APC-2015/0077-CONSTRUCTION. For additional information or for an appointment to review the application, please contact Laura Bogus at . A public hearing on any of the application will NOT be held unless our agency Secretary receives a request for a hearing regarding that application by **March 16**. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2647&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTICE IS HEREBY GIVEN THAT PURE GREEN INDUSTRIES, INC. /REFINED

PRODUCTS COMPANY INC., requests a permit amendment to operate their existing 400 ton per hour portable impact crusher at an additional site located at 9 Bellecor Drive, New Castle, New Castle County facility. By Permit: APC-2005/0147-OPERATION (NSPS) (SM) (Amendment 5), actual emissions will not exceed 6.9 tons per year (TPY) of Nitrogen Oxides (NOx), 0.7 TPY of Volatile Organic Compounds (VOC’s), 1.8 TPY of Carbon Monoxide (CO), 0.55 TPY of Sulfur Dioxide (SO2) and 1.15 tons per year of Particulate Matter (PM).

A public hearing on any of the above applications will NOT be held unless our agency Secretary receives a request for a hearing regarding that application by **March 16**. For additional information or for an appointment to review the application, please contact Laura Bogus at (302) 739 – 9402; or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2644&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTICE IS HEREBY GIVEN THAT THE DELAWARE SOLID WASTE AUTHORITY (DSWA) REQUESTS a construction permit (Permit APC-2015/0041-CONSTRUCTION) to expand the existing landfill gas management system at the Southern Solid Waste Management Center (Jones Crossroads Landfill) located at 28560 Landfill Lane in Georgetown. This equipment will provide continuous landfill gas collection from Cell 5 of the landfill. A public hearing will NOT be held unless our agency Secretary receives a request for a hearing regarding this application by **March 16**. For additional information or for an appointment to review the application, please contact Laura Bogus at ; or visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2643&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTICE IS HEREBY GIVEN THAT AMERESCO DELAWARE ENERGY, LLC AND THE DELAWARE SOLID WASTE AUTHORITY have requested a permit to install a one Megawatt General Electric Jenbacher Model JGS 320 GS-L.L landfill gas generator at their facility located on Route 20 (29806 Landfill Lane) in Georgetown. This landfill gas generator will be a replacement for Landfill Gas Generator #5 currently located at the facility. The generator emissions will remain unchanged and the unit will be permitted to emit 8.5 tons per year (tpy) NOx, 42.4 tpy CO, 2.4 tpy PM, 9.15 tpy SO2, 3.6 tpy NMOC, and 3.1 tpy HAPS by Permit# APC-2015/0079-C. A public hearing will NOT be held unless our agency Secretary receives a request for a hearing by **March 16**. For additional information or for an appointment to review the application, please contact Laura Bogus at . For additional information: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2639&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTICE IS HEREBY GIVEN THAT ZACK EXCAVATING requests a permit to construct one (1) 350 hp Caterpillar Impact Crusher (Sandvik model number QI341) at their 2935 South DuPont Blvd, Smyrna, Kent County facility. The Caterpillar Impact Crusher will be permitted to emit 0.57 TPY NOx, 0.02 TPY CO, 0.005 TPY VOC, 0.06 TPY PM, and 0.36 TPY SO2 by Permit: APC-2015/0075-CONSTRUCTION. The crusher is permitted to operate at the following locations:
2935 South DuPont Blvd, Smyrna, Kent County.
161 Twin Oak Drive, Cheswold, Kent County.
315 Cherry Lane, New Castle, New Castle County.
18195 DuPont Highway, Harrington, Kent County.
734 Dexter Corner Road, Townsend, New Castle County
Zack Excavating also requests a permit amendment to operate one 300 TPH mobile crusher and one 300 TPH jaw crusher at 734 Dexter Corner Road, Townsend, Delaware. These crushers are permitted under Permit: APC-2013/0061-OPERATION and Permit: APC-2013/0119-OPERATION, respectively. Permitted emissions will not change due to the additional location.
A public hearing on the above application will NOT be held unless our agency Secretary receives a request for a hearing by **March 19**. For additional information or for an appointment to review the application, please contact Laura Bogus at (302) 739-9402; or visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2655&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTICE IS HEREBY GIVEN THAT THE DELAWARE SOLID WASTE AUTHORITY (DSWA) HAVING A FACILITY AT 28560 LANDFILL LANE IN GEORGETOWN, has submitted a request for a significant permit modification pursuant to 7 DE Admin. Code 1130, Section 7 for operating permit: AQM-005/000999(R-2) Revision 2. Based on the data and certifications contained in the application, the Division of Air Quality concludes that the applicant meets all applicable requirements promulgated by the Environmental Protection Agency (EPA) and our agency. Therefore a “draft/proposed” significant permit modification has been prepared. This “draft/proposed” significant permit modification will change the existing visible emission monitoring requirements for the LFG Specialties Combustion Flare in use at the DSWA Southern Solid Waste Management Center (SSWMC) in Georgetown. Visible emission observations for the flare will only be required during normal business hours. This “draft/proposed” significant permit modification will also allow for the operation of temporary solid waste grinders on site in addition to an existing solid waste grinder. A public hearing concerning the permitting action will not be held unless our agency Secretary receives a request for such hearing by **March 31**. To submit comments, for additional information or for an appointment to inspect the application, please contact Laura Bogus at (302)-739-9402; or visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2641&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTICE IS HEREBY GIVEN THAT JP MORGAN HAVING A FACILITY AT 501 BEAR CHRISTIANA ROAD has requested four federally enforceable 7 DE Admin. Code 1102 construction permits (Permit: APC-2015/0051, 0052, 0053, and 0054) for four 2.28 MW diesel fired generators equipped with selective catalytic reduction. Emissions from the four new generators and the eight existing generators will not exceed the existing facility-wide limits. Upon completion of construction, the Department will incorporate the operating conditions and limits of the 7 DE Admin. Code 1102 Construction permit into the facility’s existing Synthetic Minor permit (APC-2003/0285-OPERATION (Amendment 3) (SM)) via an Administrative Amendment. A public hearing will NOT be held unless our agency Secretary receives a request for a hearing regarding this application by **March 31**. To submit comments, for additional information or for an appointment to inspect the application, please contact Laura Bogus at (302)-739-9402; or visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2640&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTICE IS HEREBY GIVEN THAT MAGELLAN TERMINALS HOLDINGS, L.P. having a facility at 1050 Christina Avenue, Wilmington, Delaware, has submitted a request for a significant permit modification pursuant to 7 DE Admin. Code 1130, Section 7 for operating Permit: AQM-003/00291-RENEWAL 3. Based on the data and certifications contained in the application, the Division of Air Quality concludes that the applicant meets all applicable requirements promulgated by the Environmental Protection Agency (EPA) and the Department of Natural Resources and Environmental Control (DNREC). Therefore a “draft/proposed” significant permit modification has been prepared. This “draft/proposed” significant permit modification establishes a permit limit of 27.0 tons/year of volatile organic compounds (VOCs) for existing Tanks T-11 and T-12 combined, revises permit conditions to align with applicable Federal NSPS / NESHAP standards and deletes heaters H-1 and H-2 which have been removed from service. A public hearing concerning the permitting action will not be held unless our agency Secretary receives a request for such hearing by **April 3**. To submit comments, for additional information or for an appointment to inspect the application, please contact Laura Bogus at the Dover Office at 739-9402; or visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2652&Source>

[=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A](http://www.dnrec.delaware.gov/Lists/Public%20Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A)

SITE INVESTIGATION AND RESTORATION SECTION – The Division’s Site Investigation and Restoration Section (SIRS) is responsible for the identification, evaluation and remediation of sites in Delaware that have had past releases of hazardous substances. The Section manages the contaminated sites under three major programs in accordance with the Hazardous Substance Cleanup Act (HSCA). The three programs are the Brownfields Development Program, the Voluntary Cleanup Program (VCP) and the HSCA Enforcement Program (for sites requiring enforcement action).

FINAL PLAN OF REMEDIAL ACTION FOR THE 3022-3028 NEW CASTLE AVENUE SITE (DE-1577). The Department has adopted a plan regarding the clean-up of the 3022-3028 New Castle Avenue Site located in New Castle. The library parcel of the Site will be capped and an Environmental Covenant will be recorded for the property. The Site is currently owned by New Castle County, and will be the future location of a public library and innovation center. Our agency issued public notice of the Proposed Plan for the 3022-3028 New Castle Avenue Site on February 1. There were no comments or questions from the public regarding the Proposed Plan. The public may appeal this Final Plan by **March 30**. For additional information, please contact Kathryn Durant, Project Manager, or Robert Newsome, Public Information Officer, at (302) 395-2600; or visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2656&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

The Brownfields Development Program encourages the cleanup and redevelopment of vacant, abandoned or underutilized properties, which may be contaminated. A party seeking to develop such a property negotiates with SIRS for a **Brownfields Development Agreement (BDA)** to perform an investigation and, if necessary, a remedial action or remedy, for the purpose of addressing the risks posed by past releases of hazardous substances at these sites. However, a BDA is only available to parties that are not current site owners. The **Voluntary Cleanup Program (VCP) Agreement** is available to site owners, who want to clean up their sites and are already liable as a potentially responsible party for the site. Proposed and Final Plans of Remedial Action are available online at: <http://www.dnrec.delaware.gov/whs/awm/SIRB/Pages/SIRBPlans.aspx> under “Announcements.” For site-specific information, please see DNREC’s Environmental Navigator at <http://www.nav.dnrec.delaware.gov/DEN3>

AMENDED PROPOSED PLAN OF REMEDIAL ACTION FOR THE FORMER HOLLY OAK SUBSTATION (DE-1200) The Department invites public comment on a proposal to clean up the Former Holly Oak Substation located at the northeast corner of Delaware Avenue and Governor Printz Boulevard in the Holly Oak section south of Claymont. The 0.38-acre Site consists of a fenced lot with an open parking area in a residential area. The Site subsurface soil is contaminated with poly-nuclear hydrocarbon (PAHs) from former petroleum underground storage tanks (USTs) related to the Site’s former use as a substation. The comment period ends on **March 16**. For additional information, please contact Rick Galloway, Project Manager, or Robert Newsome, Public Information Officer, at (302) 395-2600, or visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2631&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTIFICATION OF NEGOTIATIONS FOR A BROWNFIELDS DEVELOPMENT AGREEMENT FOR THE AMER INDUSTRIAL TECHNOLOGIES SITE (DE-1268) The Site Investigation and Restoration Section (SIRS) is negotiating a BDA with Port Ventures, LLC regarding the Amer Industrial Technologies Site. Identified on the tax maps of New Castle County as tax parcel

numbers 06-156.00-003 and 26-039.00-004, the 25.38 acre Site may have had a release of hazardous substances as a result of past heavy industrial use. This notice expires **March 20**. Learn more about this Site by contacting Rick Galloway at

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2650&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTIFICATION OF NEGOTIATIONS AND PUBLIC COMMENT FOR A BROWNFIELDS DEVELOPMENT AGREEMENT FOR THE 20618 NORTH DUPONT BOULEVARD, GEORGETOWN SITE (DE-1601)

The Site Investigation and Restoration Section (SIRS) negotiated a BDA with Two Farms, Inc. regarding the 20618 North DuPont Boulevard, Georgetown Site. Identified on the tax maps of Sussex County as tax parcel numbers 135-14.15-3.00 through 5.00, the approximate 11.37 acre Site may have had a release of hazardous substances as a result of past use as gas station. The public comment period ends **March 23**. Please submit written comments to SIRS Project Manager, Wendy March at our SIRS office, 391 Lukens Drive, New Castle, DE 19720. Additional information can be found at:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2654&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

DIVISION OF WATER - Ground Water Discharges - On-Site Wastewater Treatment, Disposal System, and Underground Injection Control Permits - The Division of Water hereby gives notice that the applications below are available for inspection or copies may be obtained by contacting: Kathleen Saunders, Ground Water Discharges, 89 Kings Highway, Dover – 19901, or by calling (302) 739-9948.

Non-Hazardous Liquid Waste Transporters Permit

Eastern Shore Onsite Services LLC has applied to the Ground Water Discharges Section for a renewal of Non-Hazardous Liquid Waste Transporters Permit DE WH-143 which allows for the transport of septage to be disposed of at the Kent County Sewer System.

On-Site Wastewater Treatment and Disposal System Permit

Liborio L.P. has submitted a renewal application for an operation permit for an on-site wastewater treatment and disposal system for the Peddlers Village Shopping Center. The system has been designed to accommodate 11,205 gallons per day of wastewater. The site is located on the north side of Route 24 at the intersection of County Road 279 and County Road 277-A, Sussex County, tax parcel # 2-34-7.00-69.00.

On-Site Wastewater Treatment and Disposal System Permit

Randy Bauer has submitted a renewal application for an on-site wastewater treatment and disposal system for the Land of Randy S. Bauer. The system has been designed to accommodate 1,920 gallons per day of wastewater. The site is located at 6806 Whiteleysburg Road, Kent County, tax parcel # MN-169.00-01-25.00.

A public hearing on the above applications will NOT be held unless our agency Secretary determines that a public hearing is in the public interest or if a written meritorious objection to the application is received by **March 16**. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2648&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

Underground Injection Control (UIC) Permit

The DuPont Company [DuPont Stine Haskell Research Center], located at 1090 Elkton Road, Newark, New Castle County, has applied to the Ground Water Discharges Section for a renewal of their current Underground Injection Control (UIC) permit, for the operation of 17 injection points (steam traps in the form of dry wells) for discharging infiltrated rainwater and steam condensate from various process boilers at the facility. The Company is renewing their UIC Permit for another five (5) years. A public hearing will NOT be held unless our agency Secretary

determines that a public hearing is in the public interest or if a written meritorious objection to the application is received by **March 31**. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2649&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

DIVISION OF WATER - SURFACE WATER DISCHARGES – The Division of Water hereby gives notice that the following permit applications have been received. For additional information or to inspect the applications below, please contact Molly Mackil, Surface Water Discharges Section - Division of Water, 89 Kings Highway, Dover, DE 19901, (302) 739-9946

Wastewater Facilities Construction Permit Application

Artesian Wastewater Management, Inc. to construct approximately 20,200 linear feet of eight (8") inch, ten (10") inch and fourteen (14") inch diameter primary and spare force mains to transport waste flows from the Heron Bay (residential subdivision) force main to the Independence (residential subdivision) force main and to plan for other future activities. The force mains will be generally located along Indian Mission Road (DE Route 5), beginning approximately 1,300' south of the George Washington Avenue intersection; north along Indian Mission Road; along Beaver Dam Road (Sussex County Road 285) approximately 1.3 miles; through the future Woodridge residential subdivision; along Green Grove Court and Woodgate Drive in the Woodgate residential subdivision; across Stockley Road; along Fortune Circle; along Marsh Creek Court and ending at West Barrier Reef Boulevard in the Heron Bay residential subdivision in Sussex County. A public hearing concerning the above application will NOT be held unless our agency Secretary determines that a hearing is in the public interest or if a written meritorious request for a hearing is received by **March 19**. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2653&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

DIVISION OF WATER - WATER SUPPLY - The Division of Water hereby gives notice that the following well permit application has been received. A public hearing on the applications below will NOT be held unless our agency Secretary determines that a public hearing is in the public interest or if a written meritorious objection to the application is received by **March 23**. Please contact Allison Diggins at (302) 739-9945 or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2658&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

Well Permits

Collin Acres Farms, LLC has requested an irrigation allocation for their farming operations. They have 15 wells that are located southwest of Millsboro in Sussex County. The requested daily withdrawal is 18,790,000 gallons per day.

The Delaware Department of Transportation proposes to construct a stream diversion on Tidbury Creek at the Dundee Rd crossing in Woodside, Kent County. The proposed withdrawal is 2,016,000 gallons per day, for a period of 30 days.

DIVISION OF WATER - WETLANDS AND SUBAQUEOUS LANDS SECTION – The Division of Water hereby gives notice that the applications below are available for inspection or copies may be obtained by contacting: Gayle Calder, Wetlands and Subaqueous Lands Section, 89 Kings Highway, Dover – 19901, or by calling (302) 739-9943. A public hearing on the applications below will NOT be held unless our agency Secretary determines that a public hearing is in the public interest, or if a written meritorious objection to the application is received by **March 17**. For additional information, please visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2635&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeId=0x010034FD6D348B0CF04392485E93FC15AB3A>

Subaqueous Lands Lease Application

Donald Reid (Tax Parcel #334-13-1305) To install a new 4 by 6 foot pier, 6 by 40 foot fixed dock with a boatlift and PWC lift, a 6 by 15 foot floating dock and 25 linear feet of rip-rap in the Lewes and Rehoboth Canal at 46 Eleanor Lee Lane East, Canal Corkran, Rehoboth Beach in Sussex County

Gills Neck Realty (Tax Parcel #335-9-1) To install a boatlift with four pilings, a 3 by 16 foot gangway and a 6 by 30 foot floating dock adjacent to an existing dock in the Lewes and Rehoboth Canal at 15841 Gills Neck Road, Lewes in Sussex County

Subaqueous Lands Permit Application

Mark Clavier (3-34-19.00-919.00) To remove a structure and install a 5 by 28 foot long pier, a 6 by 25 foot long dock, and a boat lift with 4 pilings in Bald Eagle Canal at Lot 23, Block 7 Kings Bridge Road, Rehoboth Beach Yacht and Country Club, Rehoboth Beach in Sussex County

John Elliott (5-33-12.16-78.00) To install an elevator style boat lift and a single piling PWC lift in an artificial lagoon at 36971 Mallard Drive, Swann Keys, Selbyville in Sussex County

Subaqueous Lands Permit and Wetlands Application

Delaware Department of Transportation - (DeIDOT right of way - east of Tax Parcel 5-16-16300-01-0100-00001) To widen a road from one to two lanes, to include filling and grading 4,110 square feet and temporarily impacting 1,020 square feet of State-regulated wetlands and to extend a culvert by 8 feet in a tributary to Swan Creek at an extension to Carpenters Pit Road, located immediately south of New Wharf Road and Big Stone Beach Road in Milford, Kent County

Subaqueous Lands Water Quality Application

Delaware River & Bay Authority - To install a bridge protection system, consisting of eight 80 foot diameter steel sheet pile cells in the Delaware River at the Delaware Memorial Bridge in New Castle County

CONTACT INFORMATION

24-Hour Report and Spill Notification Line - 1-800-662-8802

Aboveground Storage Tanks - 302-395-2500

Air Quality - New Castle Office - 302-323-4542

Air Quality – Kent & Sussex – 302-739-9402

Asbestos New Castle - 302-323-4542

Asbestos Kent & Sussex - 302-739-9402

Biosolids Permits - 302-739-9946

Boiler Safety - 302-744-2735

Brownfields - 302-395-2600

Delaware Estuary Program - 302-739-9283 (Delaware Coastal Management Program)

Division of Air Quality Director's Office - 302-739-9402

Division of Waste and Hazardous Substances Director's Office - 302-739-9400

Division of Water Information - 302-739-9950

Dock/Dredging/Bulkheads/Rip-Rap/Wetlands & Subaqueous Lands - 302-739-9943

Emergency Prevention and Response - 302-739-9404

Environmental Crimes Unit - 302-739-9401 or 1-800-662-8802

Environmental Laboratory - 302-739-9942

Hazardous Waste - 302-739-9403

Industrial Stormwater Permits - 302-739-9946

Loans & Grants for Wastewater and Septic's (Financial Assistance Branch) - 302-739-9941
Medical Waste - 302-739-9403
Non-Hazardous Liquid Waste Transporters - 302-739-9948
On-site Wastewater Licensing Program - 302-739-9948
Open Burning - 302-739-9402
Outreach Ombudsman - 302-395-2600
Recycling - 302-739-9403
Septic System Permits - Large Systems (Community & I/A) Statewide - 302-739-9948
Septic System Permits - Small Systems for Kent & New Castle Counties - 302-739-9947
Septic System Permits - Small Systems for Sussex County & Holding Tank Compliance Program
302-856-4561
Site Investigation & Restoration Section (Superfund/Brownfields) - 302-395-2600
Solid Waste - 302-739-9403
Source Water Protection - 302-739-9945
Surface Water Discharge Permits (NPDES) - 302-739-9946
Underground Injection Control & Spray Irrigation - 302-739-9948
Underground Storage Tanks - 302-395-2500
Wastewater Collection, Conveyance and/or Treatment Facility Construction Permits - 302-739-9946
Wastewater Treatment Facility Operators - 302-739-9946
Water Allocation Permits - 302-739-9945
Water Testing - Drinking Water (Division of Public Health) - 302-741-8630
Water Supply - 302-739-9945
Well Driller's License - 302-739-9944
Well Permits & Licensing - 302-739-9944
Wells - 302-739-9944
Wetlands and Subaqueous Lands Section - 302-739-9943