

The biweekly E-News Update features current information on the Divisions of Air Quality (DAQ), Waste and Hazardous Substances (WHS), and Water regarding public meetings, workshops, hearings, and regulatory documents available for public comment, as well as general news updates. For those of you who are receiving the E-News Update for the first time, the subscription is FREE!

Please sign up at: <http://www.dnrec.delaware.gov/Pages/DNRECLists.aspx> under "Division of Waste & Hazardous Substances Lists." There is no form to fill out; it's done in three clicks!

Suggestions? Additions? Please call Caroline Miller Horton at 302-739-9400, or send an email to caroline.miller-horton@state.de.us

Published by the Divisions of Air Quality, Waste and Hazardous Substances, and Water.

Visit us at: www.awm.delaware.gov

SECRETARY'S ORDERS

Secretary's Order No. 2018-W-0015

RE: This Conciliation Order by Consent and Secretary's Order reflects the mutual effort by Perdue Foods and DNREC to attain compliance with 7 Del. C. Chapter 60 by conciliation pursuant to 7 Del. C. §6005(b)(2)

UPCOMING AIR, WASTE, & WATER-RELATED HEARINGS, MEETINGS, & EVENTS

RGGI Review Committee Meeting

DNREC Division of Air Quality / Air Quality / Natural Resources and Environmental Control
On December 17, 2017, the RGGI participating states released the updated Model Rule and concluded the regional process of RGGI program review. As part of our process, DNREC will establish a review committee to help tailor the RGGI Model Rule to Delaware. The review committee will be made up of DNREC personal, persons with environmental interests, and our RGGI Power Plant owners and operators. You or a designee are cordially invited to participate as a member of this committee, **March 21 at 10:00 AM**, Department of Natural Resources & Environmental Control, 100 W Water St, Dover DE 19904. Contact Valerie Gray, 302-739-9402, valerie.gray@state.de.us. You may also visit: <https://publicmeetings.delaware.gov/Meeting/59402>

Underground Storage Tank Advisory Committee Meeting

DNREC Division of Waste and Hazardous Substances / Waste and Hazardous Substances / Natural Resources and Environmental Control. The purpose of the USTAC is for the Department to exchange ideas with and solicit feedback from stakeholders on different matters concerning underground storage tanks in Delaware. **March 28 at 10:00 AM**, Department of Natural Resources & Environmental Control, 391 Lukens Drive, New Castle DE 19720. Contact Alex Rittberg, alex.rittberg@state.de.us, 302-395-2500 or visit: <https://publicmeetings.delaware.gov/Meeting/57207>

Legal Notice - Public input sought on Volkswagen Environmental Mitigation Plan

Public meeting set for Wednesday, March 28 in Dover

DOVER (March 28, 2018) – Delaware anticipates receiving approximately \$9.6 million from an Environmental Mitigation Trust established through partial settlements of lawsuits against Volkswagen and Audi for installing emissions "defeat devices" on certain vehicles in violation of the federal Clean Air Act. The Division of Air Quality will hold a meeting on Delaware's Proposed Environmental Mitigation Plan. The meeting is set for Wednesday, **March 28** in the R&R Auditorium in Dover. The meeting begins at 6:00 p.m. at the Richardson & Robbins Building, 89 Kings Highway, Dover, DE 19901. The meeting is intended to generate public comment on the Department's Proposed Volkswagen Environmental Mitigation Plan and to determine how the funds might be used to improve Delaware's air quality.

Comments and concerns will be considered during the meeting and may be submitted online to

the VW Mitigation mailbox at VW_Mitigation_Plan@state.de.us through Friday, April 27. After public comment has been considered and/or incorporated into Delaware's plan, the Department anticipates its first request for settlement funds later this summer.

Further information on the Volkswagen Environmental Mitigation Plan is available on the DNREC website: <http://www.dnrec.delaware.gov/air/Pages/VWMitigationPlan.aspx>

Division of Air Quality, 100 W. Water Street, Suite 6A, Dover, DE 19904

THIS IS THE ONLY TIME THIS NOTICE WILL APPEAR

You may also

visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=4130&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeId=0x010034FD6D348B0CF04392485E93FC15AB3A>

Board of Certification for Wastewater Operators Monthly Meeting

DNREC Division of Water / Water / Natural Resources and Environmental Control

Regular Monthly Meeting of the Board of Certification for Wastewater Operators.

April 03 at 09:00 AM, Richardson & Robbins Building, 89 Kings Hwy, Dover DE 19901. Contact Faye Wheeler, 302-739-9946, faye.wheeler@state.de.us or

visit: <https://publicmeetings.delaware.gov/Meeting/50799>

On-Site Systems Advisory Board

DNREC Division of Water / Water / Natural Resources and Environmental Control

Monthly Meeting, **April 04 at 9:15 AM**, Richardson & Robbins Building, 89 Kings Hwy, Dover DE 19901. Contact Dawn Dryden, 302-739-9948, dawn.dryden@state.de.us or

visit: <https://publicmeetings.delaware.gov/Meeting/56666>

Water Well Licensing Board

DNREC Division of Water / Water / Natural Resources and Environmental Control

Board Meeting, Richardson & Robbins Building **April 10 at 9:30 AM**, 89 Kings Hwy, Dover DE 19901. Contact Sarah Silves, 302-739-9944, sarah.silves@state.de.us or

visit: <https://publicmeetings.delaware.gov/Meeting/56810>

Legal Notice – Public Hearing

Notice is hereby given that Denali Water Solutions has applied to the Groundwater Discharges Section for an amendment to their State of Delaware Non-Hazardous Liquid Waste Transporters Permit DE OH-601 to include transporting other non-sanitary wastewater to the Allen Harim Harbeson Processing Facility Wastewater Treatment Plant. Pursuant to 7 Delaware Code, Chapter 60, Section 6006, the Department will conduct a public hearing concerning the amendment application on Wednesday, **April 11 at 7:00 P.M.** in the Milton Public Library, 121 Union Street, Milton, DE. The Department solicits the views of interested parties with respect to this application. Statements and testimony may be presented orally or in written form at the hearing. It is requested that those interested in presenting statements register in advance by mailing their written statements within twenty (20) days from the date of this notice addressed to the presiding hearing officer via email (Robert.Haynes@state.de.us) or via mail to Robert P. Haynes, Esq., Office of the Secretary, Department of Natural Resources and Environmental Control, 89 Kings Highway, Dover, DE 19904. Persons who want to speak at the public hearing should register with the Mr. Haynes no later than one day before the public hearing, via email or mail. The pre-registration will determine the order of speakers.

The application and supporting documents may be inspected by appointment at the office of the Division of Water, Groundwater Discharges Section, 89 Kings Highway, Dover, Delaware, 19901. For an appointment to inspect the application, please contact Katharyn Potter via email at kathy.potter@state.de.us or (302) 739-9948. For more information

visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=4131&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeId=0x010034FD6D348B0CF04392485E93FC15AB3A>

Legal Notice – Public Hearing

Notice is hereby given that Clark's Environmental Services (dba Chesapeake Environmental

Services LLC) has applied to the Groundwater Discharges Section for an amendment to their State of Delaware Non-Hazardous Liquid Waste Transporters Permit DE WH-213 to include transporting sludge to the Allen Harim Harbeson Processing Facility Wastewater Treatment Plant. Pursuant to 7 Delaware Code, Chapter 60, Section 6006, the Department will conduct a public hearing concerning the amendment application on Wednesday, **April 11 at 6:00 P.M.** in the Milton Public Library, 121 Union Street, Milton, DE.

The Department solicits the views of interested parties with respect to this application. Statements and testimony may be presented orally or in written form at the hearing. It is requested that those interested in presenting statements register in advance by mailing their written statements within twenty (20) days from the date of this notice addressed to the presiding hearing officer via email (Robert.Haynes@state.de.us) or via mail to Robert P. Haynes, Esq., Office of the Secretary, Department of Natural Resources and Environmental Control, 89 Kings Highway, Dover, DE 19904. Persons who want to speak at the public hearing should register with the Mr. Haynes no later than one day before the public hearing, via email or mail. The pre-registration will determine the order of speakers. The application and supporting documents may be inspected by appointment at the office of the Division of Water, Groundwater Discharges Section, 89 Kings Highway, Dover, Delaware, 19901. For an appointment to inspect the application, please contact Katharyn Potter via email at kathy.potter@state.de.us or (302) 739-9948. For more information

visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=4132&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

DIVISION OF AIR QUALITY

OPT-IN! THE DELAWARE DIVISION OF AIR QUALITY (DAQ) is committed to working with citizens to continuously optimize Delaware's air quality and protect public health, welfare, and the environment. To determine that the DAQ is meeting the air quality needs of the citizens across the state, we encourage you to participate in our opt-in list. In the future you will receive surveys that will allow us to analyze our performance. You can access the opt-in list by clicking: https://survey.co1.qualtrics.com/jfe/form/SV_1RGZGUy8fSuqkB

AIR QUALITY PERMITTING PROGRAM – Notice has been given that the facilities listed below have submitted applications for air quality management permits. The applications, the “draft/proposed” permits, all materials that the applicant has submitted (other than those granted confidential treatment under DNREC rules), and a copy of summary of other materials, if any, considered in preparing the “draft/proposed” permit, may be inspected at the offices of the Division of Air Quality, 100 W. Water Street, Suite 6A, Dover, 19904. **All comments and public hearing requests** should be mailed to the following address: DIVISION OF AIR QUALITY, 100 W. Water Street, Suite 6A, Dover 19904. To submit comments, for additional information, or for an appointment to inspect the application, please contact Tracy Mattson at (302) 739-9402.

Federally Enforceable 7 DE Admin Code 1102 Applications

Notice is hereby given that DuPont Chestnut Run Plaza having a facility at 974 Centre Road, Wilmington, Delaware, has requested a federally enforceable 7 DE Admin. Code 1102 construction permits [Permits: APC-1982/0508-C(A3) for Boiler C-3 & APC-1982/0509-C(A4) for Boiler C-4] for to replace the existing stack used for two boilers and to construct individual stack for each boiler. This modification will not change current permitted air pollutant emissions and operation limitations.

Upon completion of construction, the Department will incorporate the operating conditions and limits of the 7 DE Admin. Code 1102 Construction permit into the facility's existing Title V permit (Permit: AQM-003/00126(Renewal 3) via an Administrative Amendment.

The application, the “draft/proposed” construction permit, all materials that the applicant has submitted (other than those granted confidential treatment under DNREC rules), and a copy of summary of other materials, if any, considered in preparing the “draft/proposed” permit may be inspected at the offices of the Division of Air Quality, State Street Commons, 100 W. Water Street, Suite 6A, Dover, Delaware and 715 Grantham Lane, New Castle, Delaware. To submit

comments, for additional information or for an appointment to inspect the application, please contact Tracy Mattson at the Dover Office at 739-9402.

The "draft/proposed" construction permit is being submitted to EPA for concurrent processing. If there are no significant comments, the "draft/proposed" construction permit will be issued as a final permit after the expiration of the EPA review period.

A public hearing on the above application will NOT be held unless the Secretary of DNREC receives a request for a hearing regarding that application within 30 days from the date of this notice, ending **March 20**. A request for a hearing shall be in writing. The request must also show a familiarity with the application and a reasoned statement of the permit's probable impact.

All comments and public hearing requests should be mailed to the following address:

DIVISION OF AIR QUALITY, STATE STREET COMMONS, 100 W. WATER STREET, SUITE 6A DOVER, DE 19904, (302) 739-9402. For more information

visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=4098&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeId=0x010034FD6D348B0CF04392485E93FC15AB3A>

LEGAL NOTICE - 7 DE Admin. Code 1102 NATURAL MINOR PERMIT APPLICATIONS

Notice has been given that:

Mountaire Farms of Delaware, Inc., requests a construction permit to replace two (2) existing baghouses with two (2) new reverse air flow baghouses for Receiving Pits 1 and 3 at their 29106 John J. Williams Hwy, Millsboro, Sussex County facility. Permitted emissions will not change. Each baghouse will be permitted to emit 0.005 TPY PM10 and 0.034 TPY PM by Permit# APC-1987/020-CONSTRUCTION (Amendment 4) and Permit# APC-2014/0092-CONSTRUCTION (Amendment 1). The application for this permit may be reviewed at the offices of the Division of Air Quality, State Street Commons, 100 W. Water Street, Suite 6A, Dover, Delaware or 715 Grantham Lane, New Castle, Delaware. For additional information or for an appointment to review the application, please contact Tracy Mattson at (302) 739-9402.

A public hearing on any of the above applications will NOT be held unless the Secretary of DNREC receives a request for a hearing regarding that application within 15 days from the date of this notice, ending **March 22**. A request for a hearing shall be in writing. The request must also show a familiarity with the application and a reasoned statement of the permit's probable impact. All comments and public hearing requests should be mailed to the following address: DIVISION OF AIR QUALITY, STATE STREET COMMONS 100 W. WATER STREET, SUITE 6A DOVER, DE 19904, (302) 739-9402. For more information

visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=4122&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeId=0x010034FD6D348B0CF04392485E93FC15AB3A>

LEGAL NOTICE - 7 DE Admin. Code 1102 NATURAL MINOR PERMIT APPLICATIONS

Notice has been given that: Walan Specialty Construction Products, LLC, requests a permit to construct a slag grinding, drying, and processing facility at their 501 Christiana Avenue, Wilmington, Delaware facility. The processing facility will be permitted to emit 1.037 lbs/hr and 2.59 tons/year Particulate Matter (PM10), 0.04 lb/hr and 0.10 ton/year Volatile Organic Compounds (VOCs), 0.724 lb/hr and 1.81 tons/year Nitrogen Oxide (NOX), 0.004 lb/hr and 0.011 ton/year Sulfur Dioxide (SO2), and 0.608 lb/hr and 1.52 tons/year Carbon Monoxide (CO) by Permit# APC-2018/0053-CONSTRUCTION.

The application for this permit may be reviewed at the offices of the Division of Air Quality, State Street Commons, 100 W. Water Street, Suite 6A, Dover, Delaware or 715 Grantham Lane, New Castle, Delaware. For additional information or for an appointment to review the application, please contact Tracy Mattson at (302) 739-9402.

A public hearing on any of the above applications will NOT be held unless the Secretary of DNREC receives a request for a hearing regarding that application within 15 days from the date of this notice, ending **March 26**. A request for a hearing shall be in writing. The request must also show a familiarity with the application and a reasoned statement of the permit's probable impact. All comments and public hearing requests should be mailed to the following address: DIVISION OF AIR QUALITY, STATE STREET COMMONS 100 W. WATER STREET, SUITE

6A, DOVER, DE 19904, (302) 739-9402. For more information

visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=4137&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeId=0x010034FD6D348B0CF04392485E93FC15AB3A>

LEGAL NOTICE - 7 DE Admin. Code 1102 NATURAL MINOR PERMIT APPLICATIONS

Notice has been given that:

The Delaware Solid Waste Authority (DSWA), requests a construction permit (Permit: APC-2018/0072-CONSTRUCTION) to expand the existing landfill gas management system at the Central Solid Waste Management Center located at 1107 Willow Grove Rd, in Sandtown. This expansion will allow continuous landfill gas collection from Area F of the landfill.

The application for this permit may be reviewed at the offices of the Division of Air Quality, State Street Commons, 100 W. Water Street, Suite 6A, Dover, Delaware or 715 Grantham Lane, New Castle, Delaware. For additional information or for an appointment to review the application, please contact Tracy Mattson at (302) 739-9402.

A public hearing on any of the above applications will NOT be held unless the Secretary of DNREC receives a request for a hearing regarding that application within 15 days from the date of this notice, ending **March 26**. A request for a hearing shall be in writing. The request must also show a familiarity with the application and a reasoned statement of the permit's probable impact. All comments and public hearing requests should be mailed to the following address:

DIVISION OF AIR QUALITY, STATE STREET COMMONS 100 W. WATER STREET, SUITE 6A DOVER, DE 19904, (302)739-9402. For more information

visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=4134&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeId=0x010034FD6D348B0CF04392485E93FC15AB3A>

7 DE Admin. Code 1102 NATURAL MINOR PERMIT APPLICATIONS

Notice has been given that: Perdue AgriBusiness, Inc. requests a permit to construct two (2) new grain storage bins with associated receiving and loadout operations, increase the throughput of grain, and allow for the receipt of grain via barge on the Nanticoke River at their 1001 Nanticoke Avenue facility in Seaford in Sussex County. The grain elevator will be permitted to emit 75.5 tons per year (TPY) of particulate matter (PM), 32.4 TPY of particulate matter less than 10 microns (PM10), and 5.2 TPY of particulate matter less than 2.5 microns (PM2.5) by Permit: APC-1997/0549 & 0550-CONSTRUCTION (Amendment 4). This is an increase of 55.8 TPY of PM, 22.1 TPY of PM10, and 3.5 TPY of PM2.5 from the current permit issued at this site. The increase in emission is due largely to the fact that various sources of emissions from this facility were previously unaccounted for in the permit.

The application for this permit may be reviewed at the offices of the Division of Air Quality, State Street Commons, 100 W. Water Street, Suite 6A, Dover, Delaware or 715 Grantham Lane, New Castle, Delaware. For additional information or for an appointment to review the application, please contact Tracy Mattson at (302) 7399402.

A public hearing on any of the above applications will NOT be held unless the Secretary of DNREC receives a request for a hearing regarding that application within 15 days from the date of this notice, ending **March 26**. A request for a hearing shall be in writing. The request must also show a familiarity with the application and a reasoned statement of the permit's probable impact. All comments and public hearing requests should be mailed to the following address:

DIVISION OF AIR QUALITY, STATE STREET COMMONS 100 W. WATER STREET, SUITE 6A, DOVER, DE 19904, (302) 739-9402. For more information

visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=4128&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeId=0x010034FD6D348B0CF04392485E93FC15AB3A>

LEGAL NOTICE - 7 DE Admin. Code 1102 NATURAL MINOR PERMIT APPLICATIONS

Notice has been given that: JP Morgan Chase Bank, requests a permit to operate a 749 horsepower emergency generator at their 301 North Walnut Street, Wilmington facility. By Permit: APC-2018/0070-Construction/Operation, the emergency generator will be permitted to emit 4.5 tpy of NOx, 1.03 tpy of CO, 0.002 tpy of SOx, 0.13 tpy of PM, and 0.13 tpy of THC.

The application for this permit may be reviewed at the offices of the Division of Air Quality, State Street Commons, 100 W. Water Street, Suite 6A, Dover, Delaware or 715 Grantham Lane, New Castle, Delaware. For additional information or for an appointment to review the application, please contact Tracy Mattson at (302) 739-9402.

A public hearing on any of the above applications will NOT be held unless the Secretary of DNREC receives a request for a hearing regarding that application within 15 days from the date of this notice, ending **March 26**. A request for a hearing shall be in writing. The request must also show a familiarity with the application and a reasoned statement of the permit's probable impact. All comments and public hearing requests should be mailed to the following address: DIVISION OF AIR QUALITY, STATE STREET COMMONS 100 W. WATER STREET, SUITE 6A, DOVER, DE 19904, (302) 739-9402. For more information

visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=4133&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

LEGAL NOTICE - 7 DE ADMIN. CODE 1102 NATURAL MINOR PERMIT APPLICATIONS

Notice has been given that: The City of Dover McKee Run Generating Station has requested permission for the temporary operation of two (2) diesel-fired generators, rated 500 kW (670.5 HP) at 880 Buttner Place in Dover, Delaware. The engines used in the generator sets are certified to meet the 40 CFR 89, Non-Road Tier 2 emission standards. The engines will be used to provide lights and power to specific equipment necessary for the safety of employees at the facility while performing power plant maintenance activities that cannot be performed when the plant is connected to the grid. The work is expected to be completed within two (2) weeks after which the generators will be removed from site. During this time the generators will be permitted under Permit: APC-2018/0073 & 0074-CONSTRUCTION/OPERATION to emit up to a combined 14.11 pounds per hour and 2.37 tons of combined nonmethane hydrocarbons and nitrogen oxides (NMHC + NOX), 0.44 pounds per hour and 0.07 tons of particulate matter (PM), and 7.72 pounds per hour and 1.30 tons of carbon monoxide (CO).

The application for this permit may be reviewed at the offices of the Division of Air Quality, State Street Commons, 100 W. Water Street, Suite 6A, Dover, Delaware or 715 Grantham Lane, New Castle, Delaware. For additional information or for an appointment to review the application, please contact Tracy Mattson at (302) 739-9402.

A public hearing on any of the above applications will NOT be held unless the Secretary of DNREC receives a request for a hearing regarding that application within 15 days from the date of this notice, ending Monday, **March 26**. A request for a hearing shall be in writing. The request must also show a familiarity with the application and a reasoned statement of the permit's probable impact. All comments and public hearing requests should be mailed to the following address: DIVISION OF AIR QUALITY, STATE STREET COMMONS 100 W. WATER STREET, SUITE 6A, DOVER, DE 19904, (302) 739-9402. For more information

visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=4129&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

Title V Permit Renewal Applications

Notice is hereby given that Delaware Department of Veterans Affairs Medical Center having a facility at 1601 Kirkwood Highway, Wilmington, Delaware, has submitted a request for a permit renewal pursuant to 7 DE Admin. Code 1130, Section 7 for operating permit: AQM-003/00077-Renewal 4. Based on the data and certifications contained in the application, the Division of Air Quality concludes that the applicant meets all applicable requirements promulgated by the Environmental Protection Agency (EPA) and the Department of Natural Resources and Environmental Control (DNREC). Therefore a "draft/proposed" permit renewal has been prepared. This "draft/proposed" permit renewal incorporates changes to the sulfur in fuel requirements and limitations on the testing and maintenance requirements for the emergency generators in addition to addressing any and all administrative duties associated with renewing the existing Title V Operating Permit.

The application, the "draft/proposed" permit renewal, AQM-003/00077-Renewal 4, all materials that the applicant has submitted (other than those granted confidential treatment under DNREC rules), and a copy of summary of other materials, if any, considered in preparing the "draft/proposed" permit renewal may be inspected at the offices of the Division of Air Quality, State Street Commons, 100 W. Water Street, Suite 6A, Dover, Delaware and 715 Grantham Lane, New Castle, Delaware. To submit comments, for additional information or for an appointment to inspect the application, please contact Tracy Mattson at the Dover Office at 739-9402.

The "draft/proposed" permit renewal is being submitted to EPA for concurrent processing. If there are no significant comments, the "draft/proposed" permit renewal will be issued as a final permit after expiration of the EPA review period.

A public hearing concerning the permitting action will not be held unless the Secretary of the Department of Natural Resources and Environmental Control receives a request for such hearing within thirty (30) days from the date of this notice, ending **March 27**. A request for a hearing shall be in writing and must show a familiarity with the application and a reasoned statement of the permit renewal's probable impact.

DIVISION OF AIR QUALITY, STATE STREET COMMONS 100 W. WATER STREET, SUITE 6A DOVER, DE 19904, (302) 739-9402. You may also

visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=4108&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeId=0x010034FD6D348B0CF04392485E93FC15AB3A>

Title V Permit Renewal Applications

Notice is hereby given that Delaware State University having a facility at 1200 N DuPont Highway, Dover, Delaware, has submitted a request for permit renewal pursuant to 7 DE Admin. Code 1130, Section 7 for operating Permit: AQM-001/00066-Renewal 4. Based on the data and certifications contained in the application, the Division of Air Quality concludes that the applicant meets all applicable requirements promulgated by the Environmental Protection Agency (EPA) and the Department of Natural Resources and Environmental Control (DNREC). Therefore a "draft/proposed" permit renewal has been prepared. This "draft/proposed" permit renewal allows for the operation of 43 boilers, 2 space heaters, 18 emergency generators, 17 underground and 1 above ground fuel oil storage tanks.

The application, the "draft/proposed" permit renewal Permit: AQM-001/00066-Renewal 4, all materials that the applicant has submitted (other than those granted confidential treatment under DNREC rules), and a copy of summary of other materials, if any, considered in preparing the "draft/proposed" permit renewal may be inspected at the offices of the Division of Air Quality, State Street Commons, 100 W. Water Street, Suite 6A, Dover, Delaware and 715 Grantham Lane, New Castle, Delaware. To submit comments, for additional information or for an appointment to inspect the application, please contact Tracy Mattson at the Dover Office at 739-9402. The "draft/proposed" permit renewal is being submitted to EPA for concurrent processing. If there are no significant comments, the "draft/proposed" permit renewal will be issued as a final permit after expiration of the EPA review period.

A public hearing concerning the permitting action will not be held unless the Secretary of the Department of Natural Resources and Environmental Control receives a request for such hearing within thirty (30) days from the date of this notice, ending **April 10**. A request for a hearing shall be in writing and must show a familiarity with the application and a reasoned statement of the permit renewal's probable impact.

DIVISION OF AIR QUALITY, STATE STREET COMMONS 100 W. WATER STREET, SUITE 6A, DOVER, DE 19904, (302) 739-9402. For more information

visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=4125&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeId=0x010034FD6D348B0CF04392485E93FC15AB3A>

DIVISION OF WASTE AND HAZARDOUS SUBSTANCES

SOLID AND HAZARDOUS WASTE MANAGEMENT SECTION - The Solid and Hazardous Waste Management Section (SHWMS) hereby gives notice that a permit application has been received from the following companies to transport regulated RCRA hazardous and/or non-hazardous solid wastes in, out of, or through the State of Delaware. The renewal application and associated documents are available for review during business hours at our agency Solid & Hazardous Waste Management Section office at 89 Kings Highway, Dover and also at our Lukens Drive office at 391 Lukens Drive in Wilmington.

LEGAL NOTICE - REG. 2 PERMITS APPLICATIONS

Notice is hereby given that applications have been filed by Two Farms, Inc., for a construction/operating permit for a Stage I EVR vapor recovery system, at their facility located 5018 Summit Bridge Rd, Middletown, DE in New Castle County.

The application may be inspected at the office of the Tank Management Section, 391 Lukens Drive, New Castle, Delaware. For additional information or an appointment to inspect the application, please contact: Jennifer Vavala, Division of Waste and Hazardous Substances Tank Management Section, 391 Lukens Drive, New Castle, DE 19720, (302) 395-2500

A public hearing on the above applications will NOT be held unless the Secretary of DNREC receives a request within 15 days from the date of this notice. A request for a hearing shall be in writing and must also show a familiarity with the application and a reasoned statement of the permit's probable impact. **THIS IS THE ONLY LEGAL NOTICE TO APPEAR.** For more information

visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=4126&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeId=0x010034FD6D348B0CF04392485E93FC15AB3A>

SITE INVESTIGATION AND RESTORATION SECTION (SIRS) is responsible for the identification, evaluation, and remediation of sites in Delaware that have had past releases of hazardous substances. The section manages the contaminated sites under three major programs in accordance with the Hazardous Substance Cleanup Act (HSCA). The three programs are the **Brownfields Development Program, the Voluntary Cleanup Program (VCP), and the HSCA Enforcement Program** (for sites requiring enforcement action).

The Brownfields Development Program encourages the cleanup and redevelopment of either the entire property, the expansion of the property, or the reuse of the property which may be hindered by the reasonable held belief that the property may be contaminated. A party seeking to develop such a property negotiates with SIRS for a **Brownfields Development Agreement (BDA)** to perform an investigation and, if necessary, a remedy, for the purpose of addressing the risks posed by past releases of hazardous substances at these sites. However, a BDA is only available to parties that are not current owners or operators of the site. The **Voluntary Cleanup Program (VCP) Agreement** is available to site owners who want to clean up their sites and are already liable as a potentially responsible party for the site.

NOTIFICATION OF PUBLIC COMMENT FOR A BROWNFIELD DEVELOPMENT AGREEMENT FOR THE 516 NORTH KING STREET & ALICO ROAD SITE (DE-0371)

Pursuant to the Hazardous Substance Cleanup Act (HSCA), 7 Del. C. Chapter 91, §9126, the Department of Natural Resources and Environmental Control (DNREC) is required to issue a public notice within twenty days after entering into negotiations for a Brownfield Development Agreement (BDA). A BDA is an agreement between DNREC and a Brownfield developer with respect to a Certified Brownfield Site that sets forth a scope of work and schedule of remedial activities during the development of the Site.

DNREC's Site Investigation and Restoration Section (DNREC-SIRS) negotiated a BDA with the State of Delaware, Office of Management and Budget's Division of Facilities Management regarding the 516 North King Street & Alico Road Site in Wilmington.

Identified by New Castle County as tax parcel numbers 26-035.40-084 and 26-035.40-157, the Site may have had a release of hazardous substances as result past use containing historical fill. For more information, please see DNREC's navigator at

<http://www.nav.dnrec.delaware.gov/DEN3>.

The public comment period begins Monday, March 5, 2018 and will close at the end of the

business day (4:30 p.m.) on Monday, **March 26**. Please submit written comments to the DNREC-SIRS Project Manager, Morgan McGee-Solomon at DNREC-SIRS, 391 Lukens Drive, New Castle, DE 19720. A copy of the BDA is available at the office of DNREC – SIRS or by accessing the DNREC-SIRS' site files database. Learn more about this Site and other Brownfields sites by accessing DNREC-SIRS' web page at <http://www.awm.delaware.gov/SIRB/Pages/Brownfields.aspx> or by contacting the DNREC-SIRS Project Manager, Morgan McGee-Solomon at (302) 395-2600 or morgan.mcgee-solomon@state.de.us. You may also

visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=4113&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeId=0x010034FD6D348B0CF04392485E93FC15AB3A>

LEGAL NOTICE - NOTIFICATION OF NEGOTIATIONS CONCERNING A VOLUNTARY AGREEMENT FOR THE 610 WEST 7TH STREET, NEW CASTLE SITE (DE-1474)

Pursuant to the June 2000 amendment to the Hazardous Substance Cleanup Act (HSCA), 7 Del. C. § 9107 (a)(1), the Department of Natural Resources and Environmental Control (DNREC) is required to issue a public notice announcing the onset of negotiations concerning Voluntary Cleanup Program (VCP) Agreements, as well as any voluntary settlement agreements requiring a remedy, between DNREC and potentially responsible parties.

The amendment states that DNREC must provide "public notification within 20 days after entering into negotiations for a voluntary cleanup settlement agreement with any person that agrees to perform a remedy."

The Site Investigation and Restoration Section (SIRS), on behalf of DNREC, initiated the VCP in February 1995 in an effort to lessen the time and cost required in cleaning up contaminated sites by reducing litigation. VCP Agreements are available, upon application to DNREC, to potentially responsible parties or prospective purchasers who may be liable for the contamination of a property, but who wish to settle their liabilities with DNREC under HSCA.

DNREC is negotiating a VCP Agreement with the Foundry at Riverview, LLC regarding the Foundry at Riverview Site, located at 610 West 7th Street, New Castle, Delaware. The approximate .083 acre Site is identified on the maps of New Castle County as tax parcel number 2101700126. The Site may have had a release of hazardous substances as a result of the proximity of a foundry. For Site-specific information, please see DNREC's Environmental Navigator at <http://www.nav.dnrec.delaware.gov/DEN3>.

For additional information, please contact the project officer Patrick Boettcher @ (302) 395-2600 or Patrick.Boettcher@state.de.us. For more information

visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=4120&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeId=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTIFICATION OF NEGOTIATIONS FOR A BROWNFIELDS DEVELOPMENT AGREEMENT FOR THE 119 NORTH DUPONT HIGHWAY SITE (DE-1677)

Pursuant to the Hazardous Substance Cleanup Act (HSCA), 7 Del. C. Chapter 91, §9126, the Department of Natural Resources and Environmental Control (DNREC) is required to issue a public notice within twenty days after entering into negotiations for a Brownfields Development Agreement (BDA). A BDA is an agreement between DNREC and a Brownfields developer with respect to a Certified Brownfield Site that sets forth a scope of work and schedule of remedial activities during the development of the Site.

DNREC's Site Investigation and Restoration Section (DNREC-SIRS) is negotiating a BDA with Kevin Baird and/or assign's regarding the 119 North DuPont Highway Site (Site), located at the same address in Dover, Delaware. Identified by Kent County as tax parcel number 02-05-06818-013800-00001 the Site may have had a release of hazardous substances as a result of underground storage tanks present on site. For more information, please see DNREC's navigator at: <http://www.nav.dnrec.delaware.gov/DEN3>. Learn more about this Site and other Brownfields sites by accessing DNREC-SIRS' web page at

<http://www.awm.delaware.gov/SIRB/Pages/Brownfields.aspx> or by contacting the DNREC-SIRS Project

Manhttp://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=4119&Source=htt

p%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3Aager, Meghan Crystal at (302) 395-2600 or Meghan.crystal@state.de.us. You may also visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=4119&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

The Proposed and Final Plans of Remedial Action listed below outline site cleanup activities and covenants and are available online at: <http://www.dnrec.delaware.gov/whs/awm/SIRB/Pages/SIRBPlans.aspx> under “Announcements.” For site-specific information, please see DNREC’s Environmental Navigator at: <http://www.nav.dnrec.delaware.gov/DEN3>

LEGAL NOTICE - FINAL PLAN OF REMEDIAL ACTION FOR THE SEAFORD POWER PLANT SITE (DE-1031)

The Department has adopted a plan regarding the clean-up of the Seaford Power Plant Site located in Seaford. The Site, once used as an oil-fired power plant, requires capping, abating asbestos, abating oil from concrete trenches in the former power plant building and then performing additional sampling. An Environmental Covenant will restrict digging without prior approval of DNREC, limit groundwater withdrawal, and will require compliance with the Long-Term Stewardship Plan and Contaminated Materials Management Plan.

DNREC issued public notice of the Proposed Plan of the Seaford Power Plant Site on January 28, 2018. There were no comments or questions from the public regarding the Proposed Plan. Details of the Final Plan are available at the office of DNREC-SIRS (391 Lukens Drive, New Castle, DE, 19720) and at 21309 Berlin Road, Suite 2, Georgetown, DE 19947 or online at: <http://www.nav.dnrec.delaware.gov/DEN3/>

For additional information, please contact Stephanie Gordon, Project Manager at (302) 395-2600 or via email at stephanie.gordon@state.de.us. For more information

visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=4117&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

LEGAL NOTICE - PROPOSED PLAN OF REMEDIAL ACTION FOR THE 700 A STREET SITE (DE-1340)

The Department invites public comment on a proposal to clean-up the 700 A Street Site located in Wilmington. The Site, used for various industrial purposes over the last 120 years requires an impervious cap, and an Environmental Covenant limiting groundwater withdrawals.

Details of the Proposed Plan are available at the office of DNREC-SIRS (391 Lukens Drive, New Castle, DE, 19720), or online at: <http://www.nav.dnrec.delaware.gov/DEN3/>

The comment period ends on **March 26**. For additional information, please contact Kathryn Durant, Project Managers at (302) 395-2600 or via email at kathryn.durant@state.de.us. You may also

visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=4116&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

LEGAL NOTICE - PROPOSED PLAN OF REMEDIAL ACTION FOR THE HOMALITE SITE (DE-0256)

The Department invites public comment on a proposal to clean-up the Homalite Site located in Wilmington. The Site, once the location of industrial operations relating the production of plastics and resins, will be required to undergo cleaning of the sediment out of the floor drains inside of the existing building, as well as, being subject to an environmental covenant restricting the use of groundwater flowing beneath the Site. Details of the Proposed Plan are available at the office of DNREC-SIRS (391 Lukens Drive, New Castle, DE, 19720) or online

at: <http://www.nav.dnrec.delaware.gov/DEN3/>. The comment period ends on **March 27**. For additional information, please contact Lindsay Hall, Project Manager, at (302) 395-2600 or via email at Lindsay.Hall@state.de.us. You may also

visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=4124&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeId=0x010034FD6D348B0CF04392485E93FC15AB3A>

LEGAL NOTICE - FINAL PLAN OF REMEDIAL ACTION FOR THE HESSLER PROPERTY SITE (OPERABLE UNIT 1) (DE-1203)

The Department has adopted a plan regarding the clean-up of Operable Unit 1 of the Hessler Property Site located in Wilmington. Placement of an impervious cap across the property, groundwater monitoring, culverting or placing a concrete liner in the associated ditch, recording an environmental covenant restricting digging and the use of groundwater, and submittals for DNREC's approval of a Remedial Action Work Plan, Contaminated Materials Management Plan and a Long Term Stewardship Plan. DNREC issued public notice of the Proposed Plan for the Hessler Property OU-1 Site on February 12, 2018. There were no comments or questions from the public regarding the Proposed Plan. Details of the Final Plan are available at the office of DNREC-SIRS (391 Lukens Drive, New Castle, DE, 19720), or online at:

<http://www.dnrec.delaware.gov/whs/awm/SIRB/Pages/SIRBPlans.aspx>

For additional information, please contact Kristen Thornton, Project Manager at (302) 395-2600 or via email at Kristen.Thornton@state.de.us. You may also

visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=4123&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeId=0x010034FD6D348B0CF04392485E93FC15AB3A>

DIVISION OF WATER - WATER SUPPLY - The Division of Water hereby gives notice that the following Well permit application has been received. For additional information concerning the applications below, please contact Water Supply Section - 89 Kings Highway, Dover, 19901; email Water.Allocation@state.de.us; or by phone at (302)739-9945.

LEGAL NOTICE - Allocation Permits

Brian Cooper has requested an irrigation allocation for a proposed irrigation well. The requested daily withdrawal for the well is 864,000 gallons per day. The well will be located southwest of Laurel in Sussex County, near the intersection of Road 507 and Mt Herman Circle. Tax Map Parcel 5-32-04.00-0029.00.

Melvin Farms, Inc. has requested an irrigation allocation for two proposed irrigation wells. The requested daily withdrawal for the wells are 720,000 gallons per day. The wells will be located southwest of Camden in Kent County, near the intersection of Morgan's Choice and Thicket Roads. Tax Map Parcel NM00-101.00-01-15.00.

Melvin Farms, Inc. has requested an irrigation allocation for three proposed irrigation wells. The requested daily withdrawal for the wells are 864,000 gallons per day. The wells will be located southwest of Dover in Kent County, near the intersection of Bryant's Corner and Britney Roads. Tax Map Parcel WD00-082.00-02-36.00.

Evans Farms, LLC. has requested an irrigation allocation for a proposed irrigation well. The requested daily withdrawal for the well is 288,000 gallons per day. The well will be located northeast of Bridgeville in Sussex County, near the intersection of Redden and Oak Roads. Tax Map Parcel 4-30-16.00-0015.00.

Water Supply Section, 89 Kings Highway, Dover, DE 19901, (302) 739-9945

Water.Allocation@state.de.us, A public hearing on the above applications will NOT be held unless the Secretary of DNREC determines that a public hearing is in the public interest or if a written meritorious objection to the applications is received within 15 days from this notice. A public hearing request shall be deemed meritorious if it exhibits a familiarity with the applications and provides a reasoned statement of the action's probable impact. For more information

visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=4135&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeId=0x010034FD6D348B0CF04392485E93FC15AB3A>

DIVISION OF WATER - SURFACE WATER DISCHARGES – The Division of Water hereby gives notice that the following permit applications have been received.

LEGAL NOTICE - NPDES Permits

The Department of Natural Resources and Environmental Control, Division of Water, hereby gives notice of the following proposal regarding National Pollutant Discharge Elimination System (NPDES) permits:

Hanover Foods Corporation has applied for reissuance of its NPDES Permit No. DE0051063 (State Number WPCC 3047E/95) permit to discharge non-contact cooling water, condenser water, boiler blowdown, water softener backwash, water softener regeneration and storm water to Providence Creek, a tributary to the Smyrna River from its facilities located at the intersection of DE Route 6 and Duck Creek Road in Clayton, Kent County, Delaware. Hanover Foods is an approximately 25-acre facility which serves as a bulk freezer plant which processes and freezes vegetables seasonally and poultry products year-round. Vegetables processed include peas, lima beans, and corn. Poultry processes include grilling and freezing of chicken. The facility also produces specialty items including waffles. Hanover Foods land applies food processing waste water on approximately 120 acres of farm land adjacent to the west side of the food processing facility. Waste water is land applied under conditions established by the State of Delaware Land Treatment Permit LTS4010-83-06. One discharge (Outfall 001) exists at the facility. Outfall 001 consists of non-contact cooling water, condenser water, boiler blowdown, water softener backwash, water softener regeneration and storm water discharged via a wet pond overflow to a catchment box located on the northern boundary of the facility. Storm water in contact with the food processing area as well as non-process wastewater are received by storm water catch basins and directed to a wet pond. The wet pond utilizes the pollutant removal mechanisms of settling, vegetative uptake, adsorption, filtration, decomposition as well as dissipation to reduce nitrogen, phosphorus, total suspended solids (TSS) and biochemical oxygen demand (BOD) loads prior to discharging to a catchment box; which discharges to Providence Creek. Based on a preliminary staff review and application of lawful standards and regulations, the Department proposes to re-issue this permit, subject to certain effluent limitations and conditions. The proposed determinations are tentative. Persons wishing to comment upon or object to the proposed determinations are invited to submit same in writing to the Surface Water Discharges Section of the Division of Water, at the address listed below, no later than 30 days from this notice. All comments received prior to said date will be considered in the formulation of final determinations regarding this application.

A public hearing on the above will NOT be held unless the Secretary of DNREC receives a request by 4:30 pm **March 23**, or if the Secretary determines that a public hearing is in the public interest. A request for a hearing shall be in writing and shall state the nature of the issues to be raised at the hearing. It must also show familiarity with the proposal and a reasoned statement of the permit's probable impact. The applications, fact sheets, and permits are available for inspection or copies may be obtained by contacting: Division of Water, Surface Water Discharges Section, 89 Kings Highway, Dover, Delaware 19901, (302) 739-9946. You may also visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=4102&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeId=0x010034FD6D348B0CF04392485E93FC15AB3A>

LEGAL NOTICE - DNREC – Division of Water, Surface Water Discharges Section

Wastewater Facilities Construction Permit Application

The Delaware Department of Natural Resources and Environmental Control, Division of Water, hereby gives notice that a permit application has been received from:

Salem Church Associates LLC of Wilmington, Delaware, to construct Lormont Court sanitary sewer pump station and three thousand, four hundred and fifty linear feet of six inch (3,450 LF of 6") force main to serve one hundred and thirty nine (139) townhomes and three hundred and seventy two (372) apartments of the proposed French Court subdivision. The pump station will be located on the northwest side of the proposed Lormont Court, approximately two thousand and two hundred linear feet (2,200 LF) west of Salem Church Road, Newark, New Castle County, Delaware. The forcemain will run east, along the proposed Bergundy Road, then run north along Salem Church Road for one thousand, two hundred and seventy linear feet (1,270 LF) and terminate into a proposed manhole, located on Salem Church Road, Newark, New Castle County, Delaware. Questions regarding the applications and plans for the above are available for

inspection by contacting: Dr. Davison Mwale (PhD), DNREC/OTS/Environment Finance
97 Commerce Way, Suite 106, Dover, DE 19904, (302) 739-9941.

A public hearing concerning the above application will NOT be held unless the Secretary of DNREC determines that a hearing is in the public interest or if a written meritorious request for a hearing is received on or before **March 25**. A request for a public hearing shall be deemed meritorious if it exhibits a familiarity with the application and provides a reasoned statement of the permit's probable impact. For more information

visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=4127&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeId=0x010034FD6D348B0CF04392485E93FC15AB3A>

LEGAL NOTICES - Agricultural Utilization Permit Amendment – Denali Water Solutions, LLC

Denali Water Solutions, LLC. (Denali) of Keymar, Maryland is currently permitted under Agricultural Utilization Permit (AGU) Number AGU 1703-K-05 to operate a land treatment system for the agricultural utilization (AGU) of dissolved air floatation (DAF) residuals, in accordance with Part V of the Department's Guidance and Regulations Governing the Land Treatment of Wastes. Denali has requested amendment of their AGU permit for the land application of DAF residuals onto an additional farm known as the Collison Farm.

DAF managed by Denali consists of residuals generated from chicken and pet food processing facilities during the treatment of process wastewater. DAF can be beneficially reused as a fertilizer since it contains nutrients which are essential for agricultural crop production. After applying an appropriate amount of DAF to a farm field, crops are planted and grown utilizing these nutrients. DAF residuals applied by Denali are required to be analyzed for a list of parameters including nutrient content prior to land application. The DAF residuals applied by Denali do not contain sanitary (human) waste and are permitted for application no more than once every three years on any one permitted area. DAF is required to be transported to storage facilities and the land application sites in accordance with Delaware Non-Hazardous Liquid Waste Transporters Permit No. DE OH-601.

Under the current permit, DAF and other DNREC approved land treatable wastes may be applied at agronomic rates onto 8 previously permitted farms comprising approximately 1,200 acres of land that is suitable for land application. Upon permit amendment, the Collison Farm will be added to the permit. The Collison Farm application site consists of approximately 340 acres of land suitable for land application and is located west of DuPont Highway (Rt. 13), south of Paradise Alley Road (Road 426), and north of Hopkins Cemetery Road, approximately 4 miles north of Harrington, Delaware.

Agricultural Utilization Permit Amendment – Dogfish Head Craft Brewery

Dogfish Head Craft Brewery (Dogfish) of Milton Delaware is currently permitted under Agricultural Utilization (AGU) Permit Number AGU 1406-S-05 to operate a land treatment system for the agricultural utilization of brewery waste process water, in accordance with Part V of the Department's Guidance and Regulations Governing the Land Treatment of Wastes. Dogfish has requested amendment of their AGU Permit for the land application of brewery waste process water onto an additional farm known as the Young Farm.

Brewery wash down water managed by Dogfish consists of liquid byproducts generated as part of the brewing process and may consist of wastewater generated from the flushing of brewing vessels, backwash from filtration systems, wastewater generated during packaging and cleaning activities and from various other sources created during the brewing process. Brewery wash down water can be beneficially reused as a fertilizer since it contains nutrients which are essential for agricultural crop production. Brewery wash down water is applied to continual grass crops which utilize these nutrients. The wash down water is required to undergo periodic analysis for a list of specific parameters including nutrient content. Hydrologic load and nutrient content limit the application volume onto permitted farms. The wash down wastewater is required be delivered to the land application sites in accordance with Delaware Non-Hazardous Liquid Waste Transporters Permit No. DE OH-103 and does not contain sanitary (human) wastewater.

Under the current permit, limited quantities of brewery process water may be surface applied at agronomic rates onto approved portions of five farms know as Payton Farm, Baker Farm, Burton

Farm, Sequoia Farm and the Spicer Farm, comprising a total of approximately 121 acres of farmland, located near the Town of Milton in Sussex County, Delaware. Upon permit amendment, the Young Farm will be added to the permit. The Young Farm application site consists of approximately 25 acres of land suitable for land application and is located west of Sand Hill Road, approximately 4 miles southwest of Milton, Delaware.

Part V of the Department's Guidance and Regulations Governing the Land Treatment of Wastes allows for the above activities pending public notice.

A copy of the permit applications referenced above are available by contacting:

Brian Churchill, Surface Water Discharges Section, 89 Kings Highway, Dover, DE 19901, (302) 739-9946. A public hearing on the above application(s) will NOT be held unless the Secretary of DNREC determines that a public hearing is in the public interest or if a written meritorious objection to the application is received by 4:30 p.m. on **April 10**. A public hearing request shall be deemed meritorious if it exhibits a familiarity with the application and provides a reasoned statement of the action's probable impact. For more information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=4138&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

LEGAL NOTICE - PUBLIC HEARING

Notice is hereby given that Clark's Environmental Services (dba Chesapeake Environmental Services LLC) has applied to the Groundwater Discharges Section for an amendment to their State of Delaware Non-Hazardous Liquid Waste Transporters Permit DE WH-213 to include transporting sludge to the Allen Harim Harbeson Processing Facility Wastewater Treatment Plant. Pursuant to 7 Delaware Code, Chapter 60, Section 6006, the Department will conduct a public hearing concerning the amendment application on Wednesday, April 11, 2018 at 6:00 P.M. in the Milton Public Library, 121 Union Street, Milton, DE.

The Department solicits the views of interested parties with respect to this application. Statements and testimony may be presented orally or in written form at the hearing. It is requested that those interested in presenting statements register in advance by mailing their written statements within twenty (20) days from the date of this notice addressed to the presiding hearing officer via email (Robert.Haynes@state.de.us) or via mail to Robert P. Haynes, Esq., Office of the Secretary, Department of Natural Resources and Environmental Control, 89 Kings Highway, Dover, DE 19904. Persons who want to speak at the public hearing should register with the Mr. Haynes no later than one day before the public hearing, via email or mail. The pre-registration will determine the order of speakers.

The application and supporting documents may be inspected by appointment at the office of the Division of Water, Groundwater Discharges Section, 89 Kings Highway, Dover, Delaware, 19901. For an appointment to inspect the application, please contact Katharyn Potter via email at kathy.potter@state.de.us or (302) 739-9948. For more information

visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=4132&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

DIVISION OF WATER – GROUNDWATER DISCHARGES SECTION

LEGAL NOTICE -Non-Hazardous Liquid Waste Transporters Permit (Renewal)

Tidewater Environmental Service, Inc. has applied to the Groundwater Discharges Section for a renewal of Non-Hazardous Liquid Waste Transporters Permit DE WH-202 which allows for the transport of Municipal Biosolids to be disposed of at a Delaware Solid Waste Authority facility (Georgetown). The above mentioned application may be inspected by contacting:

Kathleen Saunders, Groundwater Discharges, 89 Kings Highway, Dover, DE 19901, Kathleen.Saunders@state.de.us, (302) 739-9948

A public hearing on the above application will NOT be held unless the Secretary of DNREC determines that a public hearing is in the public interest or if a written meritorious objection to the application is received within 15 days from this notice. A public hearing request shall be deemed meritorious if it exhibits a familiarity with the application and provides a reasoned statement of the action's probable impact. For more information

visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=4136&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeId=0x010034FD6D348B0CF04392485E93FC15AB3A>

LEGAL NOTICE - Non-Hazardous Liquid Waste Transporters Permit

Preferred Comfort Solutions LLC has applied to the Groundwater Discharges Section for a Non-Hazardous Liquid Waste Transporters Permit to transport portable toilet waste to be disposed of at the Kent County and Town of Laurel Waste Water Treatment Plants.

On-Site Wastewater Treatment and Disposal System

Virgil P. Ellmanger has applied for an innovative & alternative on-site wastewater treatment and disposal system permit. The system has been designed to accommodate 1,950 gallons per day generated by a commercial complex service eight units. The site is located on Route 24 in Millsboro, DE, tax map # 2-34-32-64.00.

The above mentioned applications may be inspected by contacting:

Kathleen Saunders, Groundwater Discharges, 89 Kings Highway, Dover, DE 19901

Kathleen.Saunders@state.de.us, (302) 739-9948

A public hearing on the above applications will NOT be held unless the Secretary of DNREC determines that a public hearing is in the public interest or if a written meritorious objection to the application is received within 15 days from this notice. A public hearing request shall be deemed meritorious if it exhibits a familiarity with the application and provides a reasoned statement of the action's probable impact.

DIVISION OF WATER - WETLANDS SECTIONS

Subaqueous Lands Permit Application

Delaware Department of Transportation-To remove 2 existing 120 foot long, 6 by 4 foot wide culverts and install a 90 foot long, 10 by 6 foot wide culvert and to place 17 cubic yards of associated fill and 8 cubic yards of rip-rap in an unnamed tributary to the Christina River adjacent to 99 New Walther Road in Newark, New Castle County, DE

Suez Water Delaware, Inc.-To stabilize 60 linear feet of bulkhead by placing 22 cubic yards of grout bags for scour protection in White Clay Creek at the Suez water treatment facility located at 200 First State Blvd. in Wilmington, New Castle County, DE

Faithworks, LLC-To fill a 165 foot long portion of an unnamed stream with approximately 117 cubic yards of fill material, 8.67 cubic yards of rip-rap and to extend an existing 42" RCP pipe 150 linear feet at 695 W. North Street, Dover, Kent County, DE

United States Coast Guard-To remove the existing Delaware Bay Ice Breaker light structure and to install a new navigation light consisting of three steel pilings impacting approximately 15 square feet in the Delaware Bay east of the Delaware Bay Ice Breakers, Sussex County, DE

Subaqueous Lands Lease Renewal Application

Gerald DiCandilo-To renew a lease to maintain a 6 by 56 foot long pier, a 6 by 20 foot long dock, a 4 by 38 foot long pier and two (2) stand-alone mooring pilings in Pepper Creek at 30650 Shell Road, Dagsboro, Sussex County, DE

Barbara Hines-To renew a lease to maintain a 6 by 42 foot long pier, a 6 by 30 foot long dock and 2 stand-alone mooring pilings in Arnell Creek at 38 Marshall Road, Old Landing, Rehoboth Beach, Sussex County, DE

Subaqueous Lands Lease Application

Kenneth and Tracey French-To construct a 6 by 30 foot long linear dock, two (2) PWC lifts with one (1) associated piling each and a boatlift with 4 associated pilings in the Assawoman Bay at 38865 Grant Avenue, Cape Windsor, Selbyville, Sussex County, DE

Jeffrey and Ellen Gehrs-To remove an existing 8 by 16 foot long dock, to construct a 4 by 15 foot long pier flaring out to a 6 by 15 foot long linear dock, a boat lift with 4 associated pilings and to install a 6 by 12 foot long floating kayak dock in the Little Assawoman Bay at 33907 Assawoman Street, Bay View Park, South Bethany, Sussex County, DE

Eric Callaway and Kathleen Kiernan-To repair and replace 106 linear feet of bulkhead, 20 linear feet of rock toe protection in front of a portion of the bulkhead, repair and replace a 10 by 10 foot long dock and

to repair a failed rip-rap sill with a 40 linear foot riprap revetment, to install a 60 square foot access dock and a boat lift with 4 associated pilings in the Nanticoke River located at 24006 Old Meadow Road, Seaford, Sussex County, DE

Subaqueous Lands Permit, Marina Permit and Water Quality Application

Delaware Division of Fish and Wildlife-To remove an existing 2 lane boat ramp and to construct a 53 by 69 foot long concrete boat ramp consisting of 3 lanes, a 8 by 52 foot long floating dock, a 8 by 55 foot long floating dock. To place approximately 255 cubic yards of fill material (stone sub-base, concrete and rip-rap) for the construction of the boat ramp and to provide scour protection channelward of the Mean High Water Line and to resurface an existing 1 lane ramp with a mobi-mat for canoe and kayak access at the terminus of Phillips Landing Road, Laurel, Sussex County, DE

Subaqueous Lands Lease and Marina Permit Application

Riverside Park Marina-To construct a minor marina alteration by removing the existing structures and reconfiguring by installing a 16 by 55 foot long fixed pier, two (2) 4 by 20 foot long gangways, two (2) 6 by 30 foot long floating docks, a 6 by 192 foot long floating dock, a 6 by 237 foot long floating dock and approximately six (6) 5 piling dolphins in the Broadkill River located at Riverside Park Marina located at 909 Pilottown Road, Lewes, Sussex County, DE

These documents/applications above are available for review by contacting: Gayle Calder, Wetlands and Subaqueous Lands Section, 89 Kings Highway, Dover, DE 19901, (302) 739-9943, FAX (302) 739-6304. For more information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=4121&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

CONTACT INFORMATION

24-Hour Environmental Report and Spill Notification Line - 1-800-662-8802

Aboveground Storage Tanks - 302-395-2500

Air Quality - New Castle Office - 302-323-4542

Air Quality – Kent & Sussex – 302-739-9402

Asbestos New Castle - 302-323-4542

Asbestos Kent & Sussex - 302-739-9402

Biosolids Permits - 302-739-9946

Boiler Safety - 302-395-2500

Brownfields - 302-395-2600

Community Ombudsman - 302-739-9040

Community Services - 302-739-9959

Delaware Estuary Program - 302-739-9283 (Delaware Coastal Management Program)

Division of Air Quality Director's Office - 302-739-9402

Division of Energy & Climate - 302-735-3480

Division of Waste and Hazardous Substances Director's Office - 302-739-9400

Division of Water Information - 302-739-9950

Dock/Dredging/Bulkheads/Rip-Rap/Wetlands & Subaqueous Lands - 302-739-9943

Emergency Prevention and Response - 302-739-9404

Environmental Crimes Unit - 302-739-9401 or 1-800-662-8802

Environmental Laboratory - 302-739-9942

Hazardous Waste - 302-739-9403

Hazardous Chemical and Toxic Release Inventories – 302-739-9404

Industrial Stormwater Permits - 302-739-9946

Loans & Grants for Wastewater and Septic's (Environmental Finance) - 302-739-9941

Medical Waste - 302-739-9403

Non-Hazardous Liquid Waste Transporters - 302-739-9948

On-site Wastewater Licensing Program - 302-739-9948

Open Burning - 302-739-9402

Outreach Ombudsman - 302-395-2600

Recycling - 302-739-9403

Septic System Permits - Large Systems (Community & I/A) Statewide - 302-739-9948

Septic System Permits - Small Systems for Kent & New Castle Counties - 302-739-9947
Septic System Permits - Small Systems for Sussex Co. & Holding Tank Compli. Program - 302-856-4561
Site Investigation & Restoration Section (Superfund/Brownfields) - 302-395-2600
Small Business Ombudsman - 302-739-9069
Solid Waste - 302-739-9403
Source Water Protection - 302-739-9945
Surface Water Discharge Permits (NPDES) - 302-739-9946
Underground Injection Control & Spray Irrigation - 302-739-9948
Underground Storage Tanks - 302-395-2500
Wastewater Collection, Conveyance, and/or Treatment Facility Construction Permits - 302-739-9946
Wastewater Treatment Facility Operators - 302-739-9946
Water Allocation Permits - 302-739-9945
Water Testing - Drinking Water (Division of Public Health) - 302-741-8630
Water Supply - 302-739-9945
Well Driller's License - 302-739-9944
Well Permits & Licensing - 302-739-9944
Wells - 302-739-9944
Wetlands and Subaqueous Lands Section - 302-739-9943