

The biweekly E-News Update features current information on the Divisions of Air Quality, Waste and Hazardous Substances, and Water regarding public meetings, workshops, hearings, and regulatory documents available for public comment, as well as general news updates. For those of you who are receiving the E-News Update for the first time, the subscription is FREE! Please sign up at the following link under the Divisions of Air Quality and Waste and Hazardous Substances at:

<http://www..delaware.gov/Pages/Lists.aspx>

There is no form to fill out; it's done in three clicks! Suggestions? Additions? Please call Stacy Jones at 302-739-9400, or send an email to Stacy.Jones@state.de.us

Published by Divisions of Air Quality, Waste and Hazardous Substances, and Water.

Visit us at: www.awm.delaware.gov

UPCOMING AIR, WASTE, & WATER-RELATED HEARINGS, MEETINGS, & EVENTS

DELAWARE CITY REFINING CORPORATION DRAFT PERMIT HEARING- The department will conduct a public hearing to hear public comments on the applications and draft permit for the issuance of the National Pollutant Discharge Elimination System (NPDES) permit for The Delaware City Refinery Company LLC. and the Delaware City Power Plant. The public hearing will begin at 6:00pm on **March 24** in the auditorium of the Gunning Bedford Middle School, 801 Cox Neck Road in New Castle. For additional information, please contact Jennifer Zambri (302)739-9946; or visit:

<https://egov.delaware.gov/pmc/Event/Details/27053>

RECYCLING PUBLIC ADVISORY COUNCIL MEETING will be held on March 25 from 1:30 – 3:30 pm at Grottos Pizza Capitol Room, 1159 DuPont Highway, Dover 19901 in Kent County on **March 25**. This meeting will discuss recycling issues for the State. For additional information, please contact Bill Miller at (302) 739-9403; or visit:

<https://egov.delaware.gov/pmc/Event/Details/27041>

PERMIT APPLICATION/PUBLIC HEARING - The department will conduct a public hearing on **April 2**, commencing at 6p.m. at the Milford Public Library, 11 Southeast Front Street in Milford. The purpose of the hearing is to solicit the views of interested parties in regards to Herholdt Properties, LLC. application to install a road crossing. For more in-depth information contact Gayle Calder at 302-739-9943 or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2657&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

WATER SUPPLY COORDINATING COUNCIL MEETING - The Council will hold a meeting on **April 29** from 10am to 12pm at the Kent County Administration Complex, Conference Room 220, 555 Bay Road, Dover, DE, 19901. Dover, DE 19901. For additional information, please contact Kimberly Burris at (302) 739-9945; or visit:

<http://egov.delaware.gov/pmc/Event/Details/26468>

SOURCE WATER PROTECTION CITIZEN TECHNICAL ADVISORY COMMITTEE MEETING - The Committee will hold a meeting on **May 6** from 9am to 12pm at the Kent County Administration Complex, Conference Rooms 220 A&B, 555 Bay Road, Dover, DE, 19901. Dover, DE 19901. For additional information, please contact Kimberly Burris at (302) 739-9945; or visit:

<http://egov.delaware.gov/pmc/Event/Details/25727>

DOCUMENTS AVAILABLE FOR PUBLIC COMMENT OR APPEAL

AIR QUALITY PERMITTING PROGRAM – Notice has been given that the facilities listed below have submitted applications for air quality management permits. The applications, the “draft/proposed” permits, all materials that the applicant has submitted (other than those granted

confidential treatment under rules), and a copy of summary of other materials, if any, considered in preparing the “draft/proposed” permit, may be inspected at the offices of the Division of Air Quality, 655 S. Bay Road, Dover and 715 Grantham Lane, New Castle. Requests for hearings shall be in writing and must show a familiarity with the application and a reasoned statement of the permit renewal’s probable impact. To submit comments, for additional information or for an appointment to inspect the application, please contact Laura Bogus at the Dover Office at (302) 739-9402. All comments and public hearing requests should be mailed to the following address: DIVISION OF AIR QUALITY, 655 S. Bay Road, Suite 5 N, Dover, DE 19901.

NOTICE HAS BEEN GIVEN THAT THE STATE OF DELAWARE DEPARTMENT OF TRANSPORTATION - MAINTENANCE requests a construction permit to construct one used oil heater (space heater) at their Georgetown, Sussex County facility. The space heater has the potential to emit (PTE) 0.098 TPY NO_x, 0.16 TPY SO_x, 0.16 TPY PM₁₀, 0.0061 TPY TOC, and 0.013 TPY CO. By Permit# APC-2015/0080-CONSTRUCTION, actual emissions will not exceed 0.049 TPY NO_x, 0.082 TPY SO_x, 0.080 TPY PM₁₀, 0.0031 TPY TOC, and 0.0064 TPY CO. A public hearing will NOT be held unless our agency Secretary receives a request for a hearing regarding that application by **March 30**. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2661&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTICE HAS BEEN GIVEN THAT NORAMCO, requests a construction permit to construct a new 800 liter helical-type dryer at 500 Swedes Landing Road in New Castle County. The dryer will be permitted to emit 0.005 TPY of Ethanol, 0.002 TPY of Isopropyl Alcohol (IPA), and 0.834 TPY of Nitrogen by Permit# APC-2015/0059. A public hearing will NOT be held unless our agency Secretary receives a request for a hearing regarding that application by **March 30**. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2663&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTICE IS HEREBY GIVEN THAT THE DELAWARE SOLID WASTE AUTHORITY (DSWA) HAVING A FACILITY AT 28560 LANDFILL LANE IN GEORGETOWN, has submitted a request for a significant permit modification pursuant to 7 DE Admin. Code 1130, Section 7 for operating permit: AQM-005/000999(R-2) Revision 2. Based on the data and certifications contained in the application, the Division of Air Quality concludes that the applicant meets all applicable requirements promulgated by the Environmental Protection Agency (EPA) and our agency. Therefore a “draft/proposed” significant permit modification has been prepared. This “draft/proposed” significant permit modification will change the existing visible emission monitoring requirements for the LFG Specialties Combustion Flare in use at the DSWA Southern Solid Waste Management Center (SSWMC) in Georgetown. Visible emission observations for the flare will only be required during normal business hours. This “draft/proposed” significant permit modification will also allow for the operation of temporary solid waste grinders on site in addition to an existing solid waste grinder. A public hearing concerning the permitting action will not be held unless our agency Secretary receives a request for such hearing by **March 31**. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2641&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTICE IS HEREBY GIVEN THAT JP MORGAN HAVING A FACILITY AT 501 BEAR CHRISTIANA ROAD has requested four federally enforceable 7 DE Admin. Code 1102

construction permits (Permit: APC-2015/0051, 0052, 0053, and 0054) for four 2.28 MW diesel fired generators equipped with selective catalytic reduction. Emissions from the four new generators and the eight existing generators will not exceed the existing facility-wide limits. Upon completion of construction, the Department will incorporate the operating conditions and limits of the 7 DE Admin. Code 1102 Construction permit into the facility's existing Synthetic Minor permit (APC-2003/0285-OPERATION (Amendment 3) (SM)) via an Administrative Amendment. A public hearing will NOT be held unless our agency Secretary receives a request for a hearing regarding this application by **March 31**. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2640&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTICE IS HEREBY GIVEN THAT MAGELLAN TERMINALS HOLDINGS, L.P. having a facility at 1050 Christina Avenue, Wilmington, Delaware, has submitted a request for a significant permit modification pursuant to 7 DE Admin. Code 1130, Section 7 for operating Permit: AQM-003/00291-RENEWAL 3. Based on the data and certifications contained in the application, the Division of Air Quality concludes that the applicant meets all applicable requirements promulgated by the Environmental Protection Agency (EPA) and the Department of Natural Resources and Environmental Control (DNREC). Therefore a "draft/proposed" significant permit modification has been prepared. This "draft/proposed" significant permit modification establishes a permit limit of 27.0 tons/year of volatile organic compounds (VOCs) for existing Tanks T-11 and T-12 combined, revises permit conditions to align with applicable Federal NSPS / NESHAP standards and deletes heaters H-1 and H-2 which have been removed from service. A public hearing concerning the permitting action will not be held unless our agency Secretary receives a request for such hearing by **April 3**. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2652&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTICE HAS BEEN GIVEN THAT CONTRACT CRUSHING/CONSTRUCTION, INC., requests a Natural Minor permit amendment to operate a one-hundred fifty (150) ton per hour maximum throughput Nordburg LT-1213 Portable Crusher powered by a 436 hp C-12 Caterpillar diesel engine, a Fintec 542 Power Screener powered by a 100 hp diesel engine and a 30' x 50' Conveyor powered by a 36 hp diesel engine at 2110 Horsepond Road, Dover Air Force Base, Delaware. The portable crushing equipment will be permitted to emit 5.26 pounds per hour and 4.88 tons per year of NOX, 1.17 pounds per hour and 1.11 tons per year of SO₂, 2.74 pounds per hour and 2.58 tons per year of CO, 0.936 pounds per hour and 0.923 tons per year of VOC, and 2.41 pounds per hour and 2.29 tons per year by Permit# APC-2006/0138-OPERATION (Amendment 3). A public hearing on any of the above application will NOT be held unless our agency Secretary receives a request for a hearing regarding that application by **April 6**. A request for a hearing shall be in writing. The request must also show a familiarity with the application and a reasoned statement of the permit's probable impact. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2669&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTICE HAS BEEN GIVEN THAT DOGFISH HEAD CRAFT BREWERY, requests a construction permit to construct a 881 HP distributed generator fired primarily on methane biogas (secondary fuel natural gas) at their 6 Cannery Village Center, Milton,

Sussex County facility. A Leanox air-to-fuel ratio controller satisfies BACT requirements of Minor New Source Review (7 DE Admin. Code 1125) for NOx. The distributed generator complies with the waste gas standards of 7 DE Admin. Code 1144 Section 3.2.2.2. The distributed generator will be permitted to emit 5.1 TPY NOx, 2.54 TPY CO, 0.847 TPY NMHC, 0.61 TPY SO2, and 0.00197 TPY PM10 by Permit# APC-2015/0024-CONSTRUCTION (NSPS) (GACT). Dogfish Head Craft Brewery, Inc., requests a permit to construct and operate a 500 BHP natural gas fired boiler at their 6 Cannery Village Center, Milton, Sussex County facility. The boiler will be permitted to emit 4.3 TPY NOx, 7.2 TPY CO, 0.055 TPY NOx, 0.65 TPY PM, 0.05 TPY SO2, and 0.47 TPY VOC by Permit# APC-2015/0040-CONSTRUCTION/OPERATION (NOx RACT) (NSPS). A public hearing on any of the above application will NOT be held unless our agency Secretary receives a request for a hearing regarding that application by **April 6**. A request for a hearing shall be in writing. The request must also show a familiarity with the application and a reasoned statement of the permit's probable impact. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2668&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

SITE INVESTIGATION AND RESTORATION SECTION – The Division's Site Investigation and Restoration Section (SIRS) is responsible for the identification, evaluation and remediation of sites in Delaware that have had past releases of hazardous substances. The Section manages the contaminated sites under three major programs in accordance with the Hazardous Substance Cleanup Act (HSCA). The three programs are the Brownfields Development Program, the Voluntary Cleanup Program (VCP) and the HSCA Enforcement Program (for sites requiring enforcement action).

FINAL PLAN OF REMEDIAL ACTION FOR THE 3022-3028 NEW CASTLE AVENUE SITE (DE-1577). The Department has adopted a plan regarding the clean-up of the 3022-3028 New Castle Avenue Site located in New Castle. The library parcel of the Site will be capped and an Environmental Covenant will be recorded for the property. The Site is currently owned by New Castle County, and will be the future location of a public library and innovation center. Our agency issued public notice of the Proposed Plan for the 3022-3028 New Castle Avenue Site on February 1. There were no comments or questions from the public regarding the Proposed Plan. The public may appeal this Final Plan by **March 30**. For additional information, please contact Kathryn Durant, Project Manager, or Robert Newsome, Public Information Officer, at (302) 395-2600; or visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2656&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTIFICATION OF NEGOTIATIONS CONCERNING A VOLUNTARY CLEANUP PROGRAM AGREEMENT FOR THORO-KLEEN DRY CLEANERS SITE (DE-0207) Our agency is negotiating a VCP Agreement with Mr. and Mrs. Joseph Booth regarding the Thoro-Kleen Dry Cleaners Site (Site), located at 11 Railroad Avenue in Georgetown and identified as a 0.25 acre parcel identified on the maps of Sussex County as tax parcel number 1-35-14.20-235. DNREC believes that further action is required at the Site under HSCA because sampling has revealed the presence of hazardous substances such as tetrachloroethene (PCE) and trichloroethene (TCE). This notice ends **April 3**. For additional information, please contact the project officer, Bob Asreen at (302) 395-2600; or visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2664&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

FINAL PLAN OF REMEDIAL ACTION FOR THE FORMER PEP-UP OU-2 (DE-1571)

The Department has adopted a plan regarding the clean-up of the Former Pep-Up OU-2 located in Georgetown. The Site is currently operated as office space and manufacturing activities. The Final Plan for the Site requires: 1) Our agency will restrict JG Townsend's well, PW-1, to non-potable use until it reaches drinking water standards. 2) Responsible parties will update the Environmental Covenant to restrict groundwater use. 3) Our agency will establish a GMZ to restrict groundwater use. 4) Pep-Up will implement the DNREC-approved Long-Term Stewardship (LTS) plan for monitoring groundwater. Based on the results, our agency could at its discretion reduce or eliminate the sampling requirements or require an active groundwater remedy. The public can appeal this final by **April 13**. For additional information, please contact Rick Galloway, Project Manager, or Robert Newsome, Public Information Officer, at (302)395-2600; or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2671&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

FINAL PLAN OF REMEDIAL ACTION FOR THE GEORGETOWN COAL GAS OU-2 (DE-0188)

The Department has adopted a plan regarding the clean-up of the Georgetown Coal Gas OU-2 located in Georgetown. The Site is currently owned by UGI and is currently vacant. The Final Plan for the Site requires: 1) Our agency will restrict JG Townsend's well, PW-1, to non-potable use until it reaches drinking water standards. 2) Our agency will establish a GMZ to restrict groundwater. The public may appeal this final plan by **April 13**. For additional information, please contact Rick Galloway, Project Manager, or Robert Newsome, Public Information Officer, at (302)395-2600; or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2670&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

DIVISION OF WATER - Ground Water Discharges - On-Site Wastewater Treatment, Disposal System, and Underground Injection Control Permits - The Division of Water hereby gives notice that the applications below are available for inspection or copies may be obtained by contacting: Kathleen Saunders, Ground Water Discharges, 89 Kings Highway, Dover – 19901, or by calling (302) 739-9948.

Underground Injection Control (UIC) Permit

The DuPont Company [DuPont Stine Haskell Research Center], located at 1090 Elkton Road, Newark, New Castle County, has applied to the Ground Water Discharges Section for a renewal of their current Underground Injection Control (UIC) permit, for the operation of 17 injection points (steam traps in the form of dry wells) for discharging infiltrated rainwater and steam condensate from various process boilers at the facility. The Company is renewing their UIC Permit for another five (5) years. A public hearing will NOT be held unless our agency Secretary determines that a public hearing is in the public interest or if a written meritorious objection to the application is received by **March 31**. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2649&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

On-Site Wastewater Treatment and Disposal System Permit

Bay Shore Community Church has submitted a renewal application for an on-site wastewater treatment and disposal system. The system has been designed to accommodate 2,720 gallons per day of wastewater. The site is located at 36759 Millsboro Highway, Sussex County, tax parcel # 3-33-11.00-49.02. A public hearing will NOT be held unless our agency Secretary determines that a public hearing is in the public interest or if a written meritorious objection to the application is received by **April 6**. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2673&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

DIVISION OF WATER - SURFACE WATER DISCHARGES – The Division of Water hereby gives notice that the following permit applications have been received. A public hearing will NOT be held unless our agency Secretary determines that a public hearing is in the public interest or if a written meritorious objection to the application is received by **April 17**. For additional information or to inspect the applications below, please contact Anthony E. Hummel, PE, Surface Water Discharges Section - Division of Water, 89 Kings Highway, Dover, DE 19901, (302) 739-9946; or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2666&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NPDES Permits

Croda Inc. and FUJIFILM Imaging Colorants Inc. have applied for re-issuance of their jointly held National Pollutant Discharge Elimination System permit (“NPDES” Permit No. DE 0051080 and State Permit No. WPCC 3032D/97) to discharge non-contact cooling water, storm water, and treated groundwater to Magazine Ditch, a tributary of the Delaware River from their facility located on Cherry Lane in New Castle, New Castle County, Delaware. Croda has responsibility for a discharge of treated groundwater from several on-site wells that are part of a groundwater recovery system under the site HSCA project. Contaminants of concern identified during the HSCA project include bis (2-chloroethyl) ether and benzene. FUJIFILM manufactures colorants for the inkjet printing market. Process wastewater is diverted to the New Castle County collection system after pretreatment. Sanitary wastewater is also diverted to the county collection system.

Winterthur Museum, Garden & Library has applied for re-issuance of their National Pollutant Discharge Elimination System (NPDES) permit to discharge treated sanitary wastewater, storm water, and groundwater to Wilson Run, a tributary of Brandywine Creek from their facility located at Delaware Route 52, about five (5) miles north of Wilmington, between Greenville and Centerville, New Castle County, Delaware. This facility is a sanitary treatment plant, with a design hydraulic capacity of 25,000 gallons per day, is owned and operated by the Winterthur Museum. It treats sanitary sewerage generated by the staff and visitors to the museum and gardens. Waste sludge from the activated sludge process is pumped to two aerated sludge holding tanks with a combined volume of 3,000 gallons for further thickening and off-site disposal.

DIVISION OF WATER - WATER SUPPLY - The Division of Water hereby gives notice that the following well permit application has been received. A public hearing on the applications below will NOT be held unless our agency Secretary determines that a public hearing is in the public interest or if a written meritorious objection to the application is received by **April 6**. Please contact Allison Diggins at (302) 739-9945 or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2672&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

Well Permits

G.W. Shockley & Sons, Inc. has requested an irrigation allocation for their farming operations. They have one well that is located east of Milford in Sussex County. The requested daily withdrawal is 576,000 gallons per day.

Howard E. Wilkins & Son, Inc. has requested an irrigation allocation for their farming operations. They have three wells and one surface intake located southeast of Milford in Sussex County. The requested daily withdrawal is 5,760,000 gallons per day.

DIVISION OF WATER - WETLANDS AND SUBAQUEOUS LANDS SECTION – The Division of Water hereby gives notice that the applications below are available for inspection or copies may be obtained by

contacting: Gayle Calder, Wetlands and Subaqueous Lands Section, 89 Kings Highway, Dover – 19901, or by calling (302) 739-9943. A public hearing on the applications below will NOT be held unless our agency Secretary determines that a public hearing is in the public interest, or if a written meritorious objection to the application is received by **March 31**. For additional information, please visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2659&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

Subaqueous Lands Lease Application

The Town of Laurel-To install a 6 by 10 foot pier, 4 by 25 foot gangway and 8 by 25 foot floating dock in Broad Creek at the Northwest Poplar Street Bridge, Laurel in Sussex County

Subaqueous Lands Supplemental Application

Frank Berrish-To remove two free standing pilings and to install 4 pilings for a boatlift connecting to an existing docking facility in Pepper Creek at 169 Riverview Drive, Dagsboro in Sussex County

Subaqueous Lands Lease and Wetlands Application

Robert Holloran- To construct a 3 by 40 foot walkway over State-regulated tidal wetlands attached to a 4 by 40 foot pier, two PWC lifts and a 6 by 25 foot dock with a boat lift in Pepper Creek at 200 Pepper Vine Point, Lot 1, Dagsboro in Sussex County

Subaqueous Lands Permit Application

Clarence Lindquist-To install one piling and a 6 by 8 foot PWC lift and to place 9.4 cubic yards of riprap along 85 linear feet in the Bethany Loop Canal at 414 Canal Way West, Salt Pond, Bethany Beach in Sussex County

Employee Updates

Julie Molina, Environmental Control Technician III, Water Supply Section, Well Permitting Branch accepted a competitive promotion Environmental Scientist I, Wetlands and Subaqueous Lands effective March 22. Congratulations!

CONTACT INFORMATION

24-Hour Report and Spill Notification Line - 1-800-662-8802

Aboveground Storage Tanks - 302-395-2500

Air Quality - New Castle Office - 302-323-4542

Air Quality – Kent & Sussex – 302-739-9402

Asbestos New Castle - 302-323-4542

Asbestos Kent & Sussex - 302-739-9402

Biosolids Permits - 302-739-9946

Boiler Safety - 302-744-2735

Brownfields - 302-395-2600

Delaware Estuary Program - 302-739-9283 (Delaware Coastal Management Program)

Division of Air Quality Director's Office - 302-739-9402

Division of Waste and Hazardous Substances Director's Office - 302-739-9400

Division of Water Information - 302-739-9950

Dock/Dredging/Bulkheads/Rip-Rap/Wetlands & Subaqueous Lands - 302-739-9943

Emergency Prevention and Response - 302-739-9404

Environmental Crimes Unit - 302-739-9401 or 1-800-662-8802

Environmental Laboratory - 302-739-9942

Hazardous Waste - 302-739-9403

Industrial Stormwater Permits - 302-739-9946

Loans & Grants for Wastewater and Septic's (Financial Assistance Branch) - 302-739-9941

Medical Waste - 302-739-9403

Non-Hazardous Liquid Waste Transporters - 302-739-9948

On-site Wastewater Licensing Program - 302-739-9948
Open Burning - 302-739-9402
Outreach Ombudsman - 302-395-2600
Recycling - 302-739-9403
Septic System Permits - Large Systems (Community & I/A) Statewide - 302-739-9948
Septic System Permits - Small Systems for Kent & New Castle Counties - 302-739-9947
Septic System Permits - Small Systems for Sussex County & Holding Tank Compliance Program
302-856-4561
Site Investigation & Restoration Section (Superfund/Brownfields) - 302-395-2600
Solid Waste - 302-739-9403
Source Water Protection - 302-739-9945
Surface Water Discharge Permits (NPDES) - 302-739-9946
Underground Injection Control & Spray Irrigation - 302-739-9948
Underground Storage Tanks - 302-395-2500
Wastewater Collection, Conveyance and/or Treatment Facility Construction Permits - 302-739-9946
Wastewater Treatment Facility Operators - 302-739-9946
Water Allocation Permits - 302-739-9945
Water Testing - Drinking Water (Division of Public Health) - 302-741-8630
Water Supply - 302-739-9945
Well Driller's License - 302-739-9944
Well Permits & Licensing - 302-739-9944
Wells - 302-739-9944
Wetlands and Subaqueous Lands Section - 302-739-9943