

The biweekly E-News Update features current information on the Divisions of Air Quality (DAQ), Waste and Hazardous Substances (WHS), and Water regarding public meetings, workshops, hearings, and regulatory documents available for public comment, as well as general news updates. For those of you who are receiving the E-News Update for the first time, the subscription is FREE!

Please sign up at: <http://www.dnrec.delaware.gov/Pages/DNRECLists.aspx> under "Division of Waste & Hazardous Substances Lists." There is no form to fill out; it's done in three clicks!

Suggestions? Additions? Please call Kathy Nedelka at 302-739-9400, or send an email to katherine.nedelka@state.de.us

Published by the Divisions of Air Quality, Waste and Hazardous Substances, and Water.

Visit us at: www.awm.delaware.gov

SECRETARY'S ORDERS

[Secretary's Order No. 2017-WS-0011](#)

RE: Final Exempt Order: 7 DE Admin. Code §5102: Regulations Governing Beach Protection and the Use of Beaches

UPCOMING AIR, WASTE, & WATER-RELATED HEARINGS, MEETINGS, & EVENTS

RECYCLING PUBLIC ADVISORY COUNCIL – Recycling Public Advisory Council

Meeting on **April 19** from 1pm to 3pm. This meeting will take place at Grottos Pizza, 1159 N DuPont Hwy, Dover, 19901. For additional information contact Jackie Howard at 302-739-9403; or visit:

<https://publicmeetings.delaware.gov/Meeting/52673>

Public Hearing - Section 30 of 7 DE Admin Code 1120/State Plan (Municipal Solid Waste Landfills). This meeting is being held to discuss regulation changes. On August 29, 2016, EPA finalized two regulations applicable to municipal solid waste landfills (MSWLs). EPA finalized 40 CFR Part 60 Subpart XXX under 111(b); Subpart XXX regulated the emissions of new MSWLs. EPA finalized 40 CFR Part 60 Subpart Cf under 111(d); Subpart Cf mandated state agencies to develop plans to regulate emissions of existing MSWLs. The purpose of this action is to incorporate the new federal MSWL requirements in Subpart XXX by reference as Section 30 of Reg. 1120. The meeting will be held at the Department of Natural Resources & Environmental Control, 100 W Water St, Dover, 19904 beginning at 6:00PM on **April 24**. For more information contact Jim Snead, 302-323-4542, email james.snead@state.de.us; or visit:

<https://publicmeetings.delaware.gov/Meeting/52522>

BOILER SAFETY COUNCIL MEETING – Meeting will discuss proposed regulation changes and will take place on **April 27 beginning at 10am at the Cannon Building, 1st floor, 861 Silver Lake Blvd, Dover, 19904. For additional information contact Alex Rittberg at 302-395-2500; or visit:**

<https://publicmeetings.delaware.gov/Meeting/51236>

BOARD OF CERTIFICATION FOR WASTEWATER OPERATORS MONTHLY MEETING – This is a regular monthly meeting of the Board of Certification for Wastewater Operators. Meeting will take place on **May 2 from 9am to 10am at the Richardson & Robbins Building, Conference Room B172, 89 Kings Hwy, Dover 19901. For additional information contact Faye Wheeler at (302) 739-9946; or visit:**

<https://publicmeetings.delaware.gov/Meeting/39381>

ON-SITE SYSTEMS ADVISORY BOARD MEETING – This is a regular monthly meeting that will be held on **May 3 from 9:15am to 11:30am at the Richardson and Robbins Building,**

Conference Room B228: 89 Kings Highway, Dover, 19901. For additional information, contact Dawn Dryden, 302-739-9948; or visit: <https://publicmeetings.delaware.gov/Meeting/50646>

Source Water Protection Citizen Technical Advisory Committee – This meeting will be held on **May 10** from 9:00am to 12:00pm at the Kent County Administration Building, 555 S Bay Rd, Dover, 19901. For additional information contact Kimberly Burris, 302-739-9945; or visit: <https://publicmeetings.delaware.gov/Meeting/39240>

HSCA ADVISORY COMMITTEE (FORMERLY BROWNFIELDS ADVISORY COMMITTEE) – The Committee will hold a public meeting to review, provide guidance and input for DNREC's cleanup programs related to the Hazardous Substance Cleanup Act (HSCA). This meeting will take place on **June 1** beginning at 10:00am at the Shoreline & Waterway Management, 901 Pilottown Rd, Lewes, 19958. For additional information, please contact Christina Wirtz at (302) 395-2600 or visit: <https://publicmeetings.delaware.gov/Meeting/52540>

OPT-IN! THE DELAWARE DIVISION OF AIR QUALITY (DAQ) is committed to working with citizens to continuously optimize Delaware's air quality and protect public health, welfare, and the environment. To determine that the DAQ is meeting the air quality needs of the citizens across the state, we encourage you to participate in our opt-in list. In the future you will receive surveys that will allow us to analyze our performance. You can access the opt-in list by clicking: https://survey.co1.qualtrics.com/jfe/form/SV_1RGZGUYt8fSuqkB

AIR QUALITY PERMITTING PROGRAM – Notice has been given that the facilities listed below have submitted applications for air quality management permits. The applications, the “draft/proposed” permits, all materials that the applicant has submitted (other than those granted confidential treatment under DNREC rules), and a copy of summary of other materials, if any, considered in preparing the “draft/proposed” permit, may be inspected at the offices of the Division of Air Quality, 100 W. Water Street, Suite 6A, Dover, 19904. **All comments and public hearing requests** should be mailed to the following address: DIVISION OF AIR QUALITY, 100 W. Water Street, Suite 6A, Dover 19904. To submit comments, for additional information, or for an appointment to inspect the application, please contact Penny Gentry at (302) 739-9402.

TITLE V SYNTHETIC MINOR PERMIT APPLICATIONS

Notice is hereby given that Tri-County Materials LLC has submitted an application, pursuant to 7 DE Admin. Code 1102, Section 2.1, 11.2.9, and 12.3 for a permit amendment at 3700 South Bay Road, Dover. Tri-County Materials LLC requests a permit limit increase for annual production of hot mix asphalt from 125,000 TPY to 300,000 TPY. These limits are necessary to restrict Tri-County Materials LLC potential to emit air pollutants, and the limit will be enforceable by the EPA and the state. Total estimated emissions from the facility are 5.39 TPY of PM, 1.67 TPY of SO_x, 4.99 TPY of NO_x, 20.16 TPY of CO, 0.80 TPY of HAPS, and 4.66 TPY of THC. A public hearing concerning the permitting action will not be held unless the Secretary receives a request for such hearing by **May 16**. A request for a hearing shall be in writing and must show a familiarity with the application and a reasoned statement of the permit's probable impact. To submit comments, for additional information or for an appointment to inspect the public file, please contact Tracy Mattson in the Dover office at (302) 739-9402; or visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3714&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

7 DE Admin. Code 1102 NATURAL MINOR PERMIT APPLICATIONS

Notice has been given that: HMC Concrete LLC, d/b/a Heritage Concrete, requests a permit to construct a Ready Mix Concrete Plant consisting of a Central Mix Concrete Plant, Multiple

Compartment Silo, Reverse Air Baghouse and various Cartridge Pulse Silo Collectors at their 734 Dexter Corner Road, Townsend. The associated equipment for operations will be permitted to emit 0.178 ton per year Particulate Matter (PM) by Permit# APC-2017/0094-CONSTRUCTION. For additional information or for an appointment to review the application, please contact Tracy Mattson at (302) 739-9402. A public hearing on any of the above applications will NOT be held unless the Secretary receives a request for a hearing regarding the application by **May 1**. A request for a hearing shall be in writing. The request must also show a familiarity with the application and a reasoned statement of the permit's probable impact. For more information visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3713&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

DE Admin. Code 1102 Application

Notice is hereby given that the Delaware City Refining Company having a facility at 4550 Wrangle Hill Road, Delaware City, has submitted an application to install a rim-mounted double seal on Tank 243 to allow for operational flexibility to store either gasoline or distillate materials. Installation of a double seal will reduce VOC emissions associated with the storage of higher vapor pressure material. The potential VOC emission increase is 2.2 TPY. (Permit: APC-1980/0868-CONSTRUCTION/OPERATION (A6). To submit comments, for additional information or for an appointment to inspect the application, please contact Tracy Mattson in the Dover Office at (302) 739-9402. A public hearing concerning the permitting action will not be held unless the Secretary receives a request for such hearing regarding the application by **May 2**. A request for a hearing shall be in writing and must show a familiarity with the application and a reasoned statement of the permit's probable impact. For more information visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3709&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTICE OF PUBLIC HEARING. The Department will conduct a public hearing on the federally enforceable 7 DE Admin. Code 1102 construction/operation permits (Permit: APC-1995/0471-C/O(A5), Permit: APC-1980/0868-C/O(A5), Permit: APC-1980/0869-C/O(A7) and Permit: APC-1988/0125-C(A6)) submitted by the Delaware City Refining Company LLC and the Delaware City Logistics Company LLC for the loading of ethanol at the Marine Piers and the Marketing Terminal as part of the Ethanol Marketing Project at 4550 Wrangle Hill Road, Delaware City. The public hearing will be held at the Delaware City Fire Hall at 815 5th Street, Delaware City, 19706 on April 19 at 6:00 pm. For additional information or for an appointment to review the proposed permit, please contact Ravi Rangan or Lindsay Rennie in the New Castle Office at (302) 323-4542. Public comments may be presented orally or in written form at the public hearing, and written comments may be submitted in advance without attending the public hearing if received prior to the hearing. Persons who want to speak at the public hearing are encouraged to register in advance no later than **April 18** and this registration will be used to determine the order of speakers at the public hearing. Registration should be sent by email to: Robert.Haynes@state.de.us . For more information visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3666&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTICE OF PUBLIC HEARING. The Department will conduct a public hearing on a proposed State Plan and amendment to existing Regulation No. 1120 New Source Performance Standards to add a new standard (Section 30) that is applicable to municipal solid waste landfills (MSWLs). On August 29, 2016, the EPA promulgated two regulations applicable to MSWLs. The EPA promulgated 40 CFR Part 60 Subpart XXX, which regulates the emissions from new (i.e., newly constructed, reconstructed, or modified) MSWLs and 40 CFR Part 60 Subpart Cf, which requires States to regulate emissions from existing MSWLs. The purpose of these two federal regulations is to reduce volatile organic compounds (VOCs) and methane emissions from

MSWLs. DNREC is proposing to incorporate the federal new MSWL requirements in Subpart XXX by reference as Section 30 of Regulation No. 1120. To satisfy the existing MSWL requirements of Subpart Cf, the applicability of Section 30 will be expanded to include both existing and new MSWLs. Once finalized, Section 30 and the State Plan will be submitted to the EPA for approval. There are three MSWLs in Delaware; all are operated by the Delaware Solid Waste Authority and will be subject to the State Plan and amended regulation. The public hearing on this proposed State Plan and amendment of Regulation No. 1120 will be held on April 24 beginning at 6:00PM in the Department's office located at 100 W. Water Street, Suite 6A, Dover. The proposed amendment and the State Plan are available for public review (1) at the Department's office at 715 Grantham Lane in New Castle; (2) at the Department's office at 100 W. Water Street, Suite 6A in Dover; (3) in the statewide Public Meeting Calendar notice for this hearing at <https://publicmeetings.delaware.gov/>, and (4) in the April 1 edition of the Delaware Register of Regulations on and after April 1 at <http://regulations.delaware.gov/services/register.shtml>. For additional information or any appointment to inspect the proposed amendment and State Plan, please contact either Jim Snead at the New Castle office at (302) 323-4542 or jsnead@state.de.us or Ron Amirikian at the Dover office at (302) 739-9402 or ronald.amirikian@state.de.us. Statements and testimony may be presented either orally or in writing at the **April 24** public hearing. If you are unable to attend or wish to submit your comments in advance of the public hearing, please send your comments to the address below. Interested parties may also submit written comments to the Department, to the same address below, up until the end of the comment period, which will extend through **May 9**, unless a longer comment period is designated by the hearing officer at the public hearing. Division of Air Quality, Subject: April 24 Public Hearing, 715 Grantham Lane, New Castle 19720. THIS IS THE ONLY TIME THIS NOTICE WILL APPEAR. For more information visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3670&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

WHS - SITE INVESTIGATION AND RESTORATION SECTION (SIRS) is responsible for the identification, evaluation, and remediation of sites in Delaware that have had past releases of hazardous substances. The section manages the contaminated sites under three major programs in accordance with the Hazardous Substance Cleanup Act (HSCA). The three programs are the **Brownfields Development Program, the Voluntary Cleanup Program (VCP), and the HSCA Enforcement Program** (for sites requiring enforcement action).

The Brownfields Development Program encourages the cleanup and redevelopment of vacant, abandoned, or underutilized properties, which may be contaminated. A party seeking to develop such a property negotiates with SIRS for a **Brownfields Development Agreement (BDA)** to perform an investigation and, if necessary, a remedial action or remedy, for the purpose of addressing the risks posed by past releases of hazardous substances at these sites. However, a BDA is only available to parties that are not current site owners. The **Voluntary Cleanup Program (VCP) Agreement** is available to site owners who want to clean up their sites and are already liable as a potentially responsible party for the site.

NOTIFICATION OF NEGOTIATIONS FOR a BROWNFIELD DEVELOPMENT AGREEMENT FOR THE 14028 SUSSEX HIGHWAY SITE (DE-1651) The Site Investigation and Restoration Section (SIRS) is negotiating a BDA with KNB Associates, LLC regarding the 14028 Sussex Highway Site (Site) located at 14028 Sussex Highway in Greenwood. The 3.3 acre Site is identified on the tax maps of Sussex County as parcel number 530-14.00-12.00. The Site may have had a release of hazardous substances as a result of past use as a gas station. To learn more about this Site contact the Project Manager, Kate Durant at (302) 395-2600 or kathryn.durant@state.de.us; or visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3702&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTIFICATION OF PUBLIC COMMENT FOR A BROWNFIELD DEVELOPMENT

AGREEMENT FOR THE NEWTOWN ROAD SITE (DE-1650). SIRS negotiated a BDA with Newtowne Associates, LLC regarding the Newtown Road Site (Site) located at 0 Newtown Road in Newark. The 2.10 acre Site is identified on the tax maps of New Castle County as parcel number 10-032.40-001. The Site may have had a release of hazardous substances as a result of past use as a dump and potential environmental impact from the adjacent site identified as Whittington Woods (DE-1509). The public comment period ends on **May 8**. Please submit written comments to the SIRS Project Manager, Morgan McGee-Solomon at 391 Lukens Drive, New Castle, 19720, (302) 395-2600 or morgan.mcgee-solomon@state.de.us. For more information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3717&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTIFICATION OF PUBLIC COMMENT FOR A BROWNFIELD DEVELOPMENT

AGREEMENT FOR THE 700 A STREET SITE (DE-1340) SIRS negotiated a BDA with StreamlineSTC, LLC regarding the 700 A Street Site (Site) located at 700 A Street in Wilmington. The 3.28 acre Site is identified on the tax maps of New Castle County as parcel number 26-050.00-060. The Site may have had a release of hazardous substances as a result of past industrial use. The public comment period ends **May 8**. Please submit written comments to the SIRS Project Manager, Kate Durant at SIRS, 391 Lukens Drive, New Castle, 19720, (302) 395-2600 or kathryn.durant@state.de.us. For more information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3716&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

The Proposed and Final Plans of Remedial Action listed below outline site cleanup activities and covenants and are available online at:

<http://www.dnrec.delaware.gov/whs/awm/SIRB/Pages/SIRBPlans.aspx> under “Announcements.” For site-specific information, please see DNREC’s Environmental Navigator at:

<http://www.nav.dnrec.delaware.gov/DEN3>

FINAL PLAN OF REMEDIAL ACTION FOR J.G. Townsend Operable Unit 1 Site (DE-

1338 The Department has adopted a plan regarding the clean-up of the J.G. Townsend Operable Unit 1 (OU-1) Site located in Georgetown. The Site, once used by J.G. Townsend as a fuel depot, required restricting groundwater use at the Site, implementing a Contaminated Materials Management Plan, requiring a vapor intrusion evaluation prior to new construction and restricting OU-1 to non-residential use only. The public may appeal this Final Plan until **April 18**. For additional information, please contact Rick Galloway, Project Manager at (302) 395-2600 or via email at rick.galloway@state.de.us. For more information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3693&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

FINAL PLAN OF REMEDIAL ACTION FOR THE SHUSTER’S AUTO SALVAGE SITE (DE-1178)

The Department has adopted a plan regarding the clean-up of the Shuster’s auto Salvage Site located at 601-603 South Market Street in Wilmington, Delaware. The Site, once used as salvage/junkyard requires a Remedial Action Work Plan, cap, Environmental Covenant, Contaminated Materials Management Plan, and Long Term Stewardship Plan. DNREC issued public notice of the Proposed Plan for Shuster’s Auto Salvage Site on March 5, 2017. There were no comments or questions from the public regarding the Proposed Plan. Details of the Final Plan are available at the office of SIRS (391 Lukens Drive, New Castle, 19720). The public may appeal this Final Plan for until

April 22. For additional information, please contact Meghan Crystall, Project Managers at (302) 395-2600 or via email at Meghan.Crystall@state.de.us or visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3699&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

FINAL PLAN OF REMEDIAL ACTION FOR THE RIVERWALK APARTMENTS SITE (DE-1641) The Department has adopted a plan regarding the clean-up of the Riverwalk Apartments Site located in New Castle. An environmental covenant must be recorded on the property deed for the Site, which was once used for storage and parking. The environmental covenant will restrict the use of groundwater flowing beneath the property to prevent exposure of future residents and indoor workers to it. DNREC issued public notice of the Proposed Plan for the Riverwalk Apartments Site on March 15. There were no comments or questions from the public regarding the Proposed Plan. Details of the Final Plan are available at the office of SIRS (391 Lukens Drive, New Castle, 19720). For additional information, please contact Lindsay Hall, Project Manager at (302) 395-2600 or via email at Lindsay.Hall@state.de.us or visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3703&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

SOLID AND HAZARDOUS WASTE MANAGEMENT SECTION - The Solid and Hazardous Waste Management Section (SHWMS) hereby gives notice that a permit application has been received from the following companies to transport regulated RCRA hazardous and/or non-hazardous solid wastes in, out of, or through the State of Delaware. The renewal application and associated documents are available for review during business hours at our agency Solid & Hazardous Waste Management Section office at 89 Kings Highway, Dover and also at our Lukens Drive office at 391 Lukens Drive in Wilmington.

Permits Pending

A&D Environmental Services (SC) LLC; Angela's Hauling, LLC; Costa Haulers, LLC; Gen's Trucking, Inc.; JM Transportation; JMJ Pro Trucks; JP Fidler Trucking, LLC; Materials Express, LLC; Sinai Trucking, LLC. For additional information or an appointment to inspect the applications, please contact Tara Grazier, DWHS/SHWMS, 89 Kings Hwy, Dover, 19901, 302.739.9403. A public hearing concerning these applications will NOT be held unless the Secretary, in care of Karen J'Anthony, receives a meritorious request for a hearing by **April 28**. A request for a hearing must be in writing and shall state the nature of the issues to be raised at the hearing. It must also show a familiarity with the application and a reasoned statement of the activity's probable impact. For more information visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3708&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

WHS- TANK MANAGEMENT SECTION - Tank Management Section (TMS) regulates the installation, operation, maintenance, and closure of [Underground Storage Tank](#) and [Aboveground Storage Tank](#) (UST and AST) systems in order to prevent contamination of soils and groundwater. The staff also permits the installation and operation of [Vapor Recovery](#) (VR) equipment, inspects [Boilers and Pressure Vessels](#) to protect public safety, and oversees the [cleanup of releases](#) from both UST and AST systems. The TMS prevents leaks to the environment by conducting inspections at regulated UST and AST facilities to ensure equipment is properly installed and maintained. These inspections take place at different types of facilities including gas stations, facilities that have large tank systems, and industrial or manufacturing sites located in Delaware.

Promulgation of Final Amendments to the Aboveground Storage Tank Regulations. By order of the Secretary, pursuant to 7 Del. C. §§6006, 6010, and 7 Del. C., Ch. 74A the Department of Natural Resources and Environmental Control is adopting amendments to Delaware Administrative Code 1352: Regulations Governing Aboveground Storage Tanks (AST Regulations). These revisions were first made available for public comment from November 1, 2016 through December 21, 2016. A public hearing on the initial draft of the proposed amendments was held on December 6, 2016. Based on comments received prior to the end of the initial public comment period, the Department revised the amendments. These revisions also corrected formatting errors that the Department identified in the earlier draft. The Department then made the revised amendments available for public comment from February 1 through March 3. The Department did not receive any substantive comments that required revising the amendments following the second public comment period. The final regulations and Regulatory Implementing Order (Secretary's Order: 2017-WH-0013) are expected to be published in the April 1 edition of the State Register of Regulations, Volume 20 Issue Number 10. The effective date of the amendments will be April 11. Pursuant to 7 Del. C. §6008 any person whose interest is substantially affected by these regulations may submit an appeal to the Environmental Appeals Board by **April 24**. Requests for an appeal on these matters can be sent to: Mr. Jeffery Healy, R&R Building, 89 Kings Highway, Dover, 19901. **THIS IS THE ONLY TIME THIS NOTICE WILL APPEAR.** For more information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3711&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

DIVISION OF WATER - GROUND WATER DISCHARGES -The Division of Water hereby gives notice that the applications below are available for inspection or copies may be obtained by contacting: Kathleen Saunders, Ground Water Discharges, 89 Kings Highway, Dover 19901, or by calling (302) 739-9948. A public hearing on the applications will NOT be held unless the Secretary determines that a public hearing is in the public interest or if a written meritorious objection to the application is received by **April 24**. A public hearing request shall be deemed meritorious if it exhibits a familiarity with the application and provides a reasoned statement of the action's probable impact. For more information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3704&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

On-Site Wastewater Treatment and Disposal System

Marsh Island Partners, LLC has submitted an application for a Temporary Holding Tank Permit to serve the Marsh Island Subdivision. The system has been designed to accommodate 5,400 gallons per day of wastewater. The site is located at 21383 Camp Arrowhead Rd, Sussex County, tax parcel # 2-34-7.00-132.00.

New Castle County has submitted an application for a Temporary Holding Tank Permit to serve the Rothwell Village community. The system has been designed to accommodate 4,462 gallons per day of wastewater. The site is located at 126 Green Forest Drive, New Castle County, tax parcel #13-023.00-010.

On-Site Wastewater Treatment and Disposal System

Nistazos Holdings, LLC has applied for an innovative & alternative on-site wastewater treatment and disposal system permit. The system has been designed to accommodate 750 gallons per day generated by a Dunkin Donuts Store. The site is located on Route 13 in Laurel, tax map # 2-32-12.00-134.00.

Rural Area Waiver

Karen Pollard (Tax # NM 109.00-02-29.00) has applied for a Rural Area Waiver (RAW) pursuant to Section 5.6.3 of The Regulations Governing the Design, Installation and Operation of On-Site Wastewater Treatment and Disposal Systems. The 13.60 acre parcel is located on the south side of Mud Mill Road, Camden-Wyoming, Kent County. The proposed on-site wastewater treatment and disposal system (OWTDS) would be a sand lined elevated sand mound with advanced nitrogen removal that meets performance standard nitrogen level 3 (PSN3). The OWTDS would serve a single family, two bedrooms, dwelling with a design flow not to exceed 240 gallons per day.

Spray Irrigation Permit

Mountaire Farms of Delaware, Inc. has applied to the Groundwater Discharges Section for reissuance of State of Delaware Spray Irrigation Permit DEN 359191-02. The permit authorizes the land application of treated poultry processing wastewater and treated sanitary waste to an area north of State Route #24 "WHBJ" consisting of 619 acres and to areas south of State Route #24 "Center Block System" consisting of 343 acres. A public hearing on the above application will NOT be held unless the Secretary determines that a public hearing is in the public interest or if a written meritorious objection to the application is received by **May 1**. A public hearing request shall be deemed meritorious if it exhibits a familiarity with the application and provides a reasoned statement of the action's probable impact. For more information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3719&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

On-Site Systems Advisory Board (OSSAB) Representative Interest

The Groundwater Discharges Section (GWDS) is soliciting those Class B Designers and Class C Designers (Professional Engineer) interested in applying for consideration to become a member of the On-Site Systems Advisory Board (OSSAB) representing your peers. The terms begin July 1 and expire June 30, 2020 for each position. The OSSAB meets the first Wednesday of every month in the DNREC R & R Building. The OSSAB handles all matters involving licensure of on-site professionals performing work within the State of Delaware. Some duties include, but are not limited to, reviewing new license applications, enforcement issues, recommendation for license suspension/revocation, etc. OSSAB members serve at the discretion of the Secretary and make recommendations on behalf of the DNREC licensed professionals to the Secretary. The Regulations require notification of licensee's sixty (60) days prior to term expiration. The complete details regarding the OSSAB may be found in Section 4.14 of the Regulations. If you would like to apply for the Class B Designer or the Class C Designer (Professional Engineer) representative on the OSSAB, please submit a completed application and an updated resume by **May 1** to: DNREC/GWDS, OSSAB Licensing Coordinator, Dawn Dryden, 89 Kings Highway, Dover, 19901. For more information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3654&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

DIVISION OF WATER - SURFACE WATER DISCHARGES – The Division of Water hereby gives notice that the following permit applications have been received.

Wastewater Facilities Construction Permit Application

Forty-nine Pines, LLC plans to construct a sanitary sewer pump station and force main to serve 120 single family lots in the Forty Nine Pines subdivision located on the south side of West Denney's Road approximately one mile west of the Kenton Road intersection west of northern Dover in Kent County. The project includes two submersible pumps, back-up power and approximately five thousand seven hundred linear feet of four inch diameter force main. The proposed force main is going to interconnect to an existing City of Dover manhole. Questions

regarding the applications and plans for the above are available for inspection by contacting: Greg Pope, P.E., Environmental Finance, Office of the Secretary, 5E Reed Street, Suite 200, Dover, 19901, (302) 739-9941. A public hearing concerning the above application will NOT be held unless the Secretary determines that a hearing is in the public's interest or if a written meritorious request for a hearing is received on or before **April 16**. A request for a public hearing shall be deemed meritorious if it exhibits a familiarity with the application and provides a reasoned statement of the permit's probable impact. For more information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3696&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

DIVISION OF WATER - WATER SUPPLY - The Division of Water hereby gives notice that the following Well permit application has been received. For additional information concerning the applications below, please contact Allison Diggins/Water Supply Section - 89 Kings Highway, Dover, 19901; or by phone at (302)739-9945. A public hearing on the above applications will NOT be held unless the Secretary determines that a public hearing is in the public interest or if a written meritorious objection to the application is received by **April 24**. A public hearing request shall be deemed meritorious if it exhibits a familiarity with the application and provides a reasoned statement of the action's probable impact. For more information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3705&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

Allocation Permits

John O. Dickerson & Son LP has requested an irrigation allocation for a proposed irrigation well. The requested daily withdrawal is 720,000 gallons per day. The well will be located south of Laurel in Sussex County, near the intersection of Horsey Road and Bi State Boulevard. Tax Map Parcel 3-32-03.00-0067.00.

J.G. Townsend Jr. & Company has requested an irrigation allocation for an existing irrigation well. The requested daily withdrawal is 1,152,000 gallons per day. The well is located south of Lewes in Sussex County, near the intersection of Cedar Grove and Sandpit Roads. Tax Map Parcel 3-34-12.00-52.00.

J.G. Townsend Jr. & Company has requested an allocation renewal for six existing irrigation wells. The requested daily withdrawals for two wells are 864,000 gallons per day. The requested daily withdrawals for three wells are 1,440,000 gallons per day and the final well is 1,008,000 gallons per day. The wells are located near Lewes in Sussex County. Tax Map Parcels 3-35-07.00-01.00, 3-34-12.00-46.01, 3-34-12.00-16.00, 3-34-12.00-13.00, 3-34-01.00-09.00 and 3-34-12.00-113.00.

New Castle County Vocational Technical School District has requested an irrigation allocation for a proposed irrigation well. The requested daily withdrawal is 172,800 gallons per day. The well will be located northwest of Middletown in New Castle County, near the intersection of Hyett's Corner Road and Airmont Drive. Tax Map Parcel 1300800026.

DIVISION OF WATER - WETLANDS AND SUBAQUEOUS LANDS SECTION – The Division of Water hereby gives notice that the applications below are available for inspection or copies may be obtained by contacting: Gayle Calder, Wetlands and Subaqueous Lands Section, 89 Kings Highway, Dover, 19901, or by calling (302) 739-9943. A public hearing on the applications below will NOT be held unless our agency Secretary determines that a public hearing is in the public interest, or if a written meritorious objection to the application is received by **April 25**. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3700&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

Subaqueous Lands Permit Application

Division of Fish and Wildlife - (State-Owned Ponds) - To allow for the placement of fish habitat enhancement structures in Delaware's State-owned freshwater ponds in New Castle, Kent, and Sussex Counties

Subaqueous Lands Permit and Water Quality Application

Magellan Midstream Partners - (26067000030) - to install a cathodic protection system comprised of 329 metal anodes and approximately 13,400 linear feet of cable to prevent corrosion of existing steel structures at the Magellan facility located in the Port of Wilmington at the confluence of the Christina and Delaware Rivers, in Wilmington, New Castle County

Subaqueous Lands Lease Application

Division of Parks and Recreation - Trap Pond (232-22.00-8.00) - To remove an existing pier and to construct a 16 by 3 foot gangway, a 24 by 4 foot floating pier, a 5 by 12 foot dock and a 12 by 6 foot canoe access dock near the campgrounds in Trap Pond, at Trap Pond State Park, at 33587 Bald Cypress Lane, Laurel, Sussex County

Madon Church, LLC (134-23.12-144.00) To repair by replacement of 52 linear feet of bulkhead, repair a 4 x 30 foot long pier, construct a 5 x 25 foot long dock and construct a boat lift with 4 associated pilings in the Little Assawoman Bay located at 1407 Bora Bora Street, Fenwick Island, Sussex County

Yvonne Rickards (233-6.00-135.00) – To replace 194 feet of bulkhead and to authorize/construct a 4 x 50 foot long pier, a 3.5 x 7 foot long gangway, 6 x 25 foot long dock and 4-piling boatlift in Pepper Creek at Lots 17, 18 and 19 on Shell Road, Dagsboro, Sussex County

Brian Atallian (2-34-12.00-90.00)-To install a 4 by 50 foot long pier, a 6 by 30 foot dock with associated boatlift in the Rehoboth Bay at 27 Hunt Club Rd, Lewes, Sussex County

Subaqueous Lands Lease and Wetlands Application

G. Thomas and Christine M. Henderson (234-17.16-10.00) To construct a 3 x 140 foot long wetland walkway over State-regulated Wetlands and a 5 x 50 foot long linear dock in the Hopkins Prong of Herring Creek located at Lot B-5, Pinewater Drive, Harbeson, Sussex County

Subaqueous Lands Lease, Permit and Marina Permit Application

Angola By The Bay POA-To construct a major alteration to Angola By The Bay Marina by creating an additional 24 slips, consisting of a 5 x 20 foot long fixed pier, a 4 x 12 foot long gangway, a 5 x 132 foot long floating pier, ten (10) 4 x 16 foot long floating finger piers, two (2) 4 x 20 foot long floating finger piers and to hydraulically dredge 800± cubic yards to a depth of -4 feet MLW in Burton Prong, Herring Creek at the terminus of Marina Drive and to dispose of the dredged material via pipeline to an upland confined disposal area west of Bridgeway Drive West Lewes, Sussex County. This 45-day comment period is to provide the public with the opportunity to review and comment on the application as submitted. Upon closure of this notice period the applicant will be provided with an opportunity to respond, as necessary, to the comments and questions received. Once that response is received the Department will provide an additional 20 day public notice of the final completed application. The comment period ends **April 21**. For more information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3659&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

CONTACT INFORMATION

24-Hour Environmental Report and Spill Notification Line - 1-800-662-8802

Aboveground Storage Tanks - 302-395-2500
Air Quality - New Castle Office - 302-323-4542
Air Quality – Kent & Sussex – 302-739-9402
Asbestos New Castle - 302-323-4542
Asbestos Kent & Sussex - 302-739-9402
Biosolids Permits - 302-739-9946
Boiler Safety - 302-395-2500
Brownfields - 302-395-2600
Community Ombudsman - 302-739-9040
Community Services - 302-739-9959
Delaware Estuary Program - 302-739-9283 (Delaware Coastal Management Program)
Division of Air Quality Director's Office - 302-739-9402
Division of Energy & Climate - 302-735-3480
Division of Waste and Hazardous Substances Director's Office - 302-739-9400
Division of Water Information - 302-739-9950
Dock/Dredging/Bulkheads/Rip-Rap/Wetlands & Subaqueous Lands - 302-739-9943
Emergency Prevention and Response - 302-739-9404
Environmental Crimes Unit - 302-739-9401 or 1-800-662-8802
Environmental Laboratory - 302-739-9942
Hazardous Waste - 302-739-9403
Hazardous Chemical and Toxic Release Inventories – 302-739-9404
Industrial Stormwater Permits - 302-739-9946
Loans & Grants for Wastewater and Septic's (Environmental Finance) - 302-739-9941
Medical Waste - 302-739-9403
Non-Hazardous Liquid Waste Transporters - 302-739-9948
On-site Wastewater Licensing Program - 302-739-9948
Open Burning - 302-739-9402
Outreach Ombudsman - 302-395-2600
Recycling - 302-739-9403
Septic System Permits - Large Systems (Community & I/A) Statewide - 302-739-9948
Septic System Permits - Small Systems for Kent & New Castle Counties - 302-739-9947
Septic System Permits - Small Systems for Sussex Co. & Holding Tank Compli. Program - 302-856-4561
Site Investigation & Restoration Section (Superfund/Brownfields) - 302-395-2600
Small Business Ombudsman - 302-739-9909
Solid Waste - 302-739-9403
Source Water Protection - 302-739-9945
Surface Water Discharge Permits (NPDES) - 302-739-9946
Underground Injection Control & Spray Irrigation - 302-739-9948
Underground Storage Tanks - 302-395-2500
Wastewater Collection, Conveyance, and/or Treatment Facility Construction Permits - 302-739-9946
Wastewater Treatment Facility Operators - 302-739-9946
Water Allocation Permits - 302-739-9945
Water Testing - Drinking Water (Division of Public Health) - 302-741-8630
Water Supply - 302-739-9945
Well Driller's License - 302-739-9944
Well Permits & Licensing - 302-739-9944
Wells - 302-739-9944
Wetlands and Subaqueous Lands Section - 302-739-9943