

The biweekly E-News Update features current information on the Divisions of Air Quality (DAQ), Waste and Hazardous Substances (WHS), and Water regarding public meetings, workshops, hearings, and regulatory documents available for public comment, as well as general news updates. For those of you who are receiving the E-News Update for the first time, the subscription is FREE!

Please sign up at: <http://www.dnrec.delaware.gov/Pages/DNRECLists.aspx> under "Division of Waste & Hazardous Substances Lists." There is no form to fill out; it's done in three clicks!

Suggestions? Additions? Please call Stacy Jones at 302-739-9400, or send an email to Stacy.Jones@state.de.us

Published by the Divisions of Air Quality, Waste and Hazardous Substances and Water.

Visit us at: www.awm.delaware.gov

UPCOMING AIR, WASTE, & WATER-RELATED HEARINGS, MEETINGS, & EVENTS

PUBLIC HEARING TO CONSIDER ADOPTION OF PROPOSED AMENDMENTS TO DELAWARE'S REGULATIONS GOVERNING SOLID WASTE- The amendments would provide greater regulatory flexibility for those business storing scrap tires in trailers and to make corrections to the current scrap tire regulations, the Solid and Hazardous Waste Management Section (SHWMS) is proposing modifications to Section 12 of Delaware's Regulations Governing Solid Waste. The current regulations require all businesses operating a scrap tire facility to obtain a permit, including payment of an annual permit fee. The proposed amendments would allow those businesses storing scrap tires only in fully enclosed trailers to operate without a permit provided certain criteria, including notification to DNREC, are met and maintained to ensure protection of human health and the environment. Hearing will take place on **April 25** at 6:00pm in the Richardson and Robbins Auditorium at 89 Kings Highway, Dover, DE with a presentation by DNREC. Public comments are welcome afterwards. For additional information contact Andrew Martin at (302)739-9403 or visit: <https://egov.delaware.gov/pmc/Event/Details/34630>

ON-SITE SYSTEMS ADVISORY BOARD MEETING – will be held on **May 4** from 9:15am to 11:30am at the Richardson and Robbins Building, Conference Room B228: 89 Kings Highway, Dover, DE, 19901. For additional information, contact Dawn Dryden 302-739-9948 or visit: <https://egov.delaware.gov/pmc/Event/Details/34701>

BOARD OF CERTIFICATION FOR WASTEWATER OPERATORS MONTHLY MEETING – This is a regular monthly meeting of the Board of Certification for Wastewater Operators. Meeting will take place on **May 3** from 9am to 11am at the Richardson and Robbins Building, Conference Room B172: 89 Kings Highway, Dover, DE, 19901. For additional information, contact Faye Wheeler at (302) 739-9946 or visit: <https://egov.delaware.gov/pmc/Event/Details/32995>

SOURCE WATER PROTECTION CITIZEN TECHNICAL ADVISORY COMMITTEE MEETING - The Committee will hold a meeting on **May 4** from 9am to 12pm at the Kent County Administration Complex, Conference Rooms 220 A&B, 555 Bay Road, Dover, DE, 19901. Dover, DE 19901. For additional information, please contact Kimberly Burris at (302) 739-9945; or visit: <https://egov.delaware.gov/pmc/Event/Details/30825>

WATER SUPPLY COORDINATING COUNCIL MEETING - The Council will hold a meeting on **May 19** from 10am to 12pm at the Kent County Administration Complex, Conference Room 220, 555 Bay Road, Dover, DE, 19901. Dover, DE 19901. For additional information contact Kimberly Burris at (302) 739-9945; or visit: <https://egov.delaware.gov/pmc/Event/Details/34217>

PUBLIC WORKSHOP FOR PROPOSED REVISIONS TO THE REGULATIONS GOVERNING UNDERGROUND INJECTION CONTROL-

The Delaware Department of Natural Resources and Environmental Control's Ground Water Discharges Section (GWDS) will be holding two public workshops regarding the proposed version of the State of Delaware Regulations Governing Underground Injection Control (UIC Regulations). The Start Action Notice to adopt the proposed version of the UIC Regulations was signed by (then) Secretary Collin O'Mara November 28, 2012. The proposed version includes amendments prohibiting large-capacity cesspools and motor vehicle disposal wells (floor drains) which are connected to septic systems. All proposed changes will be discussed during the workshop and your feedback is welcome. You are invited to send in written comments prior to the public workshop and/or at any time throughout the regulatory process. The workshops will start at 10:00 A.M., as follows: **May 25** - DNREC Grantham Lane Office - 715 Grantham Lane, New Castle, 19720 and **May 26** DelDOT South District (Georgetown) Office Building- 23697 DuPont Blvd., Georgetown, 19947. For additional information contact Kathy Potter at (302) 739-9948; or visit: <https://egov.delaware.gov/pmc/Event/Details/35772>

AIR QUALITY PERMITTING PROGRAM – Notice has been given that the facilities listed below have submitted applications for air quality management permits. The applications, the “draft/proposed” permits, all materials that the applicant has submitted (other than those granted confidential treatment under DNREC rules), and a copy of summary of other materials, if any, considered in preparing the “draft/proposed” permit, may be inspected at the offices of the Division of Air Quality, 100 W. Water Street, Suite 6A, Dover, 19904. **All comments and public hearing requests** should be mailed to the following address: DIVISION OF AIR QUALITY, 100 W. Water Street, Suite 6A, Dover, 19904. To submit comments, for additional information, or for an appointment to inspect the application, please contact Penny Gentry at (302) 739-9402.

NOTICE HAS BEEN GIVEN THAT LUTHER TOWERS II, requests a permit to operate an emergency generator at their 1201 North Harrison Street, Wilmington, New Castle County facility. By Permit: APC-2016/0119-C/O, the emergency generator will be permitted to emit no more than 2 TPY of NOx, 0.4 TPY of CO, 0.13 TPY of SOx, 0.14 TPY of PM10, and 0.16 TPY of THC. A public hearing on the above application will NOT be held unless our agency Secretary receives a request for a hearing regarding that application by **May 2**. A request for a hearing shall be in writing. The request must also show a familiarity with the application and a reasoned statement of the permit's probable impact. For additional information visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3209&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTICE HAS BEEN GIVEN THAT PROXIMITY MALT, LLC, has requested a modification to an existing permit application (Permit: APC-2016/0063-CONSTRUCTION) to increase the size of the proposed natural gas-fired kiln heaters from 15 MMBTU/hr to 23.9 MMBTU/hr at their 33222 Bi-State Boulevard, Laurel location in Sussex County. This requested change represents an increase in permitted emissions of 0.58 TPY of PM10, 0.58 TPY of PM2.5, 2.45 TPY of NOX, 0.04 TPY of SO2, 6.43 TPY of CO, and 0.42 TPY of VOCs from the original application and public notice (February 24). A public hearing on the above application will NOT be held unless our agency Secretary receives a request for a hearing regarding that application by **May 2**. A request for a hearing shall be in writing. The request must also show a familiarity with the application and a reasoned statement of the permit's probable impact. For additional information visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3208&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTICE HAS BEEN GIVEN THAT STOCKLEY MATERIALS, LLC, an affiliate of Melvin Joseph Construction Co., Inc., requests a permit to construct and operate Morbark 1300 grinder unit and

associated Caterpillar diesel engine at their 25136 DuPont Boulevard, Georgetown facility. The grinder unit and associated diesel engine will be permitted to run at a time with total permitted emissions of 4.4 tons/year of NOX, 5.3 tons/year of CO, 0.25 ton/year of PM, 0.62 ton/year of THC, and 0.01 ton/year of SO2. Permit APC-2016/0088-C/O.). A public hearing on the above application will NOT be held unless our agency Secretary receives a request for a hearing regarding that application by **May 2**. A request for a hearing shall be in writing. The request must also show a familiarity with the application and a reasoned statement of the permit's probable impact. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3207&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTICE HAS BEEN GIVEN THAT Seaford AgriSoil, LLC, requests a permit to construct a composting facility at their 28338 Enviro Way, Seaford location in Sussex County. The composting facility has the potential to emit 27.59 tons per year (TPY) VOCs and 45.42 TPY NH3. The feedstock receiving building will operate at negative pressure and have a biofilter for odor control. The covered aerated static piles (CASPs) will have micropore covers that have a manufacturer-provided 90% VOC control efficiency. The composting facility will be permitted to emit 3.10 TPY VOCs and 27.9 TPY NH3 by Permit: APC-2016/0093-Construction. A public hearing on the above application will NOT be held unless our agency Secretary receives a request for a hearing regarding that application by **May 2**. A request for a hearing shall be in writing. The request must also show a familiarity with the application and a reasoned statement of the permit's probable impact. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3206&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTICE IS HEREBY GIVEN THAT CHRISTIANA CARE HEALTH SERVICES having a facility at 4755 Ogletown Stanton Road, Newark, Delaware, 19718-6001 has requested a federally enforceable 7 DE Admin. Code 1102 construction permit (Draft/Proposed Permit: APC-2016/0076-CONSTRUCTION (FE) (NOx, RACT)) to install a new burner system in existing Boiler #4. This burner system will allow the boiler to combust primarily natural gas and combust No. 2 fuel oil if there is curtailment of the natural gas supply. The Facility has taken an annual limit of 14.47 tons of NOx for this boiler to avoid New Source Review. A public hearing on the above application will NOT be held unless our agency Secretary receives a request for a hearing regarding that application by **May 3**. A request for a hearing shall be in writing. The request must also show a familiarity with the application and a reasoned statement of the permit's probable impact. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3188&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

THE DELAWARE DIVISION OF AIR QUALITY (DAQ) is committed to working with citizens to continuously optimize Delaware's air quality and protect public health, welfare, and the environment. To determine that the DAQ is meeting the air quality needs of the citizens across the state, we encourage you to participate in our opt-in list. In the future you will receive surveys that will allow us to analyze our performance. You can access the opt-in list by clicking:

https://survey.co1.qualtrics.com/jfe/form/SV_1RGZGUYt8fSugkB

WHS - SITE INVESTIGATION AND RESTORATION SECTION is responsible for the identification, evaluation and remediation of sites in Delaware that have had past releases of hazardous substances. The section manages the contaminated sites under three major programs in accordance with the Hazardous Substance Cleanup Act (HSCA). The three programs are the **Brownfields Development Program, the Voluntary Cleanup Program (VCP) and the HSCA Enforcement Program** (for sites requiring enforcement action).

The Brownfields Development Program encourages the cleanup and redevelopment of vacant, abandoned or underutilized properties, which may be contaminated. A party seeking to develop such a property negotiates with SIRS for a **Brownfields Development Agreement (BDA)** to perform an investigation and, if necessary, a remedial action or remedy, for the purpose of addressing the risks posed by past releases of hazardous substances at these sites. However, a BDA is only available to parties that are not current site owners. The **Voluntary Cleanup Program (VCP) Agreement** is available to site owners, who want to clean up their sites and are already liable as a potentially responsible party for the site.

NOTIFICATION OF NEGOTIATIONS FOR A BROWNFIELDS DEVELOPMENT

AGREEMENT FOR THE OYSTER HOUSE VILLAGE SITE (DE-1573) Site Investigation and Restoration Section (DNREC-SIRS) is negotiating a BDA with Oyster House Village, LLC regarding the Oyster House Village Site (Site), located at 37686 Oyster House Road in Rehoboth Beach. Identified by Sussex County as tax parcel numbers 3-34-19.08.36.00, -42.00, -42.01, -44.00, -45.00 and 3-34-19.12-4.00 & -4.01, the 4.2 acre Site may have had a release of hazardous substances as a result of historical use as an oyster processor and automotive related business. This notice expires **May 9**. For additional information contact SIRS Project Manager, Krystal Stanley at (302) 395-2600; or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3205&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

The Proposed and Final Plans of Remedial Action listed below outline site cleanup activities and covenants and are available online at:

<http://www.dnrec.delaware.gov/whs/awm/SIRB/Pages/SIRBPlans.aspx> under

“Announcements.” For site-specific information, please see DNREC’s Environmental Navigator at: <http://www.nav.dnrec.delaware.gov/DEN3>

PROPOSED PLAN OF REMEDIAL ACTION FOR THE WILMINGTON UNIVERSITY-BRANDYWINE CAMPUS SITE

- The Department invites public comment on a Proposed Plan for the Wilmington University-Brandywine Campus Site located in Wilmington, Delaware. The Site formerly operated as part of a fruit orchard and will likely be landscaped with plantings and mulch, and possibly used for signage or an entrance gateway to the campus. The comment period ends on **April 26**. Contact Meghan Crystall, Project Manager, or Robert Newsome, Public Information Officer, at (302)395-2600; or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3192&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

PROPOSED PLAN OF REMEDIAL ACTION FOR THE FORMER CLASSIC IMAGE SITE (DE-1464) OPERABLE UNIT 1

-The Department invites public comment on a proposal to clean up the Former Classic Image Site, Operable Unit 1 located at 112 Market Street in Newport, Delaware. The soil and groundwater of the 0.29 acre site has been impacted by historic uses and are contaminated with chlorinated solvents and gasoline related compounds. The site will be used for commercial/retail purposes. The comment period ends on **May 2**. For additional information, please contact Kristen Thornton, Project Manager, or Robert Newsome, Public Information Officer at (302)395-2600; or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3204&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

FINAL PLAN OF REMEDIAL ACTION FOR THE 427 TATNALL STREET SITE (DE-1248) WILMINGTON-The Department has adopted a plan regarding the clean-up of the 427 Tatnall Street Site located in Wilmington, Delaware. A containment remedy and an Environmental Covenant is proposed for this Site limiting use, soil disturbance, groundwater withdrawal and compliance with a contaminated materials management plan (CMMP). DNREC issued public notice of the Proposed Plan for the Site on March 2. The public has until **May 3** to appeal this Final Plan. For additional information, please contact Larry Jones, Project Manager, or Robert Newsome, Public Information Officer, at (302) 395-2600; or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3203&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

FINAL PLAN OF REMEDIAL ACTION FOR THE 0 SOUTH CHAPEL STREET SITE (DE-1614) - The Department has adopted a plan regarding the clean-up of the 0 South Chapel Street site in Newark. The proposed remedy includes the placement of an Environmental Covenant restricting residential use and groundwater withdrawal. DNREC issued public notice of the Proposed Plan for on March 23. There were no comments or questions from the public regarding the Proposed Plan. The public has until **May 9** to appeal this Final Plan. For additional information, please contact Wendy March, Project Manager, or Robert Newsome, Public Information Officer, at (302) 395-2600; or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3214&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

FINAL PLAN OF REMEDIAL ACTION FOR THE STEVENSON LANE SITE (DE-0224) - The Department has adopted a plan regarding the clean-up of the Stevenson Lane Site located in Georgetown, DE. The Site will be restricted to non-residential

(commercial/industrial) purposes by recording the environmental covenant which will include a requirement to use DNREC-approved Contaminated Materials Management Plan (CMMP) to guide the future removal of soil from the Site and limit groundwater to non-residential use. DNREC issued public notice of the Proposed Plan for Stevenson Lane Site on March 20. There were no comments or questions from the public regarding the Proposed Plan. The public has until **May 9** to appeal this Final Plan. For additional information, please contact Meghan Crystall, Project Manager, or Robert Newsome, Public Information Officer, at (302) 395-2600; or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3213&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

FINAL PLAN OF REMEDIAL ACTION FORMER GREENWOOD SERVICE STATION (DE-1619) - The Department has adopted a plan regarding the clean-up of the Former Greenwood Service Station located in Greenwood. The remedy consists of a developing and implementing a work plan to remove a heating fuel underground storage tank; developing an environmental covenant restricting land use to commercial, and limiting groundwater withdrawal; development of a Long-Term Stewardship plan to collect groundwater and indoor air samples. DNREC issued public notice of the Proposed Plan for the Former Greenwood Service Station on March 20, 2016. There were no comments or questions from the public regarding the Proposed Plan. The public has until **May 9** to appeal this Final Plan. For additional information, please contact Rick Galloway, Project Manager, or Robert Newsome, Public Information Officer, at (302) 395-2600; or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3212&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

FINAL PLAN OF REMEDIAL ACTION LIQUID ALCHEMY SITE (DE-1605) - The Department has adopted a plan regarding the clean-up of the Liquid Alchemy Site located at 28 Brookside Drive in Wilmington. The remedy will consist of the placement of an environmental covenant, compliance with a DNREC-approved Contaminated Materials Management Plan, and a Long Term Stewardship Plan. DNREC issued public notice of the Proposed Plan for the Liquid Alchemy Site on March 20. There were no comments or questions from the public regarding the Proposed Plan. The public has until **May 9** to appeal this Final Plan. For additional information, please contact Kristen Thornton, Project Managers, or Robert Newsome, Public Information Officer, at (302) 395-2600; or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3211&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

FINAL PLAN OF REMEDIAL ACTION FORMER MORHEAT SITE (DE-1613) - The Department has adopted a plan regarding the clean-up of the Former Morheat Site located at 721-723 New Castle Avenue in Wilmington. The remedy will consist of the placement of an environmental covenant and compliance with a DNREC-approved Contaminated Materials Management Plan. DNREC issued public notice of the Proposed Plan for the Former Morheat Site on March 20. There were no comments or questions from the public regarding the Proposed Plan.

The public has until **May 9** to appeal this Final Plan. For additional information, please contact Kristen Thornton, Project Managers, or Robert Newsome, Public Information Officer, at (302) 395-2600; or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3210&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

DIVISION OF WATER - GROUND WATER DISCHARGES -The Division of Water hereby gives notice that the applications below are available for inspection or copies may be obtained by contacting: Kathleen Saunders, Ground Water Discharges, 89 Kings Highway, Dover – 19901, or by calling (302) 739-9948.

On-Site Wastewater Treatment and Disposal System

Eagle BLDG and Grounds Maintenance LLC has submitted an application for a construction permit for an on-site wastewater treatment and disposal system. The system has been designed to accommodate 1,456 gallons per day of wastewater. The site is located 3503 Sudlersville Road, Kent County, tax parcel # 3-00-044.00-01.16.08.000. A public hearing on the above application will NOT be held unless our agency Secretary determines that a public hearing is in the public interest or if a written meritorious objection to the application is by **April 21**. A public hearing request shall be deemed meritorious if it exhibits a familiarity with the application and provides a reasoned statement of the action's probable impact. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3193&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

Kevin A. Evans, Trustee has applied for a permit to construct an on-site wastewater treatment and disposal system (septic system) on their property located on the north side of Rt. 404 (Seashore Highway) ~4052' east of US RT. 13 (Sussex Highway). Sussex County Tax Map # 1-

31-15.00-33.00. The system will serve a produce market with a food service area; it will have a design flow rate of 1,101 gallons per day. A public hearing on the above application will NOT be held unless our agency Secretary determines that a public hearing is in the public interest or if a written meritorious objection to the application is by **April 25**. A public hearing request shall be deemed meritorious if it exhibits a familiarity with the application and provides a reasoned statement of the action's probable impact. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3200&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

Lawrence Stanley, Sr. has applied for an on-site wastewater treatment and disposal system permit. The system has been designed to accommodate 620 gallons per day generated by a hotel and efficiency apartment. The site is located on Route 13 in Felton, DE, tax map # SM 129.01-01-37.00. A public hearing on the above application will NOT be held unless our agency Secretary determines that a public hearing is in the public interest or if a written meritorious objection to the application is by **April 25**. A public hearing request shall be deemed meritorious if it exhibits a familiarity with the application and provides a reasoned statement of the action's probable impact. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3200&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

Russell Kirby II has submitted a renewal application for an operation permit for an on-site wastewater treatment and disposal system for the K & H Provisions Co, Inc. The system has been designed to accommodate 5,000 gallons per day of wastewater. The site is located at 966 Jackson Ditch Road, Sussex County, tax parcel # 6-00-017100-05-2400-001. A public hearing on the above application will NOT be held unless our agency Secretary determines that a public hearing is in the public interest or if a written meritorious objection to the application is by **April 25**. A public hearing request shall be deemed meritorious if it exhibits a familiarity with the application and provides a reasoned statement of the action's probable impact. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3215&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

Non-Hazardous Liquid Waste Transporters Permit

Kuehne Chemical Co, Inc. has applied to the Ground Water Discharges Section for a renewal of Non-Hazardous Liquid Waste Transporters Permit DE OH-172 which allows for the transport of other non-hazardous liquid waste (process waste water), to be disposed of at the New Castle County Sewer System. A public hearing on the above application will NOT be held unless our agency Secretary determines that a public hearing is in the public interest or if a written meritorious objection to the application is by **April 21**. A public hearing request shall be deemed meritorious if it exhibits a familiarity with the application and provides a reasoned statement of the action's probable impact. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3193&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

Central Backhoe Services, LLC has applied to the Ground Water Discharges Section for a renewal of Non-Hazardous Liquid Waste Transporters Permit DE WH-195 which allows for the transport of septage and holding tank waste to be disposed of at the Kent County Sewer System. A public hearing on the above application will NOT be held unless our agency Secretary determines that a public hearing is in the public interest or if a written meritorious objection to the application is by **April 25**. A public hearing request shall be deemed meritorious if it exhibits a familiarity with the application and provides a reasoned statement of the action's probable impact. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3200&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

McMullen Septic Service, Inc. has applied to the Ground Water Discharges Section for a renewal of Non-Hazardous Liquid Waste Transporters Permit DE WH-050 which allows for the transport of Septage, Holding Tank Waste, Grease Trap Waste and/or Cooking Oil Waste to be disposed of as follows: Septage and Holding Tank Waste: Kent County Sewer System, City of Seaford Wastewater Treatment Plant, Town of Laurel Wastewater Treatment Plant, Clean Delaware, Inc., South Coastal Regional Wastewater Facility; Grease Trap Waste and/or Cooking Oil Waste: the Jack McMullen Farm, Tax Parcel Number (TPN) 2-31-24-2.03, located on the north side of CR 46, six miles east of Seaford; Grease Trap Waste: Kent County Sewer System, and the following farms, in accordance with State Permit AGU 1407-S-05 (and subsequent amendments): Gordy Farm, TPN 2-32-8-1, Home Farm, TPN 2-32-2-3, Dolby Farm, TPN 2-32-13-34, Jack McMullen Farm, TPN 2-31-24-2.03 and Brittingham Farm, TPN 3-33-14-25. A public hearing on the above application will NOT be held unless our agency Secretary determines that a public hearing is in the public interest or if a written meritorious objection to the application is by **April 28**. A public hearing request shall be deemed meritorious if it exhibits a familiarity with the application and provides a reasoned statement of the action's probable impact. For additional information visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3202&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

DIVISION OF WATER - WATER SUPPLY - The Division of Water hereby gives notice that the following well permit application has been received. For additional information concerning the applications below, please contact Allison Diggins/Water Supply Section - 89 Kings Highway, Dover, DE 19901; or, by phone at (302) 739-9945.

JBS Farms Partnership has requested an irrigation allocation for their farming operations. They have 10 wells and one intake located southeast of Smyrna in Kent County. The requested daily withdrawal is 4,752,000 gallons per day. A public hearing on the applications below will NOT be held unless our agency Secretary determines that a public hearing is in the public interest, or if a written meritorious objection to the application is received by **April 25**. For additional information visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3199&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

DIVISION OF WATER - WETLANDS AND SUBAQUEOUS LANDS SECTION – The Division of Water hereby gives notice that the applications below are available for inspection or copies may be obtained by contacting: Gayle Calder, Wetlands and Subaqueous Lands Section, 89 Kings Highway, Dover – 19901, or by calling (302) 739-9943. A public hearing on the applications below will NOT be held unless our agency Secretary determines that a public hearing is in the public interest, or if a written meritorious objection to the application is received by **April 26**. For additional information, please visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3191&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

Subaqueous Lands Permit and Wetlands Application

Clare Family LLC (335-8.08-10.00) To hydraulic maintenance dredge 632± cubic yards of material to a depth of -6' MLW for three boat slips in the Lewes and Rehoboth Canal at Anglers Road and to dispose of the dredged material by temporarily placing a pipeline across 100 foot of State-Regulated Wetlands to an upland confined disposal area located west of Anglers Road, in Lewes, Sussex County

Subaqueous Lands Lease Application

Neil Newhouse (134-20.12-15.00) – to construct a 4 by 25 foot long pier and 6 by 30 foot long dock with a boat lift and 2 PWC lifts in Little Bay at 39915 Assawoman Street in Bethany Beach, Sussex County

Ronald Hoch (2-34-34.12-39.00) To utilize an existing 5 by 198 foot long pier, a 6 by 25 foot long dock, and to construct a 5 by 52 foot long pier extension, 2 PWC lifts, a boat lift with 4 associated pilings and 4 mooring pilings in Indian River at 32354 River Road, Millsboro, Sussex County

City of Rehoboth Beach (3-34-14.18-131.00) To maintain 155 linear feet of 36 inch diameter stormwater outfall pipe in the Atlantic Ocean at the east end of Delaware Avenue, Rehoboth Beach, Sussex County

Subaqueous Lands Permit Application

Little Star Properties LLC (334-5.00-302.00) – to construct a 4 by 14 foot long pier, 5 by 14 foot long dock and kayak launch in Red Mill Pond at 31129 Sycamore Drive in Lewes, Sussex County

John Michael Coyne (DC-17-019.09-02-39.00-000) To construct a 4 by 5 foot access stairs and a 5 by 20 foot long dock in Lake Como at 751 Dorchester Court, West Shores, Smyrna

Calpine Mid-Atlantic Generation – (2604000003) – to dredge 32,000 cubic yards of material, dredging a 150-foot by 200-foot area to a depth of 22 feet using a bucket dredge, in the Delaware River at 200 Hay Road, Wilmington, New Castle County and disposing of the material in White's Rehandling Basin in Logan Township, NJ

Subaqueous Wetlands Application

DNREC – Delaware Coastal Programs (TM 2-00-10600-01-2401-00001) To install 15 water data recorders in State regulated wetlands adjacent to the St. Jones River at the St. Jones Reserve, 818 Kitts Hummock Rd, Dover, Kent County

DNREC – Delaware Coastal Programs (TM 1401700017) To install 1 surface elevation table and 3,727± feet of 8 to 10 inch wide walkway in State regulated wetlands adjacent to Blackbird Creek Reserve, 801 Blackbird Landing Rd, Townsend, New Castle County

EMPLOYEE NEWS

Effective **April 4**, Vanessa Hamm accepted a promotion with Kent Conservation District as a Management Analyst I. She will be doing EQuIS for the Division of Waste and Hazardous Substances, Site Investigation Restoration Section (SIRS). **Congrat's!**

Effective **April 18**, Jaquelyn Howard started as an Environmental Scientist III with the Division of Waste and Hazardous Substances, Solid and Hazardous Waste Section working on the Universal Recycling Grants and Low Interest Loan Program, coordination of RPAC responsibilities, and other recycling/waste minimization activities. **Welcome!**

CONTACT INFORMATION

24-Hour Report and Spill Notification Line - 1-800-662-8802

Aboveground Storage Tanks - 302-395-2500

Air Quality - New Castle Office - 302-323-4542

Air Quality – Kent & Sussex – 302-739-9402

Asbestos New Castle - 302-323-4542

Asbestos Kent & Sussex - 302-739-9402

Biosolids Permits - 302-739-9946

Boiler Safety - 302-395-2500

Brownfields - 302-395-2600

Community Ombudsman - 302-739-9040

Delaware Estuary Program - 302-739-9283 (Delaware Coastal Management Program)

Division of Air Quality Director's Office - 302-739-9402
Division of Waste and Hazardous Substances Director's Office - 302-739-9400
Division of Water Information - 302-739-9950
Dock/Dredging/Bulkheads/Rip-Rap/Wetlands & Subaqueous Lands - 302-739-9943
Emergency Prevention and Response - 302-739-9404
Environmental Crimes Unit - 302-739-9401 or 1-800-662-8802
Environmental Laboratory - 302-739-9942
Hazardous Waste - 302-739-9403
Hazardous Chemical and Toxic Release Inventories – 302-739-9404
Industrial Stormwater Permits - 302-739-9946
Loans & Grants for Wastewater and Septic's (Financial Assistance Branch) - 302-739-9941
Medical Waste - 302-739-9403
Non-Hazardous Liquid Waste Transporters - 302-739-9948
On-site Wastewater Licensing Program - 302-739-9948
Open Burning - 302-739-9402
Outreach Ombudsman - 302-395-2600
Recycling - 302-739-9403
Septic System Permits - Large Systems (Community & I/A) Statewide - 302-739-9948
Septic System Permits - Small Systems for Kent & New Castle Counties - 302-739-9947
Septic System Permits - Small Systems for Sussex County & Holding Tank Compliance Program - 302-856-4561
Site Investigation & Restoration Section (Superfund/Brownfields) - 302-395-2600
Small Business Ombudsman - 302-739-9909
Solid Waste - 302-739-9403
Source Water Protection - 302-739-9945
Surface Water Discharge Permits (NPDES) - 302-739-9946
Underground Injection Control & Spray Irrigation - 302-739-9948
Underground Storage Tanks - 302-395-2500
Wastewater Collection, Conveyance and/or Treatment Facility Construction Permits - 302-739-9946
Wastewater Treatment Facility Operators - 302-739-9946
Water Allocation Permits - 302-739-9945
Water Testing - Drinking Water (Division of Public Health) - 302-741-8630
Water Supply - 302-739-9945
Well Driller's License - 302-739-9944
Well Permits & Licensing - 302-739-9944
Wells - 302-739-9944
Wetlands and Subaqueous Lands Section - 302-739-9943