

The biweekly E-News Update features current information on the Divisions of Air Quality (DAQ), Waste and Hazardous Substances (WHS), and Water regarding public meetings, workshops, hearings, and regulatory documents available for public comment, as well as general news updates. For those of you who are receiving the E-News Update for the first time, the subscription is FREE!

Please sign up at: <http://www.dnrec.delaware.gov/Pages/DNRECLists.aspx> under "Division of Waste & Hazardous Substances Lists." There is no form to fill out; it's done in three clicks!

Suggestions? Additions? Please call Kathy Nedelka at 302-739-9400, or send an email to katherine.nedelka@state.de.us

Published by the Divisions of Air Quality, Waste and Hazardous Substances, and Water.

Visit us at: www.awm.delaware.gov

UPCOMING AIR, WASTE, & WATER-RELATED HEARINGS, MEETINGS, & EVENTS

PUBLIC HEARING The Groundwater Discharges Section (GWDS) will be conducting a public hearing regarding the proposed amendments to the State of Delaware Regulations Governing Underground Injection Control (UIC Regulations). The public hearing will take place on **May 25**, at 6:00 PM, in the Richardson & Robbins Auditorium (89 Kings Hwy, Dover). The Start Action Notice to adopt the proposed amendments to the UIC Regulations was signed by then-Secretary Collin O'Mara on November 28, 2012. The proposed amendments include prohibiting large-capacity cesspools and motor vehicle disposal wells (floor drains) which are connected to on-site wastewater treatment and disposal systems. Individuals may submit written comments or request additional information regarding the proposed amendments via e-mail to Lisa.Vest@state.de.us or via the USPS to Lisa Vest, Hearing Officer, 89 Kings Highway, Dover, 19901 (302) 739-9042. THIS IS THE ONLY TIME THIS NOTICE WILL APPEAR. For more information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3733&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

HSCA ADVISORY COMMITTEE – The Committee will hold a public meeting to review and provide guidance and input for DNREC's cleanup programs related to the Hazardous Substance Cleanup Act (HSCA). This meeting will take place on **June 1** beginning at 10:00am at the Shoreline & Waterway Management, Lewes Field Office, 901 Pilottown Rd, Lewes, 19958. For additional information, please contact Christina Wirtz at (302) 395-2600 or visit:

<https://publicmeetings.delaware.gov/Meeting/52540>

NOTICE OF ADDITIONAL PUBLIC HEARING The Division of Air Quality will conduct an additional public hearing on the draft/proposed federally enforceable 7 DE Admin. Code 1102 construction/operation permits (Permit: APC-1995/0471-C/O (A5), Permit: APC-1980/0868-C/O(A5), Permit: APC-1980/0869-C/O(A7) and Permit: APC-1988/0125-C(A6)) for the Delaware City Refining Company LLC and the Delaware City Logistics Company LLC. The permit, if approved by the Department and the United States Environmental Protection Agency, would allow the construction and operation of equipment to load ethanol at the Marine Piers and the truck Marketing Terminal as part of the Ethanol Marketing Project at 4550 Wrangle Hill Road, Delaware City. The project is expected to result in reductions of 9.8 tons/year of VOCs. The public hearing will begin at 6 PM on **June 5** in Conference Rooms A and B of DNREC's office at 391 Lukens Drive, New Castle, 19720. For additional information or for an appointment to review the draft/proposed permit, please contact Ravi Rangan or Lindsay Rennie in the New Castle Office at (302) 323-4542 or Penny Gentry in the Dover Office at (302) 739-9402. Public comments may be presented orally or in written form at the public hearing, and written comments may be submitted in advance without attending the public hearing if received prior to the hearing. Persons who want to speak at the public hearing are encouraged to register in advance no later than **June 2** and this registration will be used to determine the order of speakers at the public hearing. Registration should be sent by email to:

Robert.Haynes@state.de.us. Prior comments and information submitted in conjunction with the first hearing are part of the record and need not be resubmitted. The Department's public notice of the first public hearing fully complied with all applicable regulatory requirements and, as such, there are no formal notice requirements for this additional hearing. Division of Air Quality, State Street Commons, 100 W. Water Street, Suite 6A, Dover, 19904, (302) 739-9402 or visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3761&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTICE OF PUBLIC HEARING Pursuant to the requirements of the Subaqueous Lands Act (7 Del C., Chapter 72) and the Regulations Governing the Use of Subaqueous Lands, and the Marina Regulations, the Department will conduct a public hearing on **June 6**, commencing at 6:00 p.m. at the South Coastal Library, 43 Kent Avenue, Bethany Beach, 19930. The purpose of the hearing is to solicit the views of interested parties in regards to the application filed by TAC BEACON 1, LLC (Solitudes on Whites Creek), to construct a new 20 slip marina consisting of a 6 by 155 foot long dock, a 6 by 280 foot long dock, a 6 by 45 foot long pier, a 6 by 40 foot long pier and a 16 by 60 foot long concrete boat ramp in Whites Creek at Solitudes on Whites Creek, Ocean View, Sussex County. The application and supporting documents may be inspected at the office of the Division of Water, Wetlands and Subaqueous Lands Section, 89 Kings Highway, Dover, by appointment between 8:15 a.m. and 4:15 p.m., Monday through Friday. Comments concerning this application should be made in writing to the Division by **June 6**. For additional information, or an appointment to inspect these documents, please call (302) 739-9943. Public comments may be presented at the public hearing either orally or in written form. Persons who want to pre-register to speak at the public hearing and those who want to submit written public comments should send such preregistration and comments to: Robert P. Haynes, Esq. Office of the Secretary, 89 Kings Highway, Dover, 19901. For more information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3741&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

ON-SITE SYSTEMS ADVISORY BOARD MEETING – This is a regular monthly meeting that will be held on **June 7** from 9:15am to 11:30am at the Richardson and Robbins Building, Conference Room B228, 89 Kings Highway, Dover, 19901. For additional information, contact Dawn Dryden, 302-739-9948; or visit: <https://publicmeetings.delaware.gov/Meeting/50647>

NOTICE OF PUBLIC HEARING Pursuant to the requirements of the Subaqueous Lands Act (7 Del C., Chapter 72) and the Regulations Governing the Use of Subaqueous Lands, and the Marina Regulations, the Department will conduct a public hearing on **June 8**, commencing at 6:00 PM at the Fenwick Island Town Hall, located at 800 Coastal Hwy, Fenwick Island. The purpose of the hearing is to solicit the views of interested parties in specific regards to the application filed by Bayville Communities, LLC (The Overlook), for the construction of a new 25 slip marina with a 2 feet width expansion on the existing 28 foot long pier, an 8 by 42 foot long dock extension, a 6 by 188 foot long pier, ten (10) 4 by 24 foot long finger piers, an 8 by 54 foot long dock, 27 mooring pilings, an 8 foot wide by 24 foot long floating dock; to repair by replace 450 linear feet of bulkhead and 12 linear feet of a timber breakwater immediately in front of the existing bulkhead, remove 68 linear feet of bulkhead, remove two timber groins and repair with 32 linear feet of a rip-rap groin, and 24 cubic yards of beach fill in the Little Assawoman Bay and an adjacent lagoon located at the terminus of Ashlyn Road, Selbyville, The Overlook, Sussex County. The application and supporting documents may be inspected at the office of the Division of Water, Wetlands and Subaqueous Lands Section, 89 Kings Highway, Dover, by appointment between 8:15 a.m. and 4:15 p.m., Monday through Friday. Comments concerning this application should be made in writing to the Division by **June 8**. For additional information, or an appointment to inspect these documents, please call (302) 739-9943. Public comments may be presented at the public hearing either orally or in written form. Persons who want to pre-

register to speak at the public hearing and those who want to submit written public comments should send such preregistration and comments to: Robert P. Haynes, Esq., Office of the Secretary, 89 Kings Highway Dover, 19901. For more information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3740&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

BOARD OF CERTIFICATION FOR WASTEWATER OPERATORS MONTHLY MEETING –

This is a regular monthly meeting of the Board of Certification for Wastewater Operators. Meeting will take place on **June 9** from 9am to 10am at the Delaware Technical & Community College - Terry Campus - Corporate Training Center, 100 E Campus Drive Dover, 19904. For additional information contact Faye Wheeler at (302) 739-9946; or visit:

<https://publicmeetings.delaware.gov/Meeting/39383>

OPT-IN! THE DELAWARE DIVISION OF AIR QUALITY (DAQ) is committed to working with citizens to continuously optimize Delaware's air quality and protect public health, welfare, and the environment. To determine that the DAQ is meeting the air quality needs of the citizens across the state, we encourage you to participate in our opt-in list. In the future you will receive surveys that will allow us to analyze our performance. You can access the opt-in list by clicking:

https://survey.co1.qualtrics.com/jfe/form/SV_1RGZGUYt8fSuqkB

AIR QUALITY PERMITTING PROGRAM – Notice has been given that the facilities listed below have submitted applications for air quality management permits. The applications, the “draft/proposed” permits, all materials that the applicant has submitted (other than those granted confidential treatment under DNREC rules), and a copy of summary of other materials, if any, considered in preparing the “draft/proposed” permit, may be inspected at the offices of the Division of Air Quality, 100 W. Water Street, Suite 6A, Dover, 19904. **All comments and public hearing requests** should be mailed to the following address: DIVISION OF AIR QUALITY, 100 W. Water Street, Suite 6A, Dover 19904. To submit comments, for additional information, or for an appointment to inspect the application, please contact Tracy Mattson at (302) 739-9402.

NOTICE IS HEREBY GIVEN that Tri-County Materials LLC has submitted an application, pursuant to 7 DE Admin. Code 1102, Section 2.1, 11.2.9, and 12.3 for a permit amendment at 3700 South Bay Road, Dover. Tri-County Materials LLC requests a permit limit increase for annual production of hot mix asphalt from 125,000 TPY to 300,000 TPY. These limits are necessary to restrict Tri-County Materials LLC potential to emit air pollutants, and the limit will be enforceable by the EPA and the state. Total estimated emissions from the facility are 5.39 TPY of PM, 1.67 TPY of SO_x, 4.99 TPY of NO_x, 20.16 TPY of CO, 0.80 TPY of HAPS, and 4.66 TPY of THC. A public hearing concerning the permitting action will not be held unless the Secretary receives a request for such hearing by **May 16**. A request for a hearing shall be in writing and must show a familiarity with the application and a reasoned statement of the permit's probable impact. For more information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3714&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTICE HAS BEEN GIVEN THAT Amick Farms, Inc. requests a construction permit to install a baghouse (Emission Unit 10A) for mineral ingredients screw-conveyed to ingredient bins and a construction permit to install a baghouse (Emission Unit 10B) for soft stock ingredients at their 10281 Amick Drive, Delmar, Sussex County facility. The two baghouses will be permitted to emit a combined total 0.018 TPY PM₁₀ by Permits# APC-2007/0172-CONSTRUCTION (Amendment 4) and APC-2017/0118-CONSTRUCTION. Emissions for Emission Units 10A and 10B have not changed from former Emission Unit 10. A public hearing on any of the above applications will NOT be held unless the Secretary receives a request for a hearing regarding that application by **May 22**. A request for a hearing shall be in writing. The request must also show a familiarity with

the application and a reasoned statement of the permit's probable impact. For more information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3750&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTICE HAS BEEN GIVEN THAT Mountaire Farms of Delaware, Inc. requests permission for the installation of one (1) emergency generator, rated 750 kW (1,193 HP) at 29106 John J. Williams Hwy, Millsboro, Sussex County. The engine used in this generator set complies with U. S. EPA regulations under the provisions of 40 CFR 89, Non-Road Tier 2 emissions limits. Permit # APC-2017/0120-Construction (NSPS)(GACT) . A public hearing on any of the above applications will NOT be held unless the Secretary receives a request for a hearing regarding that application ending **May 22**. A request for a hearing shall be in writing. The request must also show a familiarity with the application and a reasoned statement of the permit's probable impact. For additional information or for an appointment to review the application, please contact Tracy Mattson at (302) 739-9402 or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3747&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTICE HAS BEEN GIVEN THAT Seaford AgriSoil, LLC requests a permit to operate one (1) 48 kW Komptech MultiStar L3 screen and one (1) 765 HP (570 kW) Terrex CBI grinder at their Sussex County composting facility located at 28338 Enviro Way in Seaford. The screen has the potential to emit up to 2.02 pounds per hour and 8.86 tons per year (TPY) of nitrogen oxides (NOX), 0.16 pounds per hour and 0.72 TPY of volatile organic compounds (VOCs), 0.44 pounds per hour and 1.91 TPY of carbon monoxide (CO), 0.14 pounds per hour and 0.63 TPY of particulate matter (PM), and 0.13 pounds per hour and 0.59 TPY of sulfur oxides (SOX). The screen will be permitted to emit the same hourly rates and up to 2.19 TPY of NOX, 0.18 TPY of VOCs, 0.47 TPY of CO, 0.16 TPY of PM, and 0.15 TPY of SOX by Permit: APC-2017/0119-OPERATION. The grinder has the potential to emit up to 4.40 pounds per hour and 19.27 TPY of NOX, 0.24 pounds per hour and 1.05 TPY of VOCs, 4.40 pounds per hour and 19.27 TPY of CO, and 0.05 pounds per hour and 0.23 TPY of PM. The grinder will be permitted to emit the same hourly rates and up to 4.75 TPY of NOX, 0.26 TPY of VOCs, 4.75 TPY of CO and 0.06 TPY of PM by Permit: APC-2017/0119-OPERATION. A public hearing on any of the above applications will NOT be held unless the Secretary receives a request for a hearing regarding that application by **May 22**. A request for a hearing shall be in writing. The request must also show a familiarity with the application and a reasoned statement of the permit's probable impact. For additional information or for an appointment to review the application, please contact Tracy Mattson at (302) 739-9402; or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3746&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTICE HAS BEEN GIVEN THAT Contract Crushing/Construction, Inc., requests a Natural Minor permit amendment to operate a one-hundred fifty (150) ton per hour maximum throughput Nordburg LT-1213 Portable Crusher powered by a 436 hp C-12 Caterpillar diesel engine, a Fintec 542 Power Screener powered by a 100 hp diesel engine and a 30' x 50' Conveyor powered by a 36 hp diesel engine at 30548 Thorogoods Road, Dagsboro. The portable crushing equipment will be permitted to emit 5.26 pounds per hour and 4.88 tons per year of NOX, 1.17 pounds per hour and 1.11 tons per year of SO₂, 2.74 pounds per hour and 2.58 tons per year of CO, 0.936 pounds per hour and 0.923 tons per year of VOC, and 2.41 pounds per hour and 2.29 tons per year of PM₁₀ by Permit# APC-2006/0138-OPERATION (Amendment 4). A public hearing on any of the above applications will NOT be held unless the Secretary receives a request for a hearing regarding that application by **May 22**. A request for a hearing shall be in writing. The request must also show a familiarity with the application and a reasoned statement of the permit's

probable impact. For additional information or for an appointment to review the application, please contact Tracy Mattson at (302) 739-9402; or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3745&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTICE IS HEREBY GIVEN that Allan Myers Delaware, Inc. - Wilmington has submitted an application pursuant to 7 DE Admin. Code 1102, Section 2.1, 11.2.9, and 12.3 for an amendment to their operating permit at 1230 Railcar Avenue, Wilmington. Allan Myers Delaware, Inc.– Wilmington requests to increase the percentage of Recycled Asphalt Pavement (RAP) processed from 40% to 45% by weight, add a portable contractor's 450 HP crusher with 100 HP screener for RAP sizing and update their equipment listing. Allan Myers Delaware, Inc.-Wilmington requests limits for fuel usage, operating hours and the amount of material processed. These limits are necessary to restrict Allan Myers Delaware, Inc.-Wilmington's potential to emit air pollutants, and the limits will be enforceable by the EPA and the State. Total permitted emissions from the facility will increase by 0.96 tons per year (TPY) of Nitrogen Oxides (NOX), 0.59 TPY of Carbon Monoxide (CO), 0.08 TPY of Total Hydrocarbons (THC), 0.07 TPY of Sulfur Dioxide (SO₂) and 0.20 TPY of Particulate Matter (PM). A public hearing concerning the permitting action will not be held unless the Secretary receives a request by **May 23**. A request for a hearing shall be in writing and must show a familiarity with the application and a reasoned statement of the permit's probable impact. For more information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3726&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTICE IS HEREBY GIVEN that Allan Myers Delaware, Inc. – Wilmington having a facility at 1230 Railcar Avenue, Wilmington, has requested federally enforceable 7 DE Admin. Code 1102 construction permits (APC-2017/0078-CONSTRUCTION (NSPS) (FE)) for a portable 125 HP screener with conveyors and (APC-2017/0079-CONSTRUCTION (NSPS)(FE)) for a portable 300 HP crusher/110 HP screener with conveyors in order to size Recycled Asphalt Pavement. Allan Myers Delaware, Inc.- Wilmington is requesting federally enforceable limits for operating hours and fuel usage for both the portable 125 HP screener and portable 300HP crusher/110 HP screener. The portable 125 HP screener emissions will be limited to 0.93 ton per year (TPY) of Nitrogen Oxides (NOX), 0.20 TPY of Carbon Monoxide (CO), 0.08 TPY of Total Hydrocarbons (THC), 0.0004 TPY of Sulfur Dioxide (SO₂), 1.77 TPY of Particulate Matter (PM) and 0.67 TPY of Particulate Matter (PM 10). The portable 300HP crusher/110 HP screener emissions will be limited to 4.94 TPY of NOX, 1.06 TPY of CO, 0.4 TPY of THC, 0.002 TPY of SO₂, 3.50 TPY of PM and 1.5 TPY of PM 10. Allan Myers Delaware, Inc. operates three facilities under permits: (APC-2016/0026-OPERATION (NSPS) (SM)) Wilmington, (APC-2012/0154-OPERATION (NSPS)(MNSR)(SM)) Dover and (APC-1997/0494-OPERATION (MNSR)(NSPS)(SM)) Georgetown. Operational limits for the portable equipment will be applied at each location as well as across all sites. Upon completion of construction, the Department will incorporate the operating conditions and limits of the 7 DE Admin. Code 1102 construction permits into the facility's existing Synthetic Minor Operating Permit (Permit: APC-2016/0026-OPERATION (NSPS)(SM) via an Administrative Amendment. The "draft" construction permit is being submitted to EPA for concurrent processing. If there are no significant comments, the "draft" construction permit will be issued as a final permit after the expiration of the EPA review period. A public hearing on the above application will NOT be held unless the Secretary receives a request for a hearing by **May 23**. A request for a hearing shall be in writing. The request must also show a familiarity with the application and a reasoned statement of the permit's probable impact. For more information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3725&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTICE IS HEREBY GIVEN that Allan Myers, Delaware, Inc. has submitted an application, pursuant to 7 DE Admin. Code 1102, Section 2.1, 11.2.9, and 12.3 for an amendment at 3700 Bay Road, Dover. Allan Myers Delaware, Inc. requests emission corrections for their mobile impact crusher and screener, limiting No. 2 fuel oil and operating hours. These limits are necessary to restrict Allan Myers Delaware, Inc. potential to emit air pollutants, and the limit will be enforceable by the EPA and the state. Permitted emissions from the crusher and screener are 0.8 TPY CO, 3.70 TPY NOx, 0.001 TPY SOx, 0.30 TPY VOC, and 2.62 TPY PM10, representing an increase of 0.28 TPY CO, 1.29 TPY NOx, a decrease of 0.16 TPY SOx, an increase of 0.10 TPY VOC, and an increase of 0.26 TPY PM. Allan Myers Delaware, Inc. operates three facilities under permits: (APC-2016/0026-OPERATION (NSPS)(SM)) Wilmington, (APC-2012/0154-OPERATION (NSPS) (MNSR)(SM)) Dover and (APC-1997/0494-OPERATION (MNSR)(NSPS)(SM)) Georgetown. Operational limits for the portable equipment will be applied at each location as well as across all sites. Combined total permitted emissions from the crusher and screener for all sites are 1.6 TPY CO, 7.10 TPY NOx, 0.003 TPY SOx, 0.58 TPY VOC, and 5.1 TPY PM10. A public hearing concerning the permitting action will not be held unless the Secretary receives a request for such hearing by **May 23**. A request for a hearing shall be in writing and must show a familiarity with the application and a reasoned statement of the permit's probable impact. For more information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3724&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTICE IS HEREBY GIVEN that Allan Myers Delaware, Inc. has submitted an application, pursuant to 7 DE Admin. Code 1102, Section 2.1, 11.2.9, and 12.3 for an amendment at 22351 Joseph Road, Georgetown. Allan Myers Delaware, Inc. requests emission corrections for their mobile impact crusher and screener, limiting No. 2 fuel oil and operating hours. These limits are necessary to restrict Allan Myers Delaware, Inc. potential to emit air pollutants, and the limit will be enforceable by the EPA and the state. Permitted emissions from the crusher and screener are 0.8 TPY CO, 3.70 TPY NOx, 0.001 TPY SOx, 0.30 TPY VOC, and 2.62 TPY PM10, representing an increase of 0.28 TPY CO, 1.29 TPY NOx, a decrease of 0.16 TPY SOx, an increase of 0.10 TPY VOC, and an increase of 0.26 TPY PM. Allan Myers Delaware, Inc. operates three facilities under permits: (APC-2016/0026-OPERATION (NSPS)(SM)) Wilmington, (APC-2012/0154-OPERATION (NSPS) (MNSR)(SM)) Dover and (APC-1997/0494-OPERATION (MNSR)(NSPS)(SM)) Georgetown. Operational limits for the portable equipment will be applied at each location as well as across all sites. Combined total permitted emissions from the crusher and screener for all sites are 1.6 TPY CO, 7.10 TPY NOx, 0.003 TPY SOx, 0.58 TPY VOC, and 5.1 TPY PM10. A public hearing concerning the permitting action will not be held unless the Secretary receives a request for such hearing by **May 30**. A request for a hearing shall be in writing and must show a familiarity with the application and a reasoned statement of the permit's probable impact. For more information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3732&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTICE IS HEREBY GIVEN THAT Rohm & Haas Electronic Materials CMP, Inc., having a facility at 451 Bellvue Road, Newark, New Castle County, has requested a federally enforceable 7 DE Admin. Code 1102 construction permit amendment (Permit: APC-2014/0064-CONSTRUCTION (Amendment 1) to install a new Torit baghouse to collect dust that will be generated by a new urethane polishing pad process in Building 15. The permit will limit emissions from the baghouse to 0.026 lb/hr and 0.031 tpy of particulate matter (PM). Upon completion of construction, the Department will incorporate the operating conditions and limits of the 7 DE Admin. Code 1102 Construction permit into the facility's existing Title V permit (Permit: AQM-003/00033-Renewal (2) Revision (2)) via an Administrative Amendment. The "draft" construction permit is being submitted to EPA for concurrent processing. If there are no significant comments, the "draft" construction permit will be issued as a final permit after the expiration of the EPA review period. A public hearing on the above application will NOT be held unless the Secretary

receives a request for a hearing regarding that application by **June 6**. A request for a hearing shall be in writing. The request must also show a familiarity with the application and a reasoned statement of the permit's probable impact. For more information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3748&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTICE IS HEREBY GIVEN THAT Christiana Care Health Services having a facility at 4755 Ogletown Stanton Road, Newark, has requested federally enforceable 7 DE Admin. Code 1102 construction permits (Permit: APC-1979/0091-CONSTRUCTION (Amendment 5) (NOx RACT) (FE), Permit: APC-1979/0092-CONSTRUCTION (Amendment 5) (NOx RACT) (FE), Permit: APC-1979/0093-CONSTRUCTION (Amendment 5) (NOx RACT) (FE)) to install a new economizer on each unit and to install new exhaust ductwork that exits vertically through the roof above each unit individually. Permitted emissions will not be effected by this project. Upon completion of construction, the Department will incorporate the operating conditions and limits of the 7 DE Admin. Code 1102 Construction permit into the facility's existing Title V permit ((Permit: AQM-003/00080-Renewal (R3)) via an Administrative Amendment. To submit comments, for additional information or for an appointment to inspect the application, please contact Tracy Mattson at the Dover Office at 739 9402. A public hearing on the above application will NOT be held unless the Secretary receives a request for a hearing regarding that application by **June 13**. A request for a hearing shall be in writing. The request must also show a familiarity with the application and a reasoned statement of the permit's probable impact. For more information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3762&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

WHS - SITE INVESTIGATION AND RESTORATION SECTION (SIRS) is responsible for the identification, evaluation, and remediation of sites in Delaware that have had past releases of hazardous substances. The section manages the contaminated sites under three major programs in accordance with the Hazardous Substance Cleanup Act (HSCA). The three programs are the **Brownfields Development Program, the Voluntary Cleanup Program (VCP), and the HSCA Enforcement Program** (for sites requiring enforcement action).

The Brownfields Development Program encourages the cleanup and redevelopment of vacant, abandoned, or underutilized properties, which may be contaminated. A party seeking to develop such a property negotiates with SIRS for a **Brownfields Development Agreement (BDA)** to perform an investigation and, if necessary, a remedial action or remedy, for the purpose of addressing the risks posed by past releases of hazardous substances at these sites. However, a BDA is only available to parties that are not current site owners. The **Voluntary Cleanup Program (VCP) Agreement** is available to site owners who want to clean up their sites and are already liable as a potentially responsible party for the site.

NOTIFICATION OF NEGOTIATIONS CONCERNING A VOLUNTARY CLEANUP PROGRAM AGREEMENT FOR THE MERCK 113a SITE (DE-1646)

The Department is negotiating a VCP Agreement with Intervet, Inc. (dba Merck Animal Health) regarding the Merck 113a Site (Site) located at 28387 DuPont Boulevard in Millsboro. The approximate 1.54 acre Site is identified on the maps of Sussex County as tax parcel number 1-33-16.16-6.00. The Site may have had a release of hazardous substances as a result of past use as a former animal product facility. For additional information, please contact the project officer, Robert C. Asreen @ (302) 395-2600 or robert.asreen@state.de.us or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3721&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTIFICATION OF NEGOTIATIONS FOR A BROWNFIELD DEVELOPMENT AGREEMENT FOR THE WILSON PROPERTIES SITE (DE-1655)

The Department is negotiating a BDA with

the Riverfront Development Corporation of Delaware regarding the Wilson Properties Site (Site) located at 800 S. Walnut Street, 800 and 810 S. Market Street in Wilmington. The 3.69 acre Site is identified on the tax maps of New Castle County as nine parcel numbers: 10-001.00-077, 10-001.00-020, 10-001.00-019, 10-001.00-016, 10-001.00-015, 26-057.00-006, 26-057.00-007, 26-057.00-008, and 26-057.00-009. The Site may have had a release of hazardous substances as a result of past use as a salvage yard and an industrial manufacturing facility. For more site-specific information contact the Project Manager, Karissa Hendershot at (302) 395-2600 or karissa.hendershot@state.de.us or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3736&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAIItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTIFICATION OF NEGOTIATIONS FOR A BROWNFIELD DEVELOPMENT AGREEMENT FOR THE FORMER BOBS SPEED SHOP SITE (DE-1654)

The Department is negotiating a BDA with West Laurel LLC regarding the 29122 Sussex Highway Site (Site) located at 29122 Sussex Highway in Laurel. The 11.23 acre Site is identified on the tax maps of Sussex County as parcel numbers 232-12.00-60.00 and 232-12.00-60.01. The Site may have had a release of hazardous substances as a result of past use as an automobile repair shop. For more site-specific information contact the Project Manager, Krystal Stanley at (302) 395-2600 or krystal.stanley@state.de.us or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3735&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAIItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTIFICATION OF PUBLIC COMMENT FOR A BROWNFIELD DEVELOPMENT AGREEMENT FOR THE PB WILMINGTON RF 228 SITE (DE-1640)

The Department negotiated a BDA with PB Wilmington LLC regarding the PB Wilmington RF 228 Site (Site) located at 516 and 518 A Street and a portion of 220 A Street in Wilmington. The 3.74 acre Site is identified on the tax maps of New Castle County as parcel numbers 26-050.00-068, 26-050.00-030 and a portion of 26-050.00-083. At this time, the BDA will address a 0.355 acre portion of the Site for a portion of 220 A Street, parcel 26-050.00-083. The Site may have had a release of hazardous substances as a result of past use as an auto salvage yard/junkyard. The public comment period will end **May 30**. Please submit written comments to the Project Manager, Meghan Crystall at 391 Lukens Drive, New Castle, 19720, (302) 395-2600 or [Meghan.Crystall@state.de.us](mailto: Meghan.Crystall@state.de.us). For more information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3754&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAIItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTIFICATION OF PUBLIC COMMENT FOR A BROWNFIELD DEVELOPMENT AGREEMENT FOR THE 14028 SUSSEX HIGHWAY SITE (DE-1651)

The Department has negotiated a BDA with KNB Associates, LLC regarding the 14028 Sussex Highway Site (Site) located at 14028 Sussex Highway in Greenwood. The 3.3 acre Site is identified on the tax maps of Sussex County as parcel number 530-14.00-12.00. The Site may have had a release of hazardous substances as a result of past use as a gas station. The public comment ends **May 30**. Please submit written comments to the Project Manager, Kate Durant at 391 Lukens Drive, New Castle, 19720, (302) 395-2600 or kathryn.durant@state.de.us or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3749&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAIItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

The Proposed and Final Plans of Remedial Action listed below outline site cleanup activities and covenants and are available online at:

<http://www.dnrec.delaware.gov/whs/awm/SIRB/Pages/SIRBPlans.aspx> under "Announcements." For site-specific information, please see DNREC's Environmental Navigator at:

<http://www.nav.dnrec.delaware.gov/DEN3>

PROPOSED PLAN OF REMEDIAL ACTION FOR THE FORMER AIR PRODUCTS SITE (DE-1570)

The Department invites public comment on a proposal to clean up the Former Air Products Site located at 755 Governor Lea Road in New Castle. The 15.62-acre Site consists of two operable units (OU). OU-1 is developed and has two buildings with paved and gravel parking areas. OU-2 is undeveloped. The parcel is zoned industrial. The Site soil and groundwater is contaminated with several metals including arsenic, chromium, and mercury. The comment period ends on **May 27**. For additional information, please contact Patrick Boettcher, Project Manager at (302) 395-2600 or visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3742&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

PROPOSED PLAN OF REMEDIAL ACTION FOR THE JABLOW property Site (DE-1329)

The Department invites public comment on a proposal to clean up the Jablow Property Site ("Site") located in Wilmington. The Delaware Department of Transportation (DelDOT) is planning to build a new bridge crossing over the Christina River in South Wilmington. The bridge runs through and adjacent to several existing Hazardous Substance Cleanup Act (HSCA) sites; the Jablow Property being one of them. Contaminants of concern (COCs) at the Site include volatile and semi-volatile organic compounds, polychlorinated biphenyls (PCBs), and metals which were detected in soil, and groundwater above DNREC screening levels. The comment period ends on **May 29**. For additional information, please contact Robert C. Asreen, Jr., Project Manager at (302)395-2600 or Robert.asreen@state.de.us; or visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3744&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

PROPOSED PLAN OF REMEDIAL ACTION FOR THE FORMER MIL-DEL SITE (DE-1634)

The Department invites public comment on a proposal to clean up the Former Mil-Del Site located at 700 and 718 McColley Street in Milford. The property has previously operated as a wooden door manufacturer and a textile factory. Painting booth areas along with several floor drains are located inside the Site building. The Site contained two underground heating oil tanks which were removed in November 2016. The Site is proposed to be used for commercial storage space and other commercial uses. The soil and groundwater at the Site have been impacted. The Proposed Plan includes an Environmental Covenant that will limit the use of groundwater at the Site, and restrict the use of the Site to non-residential. The comment period ends on **May 29**. For additional information, please contact Qazi Salahuddin, Environmental Program Manager, at (302)395-2600, or email him at qazi.salahuddin@state.de.us; or visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3743&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

PROPOSED PLAN OF REMEDIAL ACTION FOR THE 735B SOUTH MARKET STREET SITE (DE-1632)

The Department invites public comment on a proposal to clean up the 735B South Market Street Site in Wilmington. The Site, once used as a welding supply sales and propane distribution, requires an Environmental Covenant restricting the Site use to non-residential and restricting groundwater withdrawal from the Site. The comment period ends on **June 5**. For additional information, please contact Morgan Price Project Manager, at (302)395-2600 or email at morgan.price@state.de.us; or visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3759&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

[es%2FAAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A](http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3758&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A)

PROPOSED PLAN OF REMEDIAL ACTION FOR THE FORMER MIKE'S MINI MART (DE-1578) The Department invites the public to comment on a proposal to clean up the Former Mike's Mini Mart Site located in Frederica. Soil is impacted by metals, petroleum volatile organic compounds (VOC) and semi-volatile organic (SVOCs) over DNREC soil standards for residential use of the property. Groundwater is impacted by petroleum volatile organic compounds over residential and indoor worker standards. Contamination was caused by an underground storage tank release. The comment period ends on **June 5**. For additional information, please contact Rick Galloway, Project Manager at (302)395-2600 or rick.galloway@state.de.us; or visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3758&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

WHS- TANK MANAGEMENT SECTION - Tank Management Section (TMS) regulates the installation, operation, maintenance, and closure of Underground Storage Tank and Aboveground Storage Tank (UST and AST) systems in order to prevent contamination of soils and groundwater. The staff also permits the installation and operation of Vapor Recovery (VR) equipment, inspects Boilers and Pressure Vessels to protect public safety, and oversees the cleanup of releases from both UST and AST systems. The TMS prevents leaks to the environment by conducting inspections at regulated UST and AST facilities to ensure equipment is properly installed and maintained. These inspections take place at different types of facilities including gas stations, facilities that have large tank systems, and industrial or manufacturing sites located in Delaware.

NOTICE IS HEREBY GIVEN THAT the Department of Transportation has applied for a construction/operating permit for a Stage I EVR vapor recovery system, at their facility located 119 Lower Beech Street, Wilmington in New Castle County. For additional information or an appointment to inspect the application, please contact: Jennifer Vavala, 391 Lukens Drive, New Castle, 19720, (302) 395-2500. A public hearing on the above applications will NOT be held unless the Secretary receives a request by **May 30**. A request for a hearing shall be in writing and must also show a familiarity with the application and a reasoned statement of the permit's probable impact. **THIS IS THE ONLY LEGAL NOTICE TO APPEAR.** For more information visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3755&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

DIVISION OF WATER - GROUND WATER DISCHARGES -The Division of Water hereby gives notice that the applications below are available for inspection or copies may be obtained by contacting: Kathleen Saunders, Ground Water Discharges, 89 Kings Highway, Dover 19901, or by calling (302) 739-9948. A public hearing on the applications will NOT be held unless the Secretary determines that a public hearing is in the public interest or if a written meritorious objection to the application is received by **May 18**. A public hearing request shall be deemed meritorious if it exhibits a familiarity with the application and provides a reasoned statement of the action's probable impact. For more information visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3738&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

Non-Hazardous Liquid Waste Transporters Permit

Dukes Septic Service has applied to the Groundwater Discharges Section for a Non-Hazardous Liquid Waste Transporters Permit to transport septage to be disposed of at Clean Delaware, City of Seaford, and the Town of Laurel.

On-Site Wastewater Treatment and Disposal System

Kerry Stanley has applied to construct a standard full depth gravity on-site wastewater treatment and disposal system. The system has been designed to accommodate 700 gallons per day of wastewater. The system will service two retail buildings, a three bedroom apartment and an office. The property is located at 1100-1106 Ogletown Rd, Newark, 19711, New Castle County, tax parcel # 09-015.00-001 &-002.

The State of Delaware Division of Parks and Recreation have applied for an on-site wastewater treatment and disposal system permit. The system has been designed to accommodate 600 gallons per day generated by a restroom facility. The site is located at 121 Smith Hill Road, Newark, tax map # 08-041.00-028.

Southern Delaware Communities, Inc. has submitted renewal application for an operation permit for an on-site wastewater treatment and disposal system to serve the Colonial Estates Mobile Home Park. The system has been designed to accommodate 11,000 gallons per day of wastewater. The site is located at the east side of CR-331, Sussex County, and tax parcel # 2-33-1.0-90.0.

DIVISION OF WATER - SURFACE WATER DISCHARGES – The Division of Water hereby gives notice that the following permit applications have been received.

Distribution and Marketing Permit

Distribution and Marketing Permit Issuance – Milwaukee Metropolitan Sewerage District, Wisconsin: The Milwaukee Metropolitan Sewerage District (MMSD) wastewater treatment facility, located in Milwaukee, Wisconsin, produces a heat dried “Class A” “Exceptional Quality” (EQ) biosolids product that is distributed throughout the United States. The MMSD submitted a permit application to comply with the State of Delaware’s requirements to distribute and market the biosolids in Delaware. The production of Class A biosolids product at the MMSD involves a stabilization process known as heat drying. To achieve Class A biosolids certification, the biosolids are required to be heated to at least 80° C (176° F) and the moisture content be raised to at least 90% solids. The process renders biosolids products suitable for use as a fertilizer for agricultural, horticultural, and use for lawns and gardens. To assure compliance with state and federal regulatory requirements, finished biosolids product will be required to be sampled for specific bacterial, chemical and nutrient parameters. Additionally, the stabilization process and metal limits for the product will be required to meet or exceed both Federal and State requirements for production of a “Class A” “Exceptional Quality” biosolids product, approved for public use and contact. MMSD requests issuance of a distribution and marketing permit in the State of Delaware for their biosolids product under the Department’s Guidance and Regulations Governing the Land Treatment of Wastes, Part III, B., Regulations Governing the Land Treatment of Sludges and Sludge Products which allows for such activity pending public notice. Copies of the permit application referenced above are available by contacting: Brian Churchill, Surface Water Discharges Section, 89 Kings Highway, Dover, 19901, (302) 739-9946. A public hearing on the above application will NOT be held unless the Secretary determines that a public hearing is in the public interest or if a written meritorious objection to the application is received by **June 2**. A public hearing request shall be deemed meritorious if it exhibits a familiarity with the application and provides a reasoned statement of the action’s probable impact. For more information visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3751&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

General Concentrated Animal Feeding Operation Permits

The Department and the Department of Agriculture, Nutrient Management Program, hereby give notice that the following farms found on the DNREC website at <http://www.dnrec.delaware.gov/wr/Documents/CAFO-permits-public-notice-May-14-2017.pdf> have applied for coverage under National Pollutant Discharge Elimination System (NPDES) General Concentrated Animal Feeding Operation (CAFO) Permit Number DE 5000N/11, to operate a Large, Medium, or Designated Poultry CAFO without land application of manure under Section 9.5 of the DNREC's Regulations Governing the Control of Water Pollution. Large CAFO's are characterized as having equaled to or greater than 125,000 chickens (C), 82,000 laying hens (L), or 55,000 turkeys (T). Medium CAFO's are characterized as having 37,500-124,999 chickens, 25,000-81,999 laying hens, or 16,500-54,999 turkeys. Designated CAFO's are determined by the department and can be any size. Chicken manure is not land applied by these farms and is exported off the farm. Manure is stored and mortalities are handled in a manner to prevent contamination of waters of the state. All farms have Animal Waste Management Plans that meet the criteria of the CAFO Regulations. Manure, litter, and/or process wastewater discharges are prohibited from the production area. There are currently no known existing production area discharge points at these farms. Any discharges of manure, litter, and/or process wastewater that may occur would be new discharges and are required to be reported to the departments. On the basis of a preliminary staff review and application of lawful standards and regulations, DNREC proposes to issue general CAFO permit coverage to the above referenced farms, subject to certain effluent limitations and conditions. The Secretary intends to issue General NPDES CAFO permit coverage under Section 9.5 of the Department's Regulations Governing the Control of Water Pollution for the above farms. Section 9.5 of the Department's Regulations Governing the Control of Water Pollution allows for such activity pending public notice. Copies of the Notice of Intent, Animal Waste Management Plan, and permit are available by contacting: Nutrient Management Program, Delaware Department of Agriculture, 2320 South DuPont Highway, Dover, 19901, (302)-698-4500, Dda.foia@state.de.us. A public hearing will not be held on any of the above farms unless the Secretary receives a meritorious request **June 12**. A request for a hearing shall list the specific farm, be in writing and shall state the nature of the issues to be raised at the hearing. It must also show a familiarity with the application and a reasoned statement of the activity's probable impact. For more information visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3764&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

DIVISION OF WATER - WATER SUPPLY - The Division of Water hereby gives notice that the following Well permit application has been received. For additional information concerning the applications below, please contact Allison Diggins/Water Supply Section - 89 Kings Highway, Dover, 19901; or by phone at (302)739-9945. A public hearing on the above applications will NOT be held unless the Secretary determines that a public hearing is in the public interest or if a written meritorious objection to the application is received by **May 22**. A public hearing request shall be deemed meritorious if it exhibits a familiarity with the application and provides a reasoned statement of the action's probable impact. For more information visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3752&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

Allocation Permits

Brickhouse Farm, LLC has requested an irrigation allocation for a proposed irrigation well. The requested daily withdrawal is 864,000 gallons per day. The well will be located east of Greenwood in Sussex County, near the intersection of Shawnee Road and Beach Highway. Tax Map Parcel 4-30-05.00-0010.00.

Henry S. Mast has requested an irrigation allocation for three proposed irrigation wells. The requested daily withdrawal for each well is 360,000 gallons per day. The wells will be located

southwest of Dover in Kent County, near the intersection of Sandy Bend Road and Lucks Drive. Tax Map Parcel WD-00-100.00-01-03.00.000

Sandyloam Farm has requested an irrigation allocation for a proposed irrigation well. The requested daily withdrawal is 77,760 gallons per day. The well will be located east of Laurel in Sussex County, near the intersection of Laurel and Hitch Pond Roads. Tax Map Parcel 2-32-19.00-0052.00

Bennetts Farms Incorporated has requested an irrigation allocation for one proposed and one existing well. The requested daily withdrawal for each well is 432,000 and 1,008,000 gallons per day, respectively. The wells will be located southeast of Milford in Sussex County, near the intersection of Sugar Hill Road and Coastal Highway. Tax Map Parcel 2-30-15.00-0038.00

Bennetts Farms Incorporated has requested an irrigation allocation for one proposed and one existing well. The requested daily withdrawal for each well is 432,000 and 547,200 gallons per day, respectively. The wells will be located southeast of Milford in Sussex County, near the intersection of Neals and Slaughter Neck Roads. Tax Map Parcel 2-30-14.00-0097.00

Jerrel Heatwole has requested an irrigation allocation for a proposed irrigation well. The requested daily withdrawal is 720,000 gallons per day. The well will be located southwest of Harrington in Kent County, near the intersection of Greenwood and Tomahawk Branch Roads. Tax Map Parcel MN-00-198.00-01-26.00.000.

Bennett Farm LLC has requested an irrigation allocation for a proposed irrigation well. The requested daily withdrawal is 432,000 gallons per day. The well will be located northeast of Milford in Kent County, near the intersection of Milford Neck and Thompsonville Roads. Tax Map Parcel MD-00-143.00-01-40.00.000

Alternate Method of Compliance

Albert Brown representing Here's Your Sign has applied for an Alternate Method of Compliance under Section 12.0 of The Regulations Governing the Construction and use of Wells to construct a Public well to serve the facility. The property is located at 4676 DuPont Highway, Townsend 19734. Tax Map Parcel 1501000081

Gregory Coury representing Tidewater Utilities has applied for an Alternate Method of Compliance under Section 12.0 of The Regulations Governing the Construction and use of Wells to construct a Public well to serve the Voshall Cove Development. The property is located on Jeri Road (Voshall Cove Development) Dover, 19904. Tax Map Parcel ED-00-066.03-01-39.00

DIVISION OF WATER - WETLANDS AND SUBAQUEOUS LANDS SECTION – The Division of Water hereby gives notice that the applications below are available for inspection or copies may be obtained by contacting: Gayle Calder, Wetlands and Subaqueous Lands Section, 89 Kings Highway, Dover, 19901, or by calling (302) 739-9943. A public hearing on the applications below will NOT be held unless our agency Secretary determines that a public hearing is in the public interest, or if a written meritorious objection to the application is received by **May 23**. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3739&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeId=0x010034FD6D348B0CF04392485E93FC15AB3A>

Subaqueous Lands Permit Application

Evers Property Holdings, LLC (134-3.00-543.00) – To install 4 by 4 foot long set of access stairs leading into the Indian River Bay at Lot 40, Indian River Drive, Bay Colony, Dagsboro, Sussex County

Randall Scarlata (2-35-10.00-32.00)-To install a 4 by 4 foot long pier and a 5 by 10 foot long dock at 2809 South Bayshore Drive, Broadkill Beach, Milton, Sussex County

Subaqueous Lands Lease Application

Frederick Steudler (334-19.00-67.00) – To renew a lease to maintain a 4 by 56 foot long pier, a 5 by 31 foot long dock, and a 4-piling boatlift in the Rehoboth Bay at 23 White Oak Road, Rehoboth Beach Yacht and Country Club, Rehoboth Beach, Sussex County

Subaqueous Lands Lease Supplemental Application

Jeffery Mumford (533-20.13-53.00) – To install a 4-piling boatlift in Roy Creek at 38375 Bayberry Lane, Keenwik on the Bay, Selbyville, Sussex County

Subaqueous Lands Permit, Water Quality and Wetlands Application

Indian River Acres Property Owners – (dredging locations:1-34-7.00-37.00 and 37.21, and disposal site: 233-7.00-8.00) To hydraulically maintenance dredge 10,000 cubic yards of material, dredging to a depth of 3 feet below mean low water from access channels in the Indian River Bay and the artificial lagoons at Indian River Acres, located at the end of Sussex Road, and disposing of the material at the Piney Neck confined disposal facility, off of Piney Neck Road, in Dagsboro, Sussex County

EMPLOYEE NEWS

Effective April 17, I am pleased to announce that Bill Miller from Solid and Hazardous Waste Management Section has accepted the position of Planner IV in the Director's Office. Bill will be working on a variety of things that will hopefully benefit all of us, including taking over ECM, COOP Planning (what we would do if one of our offices was damaged to the point of being unusable), LEAN and Health & Safety, just to mention a few. Please join me in congratulating Bill on his new position.

Katharyn Potter, Environmental Engineer in the Groundwater Discharges Section, received her Master's Degree in Environmental Science on May 6, from Wesley College. Kathy persevered for several years to complete this degree. Congratulations Kathy!

CONTACT INFORMATION

24-Hour Environmental Report and Spill Notification Line - 1-800-662-8802

Aboveground Storage Tanks - 302-395-2500

Air Quality - New Castle Office - 302-323-4542

Air Quality – Kent & Sussex – 302-739-9402

Asbestos New Castle - 302-323-4542

Asbestos Kent & Sussex - 302-739-9402

Biosolids Permits - 302-739-9946

Boiler Safety - 302-395-2500

Brownfields - 302-395-2600

Community Ombudsman - 302-739-9040

Community Services - 302-739-9959

Delaware Estuary Program - 302-739-9283 (Delaware Coastal Management Program)

Division of Air Quality Director's Office - 302-739-9402

Division of Energy & Climate - 302-735-3480

Division of Waste and Hazardous Substances Director's Office - 302-739-9400

Division of Water Information - 302-739-9950

Dock/Dredging/Bulkheads/Rip-Rap/Wetlands & Subaqueous Lands - 302-739-9943

Emergency Prevention and Response - 302-739-9404

Environmental Crimes Unit - 302-739-9401 or 1-800-662-8802

Environmental Laboratory - 302-739-9942

Hazardous Waste - 302-739-9403

Hazardous Chemical and Toxic Release Inventories – 302-739-9404

Industrial Stormwater Permits - 302-739-9946
Loans & Grants for Wastewater and Septic's (Environmental Finance) - 302-739-9941
Medical Waste - 302-739-9403
Non-Hazardous Liquid Waste Transporters - 302-739-9948
On-site Wastewater Licensing Program - 302-739-9948
Open Burning - 302-739-9402
Outreach Ombudsman - 302-395-2600
Recycling - 302-739-9403
Septic System Permits - Large Systems (Community & I/A) Statewide - 302-739-9948
Septic System Permits - Small Systems for Kent & New Castle Counties - 302-739-9947
Septic System Permits - Small Systems for Sussex Co. & Holding Tank Compli. Program - 302-856-4561
Site Investigation & Restoration Section (Superfund/Brownfields) - 302-395-2600
Small Business Ombudsman - 302-739-9909
Solid Waste - 302-739-9403
Source Water Protection - 302-739-9945
Surface Water Discharge Permits (NPDES) - 302-739-9946
Underground Injection Control & Spray Irrigation - 302-739-9948
Underground Storage Tanks - 302-395-2500
Wastewater Collection, Conveyance, and/or Treatment Facility Construction Permits - 302-739-9946
Wastewater Treatment Facility Operators - 302-739-9946
Water Allocation Permits - 302-739-9945
Water Testing - Drinking Water (Division of Public Health) - 302-741-8630
Water Supply - 302-739-9945
Well Driller's License - 302-739-9944
Well Permits & Licensing - 302-739-9944
Wells - 302-739-9944
Wetlands and Subaqueous Lands Section - 302-739-9943