

The biweekly E-News Update features current information on the Divisions of Air Quality (DAQ), Waste and Hazardous Substances (WHS), and Water regarding public meetings, workshops, hearings, and regulatory documents available for public comment, as well as general news updates. For those of you who are receiving the E-News Update for the first time, the subscription is FREE!

Please sign up at: <http://www.dnrec.delaware.gov/Pages/DNRECLists.aspx> under "Division of Waste & Hazardous Substances Lists." There is no form to fill out; it's done in three clicks!

Suggestions? Additions? Please call Stacy Jones at 302-739-9400, or send an email to Stacy.Jones@state.de.us

Published by the Divisions of Air Quality, Waste and Hazardous Substances and Water.

Visit us at: www.awm.delaware.gov

UPCOMING AIR, WASTE, & WATER-RELATED HEARINGS, MEETINGS, & EVENTS

WATER SUPPLY COORDINATING COUNCIL MEETING - The Council will hold a meeting on **May 19** from 10am to 12pm at the Kent County Administration Complex, Conference Room 220, 555 Bay Road, Dover, DE, 19901. Dover, DE 19901. For additional information contact Kimberly Burriss at (302) 739-9945; or visit: <https://egov.delaware.gov/pmc/Event/Details/34217>

PUBLIC WORKSHOP FOR PROPOSED REVISIONS TO THE REGULATIONS GOVERNING UNDERGROUND INJECTION CONTROL- The Delaware Department of Natural Resources and Environmental Control's Ground Water Discharges Section (GWDS) will be holding two public workshops regarding the proposed version of the State of Delaware Regulations Governing Underground Injection Control (UIC Regulations). The Start Action Notice to adopt the proposed version of the UIC Regulations was signed by (then) Secretary Collin O'Mara November 28, 2012. The proposed version includes amendments prohibiting large-capacity cesspools and motor vehicle disposal wells (floor drains) which are connected to septic systems. All proposed changes will be discussed during the workshop and your feedback is welcome. You are invited to send in written comments prior to the public workshop and/or at any time throughout the regulatory process. For additional information contact Kathy Potter at (302) 739-9948. The workshop dates and times is as follows:

May 17 at 6pm - DNREC Auditorium, located at 89 Kings Highway, Dover, DE, 19901. For additional information visit:

<https://egov.delaware.gov/pmc/Event/Details/35788>

May 25 at 10am - DNREC Grantham Lane Office located at 715 Grantham Lane, New Castle, 19720. For additional information visit:

<https://egov.delaware.gov/pmc/Event/Details/35771>

May 26 at 10am - DelDOT South District (Georgetown) Office Building, 23697 DuPont Blvd., Georgetown, 19947. For additional information visit:

<https://egov.delaware.gov/pmc/Event/Details/35772>

CHANGE OF VENUE FOR PUBLIC HEARING HELD BY THE WETLANDS AND SUBAQUEOUS LANDS SECTION OF THE DIVISION OF WATER - The purpose of the hearing is to solicit the views of interested parties in specific regards to the proposed Statewide Activity Approval (SAA) for Shellfish Aquaculture in specific, designated "Shellfish Aquaculture Development Areas (SADA)". If adopted, the Statewide Activity Approval (SAA) would be used to authorize shellfish aquaculture activities within specific portions of the SADA previously established by the Division of Fish and Wildlife under 7 DE Admin Code 3800 Shellfish Aquaculture Regulation. The hearing will take place on **June 8**, commencing at 6 p.m. at the Millville Volunteer Fire Company, 35554 Atlantic

Avenue, Millville, DE 19970. Registration and any written comments should be sent either by email to: Robert.Haynes@state.de.us Or by mail to: Robert P. Haynes, Esq Senior Hearing Officer, Office of the Secretary Department of Natural Resources and Environmental Control P.O. Box 1401, 89 Kings Highway Dover, Delaware 19901. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3245&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

PUBLIC HEARING WILL BE HELD TO RECEIVE PUBLIC COMMENTS ON ALLEN HARIM FOODS, LLC located at 18752 Harbeson Road, Harbeson, Sussex County, to construct Phase II (Two) improvements to address Biological Nutrient Removal (BNR) upgrades of its Wastewater Treatment Facility to comply with a new NPDES permit discharge limits for Total Nitrogen, including (1) One new Nitrification Reactor #2B tank with diffused aeration equipment and air supply blowers, (2) One new Anoxic Reactor #3 tank with jet recirculation pump and jet header mixing system, (3) One new Aerobic Reactor #4 tank with diffused aeration equipment and air supply blowers and with mixed liquor flow division unit for Final Clarifiers, (4) Retrofit existing CMAS#2 tank into one new Waste Sludge Storage Tank #3, (5) New travelling bridge Tertiary Sand Filters for post treatment of Final Clarifier effluent, (6) One new Screw Press for mechanical dewatering of excess thickened biosolids pumped from the two Sludge Storage Tanks, (7) One new Wastewater Equipment Building for enclosure of new blowers, pumps, Tertiary Filter, chemical equipment and operator office, bathroom and lab. The public hearing on the applications and the draft permit will begin at 6 p.m. on **June 9**, at the Milton Library, 121 Union Street, Milton, DE 19968. Registration and any written comments should be send either by mail (Robert P. Haynes, Esq , Senior Hearing Officer, Office of the Secretary - Department of Natural Resources and Environmental Control, P.O. Box 1401, 89 Kings Highway, Dover, Delaware 19901; or preferably email to: Robert.Haynes@state.de.us . For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3235&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

BOARD OF CERTIFICATION FOR WASTEWATER OPERATORS MONTHLY

MEETING – This is a regular monthly meeting of the Board of Certification for Wastewater Operators. Meeting will take place on **June 10** from 9am to 11am at the Delaware Technical and Community College Terry Campus Corporate Training Center 100 Campus Drive, Dover, DE, 19904. For additional information, contact Faye Wheeler at (302) 739-9946 or visit: <https://egov.delaware.gov/pmc/Event/Details/32992>

BOILER SAFETY COUNCIL MEETING Lessons learned from the recent Carbon Monoxide Incident, Conversion of Database to Jurisdiction on-line and any additional new business if requested will take place at this yearly meeting. Meeting will be take place on **June 15** from 10am to 12pm at DNREC - Lukens Drive Offices - Conference Room B: 391 Lukens Dr., New Castle, DE, 19720. Contact Alex Rittberg at 302-395-2500 for additional information or visit: <https://egov.delaware.gov/pmc/Event/Details/35894>

PROPOSED CHANGES TO THE DELAWARE REGULATIONS GOVERNING ABOVEGROUND STORAGE TANKS

– The purpose of this meeting is to accept comments and questions on proposed changes to the Delaware Regulations Governing Aboveground Storage Tanks. Meeting dates and times are as follows:

June 22 from 10am to 12pm at DNREC - Lukens Drive Offices Conference Room B: 391 Lukens Dr., New Castle, DE, 19720. Contact Alex Rittberg at 302-

395-2500 for additional information or visit:
<https://egov.delaware.gov/pmc/Event/Details/35899>

June 29 from 10am to 12pm at DNREC - R&R Building Auditorium: 89 Kings Highway, Dover, DE, 19901. Contact Alex Rittberg at 302-395-2500 for additional information or visit: <https://egov.delaware.gov/pmc/Event/Details/35900>

AIR QUALITY PERMITTING PROGRAM – Notice has been given that the facilities listed below have submitted applications for air quality management permits. The applications, the “draft/proposed” permits, all materials that the applicant has submitted (other than those granted confidential treatment under DNREC rules), and a copy of summary of other materials, if any, considered in preparing the “draft/proposed” permit, may be inspected at the offices of the Division of Air Quality, 100 W. Water Street, Suite 6A, Dover, 19904. **All comments and public hearing requests** should be mailed to the following address: DIVISION OF AIR QUALITY, 100 W. Water Street, Suite 6A, Dover, 19904. To submit comments, for additional information, or for an appointment to inspect the application, please contact Penny Gentry at (302) 739-9402.

NOTICE HAS BEEN GIVEN THAT DELAWARE HEALTH & SOCIAL SERVICES

requests permission for the operation of one (1) emergency generator at the Herman M. Holloway SR. Campus, rated 900 kW (1,322 HP) at 1901 N. Dupont Highway, in New Castle, Delaware. The engine used in this generator set complies with U. S. EPA regulations under the provisions of 40 CFR 89, Non-Road Tier II emissions limits. Permit # APC-2016/0113-CONSTRUCTION. A public hearing on any of the above applications will NOT be held unless our agency Secretary receives a request for a hearing regarding that application by **May 23**. A request for a hearing shall be in writing. The request must also show a familiarity with the application and a reasoned statement of the permit's probable impact. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3242&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTICE IS HEREBY GIVEN THAT DASSAULT FALCON JET – WILMINGTON CORP. HAVING A FACILITY AT 191 NORTH DUPONT HIGHWAY, NEW CASTLE,

has submitted a request for a permit renewal pursuant to 7 DE Admin. Code 1130, Section 7 for operating Permit: AQM-003/00365 (Renewal 3) (Revision 4). Based on the data and certifications contained in the application, the Division of Air Quality concludes that the applicant meets all applicable requirements promulgated by the Environmental Protection Agency (EPA) and the Department of Natural Resources and Environmental Control (DNREC). Therefore a “draft/proposed” permit renewal has been prepared. This “draft/proposed” permit renewal deletes two underground aviation gas storage tanks due to their removal from service, reduces the facility wide emissions limit of Particulate Matter (PM) from 5.46 tons/year to 0.4 ton/year, updates sulfur in fuel oil restrictions to the latest standards, and revises acceptable ranges for differential pressure measurements across the paint booth filters based on operating data. A public hearing concerning the permitting action will not be held unless our agency Secretary receives a request for such hearing by **May 24**. A request for a hearing shall be in writing and must show a familiarity with the application and a reasoned statement of the permit renewal's probable impact. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3222&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTICE HAS BEEN GIVEN THAT SUNOCO PARTNERS MARKETING &

TERMINALS, L.P., (SPMT) requests a construction permit to construct or operate an

emergency flare with additional piping to replace the existing Ethylene Oxide Complex Flare at the Marcus Hook Industrial Complex at their 100 Green Street, Marcus Hook, Pennsylvania facility. The emergency flare with additional piping will be permitted to emit 0.3 TPY NOX, 1.2 TPY CO, 2.2 TPY VOC, 0.002 TPY SO₂, and 447.3 TPY CO_{2e} by Permit# APC-2016-0127-CONSTRUCTION. A public hearing concerning the permitting action will not be held unless our agency Secretary receives a request by **May 30**. A request for a hearing shall be in writing and must show a familiarity with the application and a reasoned statement of the permit renewal's probable impact. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3252&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTICE HAS BEEN GIVEN THAT EDGEWELL PERSONAL CARE (FORMERLY PLAYTEX MANUFACTURING, INC.), requests a construction permit to construct one (1) feminine care pad production line UT6 at their 804 Walker Road, Dover, Kent County facility. The VideoJet printing unit and cleaning associated with the unit will be permitted to emit 2.23 tons/year of VOCs by Permit: APC-2016/0114-CONSTRUCTION. A public hearing concerning the permitting action will not be held unless our agency Secretary receives a request by **May 30**. A request for a hearing shall be in writing and must show a familiarity with the application and a reasoned statement of the permit renewal's probable impact. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3251&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTICE IS HEREBY GIVEN THAT CALPINE MID-ATLANTIC GENERATION, LLC. Hay Road Energy Center having a facility at 198 Hay Road in Wilmington, has submitted a request for significant permit modification pursuant to 7 DE Admin. Code 1130, Section 7 for operating Permit: AQM-003/00388-Renewal (2). Based on the data and certifications contained in the application, the Division of Air Quality concludes that the applicant meets all applicable requirements promulgated by the Environmental Protection Agency (EPA) and the Department of Natural Resources and Environmental Control (DNREC). Therefore a "draft/proposed" permit modification has been prepared. This "draft/proposed" significant permit modification incorporates unit specific emission limits for NO_x and PM_{2.5} for Emission Units HR5, HR6, and HR7. The permitted aggregate annual emission limits in tons per year (tpy) will remain unchanged. A public hearing concerning the permitting action will not be held unless our agency Secretary receives a request by **May 31**. A request for a hearing shall be in writing and must show a familiarity with the application and a reasoned statement of the permit renewal's probable impact. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3232&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTICE IS HEREBY GIVEN THAT CRODA, INC. having a facility at 315 Cherry Lane, New Castle, Delaware, has requested a federally enforceable 7 DE Admin. Code 1102 construction permit (APC-2016/0068-CONSTRUCTION (NSPS) (MACT)(VOC RACT) (MNSR) (FE)) for a 30,000 TPY ethylene oxide plant. Permitted emissions for the facility will not exceed 2.29 TPY CO, 1.75 TPY NO_x, 0.02 TPY SO₂, 5.49 TPY VOC, and 0.21 TPY PM₁₀. Upon completion of construction, the Department will incorporate the operating conditions and limits of the 7 DE Admin. Code 1102 Construction permit into the facility's existing Title V permit (Permit: AQM-003/00058-Renewal (R3)) via an

Administrative Amendment. A public hearing on the above application will NOT be held unless our agency Secretary receives a request for a hearing by **June 14**. A request for a hearing shall be in writing. The request must also show a familiarity with the application and a reasoned statement of the permit's probable impact. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3254&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTICE IS HEREBY GIVEN THAT CHRISTIANA MATERIALS, LLC - FARMINGTON has submitted an application for a permit to construct one (1) 300 TPH hot mix asphalt (HMA) plant with one (1) ultra-drum dryer, one (1) fabric filter Gencor baghouse, one (1) hot oil heater rated 1 MMBTU/hr, one (1) 10,000 gallon No. 2 fuel oil storage tank, one (1) 20,000 gallon asphalt storage tank, one (1) 25,000 gallon asphalt storage tank, and one (1) 1,000 gallon calibration tank, located at 21996 S DuPont Highway, Farmington, Kent County. Christiana Materials, LLC - Farmington requests an annual production limit of 300,000 tons per year of hot mix asphalt. The facility will have the ability to combust either natural gas or No. 2 fuel oil and the company requests an annual limit of 50,000 gallons for No. 2 fuel oil. These limits are necessary to restrict Christiana Materials, LLC – Farmington's potential to emit air pollutants, and the limit will be enforceable by the EPA and the state. Total estimated emissions from the facility are 4.63 TPY NOx, 19.50 TPY CO, 4.80 TPY VOC, 1.28 TPY SO2, and 4.95 TPY PM. A public hearing on the above application will NOT be held unless our agency Secretary receives a request for a hearing by **June 14**. A request for a hearing shall be in writing. The request must also show a familiarity with the application and a reasoned statement of the permit's probable impact. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3253&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTICE IS HEREBY GIVEN THAT KRAFT HEINZ FOODS COMPANY having a facility at 1250 West North Street, Dover, has requested a federally enforceable 7 DE Admin. Code 1102 construction permit (APC-2016/0087-CONSTRUCTION (VOC MNSR)(FE), APC-2016/0124-CONSTRUCTION, APC-2016/0125-CONSTRUCTION, APC-2016/0126-CONSTRUCTION) for emissions of 12.19 tpy of NOX, 18.45 tpy of VOCs, 7.07 tpy of CO, 4.24 tpy of PM10, 0.09 tpy of SO2, and 0.69 tpy of HAPs from a Baking Production Line consisting of three (3) Silos each equipped with Bin Vents and Pulse Jet Filters, a Baking Oven (5.8 MMBTU/hr), a Catalytic Oxidizer, two (2) Dryers (6.4 MMBTU/hr each), and two (2) Cyclone Collectors. A public hearing on the above application will NOT be held unless our agency Secretary receives a request for a hearing by **June 14**. A request for a hearing shall be in writing. The request must also show a familiarity with the application and a reasoned statement of the permit's probable impact. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3249&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

THE DELAWARE DIVISION OF AIR QUALITY (DAQ) is committed to working with citizens to continuously optimize Delaware's air quality and protect public health, welfare, and the environment. To determine that the DAQ is meeting the air quality needs of the citizens across the state, we encourage you to participate in our opt-in list. In the future you will receive surveys that will allow us to analyze our performance. You can access the opt-in list by clicking:

https://survey.co1.qualtrics.com/jfe/form/SV_1RGZGUYt8fSuqkB

WHS - SITE INVESTIGATION AND RESTORATION SECTION is responsible for the identification, evaluation and remediation of sites in Delaware that have had past releases of

hazardous substances. The section manages the contaminated sites under three major programs in accordance with the Hazardous Substance Cleanup Act (HSCA). The three programs are the **Brownfields Development Program, the Voluntary Cleanup Program (VCP) and the HSCA Enforcement Program** (for sites requiring enforcement action).

The Proposed and Final Plans of Remedial Action listed below outline site cleanup activities and covenants and are available online at:

<http://www.dnrec.delaware.gov/whs/awm/SIRB/Pages/SIRBPlans.aspx> under

“Announcements.” For site-specific information, please see DNREC’s Environmental Navigator at: <http://www.nav.dnrec.delaware.gov/DEN3>

PROPOSED PLAN OF REMEDIAL ACTION FOR THE 2004 & 2008 Shipley Road Site

(DE-1603) -The Department invites public comment on a Proposed Plan for the 2004 & 2008 Shipley Road Site located in Wilmington, Delaware. The Site was historically operated for agricultural and horticultural purposes and plans to be developed into an adult retirement and assisted living facility. The comment period ends on **May 17**. For additional information, please contact Meghan Crystall, Project Manager or Robert Newsome, Public Information Officer, at (302)395-2600; or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3227&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

PROPOSED PLAN OF REMEDIAL ACTION FOR THE RIVERFRONT OFFICE

BUILDING (DE-1237) - The Department invites public comment on a proposal to clean up the Riverfront Office Building Site located at 101 Avenue of the Arts in Wilmington. The 1.95-acre Site currently consists of a brick building, a paved parking lot, and some landscaped areas around the perimeter of the property, including a small segment of the River Walk along the Christina River. The Site had historically been the location for various commercial and industrial operations resulting in the soil and groundwater containing elevated concentrations of select metals, volatile organic compounds, and semi-volatile organic compounds identified as having the potential to cause an unacceptable risk to site users; therefore, remedial actions are warranted to eliminate exposure. The comment period ends on **May 23**. For additional information, please contact Lindsay Hall, Project Manager, or Robert Newsome, Public Information Officer, at (302)395-2600; or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3230&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

FINAL PLAN OF REMEDIAL ACTION FOR THE WILMINGTON UNIVERSITY-

BRANDYWINE CAMPUS SITE (DE-1612) -The Department has adopted a plan regarding the clean-up of the Wilmington University-Brandywine Campus Site located in Wilmington, DE. The Site does not require any additional remedial actions. DNREC issued public notice of the Proposed Plan for Wilmington University-Brandywine Campus Site on April 3. There were no comments or questions from the public regarding the Proposed Plan. The public has until **May 23** to appeal this plan. For additional information, please contact Meghan Crystall, Project Manager, or Robert Newsome, Public Information Officer, at (302) 395-2600; or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3238&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

PROPOSED PLAN OF REMEDIAL ACTION FOR THE BAST PARKING LOT Site (DE-1490) - The Department invites public comment on a proposal to clean up the Bast Parking Lot Site in Georgetown. The Site is approximately 0.4 acres, is vacant, and is a proposed parking lot for an adjacent shopping center development. The comment period ends on **May 23**. For additional information, please contact Kristen Thornton, Project Manager, or Robert Newsome, Public Information Officer, at (302)395-2600; or visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3237&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

FINAL PLAN OF REMEDIAL ACTION FOR THE FORMER CLASSIC IMAGE SITE (DE-1464) OPERABLE UNIT 1 - The Department has adopted a plan regarding the clean-up of the Former Classic Image Site, Operable Unit 1 (OU-1) located at 112 Market Street in Newport, Delaware. The soil and groundwater of the 0.29 acre site, have been impacted by historic uses and are contaminated with chlorinated solvents and gasoline-related compounds. The remedy will consist of the placement of an environmental covenant and compliance with a DNREC-approved Contaminated Materials Management Plan. The public has until **June 5** to appeal this Final Plan. For additional information, please contact Kristen Thornton, Project Manager, or Robert Newsome, Public Information Officer, at (302) 395-2600; or visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3246&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

PROPOSED PLAN OF REMEDIAL ACTION FOR THE 18904-18920 COASTAL HIGHWAY SITE (DE-1587) - The Department invites public comment on a proposal to clean up the 18904-18920 Coastal Highway Site in Rehoboth Beach, DE. The Site is a Brownfields site that is being developed in to a Royal Farms store with refueling pumps and convenience store. The comment period ends on **June 6**. For additional information, please contact Krystal Stanley, Project Manager, or Robert Newsome, Public Information Officer, at (302)395-2600; or visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3247&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

DIVISION OF WATER - GROUND WATER DISCHARGES -The Division of Water hereby gives notice that the applications below are available for inspection or copies may be obtained by contacting: Kathleen Saunders, Ground Water Discharges, 89 Kings Highway, Dover – 19901, or by calling (302) 739-9948.

Formal Waiver

Jackie Fitzgerald has applied for a Formal Waiver to install an on-site wastewater treatment and disposal system on his property located on the south side of Staytonville Road ~1950' west of Memory Road near Greenwood, Delaware. Sussex County Tax Map # 4-30-1.00-7.00 & 7.01. The request for the Waiver is being made at this time because the soil on the property does not meet current criteria for the placement of an on-site wastewater treatment and disposal system. The proposed system would serve a single family dwelling with a design flow rate not to exceed 600 gallons per day. A public hearing will NOT be held unless our agency Secretary determines that a public hearing is in the public interest or if a written meritorious objection to the application is received by **May 23**. A public hearing request shall be deemed meritorious if it exhibits a familiarity with the application and provides a reasoned statement of the action's probable impact. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3241&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

Rural Area Waiver

Jane Hoffman has applied for a Rural Area Waiver to install an on-site wastewater treatment and disposal system on her property located on the West side of Parker Road, ~2200' north of Substation Road, near Georgetown Delaware. Sussex County Tax Map # 1-35-22.00-38.00 The property totals 12.14 acres. The request for a Waiver, is being made at this time because the soil on the property does not meet current criteria for the placement of an on-site wastewater treatment and disposal system. The proposed system would serve a single family dwelling with a design flow rare not to exceed 600 gallons per day. A public hearing will NOT be held unless our agency Secretary determines that a public hearing is in the public interest or if a written meritorious objection to the application is received by **May 23**. A public hearing request shall be deemed meritorious if it exhibits a familiarity with the application and provides a reasoned statement of the action's probable impact. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3241&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

On-Site Wastewater Treatment and Disposal System

Linda Sanders has applied for a permit to construct an on-site wastewater treatment and disposal system on her property located on the south side of Rt. 9 (Lewes/Georgetown Highway) ~600' west of Rt. 5 (Indian Mission Road) near Harbeson Delaware Sussex County Tax Map # 2-35-30.00-99.17. The system will serve a proposed daycare facility and will have a design flow rate of 846 gallons per day. A public hearing will NOT be held unless our agency Secretary determines that a public hearing is in the public interest or if a written meritorious objection to the application is received by **May 23**. A public hearing request shall be deemed meritorious if it exhibits a familiarity with the application and provides a reasoned statement of the action's probable impact. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3241&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

The Salvation Army has applied for a permit to construct an on-site wastewater treatment and disposal system (septic system) on their property located on the west side of Sussex Highway (US 13) at the intersection of Hearn's Pond Road (CR 544) near Seaford, Delaware. Sussex County Tax Map Parcel 3-31-4.00-12.00. The system will serve the existing retail area and a soup kitchen with a design flow rate of 764 gallons per day. A public hearing will NOT be held unless our agency Secretary determines that a public hearing is in the public interest or if a written meritorious objection to the application is received by **May 30**. A public hearing request shall be deemed meritorious if it exhibits a familiarity with the application and provides a reasoned statement of the action's probable impact. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3255&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

Non-Hazardous Liquid Waste Transporters Permit

McMullen Septic Service, Inc. has applied to the Ground Water Discharges Section for an

amendment to their Non-Hazardous Liquid Waste Transporters Permit WH-050 to include the transport of activated sludge generated by Invista (Seaford), to be disposed of at the City of Seaford Sewer System. A public hearing will NOT be held unless our agency Secretary determines that a public hearing is in the public interest or if a written meritorious objection to the application is received by **May 23**. A public hearing request shall be deemed meritorious if it exhibits a familiarity with the application and provides a reasoned statement of the action's probable impact. For additional information visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3241&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

DIVISION OF WATER - SURFACE WATER DISCHARGES – The Division of Water hereby gives notice that the following permit application has been received. For additional information or to inspect the applications below contact, Greg Pope, P.E., Environmental Finance, 5E Reed Street, Suite 200, Dover, DE 19901, (302) 739-9941.

NOTICE IS HEREBY GIVEN THAT A PERMIT APPLICATION HAS BEEN RECEIVED FROM CAPTAINS WAY DEVELOPMENT, LLC, located in Lewes, Sussex County, to construct Captains' Way Development sanitary sewer collection system, force main and pump station. The system includes a gravity collection system of 8" SDR26 pipe, 65 manholes, 30 LF of 4" force main, and a 57,491 gpd (design) pump station that connects to the community wastewater facility. A public hearing concerning the above application will NOT be held unless our agency Secretary determines that a hearing is in the public interest or if a written meritorious request for a hearing is received by May 26. A request for a public hearing shall be deemed meritorious if it exhibits a familiarity with the application and provides a reasoned statement of the permit's probable impact. For additional information visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3244&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

DIVISION OF WATER - WETLANDS AND SUBAQUEOUS LANDS SECTION – The Division of Water hereby gives notice that the applications below are available for inspection or copies may be obtained by contacting: Gayle Calder, Wetlands and Subaqueous Lands Section, 89 Kings Highway, Dover – 19901, or by calling (302) 739-9943. A public hearing on the applications below will NOT be held unless our agency Secretary determines that a public hearing is in the public interest, or if a written meritorious objection to the application is received by **May 24**. For additional information, please visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3233&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

Subaqueous Lands Lease Application

James Loomis-(5-33-20.18-0145.00)To install a 4 by 10 foot long pier and a 6 by 25 foot long dock, a boat lift with two associated pilings and to repair 40 linear feet of bulkhead in the Assawoman Bay at 38838 Wilson Avenue, Cape Windsor, Selbyville, Sussex County

Subaqueous Lands Permit Application

Peter Vanderveen-(1-34-13.00-1445.00)To construct a 4 by 5 foot long access stairs and a 5 by 15 foot long dock in the Salt Pond at 533 Bethany Loop, Salt Pond, Bethany Beach, Sussex County

Subaqueous Lands Supplemental Lease Application

Charlotte R. Anderson (134-7.00-15.00) To extend an existing dock 5 by 5 foot long in the Indian River at 33311 Dover Road, Dagsboro, Sussex County

CONTACT INFORMATION

24-Hour Report and Spill Notification Line - 1-800-662-8802

Aboveground Storage Tanks - 302-395-2500
Air Quality - New Castle Office - 302-323-4542
Air Quality – Kent & Sussex – 302-739-9402
Asbestos New Castle - 302-323-4542
Asbestos Kent & Sussex - 302-739-9402
Biosolids Permits - 302-739-9946
Boiler Safety - 302-395-2500
Brownfields - 302-395-2600
Community Ombudsman - 302-739-9040
Delaware Estuary Program - 302-739-9283 (Delaware Coastal Management Program)
Division of Air Quality Director's Office - 302-739-9402
Division of Waste and Hazardous Substances Director's Office - 302-739-9400
Division of Water Information - 302-739-9950
Dock/Dredging/Bulkheads/Rip-Rap/Wetlands & Subaqueous Lands - 302-739-9943
Emergency Prevention and Response - 302-739-9404
Environmental Crimes Unit - 302-739-9401 or 1-800-662-8802
Environmental Laboratory - 302-739-9942
Hazardous Waste - 302-739-9403
Hazardous Chemical and Toxic Release Inventories – 302-739-9404
Industrial Stormwater Permits - 302-739-9946
Loans & Grants for Wastewater and Septic's (Financial Assistance Branch) - 302-739-9941
Medical Waste - 302-739-9403
Non-Hazardous Liquid Waste Transporters - 302-739-9948
On-site Wastewater Licensing Program - 302-739-9948
Open Burning - 302-739-9402
Outreach Ombudsman - 302-395-2600
Recycling - 302-739-9403
Septic System Permits - Large Systems (Community & I/A) Statewide - 302-739-9948
Septic System Permits - Small Systems for Kent & New Castle Counties - 302-739-9947
Septic System Permits - Small Systems for Sussex County & Holding Tank Compliance Program - 302-856-4561
Site Investigation & Restoration Section (Superfund/Brownfields) - 302-395-2600
Small Business Ombudsman - 302-739-9909
Solid Waste - 302-739-9403
Source Water Protection - 302-739-9945
Surface Water Discharge Permits (NPDES) - 302-739-9946
Underground Injection Control & Spray Irrigation - 302-739-9948
Underground Storage Tanks - 302-395-2500
Wastewater Collection, Conveyance and/or Treatment Facility Construction Permits - 302-739-9946
Wastewater Treatment Facility Operators - 302-739-9946
Water Allocation Permits - 302-739-9945
Water Testing - Drinking Water (Division of Public Health) - 302-741-8630
Water Supply - 302-739-9945
Well Driller's License - 302-739-9944
Well Permits & Licensing - 302-739-9944
Wells - 302-739-9944
Wetlands and Subaqueous Lands Section - 302-739-9943