

The biweekly E-News Update features current information on the Divisions of Air Quality, Waste and Hazardous Substances, and Water regarding public meetings, workshops, hearings, and regulatory documents available for public comment, as well as general news updates. For those of you who are receiving the E-News Update for the first time, the subscription is FREE! Please sign up at the following link under the Divisions of Air Quality and Waste and Hazardous Substances at:

<http://www..delaware.gov/Pages/Lists.aspx>

There is no form to fill out; it's done in three clicks! Suggestions? Additions? Please call Stacy Jones at 302-739-9400, or send an email to Stacy.Jones@state.de.us

Published by Divisions of Air Quality, Waste and Hazardous Substances, and Water.

Visit us at: www.awm.delaware.gov

UPCOMING AIR, WASTE, & WATER-RELATED HEARINGS, MEETINGS, & EVENTS

BOILER SAFETY COUNCIL MEETING - The council will hold a meeting on **May 20** from 10 am to 12 pm at the Blue Hen Corporate Center Conference Room, 655 S. Bay Rd., Dover, DE, 19901. For additional information, please contact Joanne Cobb 302- 395-2500; or visit:

<https://egov.delaware.gov/pmc/Event/Details/27337>

THE DEPARTMENT INVITES PUBLIC COMMENT ON A PROPOSAL TO REMEDIATE THE TRAILS & PATHWAYS, CHRISTINA PEDESTRIAN BRIDGE SITE (SITE). The site is located between I-495 to the south and the I-95 to the north, just south of the Wilmington City limits, in New Castle County. The Site consists of the proposed construction area of a pedestrian bridge across the Christina River, as part of the 1st State Trails & Pathways Project Industrial Track Greenway. The Site soil is impacted with contaminants related to the Site's former use as a railroad. Details of the Proposed Plan are available at our Site Investigation and Restoration Section office 391 Lukens Drive, New Castle, DE, 19720. The comment period ends on **May 27**. For additional information, please contact Todd Keyser, Project Manager, or Robert Newsome, Public Information Officer, at (302) 395-2600; or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2735&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

PUBLIC WORKSHOP ON UPDATES TO THE REGULATIONS GOVERNING THE CONSTRUCTION AND USE OF WELLS- Our fourth and final public workshop will be held at 6:00pm on **May 27**, in the Richard and Robbins Building auditorium located at 89 Kings Highway, Dover, Delaware 19901. This workshop will inform the public of the history of current Regulations Governing Well Construction and Use of Wells and changes to the Regulations. Additional information may be obtained by contacting the Water Supply Section at (302) 739-9944; or visit: <https://egov.delaware.gov/pmc/Event/Details/27266>

ON-SITE SYSTEMS ADVISORY BOARD (OSSAB) REPRESENTATIVE INTEREST - The Ground Water Discharges Section (GWDS) is soliciting those Class E System Contractors and Class F Liquid Waste Haulers interested in applying for consideration to become a member of the On-Site Systems Advisory Board (OSSAB) representing your peers. If you would like to apply for the Class E System Contractor or the Class F Liquid Waste Hauler representative on the OSSAB, please submit a completed application and an updated resume by **May 31** to: Ground Water Discharge Section-OSSAB Licensing Coordinator, Dawn Dryden, 89 Kings Highway, Dover, DE 19901. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2684&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

ON-SITE SYSTEMS ADVISORY BOARD – Meeting will take place on **June 3** from 9:15 am to 11:30 am in Rm B228 at the Richardson and Robbins Building-89 Kings Highway, Dover, DE,

19901. Contact Dawn Dryden 302-739-9948 for additional information or visit:
<https://egov.delaware.gov/pmc/Event/Details/27459>

HSCA ADVISORY COMMITTEE (FORMERLY BROWNFIELDS ADVISORY COMMITTEE) will hold a public meeting on **June 4** from 9:30am-12:30pm at our Lewes field office located at 901 Pilottown Road, Lewes, DE 19958. For additional information, please contact Christina Wirtz at (302) 395-2600 or visit:
<https://egov.delaware.gov/pmc/Event/Details/27083>

WATER SUPPLY COORDINATING COUNCIL MEETING - The Council will hold a meeting on **July 29** from 10am to 12pm at the Kent County Administration Complex, Conference Room 220, 555 Bay Road, Dover, DE, 19901. Dover, DE 19901. For additional information, please contact Kimberly Burris at (302) 739-9945; or visit:
<https://egov.delaware.gov/pmc/Event/Details/27415>

AIR QUALITY PERMITTING PROGRAM – Notice has been given that the facilities listed below have submitted applications for air quality management permits. The applications, the “draft/proposed” permits, all materials that the applicant has submitted (other than those granted confidential treatment under DNREC rules), and a copy of summary of other materials, if any, considered in preparing the “draft/proposed” permit, may be inspected at the offices of the Division of Air Quality, 655 S. Bay Road, Dover and 715 Grantham Lane, New Castle. All comments and public hearing requests should be mailed to the following address: DIVISION OF AIR QUALITY, 655 S. Bay Road, Suite 5 N, Dover, DE 19901. To submit comments, for additional information, or for an appointment to inspect the application, please contact Laura Bogus or Penny Gentry at (302) 739-9402.

NOTICE IS HEREBY GIVEN THAT ROSENDIN ELECTRIC, requests a permit to temporarily operate a 2 MW mobile generator at 501 Bear Christiana Road in Bear. By Permit# APC-2015/0102-C/O, emissions from the generator will not exceed 2.23 TPY of NOx, 0.02 TPY of PM, 0.12 TPY of CO, 0.06 TPY of THC, and 0.002 TPY of SOx. A public hearing will NOT be held unless our agency Secretary receives a request by **June 1**. For additional information visit:
<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2747&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTICE IS HEREBY GIVEN THAT HANOVER FOODS CORPORATION HAVING A FACILITY AT ROUTE SIX AND DUCK CREEK ROAD, CLAYTON, has submitted a request for significant permit modification pursuant to 7 DE Admin. Code 1130, Section 7 for operating Permit: AQM-001/00024 (Renewal 3). Based on the data and certifications contained in the application, the Division of Air Quality concludes that the applicant meets all applicable requirements promulgated by the Environmental Protection Agency (EPA) and the Department of Natural Resources and Environmental Control (DNREC). Therefore a “Draft/Proposed” significant permit modification has been prepared. This “Draft/Proposed” significant permit modification allows the Company to switch the secondary fuel for the two primarily natural gas-fired boilers from No. 6 fuel oil to No. 2 fuel oil; and adds a new flour silo and corn dryer as insignificant activities. A public hearing concerning the permitting action will not be held unless our agency Secretary receives a request for such hearing by **May 30**. For additional information visit:
<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2727&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTICE IS HEREBY GIVEN THAT DUPONT TITANIUM TECHNOLOGIES HAVING A FACILITY AT 104 HAY ROAD, EDGEMOOR, has submitted a request for permit renewal pursuant to 7 DE Admin. Code 1130, Section 7 for operating permit: AQM-003/00010. Based on the data and certifications contained in the application, the Division of Air Quality concludes that the applicant meets all applicable requirements promulgated by the Environmental Protection Agency (EPA) and our agency. Therefore a “draft/proposed” permit renewal has been prepared. This “draft/proposed” permit renewal renews the facility’s operating permit and changes the name of the facility from DuPont Titanium Technologies to Chemours. A public hearing concerning the permitting action will not be held unless our agency Secretary receives a request for such hearing by **June 2**. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2731&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTICE IS HEREBY GIVEN THAT EASTERN SHORE NATURAL GAS – DELAWARE CITY has submitted an application, pursuant to 7 DE Admin. Code 1102, Section 2.1, 11.2.9, and 12.3 for a permit to construct two (2) new Caterpillar 3606 TALE natural gas-fired reciprocating internal combustion engine (RICE) compressor units, each equipped with an oxidation catalyst at 711 School House Road in Delaware City. Eastern Shore Natural Gas – Delaware City requests a limit for 17, 1 TPY NO_x, 6.6 TPY CO, 4.5 TPY VOC, 1.2 TPY PM₁₀ or PM_{2.5}, 0.1 TPY SO₂, and 3.3 TPY HAPs. These limits are necessary to restrict Eastern Shore Natural Gas – Delaware City’s potential to emit air pollutants, and the limit will be enforceable by the EPA and the state. Total estimated emissions from the facility are 17.1 TPY NO_x, 6.5 TPY CO, 4.5 TPY VOC, 1.2 TPY PM₁₀ or PM_{2.5}, 0.07 TPY SO₂, and 3.3 TPY HAPs. A public hearing concerning the permitting action will not be held unless our agency Secretary receives a request for such hearing by **June 12**. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2751&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

SITE INVESTIGATION AND RESTORATION SECTION – The Division’s Site Investigation and Restoration Section (SIRS) is responsible for the identification, evaluation and remediation of sites in Delaware that have had past releases of hazardous substances. The Section manages the contaminated sites under three major programs in accordance with the Hazardous Substance Cleanup Act (HSCA). The three programs are the Brownfields Development Program, the Voluntary Cleanup Program (VCP) and the HSCA Enforcement Program (for sites requiring enforcement action).

PROPOSED PLAN OF REMEDIAL ACTION FOR THE 427 WEST 7th STREET (OU-2) SITE (DE-1574) The Department invites public comment regarding the proposed clean-up of the 427 West 7th Street (OU-2) Site located at 427 West 7th Street in New Castle. The 3.53-acre Site consists of an approximately 8,000 square foot building formerly used as an auto repair facility, office space, and retail auto sales. The comment period ends on **June 1**. For additional information, please contact Wendy March, Project Manager, or Robert Newsome, Public Information Officer, at (302)395-2600; or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2741&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

FINAL PLAN OF REMEDIAL ACTION FOR THE BELL FUNERAL HOME SITE (DE-0327) The Department has adopted a plan regarding the clean-up of the Bell Funeral Home Site located in Wilmington. The remedy for the site consists of contaminated soil removal, asbestos abatement, and land use restrictions. A portion of the site will be re-developed as a Dollar General Store in

2015. The public may appeal this Final Plan by **June 1**. For additional information, please contact John Cargill, Project Manager, or Robert Newsome, Public Information Officer, at (302) 395-2600; or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2739&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

PROPOSED PLAN OF REMEDIAL ACTION FOR THE HAMILTON PARK/PYLES LANE SITE – OPERABLE UNIT 15 (DE-1284)

-The Department invites public comment on a proposal to cleanup Operable Unit (OU) - 15 of the Hamilton Park/Pyles Lane Site located in New Castle. The Hamilton Park/Pyles Lane Site is a residential neighborhood. The comment period ends on **June 1**. For additional information, please contact Lindsay Hall, Project Manager, or Robert Newsome, Public Information Officer, at (302)395-2600; or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2744&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTIFICATION OF NEGOTIATIONS CONCERNING A VOLUNTARY CLEANUP PROGRAM (VCP) AGREEMENT FOR THE 1201 NE BOULEVARD SITE (DE-0313)

The Site Investigation and Restoration Section (SIRS), on the behalf of our agency, initiated the VCP in February 1995 in an effort to lessen the time and cost required in cleaning up contaminated sites by reducing litigation. VCP Agreements are available, upon application to our agency, to potentially responsible parties or prospective purchasers who may be liable for the contamination of a property, but who wish to settle their liabilities with our agency under HSCA. Our agency is negotiating a VCP Agreement with the City of Wilmington regarding the 1201 NE Boulevard Site located in Wilmington. The 2.77 acre Site is identified on the maps of New Castle County as tax parcel number 26-036.20-038 and had a release of hazardous substances at the Site. This notice ends **June 8**. For additional information, please contact the project officer, Bob Asreen, at (302) 395-2600; or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2750&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

PROPOSED PLAN OF REMEDIAL ACTION FOR THE A-1 AUTO SALVAGE SITE (DE-1172)

The Department invites public comment on a proposal to clean up the A-1 Auto Salvage Site located at 410 Garasches Lane in Wilmington, Delaware. The 2.1-acre Site consists of one building (2,448 square feet) and a paved parking area in front of the building along Garasches Lane. The remaining portion of the property, the “salvage yard”, consists of gravel, construction fill material and hard pack bare earth. Details of the Proposed Plan are available for review at 391 Lukens Drive, New Castle, DE, 19720. The comment period ends on **June 8**. For additional information, please contact Karissa Hendershot, Project Manager, or Robert Newsome, Public Information Officer, at (302)395-2600; or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2746&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

The Brownfields Development Program encourages the cleanup and redevelopment of vacant, abandoned or underutilized properties, which may be contaminated. A party seeking to develop such a property negotiates with SIRS for a **Brownfields Development Agreement (BDA)** to perform an investigation and, if necessary, a remedial action or remedy, for the purpose of addressing the risks posed by past releases of hazardous substances at these sites. However, a BDA is only available to parties that are not current site owners. The **Voluntary Cleanup Program (VCP) Agreement** is available to site owners, who want to clean up their sites and are already liable as a potentially responsible party for the site. Proposed and Final Plans of Remedial Action are available online at:

<http://www.dnrec.delaware.gov/whs/awm/SIRB/Pages/SIRBPlans.aspx> under “Announcements.”

For site-specific information, please see DNREC's Environmental Navigator at <http://www.nav.dnrec.delaware.gov/DEN3>

NOTIFICATION OF PUBLIC COMMENT FOR A BROWNFIELDS DEVELOPMENT AGREEMENT FOR THE ENNIS DUMP SITE (DE-0127) The Site Investigation and Restoration Section (SIRS) negotiated a BDA with BTL Foundation for International Services regarding the Ennis Dump Site located along First Avenue in Smyrna. Identified by Kent County as tax parcel number 1-17-01009-01-0301, the 22.5 acre Site may have had a release of hazardous substances as a result of past use as former landfill. The public comment period will close on **May 26**. Please submit written comments to our Project Manager, John Cargill, at SIRS, 391 Lukens Drive, New Castle, DE 19720. For additional information contact Mr. Cargill at 302-395-2600; or visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2738&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTIFICATION OF PUBLIC COMMENT FOR A BROWNFIELDS DEVELOPMENT AGREEMENT FOR THE FORMER 200 CHURCHMANS ROAD EXXON STATION SITE (DE-1598) The Site Investigation and Restoration Section (SIRS) negotiated a BDA with Delaware Business Systems, Inc. aka TEAL Properties of Delaware, regarding the Former 200 Churchmans Road Exxon Station Site located at 200 Churchmans Road in Newark, Delaware. Identified by New Castle County as tax parcel number 10-017.00-021, the 0.84 acre Site may have had a release of hazardous substances as a result of past use as a gas station. The public comment period ends **May 26**. Please submit written comments to our Project Manager, Morgan Price, at 391 Lukens Drive, New Castle, DE 19720. For additional information visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2737&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTIFICATION OF PUBLIC COMMENT FOR A BROWNFIELDS DEVELOPMENT AGREEMENT FOR THE CATHEDRAL OF SAINT JOHN CHURCH, WILMINGTON SITE (DE-1602) The Site Investigation and Restoration Section (SIRS) negotiated a BDA with The Ministry of Caring, Inc. regarding the Cathedral of Saint John Church, Wilmington Site (Site) located at 1 Concord Avenue, 2019 N. Market Street and 2020 N. Tatnall Street in Wilmington. Identified on the tax maps of New Castle County as tax parcel numbers 26-022.30-269, 26-022.30-278 and 26-022.30-302, the 2.5 acre Site may have had a release of hazardous substances as a result of remnants of coal fired furnace use and the location of an abandoned underground storage tank. The public comment period ends **June 8**. Please submit written comments to our SIRS Project Manager, Eileen Capitoli, 391 Lukens Drive, New Castle, DE 19720. For additional information visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2749&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTIFICATION OF NEGOTIATIONS AND PUBLIC COMMENT FOR A BROWNFIELDS DEVELOPMENT AGREEMENT FOR THE LIQUID ALCHEMY SITE (DE-1605) The Site Investigation and Restoration Section (DNREC-SIRS) negotiated a BDA with Delaware Mead Company, LLC regarding the Liquid Alchemy Site (Site) located at 28 Brookside Drive in Wilmington, Delaware 19804. The Site may have had a release of hazardous substances as a result of past use, including the location of historical fill and a former leaking underground storage tank removed in 1991. The public comment period ends **June 8**. Please submit written comments to our SIRS Project Manager, Kristen Thornton at 391 Lukens Drive, New Castle, DE 19720. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2748&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

DIVISION OF WATER - Ground Water Discharges - On-Site Wastewater Treatment, Disposal System, and Underground Injection Control Permits - The Division of Water hereby gives notice that the applications below are available for inspection or copies may be obtained by contacting: Kathleen Saunders, Ground Water Discharges, 89 Kings Highway, Dover – 19901, or by calling (302) 739-9948.

On-Site Wastewater Treatment and Disposal System

The Town of Millsboro has submitted an application for an operation permit for an on-site wastewater treatment and disposal system. The system has been designed to accommodate 1.2 million gallons per day of wastewater. The site is located along the north side of Route 20 between CR 433 and CR 432, Sussex County, tax parcel # 1-33-11.00-3.00. A public hearing on the applications below will NOT be held unless our agency Secretary determines that a public hearing is in the public interest or if a written meritorious objection to the application is received by **May 25**. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2743&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

Canon Road Investments, LLC has submitted an application for a temporary holding tank to service the Pelican Point Phase 1 Development. The system has been designed to accommodate 10,200 gallons per day of wastewater. The site is located south of Cannon Road and west of Indian Mission Road, Sussex County, tax parcel # 2-34-16.00-21.00. A public hearing on the applications below will NOT be held unless our agency Secretary determines that a public hearing is in the public interest or if a written meritorious objection to the application is received by **May 25**. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2743&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

Primo Properties LLC has applied for a septic permit to construct a standard pressure dose capping fill on-site wastewater treatment and disposal system. The system has been designed to accommodate 1,296 gallons per day of wastewater. The system will service a gas station with 7 pump islands, 3,456 sq. ft. convenience store and restaurant with 20 seats. The property is located at 5485 DuPont Highway, Dover, DE, Kent County, tax map# NM-00-111.00-01-26.03. A public hearing on the applications below will NOT be held unless our agency Secretary determines that a public hearing is in the public interest or if a written meritorious objection to the application is received by **June 1**. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2753&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

Non-Hazardous Liquid Waste Transporters Permit

B. Brittinghams has applied to the Ground Water Discharges Section for an amendment to their Non-Hazardous Liquid Waste Transporters Permit to allow for the transport of septage and holding tank waste to be disposed of at the Town of Laurel Wastewater Treatment Facility. A public hearing will NOT be held unless our agency Secretary determines that a public hearing is in the public interest or if a written meritorious objection to the application is received by **June 1**. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2753&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

DIVISION OF WATER - SURFACE WATER DISCHARGES – The Division of Water hereby gives notice that the following permit application has been received. For additional information or to inspect the applications below contact, Surface Water Discharges Section - Division of Water, 89 Kings Highway, Dover, DE 19901, (302) 739-9946.

Agricultural Utilization Permit

The City of Rehoboth Beach has requested renewal of their existing agricultural utilization permit, State Permit Number AGU 1002-S-03. The current permit allows the land application of stabilized Class B biosolids, generated at the City of Rehoboth Beach Wastewater Treatment Facility onto an 85-acre portion of the James Well Farm, at agronomic rates. The biosolids and soils at the permitted farm undergo periodic analysis for a list of specific parameters including nutrient content and metals. The James Wells Farm is located on the south side of Slaughter Neck Road (Country Road 215), approximately 6 miles southeast of Milford. This notice expires **May 22**. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2716&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

Distribution and Marketing Permit

The Town of Ocean City Wastewater Department, Maryland (the Town of Ocean City) currently has a permit for the distribution and marketing of a Class A, lime stabilized and heat pasteurized biosolid product in the state. The production of Class A biosolids product at the Town of Ocean City involves a stabilization process that utilizes lime (CaO) to raise the pH of dewatered biosolids to a pH of at least 12 S.U., followed by heat pasteurization within a reaction vessel. The process renders a pasteurized, high alkaline biosolids product suitable for use as a soil amendment/liming agent for agricultural and horticultural uses. Town of Ocean City requests that the existing permit for the production of their biosolids product and the application program be renewed under the Department's Guidance and Regulations Governing the Land Treatment of Wastes, Part III, B., Regulations Governing the Land Treatment of Sludges and Sludge Products which allows for such activity pending public notice. A public hearing on the above application will NOT be held unless our agency Secretary determines that a public hearing is in the public interest or if a written meritorious objection to the application is received by **May 22**. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2715&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NPDES Permit

The Department of Natural Resources and Environmental Control (Department) has conducted a public hearing to hear public comments on the applications and draft permit for the issuance of the National Pollutant Discharge Elimination System (NPDES) permit for: The Delaware City Refinery Company LLC. , located on Wrangle Hill Road in Delaware City, to discharge cooling water, treated process wastewater, and storm water to Cedar Creek, the Delaware River, Dragon Run Creek and Red Lion Creek (current NPDES Permit DE 0000256 and State Permit No. WPCC 3256C/74); and for its Delaware City Power Plant, located on Rte. 9 in Delaware City, to discharge cooling water, treated wastewater, and storm water to the Delaware River (current NPDES Permit No. DE 0050601 and State Permit No. WPCC 3094D/76). The public hearing was held on March 24, 2015 in the auditorium of the Gunning Bedford Middle School, 801 Cox Neck Road, New Castle. The proposed reissuance will consolidate both permits into one NPDES permit, "No. DE0000256". Persons wishing to comment on the pending applications and draft permit may present written statements through the close of the public comment period. The public comment period has been extended through **June 9**. Written statements may also be

submitted to: PublicComments.DNREC@state.de.us . Robert Haynes, Hearing Officer - P.O. Box 1401, 89 Kings Highway, Dover, Delaware 19901. For additional information visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2740&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

DIVISION OF WATER - WATER SUPPLY - The Division of Water hereby gives notice that the following well permit application has been received. A public hearing on the applications below will NOT be held unless our agency Secretary determines that a public hearing is in the public interest or if a written meritorious objection to the application is received by **May 25**. For additional information contact Allison Diggins/Water Supply Section - 89 Kings Highway, Dover, DE 19901, (302) 739-9945; or visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2742&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

Allocation Permits

Artesian Water Company has applied for a modification of its public water allocation for Old County Road which is part of the Northern New Castle County system that serves approximately 206,000 people. The request is for the modification of the withdrawals. The modified allocation is 3.16 million gallons (MG) per day, 95.04 MG per month, and 720 MG per year.

Willin Farms, LLC has requested a modification to its existing irrigation allocation. Two wells have been added to their farming operations which are located Seaford, Sussex County. The requested maximum daily withdrawal of the modification is 12,528,000 gallons per day.

DIVISION OF WATER - WETLANDS AND SUBAQUEOUS LANDS SECTION – The Division of Water hereby gives notice that the applications below are available for inspection or copies may be obtained by contacting: Gayle Calder, Wetlands and Subaqueous Lands Section, 89 Kings Highway, Dover – 19901, or by calling (302) 739-9943. A public hearing on the applications below will NOT be held unless our agency Secretary determines that a public hearing is in the public interest, or if a written meritorious objection to the application is received by **May 26**. For additional information, please visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2733&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

Subaqueous Lands Permit Application

University of Delaware-To install a 6 x 24 ft. long floating dock and a 6 x 56 ft. long linear pier in an artificial basin connecting to the Lewes & Rehoboth Canal at 700 Pilottown Road, University of Delaware CEOE Harbor, Lewes, Sussex County

DeIDOT-To impact 5,544 square feet of waterways, to relocate approximately 630 feet of a roadside channel, replace a culvert and construct a culvert extension, fill approximately 90 feet of a headwater channel, and place riprap; to temporarily impact 2,025 square feet of channel to place sediment and erosion controls; and to create approximately 900 feet of new channel; in tributaries to Lums Pond for the reconfiguration of the Denney Road and Howell School Road intersection and the widening of Howell School Road, near Lums Pond, New Castle County

Subaqueous Lands Lease & Wetlands Application

Michael P. Justice-To install a 3 x 33 ft. long wetland walkway, a 4 x 87 ft. long pier, a 6 x 40 ft. long dock, two 6 x 30 ft. long finger piers, and 4 boat lifts in Pepper Creek, at 204 Pepper Point, Point Farm, Dagsboro, Sussex County

Subaqueous Lands Supplemental Application

Rehoboth Bay Marina-To install a boat lift on 4 existing pilings in slip FN-2 in the Rehoboth Bay at 109 Collins Avenue, Dewey Beach, Sussex County

Map Change Application

DelDOT-To add 115,568 square feet and to delete 94,832 square feet of State regulated wetlands on Delaware Wetlands Maps DNR-401 and 458, located adjacent to Interstate I-95, Route 141 and Airport Road, south of Newport, New Castle County

Proposed Statewide Activity Approval (SAA)

Our agency Wetlands and Subaqueous Lands Section proposes to adopt a revised Statewide Activity Approval (SAA) for Shoreline Stabilization Projects in Tidal and Non-tidal Waters in the State of Delaware (Living Shoreline SAA) pursuant to the provisions of 7 Del. C., §7205, and the Department's Regulations Governing the Use of Subaqueous Lands (Regulations). The SAA authorizes construction of the following types of shoreline stabilization projects: conventional (e.g. natural fiber log stabilization); armored living shoreline (e.g. marsh toe sills with planted marsh or to protect an existing natural marsh); and energy dissipating living shorelines (e.g. oyster castles, wave attenuation devices or log attenuation structures). The project length can be no more than 500 linear feet. The SAA shall apply to shorelines exhibiting more than minimal demonstrable erosion in tidal or non-tidal waters subject to 7 Del. C. Chapter 72 and the Regulations. The intent of the SAA is to simplify and expedite the permitting process for the above described types of shoreline stabilization projects by allowing projects to proceed after Department review without project specific public notice.

EMPLOYEE UPDATES

On **May 18**, Bill Davis of the Solid and Hazardous Waste Management Branch will be moving to the Emergency Planning and Community Right-to-Know Branch, taking over the Tier II program.

CONTACT INFORMATION

24-Hour Report and Spill Notification Line - 1-800-662-8802

Aboveground Storage Tanks - 302-395-2500

Air Quality - New Castle Office - 302-323-4542

Air Quality – Kent & Sussex – 302-739-9402

Asbestos New Castle - 302-323-4542

Asbestos Kent & Sussex - 302-739-9402

Biosolids Permits - 302-739-9946

Boiler Safety - 302-744-2735

Brownfields - 302-395-2600

Delaware Estuary Program - 302-739-9283 (Delaware Coastal Management Program)

Division of Air Quality Director's Office - 302-739-9402

Division of Waste and Hazardous Substances Director's Office - 302-739-9400

Division of Water Information - 302-739-9950

Dock/Dredging/Bulkheads/Rip-Rap/Wetlands & Subaqueous Lands - 302-739-9943

Emergency Prevention and Response - 302-739-9404

Environmental Crimes Unit - 302-739-9401 or 1-800-662-8802

Environmental Laboratory - 302-739-9942

Hazardous Waste - 302-739-9403

Industrial Stormwater Permits - 302-739-9946

Loans & Grants for Wastewater and Septic's (Financial Assistance Branch) - 302-739-9941

Medical Waste - 302-739-9403

Non-Hazardous Liquid Waste Transporters - 302-739-9948

On-site Wastewater Licensing Program - 302-739-9948

Open Burning - 302-739-9402

Outreach Ombudsman - 302-395-2600
Recycling - 302-739-9403
Septic System Permits - Large Systems (Community & I/A) Statewide - 302-739-9948
Septic System Permits - Small Systems for Kent & New Castle Counties - 302-739-9947
Septic System Permits - Small Systems for Sussex County & Holding Tank Compliance Program 302-856-4561
Site Investigation & Restoration Section (Superfund/Brownfields) - 302-395-2600
Solid Waste - 302-739-9403
Source Water Protection - 302-739-9945
Surface Water Discharge Permits (NPDES) - 302-739-9946
Underground Injection Control & Spray Irrigation - 302-739-9948
Underground Storage Tanks - 302-395-2500
Wastewater Collection, Conveyance and/or Treatment Facility Construction Permits - 302-739-9946
Wastewater Treatment Facility Operators - 302-739-9946
Water Allocation Permits - 302-739-9945
Water Testing - Drinking Water (Division of Public Health) - 302-741-8630
Water Supply - 302-739-9945
Well Driller's License - 302-739-9944
Well Permits & Licensing - 302-739-9944
Wells - 302-739-9944
Wetlands and Subaqueous Lands Section - 302-739-9943