

The biweekly E-News Update features current information on the Divisions of Air Quality (DAQ), Waste and Hazardous Substances (WHS), and Water regarding public meetings, workshops, hearings, and regulatory documents available for public comment, as well as general news updates. For those of you who are receiving the E-News Update for the first time, the subscription is FREE!

Please sign up at: <http://www.dnrec.delaware.gov/Pages/DNRECLists.aspx> under "Division of Waste & Hazardous Substances Lists." There is no form to fill out; it's done in three clicks!

Suggestions? Additions? Please call Stacy Jones at 302-739-9400, or send an email to Stacy.Jones@state.de.us

Published by the Divisions of Air Quality, Waste and Hazardous Substances and Water.

Visit us at: www.awm.delaware.gov

SECRETARY'S ORDERS

[Secretary's Order No. 2016-WH-0015](#)

Notice of Conciliation Proceedings, Administrative Penalty Assessment and Secretary's Order Issued Pursuant to 7 Del. C. § 6005 to the Delaware Solid Waste Authority for violation of Delaware's Regulations Governing Solid Waste

[Secretary's Order No. 2016-WH-0020](#)

Notice of Administrative Penalty Assessment Issued Pursuant to 7 Del. C. § 6005 issued to Waste Management of Delaware, Inc., 300 Harvey Drive Wilmington, Delaware 19804 for violations of Delaware's Regulations Governing Solid Waste

[Secretary's Order No. 2015-A-0021](#)

Mountaire Farms of Delaware, Inc.'s Application to Amend Air Pollution Control Permits APC-2014/0091 (#2 Pellet Cooler) and APC-2014/0093 (Hammermills) at its Millsboro Feed Mill at 29106 John J. Williams Highway, Millsboro, Sussex County

UPCOMING AIR, WASTE, & WATER-RELATED HEARINGS, MEETINGS, & EVENTS

ON-SITE SYSTEMS ADVISORY BOARD MEETING – will be held on **May 4** from 9:15am to 11:30am at the Richardson and Robbins Building, Conference Room B228: 89 Kings Highway, Dover, DE, 19901. For additional information, contact Dawn Dryden 302-739-9948 or visit: <https://egov.delaware.gov/pmc/Event/Details/34701>

WATER SUPPLY COORDINATING COUNCIL MEETING - The Council will hold a meeting on **May 19** from 10am to 12pm at the Kent County Administration Complex, Conference Room 220, 555 Bay Road, Dover, DE, 19901. Dover, DE 19901. For additional information contact Kimberly Burris at (302) 739-9945; or visit: <https://egov.delaware.gov/pmc/Event/Details/34217>

PUBLIC WORKSHOP FOR PROPOSED REVISIONS TO THE REGULATIONS GOVERNING UNDERGROUND INJECTION CONTROL- The Delaware Department of Natural Resources and Environmental Control's Ground Water Discharges Section (GWDS) will be holding two public workshops regarding the proposed version of the State of Delaware Regulations Governing Underground Injection Control (UIC Regulations). The Start Action Notice to adopt the proposed version of the UIC Regulations was signed by (then) Secretary Collin O'Mara November 28, 2012. The proposed version includes amendments prohibiting large-capacity cesspools and motor vehicle disposal wells (floor drains) which are connected to septic systems. All proposed changes will be discussed during the workshop and your feedback is welcome. You are invited to send in written comments prior to the public workshop and/or at any time

throughout the regulatory process. For additional information contact Kathy Potter at (302) 739-9948. The workshop dates and times is as follows:

May 17 at DNREC Auditorium, located at 89 Kings Highway, Dover, DE, 19901. For additional information visit: <https://egov.delaware.gov/pmc/Event/Details/35788>

May 25 at DNREC Grantham Lane Office, located at 715 Grantham Lane, New Castle, 19720. For additional information visit: <https://egov.delaware.gov/pmc/Event/Details/35771>

May 26 - DeIDOT South District (Georgetown) Office Building, 23697 DuPont Blvd., Georgetown, 19947. For additional information visit: <https://egov.delaware.gov/pmc/Event/Details/35772>

BOARD OF CERTIFICATION FOR WASTEWATER OPERATORS MONTHLY MEETING – This is a regular monthly meeting of the Board of Certification for Wastewater Operators. Meeting will take place on **June 10** from 9am to 11am at the Delaware Technical and Community College Terry Campus Corporate Training Center 100 Campus Drive, Dover, DE, 19904. For additional information, contact Faye Wheeler at (302) 739-9946 or visit: <https://egov.delaware.gov/pmc/Event/Details/32992>

AIR QUALITY PERMITTING PROGRAM – Notice has been given that the facilities listed below have submitted applications for air quality management permits. The applications, the “draft/proposed” permits, all materials that the applicant has submitted (other than those granted confidential treatment under DNREC rules), and a copy of summary of other materials, if any, considered in preparing the “draft/proposed” permit, may be inspected at the offices of the Division of Air Quality, 100 W. Water Street, Suite 6A, Dover, 19904. **All comments and public hearing requests** should be mailed to the following address: DIVISION OF AIR QUALITY, 100 W. Water Street, Suite 6A, Dover, 19904. To submit comments, for additional information, or for an appointment to inspect the application, please contact Penny Gentry at (302) 739-9402.

NOTICE IS HEREBY GIVEN OF ADDRESS CORRECTION FOR A LEGAL NOTICE FOR LUTHER TOWERS II ON APRIL 17. The legal notice advertised the emergency generator at Luther Towers II was located at the mailing address of the facility rather than the physical address of the generator. The generator is located at 1420 N. Franklin Street, Wilmington. By Permit: APC-2016/0119-C/O, the emergency generator will be permitted to emit no more than 2 TPY of NO_x, 0.4 TPY of CO, 0.13 TPY of SO_x, 0.14 TPY of PM, and 0.16 TPY of THC. A public hearing concerning the permitting action will not be held unless our agency Secretary receives a request for such hearing by **May 16**. A request for a hearing shall be in writing and must show a familiarity with the application and a reasoned statement of the permit renewal’s probable impact. For additional information visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3234&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTICE IS HEREBY GIVEN THAT DASSAULT FALCON JET – WILMINGTON CORP. HAVING A FACILITY AT 191 NORTH DUPONT HIGHWAY, NEW CASTLE, has submitted a request for a permit renewal pursuant to 7 DE Admin. Code 1130, Section 7 for operating Permit: AQM-003/00365 (Renewal 3) (Revision 4). Based on the data and certifications contained in the application, the Division of Air Quality concludes that the applicant meets all applicable requirements promulgated by the Environmental Protection Agency (EPA) and the Department of Natural Resources and Environmental Control (DNREC). Therefore a “draft/proposed” permit renewal has been prepared. This

“draft/proposed” permit renewal deletes two underground aviation gas storage tanks due to their removal from service, reduces the facility wide emissions limit of Particulate Matter (PM) from 5.46 tons/year to 0.4 ton/year, updates sulfur in fuel oil restrictions to the latest standards, and revises acceptable ranges for differential pressure measurements across the paint booth filters based on operating data. A public hearing concerning the permitting action will not be held unless our agency Secretary receives a request for such hearing by **May 24**. A request for a hearing shall be in writing and must show a familiarity with the application and a reasoned statement of the permit renewal’s probable impact. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3222&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTICE IS HEREBY GIVEN THAT CALPINE MID-ATLANTIC GENERATION, LLC. Hay Road Energy Center having a facility at 198 Hay Road in Wilmington, has submitted a request for significant permit modification pursuant to 7 DE Admin. Code 1130, Section 7 for operating Permit: AQM-003/00388-Renewal (2). Based on the data and certifications contained in the application, the Division of Air Quality concludes that the applicant meets all applicable requirements promulgated by the Environmental Protection Agency (EPA) and the Department of Natural Resources and Environmental Control (DNREC). Therefore a “draft/proposed” permit modification has been prepared. This “draft/proposed” significant permit modification incorporates unit specific emission limits for NOx and PM2.5 for Emission Units HR5, HR6, and HR7. The permitted aggregate annual emission limits in tons per year (tpy) will remain unchanged. A public hearing concerning the permitting action will not be held unless our agency Secretary receives a request by **May 31**. A request for a hearing shall be in writing and must show a familiarity with the application and a reasoned statement of the permit renewal’s probable impact. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3232&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

THE DELAWARE DIVISION OF AIR QUALITY (DAQ) is committed to working with citizens to continuously optimize Delaware’s air quality and protect public health, welfare, and the environment. To determine that the DAQ is meeting the air quality needs of the citizens across the state, we encourage you to participate in our opt-in list. In the future you will receive surveys that will allow us to analyze our performance. You can access the opt-in list by clicking:

https://survey.co1.qualtrics.com/jfe/form/SV_1RGZGUYt8fSuqkB

WHS - SITE INVESTIGATION AND RESTORATION SECTION is responsible for the identification, evaluation and remediation of sites in Delaware that have had past releases of hazardous substances. The section manages the contaminated sites under three major programs in accordance with the Hazardous Substance Cleanup Act (HSCA). The three programs are the **Brownfields Development Program, the Voluntary Cleanup Program (VCP) and the HSCA Enforcement Program** (for sites requiring enforcement action).

The Brownfields Development Program encourages the cleanup and redevelopment of vacant, abandoned or underutilized properties, which may be contaminated. A party seeking to develop such a property negotiates with SIRS for a **Brownfields Development Agreement (BDA)** to perform an investigation and, if necessary, a remedial action or remedy, for the purpose of addressing the risks posed by past releases of hazardous substances at these sites. However, a BDA is only available to parties that are not current site owners. The **Voluntary Cleanup Program (VCP) Agreement** is available to site owners, who want to clean up their sites and are already liable as a potentially responsible party for the site.

NOTIFICATION OF NEGOTIATIONS FOR A BROWNFIELDS DEVELOPMENT AGREEMENT FOR THE OYSTER HOUSE VILLAGE SITE (DE-1573)

Site Investigation and Restoration Section (DNREC-SIRS) is negotiating a BDA with Oyster House Village, LLC regarding the Oyster House Village Site (Site), located at 37686 Oyster House Road in Rehoboth Beach. Identified by Sussex County as tax parcel numbers 3-34-19.08.36.00, -42.00, -42.01, -44.00, -45.00 and 3-34-19.12-4.00 & -4.01, the 4.2 acre Site may have had a release of hazardous substances as a result of historical use as an oyster processor and automotive related business. This notice expires **May 9**. For additional information contact SIRS Project Manager, Krystal Stanley at (302) 395-2600; or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3205&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

The Proposed and Final Plans of Remedial Action listed below outline site cleanup activities and covenants and are available online at:

<http://www.dnrec.delaware.gov/whs/awm/SIRB/Pages/SIRBPlans.aspx> under "Announcements." For site-specific information, please see DNREC's Environmental Navigator at: <http://www.nav.dnrec.delaware.gov/DEN3>

FINAL PLAN OF REMEDIAL ACTION FOR THE 427 TATNALL STREET SITE (DE-1248) WILMINGTON

The Department has adopted a plan regarding the clean-up of the 427 Tatnall Street Site located in Wilmington, Delaware. A containment remedy and an Environmental Covenant is proposed for this Site limiting use, soil disturbance, groundwater withdrawal and compliance with a contaminated materials management plan (CMMP). DNREC issued public notice of the Proposed Plan for the Site on March 2. The public has until **May 3** to appeal this Final Plan. For additional information, please contact Larry Jones, Project Manager, or Robert Newsome, Public Information Officer, at (302) 395-2600; or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3203&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

FINAL PLAN OF REMEDIAL ACTION FOR THE 0 SOUTH CHAPEL STREET SITE (DE-1614)

The Department has adopted a plan regarding the clean-up of the 0 South Chapel Street site in Newark. The proposed remedy includes the placement of an Environmental Covenant restricting residential use and groundwater withdrawal. DNREC issued public notice of the Proposed Plan for on March 23. There were no comments or questions from the public regarding the Proposed Plan. The public has until **May 9** to appeal this Final Plan. For additional information, please contact Wendy March, Project Manager, or Robert Newsome, Public Information Officer, at (302) 395-2600; or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3214&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

FINAL PLAN OF REMEDIAL ACTION FOR THE STEVENSON LANE SITE (DE-0224)

The Department has adopted a plan regarding the clean-up of the Stevenson Lane Site located in Georgetown, DE. The Site will be restricted to non-residential (commercial/industrial) purposes by recording the environmental covenant which will include a requirement to use DNREC-approved Contaminated Materials Management Plan (CMMP) to guide the future removal of soil from the Site and limit groundwater to non-residential use. DNREC issued public notice of the Proposed Plan for Stevenson

Lane Site on March 20. There were no comments or questions from the public regarding the Proposed Plan. The public has until **May 9** to appeal this Final Plan. For additional information, please contact Meghan Crystall, Project Manager, or Robert Newsome, Public Information Officer, at (302) 395-2600; or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3213&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

FINAL PLAN OF REMEDIAL ACTION FORMER GREENWOOD SERVICE STATION (DE-1619)

- The Department has adopted a plan regarding the clean-up of the Former Greenwood Service Station located in Greenwood. The remedy consists of a developing and implementing a work plan to remove a heating fuel underground storage tank; developing an environmental covenant restricting land use to commercial, and limiting groundwater withdrawal; development of a Long-Term Stewardship plan to collect groundwater and indoor air samples. DNREC issued public notice of the Proposed Plan for the Former Greenwood Service Station on March 20, 2016. There were no comments or questions from the public regarding the Proposed Plan. The public has until **May 9** to appeal this Final Plan. For additional information, please contact Rick Galloway, Project Manager, or Robert Newsome, Public Information Officer, at (302) 395-2600; or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3212&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

FINAL PLAN OF REMEDIAL ACTION LIQUID ALCHEMY SITE (DE-1605)

- The Department has adopted a plan regarding the clean-up of the Liquid Alchemy Site located at 28 Brookside Drive in Wilmington. The remedy will consist of the placement of an environmental covenant, compliance with a DNREC-approved Contaminated Materials Management Plan, and a Long Term Stewardship Plan. DNREC issued public notice of the Proposed Plan for the Liquid Alchemy Site on March 20. There were no comments or questions from the public regarding the Proposed Plan. The public has until **May 9** to appeal this Final Plan. For additional information, please contact Kristen Thornton, Project Managers, or Robert Newsome, Public Information Officer, at (302) 395-2600; or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3211&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

FINAL PLAN OF REMEDIAL ACTION FORMER MORHEAT SITE (DE-1613)

- The Department has adopted a plan regarding the clean-up of the Former Morheat Site located at 721-723 New Castle Avenue in Wilmington. The remedy will consist of the placement of an environmental covenant and compliance with a DNREC-approved Contaminated Materials Management Plan. DNREC issued public notice of the Proposed Plan for the Former Morheat Site on March 20. There were no comments or questions from the public regarding the Proposed Plan. The public has until **May 9** to appeal this Final Plan. For additional information, please contact Kristen Thornton, Project Managers, or Robert Newsome, Public Information Officer, at (302) 395-2600; or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3210&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

PROPOSED PLAN OF REMEDIAL ACTION FOR THE BARCROFT SITE (AKA SPI PHARMA) (DE-0037)

- The Department invites public comment on a proposal to clean

up the Barcroft Site located at 40 Cape Henlopen Drive in Lewes. An oil leak occurred from an underground line in the mid-1970s, and interim actions were performed. The groundwater was contaminated with petroleum products due to the previous release. The comment period ends on **May 16**. For additional information, please contact Kathryn Durant, Project Manager or Robert Newsome, Public Information Officer, at (302)395-2600; or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3223&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

PROPOSED PLAN OF REMEDIAL ACTION FOR THE FORMER PHILADELPHIA PIKE TEXACO SITE (DE-1622)

- The Department invites public comment on a proposal to clean up the Former Philadelphia Pike Texaco Site located at 801 Philadelphia Pike in Wilmington. The Site soil and groundwater has elevated concentrations of select metals, volatile organic compounds, and semi-volatile organic compounds related to the Site's former use as a gasoline filling service station. The comment period ends on **May 16**. For additional information, please contact Lindsay Hall, Project Manager or Robert Newsome, Public Information Officer, at (302)395-2600; or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3228&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

PROPOSED PLAN OF REMEDIAL ACTION FOR THE 2004 & 2008 Shipley Road Site (DE-1603)

-The Department invites public comment on a Proposed Plan for the 2004 & 2008 Shipley Road Site located in Wilmington, Delaware. The Site was historically operated for agricultural and horticultural purposes and plans to be developed into an adult retirement and assisted living facility. The comment period ends on **May 17**. For additional information, please contact Meghan Crystall, Project Manager or Robert Newsome, Public Information Officer, at (302)395-2600; or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3227&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

PROPOSED PLAN OF REMEDIAL ACTION FOR THE RIVERFRONT OFFICE BUILDING (DE-1237)

- The Department invites public comment on a proposal to clean up the Riverfront Office Building Site located at 101 Avenue of the Arts in Wilmington. The 1.95-acre Site currently consists of a brick building, a paved parking lot, and some landscaped areas around the perimeter of the property, including a small segment of the River Walk along the Christina River. The Site had historically been the location for various commercial and industrial operations resulting in the soil and groundwater containing elevated concentrations of select metals, volatile organic compounds, and semi-volatile organic compounds identified as having the potential to cause an unacceptable risk to site users; therefore, remedial actions are warranted to eliminate exposure. The comment period ends on **May 23**. For additional information, please contact Lindsay Hall, Project Manager, or Robert Newsome, Public Information Officer, at (302)395-2600; or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3230&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

DIVISION OF WATER - GROUND WATER DISCHARGES -The Division of Water hereby gives notice that the applications below are available for inspection or copies may be obtained by

contacting: Kathleen Saunders, Ground Water Discharges, 89 Kings Highway, Dover – 19901, or by calling (302) 739-9948.

On-Site Wastewater Treatment and Disposal System

Wilkinson Development, LLC has submitted an application for temporary holding tank for the Woodridge Subdivision. The system has been designed to accommodate 9,000 gallons per day of wastewater. The site is located at Cool Spring Road, Sussex County, tax parcel # 2-34-10.00-78.00. A public hearing on the above application will NOT be held unless our agency Secretary determines that a public hearing is in the public interest or if a written meritorious objection to the application is by **May 5**. A public hearing request shall be deemed meritorious if it exhibits a familiarity with the application and provides a reasoned statement of the action's probable impact. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3220&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

Stone Investors LLC has submitted an application for a construction permit for an on-site wastewater treatment and disposal system. The system has been designed to accommodate 2,540 gallons per day of wastewater. The site is located 7852 DuPont Highway, Kent County, tax parcel # 7-00-120.00-01-05.00. A public hearing on the above application will NOT be held unless our agency Secretary determines that a public hearing is in the public interest or if a written meritorious objection to the application is by **May 9**. A public hearing request shall be deemed meritorious if it exhibits a familiarity with the application and provides a reasoned statement of the action's probable impact. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3226&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

Spray Irrigation Permit

The Town of Middletown has applied to the Groundwater Discharges Section for both a Construction Permit to modify the Middletown Wastewater Treatment Plant and an Amended Operations Permit to allow for the distribution of highly treated wastewater to an additional parcel owned by Larry Jester in accordance with Delaware Code Title 3, Chapter 23, Section 2301. The proposed construction modifications include the installation of 10 inch tap into the existing 16 inch force main currently supplying highly treated wastewater to the Jester Farm, a concrete vault, 10 inch piping, two gate valves, and a flow meter. The additional parcel's tax map number is 1401100004. The Middletown Wastewater Treatment Plant is currently permitted to provide highly treated wastewater to Larry Jester to irrigate his agricultural lands in accordance with Delaware Code Title 3, Chapter 23, Section 2301. The agricultural parcels currently irrigated and owned by Larry Jester are New Castle County Tax Parcels 1401000031, 1401100005, 1401400003, and 1401400043. The Town of Middletown is permitted by State of Delaware Spray Irrigation Permit DEN Number 359298-13 for the Middletown Wastewater Treatment Plant. The Middletown Wastewater Treatment Plant treats and spray irrigates domestic wastewater collected from the Town of Middletown. The facility is located on the south side of Delaware Route 301, east of County Road 10, south of Bunker Hill Road, New Castle County. A public hearing on the above application will NOT be held unless our agency Secretary determines that a public hearing is in the public interest or if a written meritorious objection to the application is by **May 9**. A public hearing request shall be deemed meritorious if it exhibits a familiarity with the application and provides a reasoned statement of the action's probable impact. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3226&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

DIVISION OF WATER - WATER SUPPLY - The Division of Water hereby gives notice that the following well permit application has been received. For additional information concerning the applications below,

please contact Allison Diggins/Water Supply Section - 89 Kings Highway, Dover, DE 19901; or, by phone at (302) 739-9945.

Allocation Permits

Kenneth E. Lester has requested a modification to his existing irrigation allocation. One surface intake has been added to his farming operations which are located northeast of Middletown in New Castle County. The requested maximum daily withdrawal of the modification is 1,944,000 gallons per day. A public hearing on the above application will NOT be held unless our agency Secretary determines that a public hearing is in the public interest or if a written meritorious objection to the application is by **May 9**. A public hearing request shall be deemed meritorious if it exhibits a familiarity with the application and provides a reasoned statement of the action's probable impact. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3224&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

Alan Turner has requested an irrigation allocation for his farming operations. He has one well located northwest of Seaford in Sussex County. The requested daily withdrawal is 720,000 gallons per day. A public hearing on the above application will NOT be held unless our agency Secretary determines that a public hearing is in the public interest or if a written meritorious objection to the application is by **May 16**. A public hearing request shall be deemed meritorious if it exhibits a familiarity with the application and provides a reasoned statement of the action's probable impact. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3231&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

DIVISION OF WATER - SURFACE WATER DISCHARGES – The Division of Water hereby gives notice that the following permit application has been received. For additional information or to inspect the applications below contact, Dr. Davison Mwale (PhD) , Environmental Finance, 5E Reed Street, Suite 200, Dover, DE 19901, (302) 739-9941.

HEREBY GIVES NOTICE THAT A PERMIT APPLICATION HAS BEEN RECEIVED FROM SUEZ WATER DELAWARE, of Wilmington, New Castle County, to construct approximately one thousand and seventy five linear feet (1,075 LF) of four inch (4”) force main, located from 2000 first State Boulevard and running east, to New Castle County's existing six inch (6”) sewer line, also located on first State Boulevard. A public hearing on the applications below will NOT be held unless our agency Secretary determines that a public hearing is in the public interest, or if a written meritorious objection to the application is received by **May 11**. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3219&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

DIVISION OF WATER - WETLANDS AND SUBAQUEOUS LANDS SECTION – The Division of Water hereby gives notice that the applications below are available for inspection or copies may be obtained by contacting: Gayle Calder, Wetlands and Subaqueous Lands Section, 89 Kings Highway, Dover – 19901, or by calling (302) 739-9943. A public hearing on the applications below will NOT be held unless our agency Secretary determines that a public hearing is in the public interest, or if a written meritorious objection to the application is received by **May 10**. For additional information, please visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3217&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

Subaqueous Lands Lease Application

David Owens (5-33-20.13-39.00)-To install a 6 by 12 foot long floating PWC dock and 2 PWC

lifts connecting to a previously grandfathered structure in the Assawoman Bay at 38725 Keenwik Road, Keenwik on the Bay, Selbyville

#3 Bayberry Road, LLC (5-33-19.22-55.00) - To install a 12 x 12 foot long boatlift at 37664 Pine Road in Selbyville, Sussex County

Dennis Napieralski (5-33-12.12-6.00) To authorize a 5 by 20 foot long pier and a 5 by 20 foot long dock, and to install 15 linear feet of bulkheading to close an existing boat ramp in Derrickson Creek at 37078 Laws Point Road, Swann Keys, Selbyville, Sussex County

Subaqueous Lands Permit Application

Toby Chrostowski (1-34-20.11-34.00) To remove a 4' x 20' dock and install a 6' x 48' dock, a boat lift with 4 associated pilings and a 12' x 12' PWC lift with 5 associated pilings in Cedar Pond at 39667 Baltimore Street, Bethany Beach, Sussex County

Porter Wheeler (3-34-13.16-10.00) to repair a 4 by 14 foot long pier, a 6 by 116 foot long dock and install 100 linear feet of rip-rap in the Lewes and Rehoboth Canal at 79 Tidewaters, Henlopen Acres, Sussex County

Wesley G. Bush (3-34-14.09-1.00) to install 106 linear feet of rip-rap in the Lewes and Rehoboth Canal at 67 Tidewaters, Henlopen Acres, Sussex County

Delaware Division of Fish and Wildlife (3-30-5.00-14.00) - To install a 16 x 20 foot boatlift on an existing 8 x 100 foot long floating dock at the Cedar Creek boat launch area on Lighthouse Road in Slaughter Beach, Sussex County

Jeffery Holcomb (134-5.00-338.00) To install two (2) single piling PWC lifts in an unnamed lagoon adjacent to Beach Cove at 38916 Bayfront Drive, Quillens Point, Ocean View, Sussex County

Michael Miller (1-34-9.00-177.00) To repair by replacing 241 linear feet of bulkheading, a 3 by 21 foot long dock, to install a 3 by 60 foot long dock, and to install a 12 foot wide concrete boat ramp not to extend channelward of the bulkhead in an unnamed lagoon at 37243 Berry Lane, Holly Ridge Terrace, Ocean View, Sussex County

Subaqueous Lands Supplemental Lease Application

Robert & Eileen Holloran (2-33-7.00-47.03) To attach a 4' x 10' long extension to an existing pier; reposition a 6' x 25' long dock, and relocate a previously authorized boat lift and two personal watercraft lifts in Pepper Creek at 200 Pepper Vine Point, Dagsboro, Sussex County

B. Reed Family Limited Partnership (2-34-18.00-2.00) to install a 4 by 30 foot long pier extension and a 5 by 30 foot long dock connecting to a previously authorized structure in Burtons Prong at 23858 Fir Lane, Lewes

William and Betsy Kuharich (5-33-20.13-59.00)-To install a 6 by 12 foot long floating PWC dock connecting to a previously authorized structure in the Assawoman Bay at 38393 Bayberry Lane, Keenwik on the Bay, Selbyville

EMPLOYEE NEWS

Effective **May 1**, Sue Lee is the new Administrative Specialist I for the Division of Water, Groundwater Discharges Section, Small Systems Branch in Georgetown. **Welcome!**

CONTACT INFORMATION

24-Hour Report and Spill Notification Line - 1-800-662-8802

Aboveground Storage Tanks - 302-395-2500

Air Quality - New Castle Office - 302-323-4542

Air Quality – Kent & Sussex – 302-739-9402
Asbestos New Castle - 302-323-4542
Asbestos Kent & Sussex - 302-739-9402
Biosolids Permits - 302-739-9946
Boiler Safety - 302-395-2500
Brownfields - 302-395-2600
Community Ombudsman - 302-739-9040
Delaware Estuary Program - 302-739-9283 (Delaware Coastal Management Program)
Division of Air Quality Director's Office - 302-739-9402
Division of Waste and Hazardous Substances Director's Office - 302-739-9400
Division of Water Information - 302-739-9950
Dock/Dredging/Bulkheads/Rip-Rap/Wetlands & Subaqueous Lands - 302-739-9943
Emergency Prevention and Response - 302-739-9404
Environmental Crimes Unit - 302-739-9401 or 1-800-662-8802
Environmental Laboratory - 302-739-9942
Hazardous Waste - 302-739-9403
Hazardous Chemical and Toxic Release Inventories – 302-739-9404
Industrial Stormwater Permits - 302-739-9946
Loans & Grants for Wastewater and Septic's (Financial Assistance Branch) - 302-739-9941
Medical Waste - 302-739-9403
Non-Hazardous Liquid Waste Transporters - 302-739-9948
On-site Wastewater Licensing Program - 302-739-9948
Open Burning - 302-739-9402
Outreach Ombudsman - 302-395-2600
Recycling - 302-739-9403
Septic System Permits - Large Systems (Community & I/A) Statewide - 302-739-9948
Septic System Permits - Small Systems for Kent & New Castle Counties - 302-739-9947
Septic System Permits - Small Systems for Sussex County & Holding Tank Compliance Program - 302-856-4561
Site Investigation & Restoration Section (Superfund/Brownfields) - 302-395-2600
Small Business Ombudsman - 302-739-9909
Solid Waste - 302-739-9403
Source Water Protection - 302-739-9945
Surface Water Discharge Permits (NPDES) - 302-739-9946
Underground Injection Control & Spray Irrigation - 302-739-9948
Underground Storage Tanks - 302-395-2500
Wastewater Collection, Conveyance and/or Treatment Facility Construction Permits - 302-739-9946
Wastewater Treatment Facility Operators - 302-739-9946
Water Allocation Permits - 302-739-9945
Water Testing - Drinking Water (Division of Public Health) - 302-741-8630
Water Supply - 302-739-9945
Well Driller's License - 302-739-9944
Well Permits & Licensing - 302-739-9944
Wells - 302-739-9944
Wetlands and Subaqueous Lands Section - 302-739-9943