

The biweekly E-News Update features current information on the Divisions of Air Quality (DAQ), Waste and Hazardous Substances (WHS), and Water regarding public meetings, workshops, hearings, and regulatory documents available for public comment, as well as general news updates. For those of you who are receiving the E-News Update for the first time, the subscription is FREE!

Please sign up at: <http://www.dnrec.delaware.gov/Pages/DNRECLists.aspx> under "Division of Waste & Hazardous Substances Lists." There is no form to fill out; it's done in three clicks!

Suggestions? Additions? Please call Kathy Nedelka at 302-739-9400, or send an email to katherine.nedelka@state.de.us

Published by the Divisions of Air Quality, Waste and Hazardous Substances, and Water.

Visit us at: www.awm.delaware.gov

SECRETARY'S ORDERS

[Secretary's Order No. 2017-W-0014](#)

RE: The City of Rehoboth Beach's Consolidated Applications Seeking Regulatory Approvals for the Construction and Operation of a Treated Effluent Pumping Station, a Force Main, and an Ocean Outfall in Rehoboth Beach, Sussex County.

UPCOMING AIR, WASTE, & WATER-RELATED HEARINGS, MEETINGS, & EVENTS

HSCA ADVISORY COMMITTEE – The Committee will hold a public meeting to review and provide guidance and input for DNREC's cleanup programs related to the Hazardous Substance Cleanup Act (HSCA). This meeting will take place on **June 1** beginning at 10:00am at the Shoreline & Waterway Management, Lewes Field Office, 901 Pilottown Rd, Lewes, 19958. For additional information, please contact Christina Wirtz at (302) 395-2600 or visit: <https://publicmeetings.delaware.gov/Meeting/52540>

NOTICE OF ADDITIONAL PUBLIC HEARING The Division of Air Quality will conduct an additional public hearing on the draft/proposed federally enforceable 7 DE Admin. Code 1102 construction/operation permits (Permit: APC-1995/0471-C/O (A5), Permit: APC-1980/0868-C/O(A5), Permit: APC-1980/0869-C/O(A7) and Permit: APC-1988/0125-C(A6)) for the Delaware City Refining Company LLC and the Delaware City Logistics Company LLC. The permit, if approved by the Department and the United States Environmental Protection Agency, would allow the construction and operation of equipment to load ethanol at the Marine Piers and the truck Marketing Terminal as part of the Ethanol Marketing Project at 4550 Wrangle Hill Road, Delaware City, Delaware. The project is expected to result in reductions of 9.8 tons/year of VOCs. The public hearing will begin at 6 PM on **June 5** in Conference Rooms A and B of DNREC's office at 391 Lukens Drive, New Castle, 19720. For additional information or for an appointment to review the draft/proposed permit, please contact Ravi Rangan or Lindsay Rennie in the New Castle Office at (302) 323-4542 or Penny Gentry in the Dover Office at (302) 739-9402. Public comments may be presented orally or in written form at the public hearing, and written comments may be submitted in advance without attending the public hearing if received prior to the hearing. Persons who want to speak at the public hearing are encouraged to register in advance no later than **June 2** and this registration will be used to determine the order of speakers at the public hearing. Registration should be sent by email to:

Robert.Haynes@state.de.us. Prior comments and information submitted in conjunction with the first hearing are part of the record and need not be resubmitted. The Department's public notice of the first public hearing fully complied with all applicable regulatory requirements and, as such, there are no formal notice requirements for this additional hearing. Division of Air Quality, State Street Commons, 100 W. Water Street, Suite 6A ,Dover, 19904, (302) 739-9402 or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3761&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTICE OF PUBLIC HEARING Pursuant to the requirements of the Subaqueous Lands Act (7 Del C., Chapter 72) and the Regulations Governing the Use of Subaqueous Lands, and the Marina Regulations, the Department will conduct a public hearing on **June 6**, commencing at 6:00 p.m. at the South Coastal Library, 43 Kent Avenue, Bethany Beach, 19930. The purpose of the hearing is to solicit the views of interested parties in regards to the application filed by TAC BEACON 1, LLC (Solitudes on Whites Creek), to construct a new 20 slip marina consisting of a 6 by 155 foot long dock, a 6 by 280 foot long dock, a 6 by 45 foot long pier, a 6 by 40 foot long pier and a 16 by 60 foot long concrete boat ramp in Whites Creek at Solitudes on Whites Creek, Ocean View, Sussex County. The application and supporting documents may be inspected at the office of the Division of Water, Wetlands and Subaqueous Lands Section, 89 Kings Highway, Dover, by appointment between 8:15 a.m. and 4:15 p.m., Monday through Friday. Comments concerning this application should be made in writing to the Division by **June 6**. For additional information, or an appointment to inspect these documents, please call (302) 739-9943. Public comments may be presented at the public hearing either orally or in written form. Persons who want to pre-register to speak at the public hearing and those who want to submit written public comments should send such preregistration and comments to: Robert P. Haynes, Esq. Office of the Secretary, 89 Kings Highway, Dover, 19901. For more information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3741&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

ON-SITE SYSTEMS ADVISORY BOARD MEETING – This is a regular monthly meeting that will be held on **June 7** from 9:15am to 11:30am at the Richardson and Robbins Building, Conference Room B228: 89 Kings Highway, Dover, 19901. For additional information, contact Dawn Dryden, 302-739-9948; or visit:

<https://publicmeetings.delaware.gov/Meeting/50647>

NOTICE OF PUBLIC HEARING Pursuant to the requirements of the Subaqueous Lands Act (7 Del C., Chapter 72) and the Regulations Governing the Use of Subaqueous Lands, and the Marina Regulations, the Department will conduct a public hearing on **June 8**, commencing at 6:00 PM at the Fenwick Island Town Hall, located at 800 Coastal Hwy, Fenwick Island. The purpose of the hearing is to solicit the views of interested parties in specific regards to the application filed by Bayville Communities, LLC (The Overlook), for the construction of a new 25 slip marina with a 2 feet width expansion on the existing 28 foot long pier, an 8 by 42 foot long dock extension, a 6 by 188 foot long pier, ten (10) 4 by 24 foot long finger piers, an 8 by 54 foot long dock, 27 mooring pilings, an 8 foot wide by 24 foot long floating dock; to repair by replace 450 linear feet of bulkhead and 12 linear feet of a timber breakwater immediately in front of the existing bulkhead, remove 68 linear feet of bulkhead, remove two timber groins and repair with 32 linear feet of a rip-rap groin, and 24 cubic yards of beach fill in the Little Assawoman Bay and an adjacent lagoon located at the terminus of Ashlyn Road, Selbyville, The Overlook, Sussex County. The application and supporting documents may be inspected at the office of the Division of Water, Wetlands and Subaqueous Lands Section, 89 Kings Highway, Dover, by appointment between 8:15 a.m. and 4:15 p.m., Monday through Friday. Comments concerning this application should be made in writing to the Division by **June 8**. For additional information, or an appointment to inspect these documents, please call (302) 739-9943. Public comments may be presented at the public hearing either orally or in written form. Persons who want to pre-register to speak at the public hearing and those who want to submit written public comments should send such preregistration and comments to: Robert P. Haynes, Esq., Office of the Secretary 89 Kings Highway Dover, 19901. For more information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3740&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

BOARD OF CERTIFICATION FOR WASTEWATER OPERATORS MONTHLY MEETING –

This is a regular monthly meeting of the Board of Certification for Wastewater Operators. Meeting will take place on **June 9** from 9am to 10am at the Delaware Technical & Community College - Terry Campus - Corporate Training Center, 100 E Campus Drive Dover, 19904. For additional information contact Faye Wheeler at (302) 739-9946; or visit: <https://publicmeetings.delaware.gov/Meeting/39383>

DNREC/EPA Public Workshop on Hockessin Groundwater Plume Site at June 19th GHADA Meeting - DNREC, with support from the US Environmental Protection Agency (EPA), will hold a public information workshop on **June 19** on the Hockessin Groundwater Plume Site, which consists of approx. 32 acres along Route 41 in Hockessin and encompasses numerous commercial and residential properties. The workshop will take place as part of the Greater Hockessin Area Development Association (GHADA) meeting at 7:00 pm at the Hockessin Memorial Hall, 610 Yorklyn Rd, Hockessin, 19707. For additional information contact Christina Wirtz, 302-395-2600, Christina.Wirtz@state.de.us or visit: <https://publicmeetings.delaware.gov/Meeting/52903>

BOILER SAFETY COUNCIL MEETING – Meeting will discuss proposed regulation changes and will take place on **June 22** beginning at 10am at the Cannon Building, 1st floor, 861 Silver Lake Blvd, Dover, 19904. For additional information contact Alex Rittberg at 302-395-2500; or visit: <https://publicmeetings.delaware.gov/Meeting/52925>

OPT-IN! THE DELAWARE DIVISION OF AIR QUALITY (DAQ) is committed to working with citizens to continuously optimize Delaware's air quality and protect public health, welfare, and the environment. To determine that the DAQ is meeting the air quality needs of the citizens across the state, we encourage you to participate in our opt-in list. In the future you will receive surveys that will allow us to analyze our performance. You can access the opt-in list by clicking: https://survey.co1.qualtrics.com/jfe/form/SV_1RGZGUYt8fSuqkB

AIR QUALITY PERMITTING PROGRAM – Notice has been given that the facilities listed below have submitted applications for air quality management permits. The applications, the "draft/proposed" permits, all materials that the applicant has submitted (other than those granted confidential treatment under DNREC rules), and a copy of summary of other materials, if any, considered in preparing the "draft/proposed" permit, may be inspected at the offices of the Division of Air Quality, 100 W. Water Street, Suite 6A, Dover, 19904. **All comments and public hearing requests** should be mailed to the following address: DIVISION OF AIR QUALITY, 100 W. Water Street, Suite 6A, Dover 19904. To submit comments, for additional information, or for an appointment to inspect the application, please contact Tracy Mattson at (302) 739-9402.

NOTICE IS HEREBY GIVEN that Allan Myers Delaware, Inc. has submitted an application, pursuant to 7 DE Admin. Code 1102, Section 2.1, 11.2.9, and 12.3 for an amendment at 22351 Joseph Road, Georgetown. Allan Myers Delaware, Inc. requests emission corrections for their mobile impact crusher and screener, limiting No. 2 fuel oil and operating hours. These limits are necessary to restrict Allan Myers Delaware, Inc. potential to emit air pollutants, and the limit will be enforceable by the EPA and the state. Permitted emissions from the crusher and screener are 0.8 TPY CO, 3.70 TPY NO_x, 0.001 TPY SO_x, 0.30 TPY VOC, and 2.62 TPY PM₁₀, representing an increase of 0.28 TPY CO, 1.29 TPY NO_x, a decrease of 0.16 TPY SO_x, an increase of 0.10 TPY VOC, and an increase of 0.26 TPY PM. Allan Myers Delaware, Inc. operates three facilities under permits: (APC-2016/0026-OPERATION (NSPS)(SM)) Wilmington, (APC-2012/0154-OPERATION (NSPS) (MNSR)(SM)) Dover and (APC-1997/0494-OPERATION (MNSR)(NSPS)(SM)) Georgetown. Operational limits for the portable equipment

will be applied at each location as well as across all sites. Combined total permitted emissions from the crusher and screener for all sites are 1.6 TPY CO, 7.10 TPY NOx, 0.003 TPY SOx, 0.58 TPY VOC, and 5.1 TPY PM10. A public hearing concerning the permitting action will not be held unless the Secretary receives a request for such hearing ending **May 30**. A request for a hearing shall be in writing and must show a familiarity with the application and a reasoned statement of the permit's probable impact. For more information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3732&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTICE HAS BEEN GIVEN THAT R.E. Pierson Construction Company requests a construction permit to install a portable soil/cement manufacturing plant powered by an 800 kW Tier 4 diesel engine generator at 636 Boyd's Corner Road, Middletown, County of New Castle. The plant will produce 26,000 tons of road base material for the Route 301 Project and will operate a total of 200 hours. The project is expected to last four weeks. The portable soil/cement manufacturing plant and diesel generator will be permitted to emit 0.08 ton of NOX, 0.69 ton of CO, 0.04 ton of NMHC, 0.002 ton of SO2 and 0.01 ton of PM by Permit APC-2017/0128-CONSTRUCTION. A public hearing on any of the above applications will NOT be held unless the Secretary receives a request for a hearing regarding that application ending **June 1**. A request for a hearing shall be in writing. The request must also show a familiarity with the application and a reasoned statement of the permit's probable impact. For more information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3768&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTICE IS HEREBY GIVEN THAT Saint Francis Hospital, requests a construction permit to replace an existing emergency generator with a 755 BHP generator at their 701 N. Clayton Street, Wilmington facility. This project will be permitted under Permit# APC-2017/0132-Construction. The new emergency generator has the potential to emit 0.01 tpy of PM, 1.74 tpy of NOx, 0.19 tpy of CO, and 0.04 tpy of HC. A public hearing on any of the above applications will NOT be held unless the Secretary receives a request for a hearing regarding that application ending **June 5**. A request for a hearing shall be in writing. The request must also show a familiarity with the application and a reasoned statement of the permit's probable impact. For more information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3779&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTICE IS HEREBY GIVEN THAT BrightFields, Inc., requests a construction permit to construct a TESAB 1012TS Impact Crusher with a 440 HP Caterpillar C13 Diesel Engine at their 2100 Ogletown Road, Newark Avon Demolition Facility and at 100 Garden of Eden Road, Wilmington, Pilot School Facility. The portable crusher and associated Diesel Engine will be permitted to emit 0.44 TPY of NOx, 0.01 TPY of HC, 0.21 TPY of CO, 0.14 TPY of SOx, 0.06 TPY of PM10, and 0.09 TPY of Total PM at the Avon Demolition Facility and 0.33 TPY of NOx, 0.01 TPY of HC, 0.16 TPY of CO, 0.11 TPY of SOx, 0.04 TPY of PM10, 0.08 TPY of Total PM at the Pilot School Facility by Permit# APC-2017/0130-CONSTRUCTION. A public hearing on any of the above applications will NOT be held unless the Secretary receives a request for a hearing regarding that application ending **June 5**. A request for a hearing shall be in writing. The request must also show a familiarity with the application and a reasoned statement of the permit's probable impact. For more information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3777&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTICE IS HEREBY GIVEN THAT Amick Farms, Inc. requests a (construction) permit to construct a natural gas fired grain dryer (Emission Unit 15) at their 10281 Amick Drive, Delmar,

Sussex County facility. The Company will be limiting fuel usage and operating hours to comply with Minor New Source Review. The grain dryer will be permitted to emit 0.10 TPY VOC, 1.87 TPY NOx, 1.6 TPY CO, 0.01 TPY SO₂, and 3.0 TPY PM₁₀ by Permit# APC-2017/0121-CONSTRUCTION (MNSR). A public hearing on any of the above applications will NOT be held unless the Secretary receives a request for a hearing regarding that application ending **June 5**. A request for a hearing shall be in writing. The request must also show a familiarity with the application and a reasoned statement of the permit's probable impact. For more information visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3774&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTICE IS HEREBY GIVEN THAT Rohm & Haas Electronic Materials CMP, Inc., having a facility at 451 Bellvue Road, Newark, New Castle County, has requested a federally enforceable 7 DE Admin. Code 1102 construction permit amendment (Permit: APC-2014/0064-CONSTRUCTION (Amendment 1) to install a new Torit baghouse to collect dust that will be generated by a new urethane polishing pad process in Building 15. The permit will limit emissions from the baghouse to 0.026 lb/hr and 0.031 tpy of particulate matter (PM). Upon completion of construction, the Department will incorporate the operating conditions and limits of the 7 DE Admin. Code 1102 Construction permit into the facility's existing Title V permit (Permit: AQM-003/00033-Renewal (2) Revision (2)) via an Administrative Amendment. The "draft" construction permit is being submitted to EPA for concurrent processing. If there are no significant comments, the "draft" construction permit will be issued as a final permit after the expiration of the EPA review period. A public hearing on the above application will NOT be held unless the Secretary receives a request for a hearing regarding that application ending **June 6**. A request for a hearing shall be in writing. The request must also show a familiarity with the application and a reasoned statement of the permit's probable impact. For more information visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3748&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTICE HAS BEEN GIVEN THAT Amick Farms, Inc. requests construction permits to install two 612,657 bushel corn silos (Emission Units 17A and 17B) at their 10281 Amick Drive, Delmar, Sussex County facility. The silos will be permitted to emit a total of 0.89 TPY PM₁₀ by Permits# APC-2017/0124-CONSTRUCTION and APC-2017/0125-CONSTRUCTION. For additional information or for an appointment to review the application, please contact Tracy Mattson at (302) 739-9402. A public hearing on any of the above applications will NOT be held unless the Secretary receives a request for a hearing regarding that application by **June 12**. A request for a hearing shall be in writing. The request must also show a familiarity with the application and a reasoned statement of the permit's probable impact. For more information visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3784&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTICE IS HEREBY GIVEN THAT Christiana Care Health Services having a facility at 4755 Ogletown Stanton Road, Newark, has requested federally enforceable 7 DE Admin. Code 1102 construction permits (Permit: APC-1979/0091-CONSTRUCTION (Amendment 5) (NOx RACT) (FE), Permit: APC-1979/0092-CONSTRUCTION (Amendment 5) (NOx RACT) (FE), Permit: APC-1979/0093-CONSTRUCTION (Amendment 5) (NOx RACT) (FE)) to install a new economizer on each unit and to install new exhaust ductwork that exits vertically through the roof above each unit individually. Permitted emissions will not be effected by this project. Upon completion of construction, the Department will incorporate the operating conditions and limits of the 7 DE Admin. Code 1102 Construction permit into the facility's existing Title V permit ((Permit: AQM-003/00080-Renewal (R3)) via an Administrative Amendment. A public hearing on the above application will NOT be held unless the Secretary receives a request for a hearing regarding that application ending **June 13**. A request for a hearing shall be in writing. The request must also

show a familiarity with the application and a reasoned statement of the permit's probable impact. For more information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3762&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTICE IS HEREBY GIVEN THAT Calpine Mid-Atlantic Generation, LLC. Edge Moor Energy Center having a facility at 200 Hay Road in Wilmington, Delaware, has submitted a request for significant permit modification pursuant to 7 DE Admin. Code 1130, Section 7 for operating Permit: AQM-003/00007-Renewal (2). Based on the data and certifications contained in the application, the Division of Air Quality concludes that the applicant meets all applicable requirements promulgated by the Environmental Protection Agency (EPA) and the Department of Natural Resources and Environmental Control (DNREC). Therefore a "draft/proposed" permit modification has been prepared. This "draft/proposed" significant permit modification incorporates the terms and conditions of the black start emergency generator Permit: APC-2015/0026-OPERATION (NSPS) into the Title V Permit: AQM-003/00007-Renewal (2), places an ammonia slip concentration limit for Emission Units EM3, EM4, and EM5, and establishes PM emission rate for Units EM4 and EM5 to satisfy Best Available Retrofit Technology (BART) requirements. The application, the "draft/proposed" permit modification, Permit: AQM-003/00007-Renewal (2)Revision(1), all materials that the applicant has submitted (other than those granted confidential treatment under DNREC rules), and a copy of summary of other materials, if any, considered in preparing the "draft/proposed" permit modification may be inspected at the offices of the Division of Air Quality, State Street Commons, 100 W. Water Street, Suite 6A, Dover and 715 Grantham Lane, New Castle. To submit comments, for additional information or for an appointment to inspect the application, please contact Tracy Mattson at the Dover Office at (302) 739-9402. A public hearing concerning the permitting action will not be held unless the Secretary receives a request for such hearing by **June 27**. A request for a hearing shall be in writing and must show a familiarity with the application and a reasoned statement of the permit renewal's probable impact. For more information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3783&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

WHS - SITE INVESTIGATION AND RESTORATION SECTION (SIRS) is responsible for the identification, evaluation, and remediation of sites in Delaware that have had past releases of hazardous substances. The section manages the contaminated sites under three major programs in accordance with the Hazardous Substance Cleanup Act (HSCA). The three programs are the **Brownfields Development Program, the Voluntary Cleanup Program (VCP), and the HSCA Enforcement Program** (for sites requiring enforcement action).

The Brownfields Development Program encourages the cleanup and redevelopment of vacant, abandoned, or underutilized properties, which may be contaminated. A party seeking to develop such a property negotiates with SIRS for a **Brownfields Development Agreement (BDA)** to perform an investigation and, if necessary, a remedial action or remedy, for the purpose of addressing the risks posed by past releases of hazardous substances at these sites. However, a BDA is only available to parties that are not current site owners. The **Voluntary Cleanup Program (VCP) Agreement** is available to site owners who want to clean up their sites and are already liable as a potentially responsible party for the site.

NOTIFICATION OF PUBLIC COMMENT FOR A BROWNFIELD DEVELOPMENT AGREEMENT FOR THE PB WILMINGTON RF 228 SITE (DE-1640)

The Department negotiated a BDA with PB Wilmington LLC regarding the PB Wilmington RF 228 Site (Site) located at 516 and 518 A Street and a portion of 220 A Street in Wilmington. The 3.74 acre Site is identified on the tax maps of New Castle County as parcel numbers 26-050.00-068, 26-050.00-030 and a portion of 26-050.00-083. At this time, the BDA will address a 0.355 acre portion of the Site for a portion of 220 A Street, parcel 26-050.00-083. The Site may have had a release of hazardous

substances as a result of past use as an auto salvage yard/junkyard. The public comment period will end **May 30**. Please submit written comments to the Project Manager, Meghan Crystall at 391 Lukens Drive, New Castle, 19720, (302) 395-2600 or Meghan.Crystall@state.de.us. For more information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3754&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTIFICATION OF PUBLIC COMMENT FOR A BROWNFIELD DEVELOPMENT

AGREEMENT FOR THE 14028 SUSSEX HIGHWAY SITE (DE-1651) The Department has negotiated a BDA with KNB Associates, LLC regarding the 14028 Sussex Highway Site (Site) located at 14028 Sussex Highway in Greenwood. The 3.3 acre Site is identified on the tax maps of Sussex County as parcel number 530-14.00-12.00. The Site may have had a release of hazardous substances as a result of past use as a gas station. The public comment ends **May 30**. Please submit written comments to the Project Manager, Kate Durant at, 391 Lukens Drive, New Castle, 19720, (302) 395-2600 or kathryn.durant@state.de.us or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3749&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTIFICATION OF NEGOTIATIONS CONCERNING a VOLUNTARY AGREEMENT FOR THE PENNY HILL SHOPPING CENTER SITE (DE-1657)

The Department is negotiating a VCP Agreement with Penny Hill Shopping Center LLC regarding the Merck 113a Site (Site) located at 401 Philadelphia Pike in Wilmington. The approximate 1.69 acre Site is identified on the maps of New Castle County as tax parcel number 06-139.00-133. The Site may have had a release of hazardous substances as a result of past use as a former dry cleaner. For additional information, please contact the project officer, Rick Galloway @ (302) 395-2600 or rick.galloway@state.de.us; or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3770&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTIFICATION OF NEGOTIATIONS FOR A BROWNFIELD DEVELOPMENT AGREEMENT FOR THE HOMALITE, INC. SITE (DE-0256)

The Department is negotiating a BDA with Brookside Properties, LLC regarding the Homalite, Inc. Site (Site) located at 11, 13 and 16 Brookside Drive in Wilmington. The 0.99 acre Site is identified on the tax maps of New Castle County as parcel numbers 07-039.40-008, 07-039.40-009 and 07-039.40-011. The Site may have had a release of hazardous substances as a result of past use as an industrial manufacturing facility. Learn more by contacting the SIRS Project Manager, Lindsay Hall at (302) 395-2600 or lindsay.hall@state.de.us; or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3769&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTIFICATION OF PUBLIC COMMENT FOR A BROWNFIELD DEVELOPMENT

AGREEMENT FOR THE METAL MASTERS SITE (DE-0043) The Department has negotiated a BDA with Shadaw Enterprises, LLC regarding the Metal Masters Site (Site) located at 655 and 664 West Glenwood Avenue in Smyrna. The 12.1 acre Site is comprised of two (2) parcels identified on the tax maps of Kent County as parcel numbers DC-00-009.20-01-21-000 and DC-17.009.20-02-036.00-000. The Site had a release of hazardous substances as a result of past use as a refrigerant manufacturing plant. The public comment will close **June 13**. Please submit written comments to Project Manager, Patrick Boettcher at SIRS, 391 Lukens Drive, New Castle, 19720. Learn more about this site contact the Project Manager, Patrick Boettcher at (302) 395-2600 or Patrick.Boettcher@state.de.us or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3781&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTIFICATION OF PUBLIC COMMENT FOR A BROWNFIELD DEVELOPMENT

AGREEMENT FOR THE JACKSON PIT SITE (DE-0149) The Department has negotiated a BDA with Mid-Atlantic Community Partners regarding the Jackson Pit Site located at 19000 block of Beaver Dam Road in Lewes, Identified by Sussex County as tax parcel numbers 3-34.600-504.02, -504.03, -504.06 and -504.07, the 18.33 acre Site may have had a release of hazardous substances as a result of past use as a landfill. The public comment will close on **June 19**.

Please submit written comments to the SIRS Project Manager, Lindsay Hall at SIRS, 391 Lukens Drive, New Castle, 19720 or lindsay.hall@state.de.us; or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3787&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

The Proposed and Final Plans of Remedial Action listed below outline site cleanup activities and covenants and are available online at:

<http://www.dnrec.delaware.gov/whs/awm/SIRB/Pages/SIRBPlans.aspx> under "Announcements." For site-specific information, please see DNREC's Environmental Navigator at:

<http://www.nav.dnrec.delaware.gov/DEN3>

PROPOSED PLAN OF REMEDIAL ACTION FOR THE 735B SOUTH MARKET

STREET SITE (DE-1632) The Department invites public comment on a proposal to clean up the 735B South Market Street Site in Wilmington. The Site, once used as a welding supply sales and propane distribution, requires an Environmental Covenant restricting the Site use to non-residential and restricting groundwater withdrawal from the Site. The comment period ends on **June 5**. For additional information, please contact Morgan Price Project Manager, at (302)395-2600 or email at morgan.price@state.de.us; or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3759&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

PROPOSED PLAN OF REMEDIAL ACTION FOR THE FORMER MIKE'S MINI MART

(DE-1578) The Department invites the public to comment on a proposal to clean up the Former Mike's Mini Mart Site located in Frederica. Soil is impacted by metals, petroleum volatile organic compounds (VOC) and semi-volatile organic (SVOCs) over DNREC soil standards for residential use of the property. Groundwater is impacted by petroleum volatile organic compounds over residential and indoor worker standards. Contamination was caused by an underground storage tank release. The comment period ends on **June 5**. For additional information, please contact Rick Galloway, Project Manager at (302)395-2600 or rick.galloway@state.de.us; or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3758&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

FINAL PLAN OF REMEDIAL ACTION FOR THE FORMER SOUTH DUPONT SHELL STATION SITE (DE-1510)

The Department has adopted a plan regarding the clean-up of Former South DuPont Shell Station Site at 178 South DuPont Highway in New Castle. The Site, formerly a Shell Gasoline Station and recently occupied by Tracks Auto & Tires, an automobile maintenance and used automobile dealership, requires a Remedial Action Work Plan, Environmental Covenant, and Contaminated Materials Management Plan. DNREC issued public notice of the Proposed Plan on April 24. There were no comments or questions from the public regarding the Proposed Plan. The public

may appeal this Final Plan until **June 12**. For additional information, please contact Wendy March, Project Manager at (302) 395-2600 or via email at wendy.march@state.de.us; or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3773&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

WHS- TANK MANAGEMENT SECTION - Tank Management Section (TMS) regulates the installation, operation, maintenance, and closure of Underground Storage Tank and Aboveground Storage Tank (UST and AST) systems in order to prevent contamination of soils and groundwater. The staff also permits the installation and operation of Vapor Recovery (VR) equipment, inspects Boilers and Pressure Vessels to protect public safety, and oversees the cleanup of releases from both UST and AST systems. The TMS prevents leaks to the environment by conducting inspections at regulated UST and AST facilities to ensure equipment is properly installed and maintained. These inspections take place at different types of facilities including gas stations, facilities that have large tank systems, and industrial or manufacturing sites located in Delaware.

NOTICE IS HEREBY GIVEN THAT the Department of Transportation has applied for a construction/operating permit for a Stage I EVR vapor recovery system, at their facility located 119 Lower Beech Street, Wilmington in New Castle County. For additional information or an appointment to inspect the application, please contact: Jennifer Vavala, 391 Lukens Drive, New Castle, 19720, (302) 395-2500. A public hearing on the above applications will NOT be held unless the Secretary receives a request by **May 30**. A request for a hearing shall be in writing and must also show a familiarity with the application and a reasoned statement of the permit's probable impact. THIS IS THE ONLY LEGAL NOTICE TO APPEAR. For more information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3755&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTICE IS HEREBY GIVEN THAT Two Farms Inc. has applied for a construction/operating permit for a Stage I EVR vapor recovery system, at their facility located Route 54 & Route 20, Fenwick in Sussex County. For additional information or an appointment to inspect the application, please contact: Jennifer Vavala, 391 Lukens Drive, New Castle, 19720, (302) 395-2500. A public hearing on the above applications will NOT be held unless the Secretary receives a request by **June 12**. A request for a hearing shall be in writing and must also show a familiarity with the application and a reasoned statement of the permit's probable impact. THIS IS THE ONLY LEGAL NOTICE TO APPEAR. For more information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3789&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

SOLID AND HAZARDOUS WASTE MANAGEMENT SECTION - The Solid and Hazardous Waste Management Section (SHWMS) hereby gives notice that a permit application has been received from the following companies to transport regulated RCRA hazardous and/or non-hazardous solid wastes in, out of, or through the State of Delaware. The renewal application and associated documents are available for review during business hours at our agency Solid & Hazardous Waste Management Section office at 89 Kings Highway, Dover and also at our Lukens Drive office at 391 Lukens Drive in Wilmington.

DuPont Experimental Station Request for Modifications to its Hazardous Waste Storage Permit. The Department has received a request from DuPont to modify the hazardous waste storage permit (HW04F22) issued to the DuPont Experimental Station located at the intersection of Route 141 and Henry Clay Road in Wilmington. The permit modification is requested to allow

the Experimental Station hazardous waste storage facility to continue to manage hazardous waste generated on-site to include other research and development businesses that lease space at the Experimental Station. This modification does not change the amount or type of waste currently permitted to be stored at the Experimental Station. DuPont will hold a public meeting on this application on **June 20** at 7:00PM. The meeting will be held at the DuPont Country Club, Blackgates Room, on Rockland Rd, Wilmington. The purpose of the public meeting is to provide information and discuss issues related to the application. The applicant's contact person is: Mary Glowacki, Environmental Manager, DuPont Experimental Station, 200 Powder Mill Road, Wilmington, 19803, (302)-695-3821. The DNREC contact person is: Melissa Ferree, Engineer III, Solid and Hazardous Waste Management Section, 89 Kings Highway, Dover, 19901, (302) 739-9403, or melissa.ferree@state.de.us. A copy of the modification request can be viewed and copied at the DuPont Experimental Station Main Gate, 200 Powder Mill Road, Rt. 141 (between Rts. 202 and 52), Wilmington, 19880, and at Solid and Hazardous Waste Management Section, 89 Kings Highway, Dover, 19901. The permittee's compliance history during the life of the permit being modified is available from the DNREC contact person listed above. Written comments on this application must be submitted by **July 17** to the DNREC contact person listed above. All written comments received by **July 17** will be considered in the formulation of the final permit decision. A public hearing may be held, if response to this notice indicates significant public interest. Should you desire to request a hearing regarding the proposed determination, a request must be submitted by **July 17**. A public hearing on the above proposed modification will NOT be held unless the Secretary, in care of Melissa Ferree, receives a meritorious request for a hearing within 60 days of the date of this notice or the Secretary determines there is significant public interest. A request for a hearing must be in writing and shall state the nature of the issues to be raised at the hearing. It must also show a familiarity with the application and a reasoned statement of the permit's probable impact. For more information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3767&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

DIVISION OF WATER - GROUND WATER DISCHARGES -The Division of Water hereby gives notice that the applications below are available for inspection or copies may be obtained by contacting: Kathleen Saunders, Ground Water Discharges, 89 Kings Highway, Dover 19901, or by calling (302) 739-9948. A public hearing on the applications will NOT be held unless the Secretary determines that a public hearing is in the public interest or if a written meritorious objection to the application is received by **June 5**. A public hearing request shall be deemed meritorious if it exhibits a familiarity with the application and provides a reasoned statement of the action's probable impact. For more information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3772&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

Non-Hazardous Liquid Waste Transporters Permit

Town of Georgetown has applied to the Groundwater Discharges Section for a renewal of Non-Hazardous Liquid Waste Transporters Permit DE OH-635 which allows for the transport of wastewater collected from Town-owned and operated pumping stations, manholes, and storm sewers to be disposed of at the Georgetown Wastewater Reclamation Facility.

Septic Permit

Iglesia De Dios Pentecostes Alfa Y Omega Inc. & Madelin J. Rhodes have applied for a permit to construct an on-site wastewater treatment and disposal system (septic system) on their property located on the north east corner of Deep Branch Road and Pine Haven Drive near Georgetown, DE Sussex County tax parcel 2-34-8.00-27.00. The proposed system will serve a church with a design flow rate of 890 gallons per day.

On-Site Wastewater Treatment and Disposal System

The State of Delaware Division of Parks and Recreation have applied for an on-site wastewater treatment and disposal system permit. The system has been designed to accommodate 600 gallons per day generated by a restroom facility. The site is located at 121 Smith Hill Road, Newark, tax map # 08-041.00-028.

The YMCA of Delaware has applied to construct a standard full depth gravity on-site wastewater treatment and disposal system. The system has been designed to accommodate 650 gallons per day of wastewater. The system will service lavatories and showers for a seasonal use swimming pool. The property is located at 825 Kenton Road in Dover, Kent County 19901. The tax parcel # is 2-05-06718-02-0100-00001.

William Southard Jones, Jr. has applied to construct a full depth pressure-dosed on-site wastewater treatment and disposal system. The system has been designed to accommodate 1000 gallons per day of wastewater. The system will service a veterinary clinic seeing up to 100 dogs per day. The property is located in New Castle County at 1047 Red Lion Road, New Castle 19720. The tax parcel ID # is 10-049.00-041.

DIVISION OF WATER - SURFACE WATER DISCHARGES – The Division of Water hereby gives notice that the following permit applications have been received.

Distribution and Marketing Permit

Distribution and Marketing Permit Issuance – Milwaukee Metropolitan Sewerage District, Wisconsin: The Milwaukee Metropolitan Sewerage District (MMSD) wastewater treatment facility, located in Milwaukee, Wisconsin, produces a heat dried “Class A” “Exceptional Quality” (EQ) biosolids product that is distributed throughout the United States. The MMSD submitted a permit application to comply with the State of Delaware’s requirements to distribute and market the biosolids in Delaware. The production of Class A biosolids product at the MMSD involves a stabilization process known as heat drying. To achieve Class A biosolids certification, the biosolids are required to be heated to at least 80° C (176° F) and the moisture content be raised to at least 90% solids. The process renders biosolids products suitable for use as a fertilizer for agricultural, horticultural, and use for lawns and gardens. To assure compliance with state and federal regulatory requirements, finished biosolids product will be required to be sampled for specific bacterial, chemical and nutrient parameters. Additionally, the stabilization process and metal limits for the product will be required to meet or exceed both Federal and State requirements for production of a “Class A” “Exceptional Quality” biosolids product, approved for public use and contact. MMSD requests issuance of a distribution and marketing permit in the State of Delaware for their biosolids product under the Department’s Guidance and Regulations Governing the Land Treatment of Wastes, Part III, B., Regulations Governing the Land Treatment of Sludges and Sludge Products which allows for such activity pending public notice. Copies of the permit application referenced above are available by contacting: Brian Churchill, Surface Water Discharges Section, 89 Kings Highway, Dover, 19901, (302) 739-9946. A public hearing on the above application will NOT be held unless the Secretary determines that a public hearing is in the public interest or if a written meritorious objection to the application is received by **June 2**. A public hearing request shall be deemed meritorious if it exhibits a familiarity with the application and provides a reasoned statement of the action’s probable impact. For more information visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3751&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

Wastewater Facilities Construction Permit Application

Sussex County to construct the Estuary- BYPS#1 sewage pump station, with dual submersible sewage pumps, associated piping, valves, controls and related facilities and approximately two thousand, six hundred linear feet of six inch forcemain (2,600 LF of 6” FM). The pump station will

be located within The Estuary Development, along Estuary Boulevard, south of Camp Barnes Road (SCR 364), Sussex County. Sewage from this pump station will be pumped via approximately 1000 LF of an existing 10" FM and approximately 2600 LF of a new 6" FM, extending from the Estuary- BYPS#1 sewage pump station, northwards, along Estuary Boulevard, Watch Hill Road and finally manifold into an existing force main from Sussex County Pump Station 30, located on Double Bridges Road, Sussex County. Questions regarding the applications and plans for the above are available for inspection by contacting: Dr. Davison Mwale (PhD), Environmental Finance, Office of the Secretary, 5E Reed Street, Suite 200, Dover, 19901, (302) 739-9941. A public hearing concerning the above application will NOT be held unless the Secretary determines that a hearing is in the public interest or if a written meritorious request for a hearing is received by **June 7**. A request for a public hearing shall be deemed meritorious if it exhibits a familiarity with the application and provides a reasoned statement of the permit's probable impact. For more information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3778&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

General Concentrated Animal Feeding Operation Permits

The Department and the Department of Agriculture, Nutrient Management Program, hereby give notice that the following farms found on the DNREC website at <http://www.dnrec.delaware.gov/wr/Documents/CAFO-permits-public-notice-May-14-2017.pdf> have applied for coverage under National Pollutant Discharge Elimination System (NPDES) General Concentrated Animal Feeding Operation (CAFO) Permit Number DE 5000N/11, to operate a Large, Medium, or Designated Poultry CAFO without land application of manure under Section 9.5 of the DNREC's Regulations Governing the Control of Water Pollution. Large CAFO's are characterized as having equaled to or greater than 125,000 chickens (C), 82,000 laying hens (L), or 55,000 turkeys (T). Medium CAFO's are characterized as having 37,500-124,999 chickens, 25,000-81,999 laying hens, or 16,500-54,999 turkeys. Designated CAFO's are determined by the department and can be any size. Chicken manure is not land applied by these farms and is exported off the farm. Manure is stored and mortalities are handled in a manner to prevent contamination of waters of the state. All farms have Animal Waste Management Plans that meet the criteria of the CAFO Regulations. Manure, litter, and/or process wastewater discharges are prohibited from the production area. There are currently no known existing production area discharge points at these farms. Any discharges of manure, litter, and/or process wastewater that may occur would be new discharges and are required to be reported to the departments. On the basis of a preliminary staff review and application of lawful standards and regulations, DNREC proposes to issue general CAFO permit coverage to the above referenced farms, subject to certain effluent limitations and conditions. The Secretary intends to issue General NPDES CAFO permit coverage under Section 9.5 of the Department's Regulations Governing the Control of Water Pollution for the above farms. Section 9.5 of the Department's Regulations Governing the Control of Water Pollution allows for such activity pending public notice. Copies of the Notice of Intent, Animal Waste Management Plan, and permit are available by contacting: Nutrient Management Program, Delaware Department of Agriculture, 2320 South DuPont Highway, Dover, 19901, (302)-698-4500, Dda.foia@state.de.us. A public hearing will not be held on any of the above farms unless the Secretary receives a meritorious request **June 12**. A request for a hearing shall list the specific farm, be in writing and shall state the nature of the issues to be raised at the hearing. It must also show a familiarity with the application and a reasoned statement of the activity's probable impact. For more information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3764&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NPDES Permits

NOTICE IS HEREBY GIVEN THAT New Castle County Department of Special Services has applied for reissuance of its National Pollutant Discharge System (NPDES) Permit No. DE0021555 (State Number WPCC 3077E/74) to discharge treated wastewater from the Delaware City Wastewater Treatment Plant located at the Governor Bacon Health Center in Delaware City. The treatment plant treats domestic waste from residential areas for the Delaware City and North St. Georges, Governor Bacon Health Center and Gunning Bedford School. It has a single discharge (Outfall 001) of treated sanitary wastewater to the Delaware River. Wastewater treatment is provided by rotary drum screens, equalization tank, aeration cell, clarifiers, cloth disk filters and ultraviolet disinfection system. The waste sludge generated is transported to Wilmington Wastewater Treatment Plant for ultimate disposal. The solids from the screens are collected in dumpsters and transferred to a sanitary landfill for proper disposal. Based on a preliminary staff review and application of lawful standards and regulations, the Department proposes to re-issue this permit, subject to certain effluent limitations and conditions. The proposed determinations are tentative. Persons wishing to comment upon or object to the proposed determinations are invited to submit same in writing to the Surface Water Discharges Section of the Division of Water, at the address listed below, no later than 30 days from this notice. All comments received prior to end date will be considered in the formulation of final determinations regarding this application. A public hearing on the above will NOT be held unless the Secretary receives a request by **June 23**, or if the Secretary determines that a public hearing is in the public interest. A request for a hearing shall be in writing and shall state the nature of the issues to be raised at the hearing. It must also show familiarity with the proposal and a reasoned statement of the permit's probable impact. The applications, fact sheets, and permits are available for inspection or copies may be obtained by contacting: George Mwangi, Surface Water Discharges Section, 89 Kings Highway, Dover, 19901, (302) 739-9946 or visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3780&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

DIVISION OF WATER - WATER SUPPLY - The Division of Water hereby gives notice that the following Well permit application has been received. For additional information concerning the applications below, please contact Allison Diggins/Water Supply Section - 89 Kings Highway, Dover, 19901; or by phone at (302)739-9945. A public hearing on the above applications will NOT be held unless the Secretary determines that a public hearing is in the public interest or if a written meritorious objection to the application is received by **June 5**. A public hearing request shall be deemed meritorious if it exhibits a familiarity with the application and provides a reasoned statement of the action's probable impact. For more information visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3776&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

Allocation Permits

Comegys Farms has requested an irrigation allocation for a proposed irrigation well and an existing surface intake. The requested daily withdrawal for the well is 252,000 gallons per day and 720,000 gallons per day for the surface intake. The well and pond will be located east of Marydel in Kent County, near the intersection of Tuxward and Sandy Bend Roads, Tax Map Parcel WD-00-091.00-01-06.00.000.

Comegys Farms has requested an irrigation allocation for three existing wells. The requested combined daily withdrawal for the wells is 1,440,000 gallons per day. The wells are located southeast of Marydel in Kent County, near the intersection of Sand Bend and Westville Roads, Tax Map Parcel WD-00-091.00-01-37.00.000.

Killen Brothers has requested an irrigation allocation for two proposed irrigation wells. The requested daily withdrawal for each well is 360,000 gallons per day. The wells will be located southeast of Felton in Kent County, near the intersection of Killens Pond and Scrap Tavern Roads, Tax Map Parcel SM-00-149.00-01-17.00.000.

Charles H. West Farms Inc. has requested an irrigation allocation for a proposed and an existing

irrigation well. The requested daily withdrawal for each well is 360,000 and 648,000 gallons per day, respectively. The wells will be located south of Frederica in Kent County, near the intersection of Tub Mill Pond Road and Blue Jay Lane Tax Map Parcel MD-00-151.11-01-27.00.000.

DIVISION OF WATER - WETLANDS AND SUBAQUEOUS LANDS SECTION – The Division of Water hereby gives notice that the applications below are available for inspection or copies may be obtained by contacting: Gayle Calder, Wetlands and Subaqueous Lands Section, 89 Kings Highway, Dover, 19901, or by calling (302) 739-9943. A public hearing on the applications below will NOT be held unless our agency Secretary determines that a public hearing is in the public interest, or if a written meritorious objection to the application is received by **June 7**. For additional information visit:
<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3765&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeId=0x010034FD6D348B0CF04392485E93FC15AB3A>

Subaqueous Lands Permit Application

Red Clay Reservation, Inc. – Ashland Nature Center (0800500002) Replace a failing culvert pipe under the street entrance with two 30 inch by 19 inch by 24 foot long culvert pipes and widen the driveway entrance to 18 feet in an unnamed tributary to Red Clay Creek at the Ashland Nature Center, 3507 Barley Mill Road, Hockessin, New Castle County

Matthew T. DegliObizzi (3-34-22.00-19.00)-To install a 5 by 24 foot long floating dock and a 3 by 10 foot long gangway connecting to a previously authorized structure in an unnamed lagoon adjacent to Love Creek at 24 Marshall Road, Rehoboth, Sussex County

Liborio Ellendale, LLC – (230-31-33 and 230-26-115 & 122) – to install a 60-foot long, 6-foot wide, and 4-foot high road crossing with 160 square feet of riprap, two water mains and one sanitary sewer line, to excavate 18 square feet adjacent for a stormwater outfall, and to remove 2 existing culvert pipes in a tributary to Maple Branch, located west of Old State Road, in Ellendale, Sussex County

Lauren Clarke, Sarah Clarke, and Victoria Gaines (334-19.00-330.00) To construct a 3 by 140 foot long non-jurisdictional wetland walkway, a 4 by 20 foot long pier, a 6 by 30 foot long dock and a boatlift with 4 associated pilings in Bald Eagle Canal located at Lot 34 Blackpool Road, Rehoboth Beach Yacht & Country Club, Rehoboth Beach, Sussex County

Richard Crouse (533-20.19-9.00) To authorize 5 by 4 foot long access steps to the dock and construct a 5 by 48 foot long floating dock in an unnamed lagoon adjacent to the Assawoman Bay located at 39133 Van Buren Avenue, Edgewater Estates, Selbyville, Sussex County

Subaqueous Lands Lease Application

Christopher J. & Dawn A. Weilminster (3-34-19.00-282.00) – To authorize a 4 by 35 foot long pier, a 6 by 38 foot long linear dock, a 6 by 55 foot long dock, a 20 by 20 foot long floating modular vessel platform, two stand-alone pilings and a boat lift with two associated pilings in Bald Eagle Creek at 149 East Side Drive in Rehoboth Beach Yacht and Country Club, Rehoboth Beach, Sussex County

Woods Hole Group, Inc. (Public subaqueous lands - no tax parcel) – to renew a lease to maintain a 61-inch surface buoy with a 2,000 pound anchor system in the Delaware River, located east of the Delaware River navigation channel and Claymont, New Castle County

Subaqueous Lands Lease, Permit, Marina, Water Quality and O&M Application

Hometown Angola Beach, LLC (234-18.00-1.00) To construct a major alteration to Angola Beach

& Estates Marina by creating an additional 48 slips, consisting of two (2) 5 by 77 foot long floating dock extension, two (2) 5 by 140 foot long floating piers, twenty-four (24) 4 by 16 foot long floating finger piers and approximately 84 stand-alone pilings and temporarily remove the existing marina structures in order to hydraulically dredge 8,500± cubic yards to a depth of -4 feet MLW from an 108,000± square foot area in Burton Prong, Herring Creek at the terminus of Boat Ramp Lane and to dispose of the dredged material via a pipeline to an upland confined disposal area west of Bridgeway Drive West Lewes, Sussex County

EMPLOYEE NEWS

Effective May 31, Glenn Davis, Program Manager I, Division of Water, Surface Water Section is retiring. Glen has spent 45 years in the wastewater industry, 10 of those with DNREC. **Congratulations and Best Wishes!!!**

CONTACT INFORMATION

24-Hour Environmental Report and Spill Notification Line - 1-800-662-8802

Aboveground Storage Tanks - 302-395-2500
Air Quality - New Castle Office - 302-323-4542
Air Quality – Kent & Sussex – 302-739-9402
Asbestos New Castle - 302-323-4542
Asbestos Kent & Sussex - 302-739-9402
Biosolids Permits - 302-739-9946
Boiler Safety - 302-395-2500
Brownfields - 302-395-2600
Community Ombudsman - 302-739-9040
Community Services - 302-739-9959
Delaware Estuary Program - 302-739-9283 (Delaware Coastal Management Program)
Division of Air Quality Director's Office - 302-739-9402
Division of Energy & Climate - 302-735-3480
Division of Waste and Hazardous Substances Director's Office - 302-739-9400
Division of Water Information - 302-739-9950
Dock/Dredging/Bulkheads/Rip-Rap/Wetlands & Subaqueous Lands - 302-739-9943
Emergency Prevention and Response - 302-739-9404
Environmental Crimes Unit - 302-739-9401 or 1-800-662-8802
Environmental Laboratory - 302-739-9942
Hazardous Waste - 302-739-9403
Hazardous Chemical and Toxic Release Inventories – 302-739-9404
Industrial Stormwater Permits - 302-739-9946
Loans & Grants for Wastewater and Septic's (Environmental Finance) - 302-739-9941
Medical Waste - 302-739-9403
Non-Hazardous Liquid Waste Transporters - 302-739-9948
On-site Wastewater Licensing Program - 302-739-9948
Open Burning - 302-739-9402
Outreach Ombudsman - 302-395-2600
Recycling - 302-739-9403
Septic System Permits - Large Systems (Community & I/A) Statewide - 302-739-9948
Septic System Permits - Small Systems for Kent & New Castle Counties - 302-739-9947
Septic System Permits - Small Systems for Sussex Co. & Holding Tank Compli. Program - 302-856-4561
Site Investigation & Restoration Section (Superfund/Brownfields) - 302-395-2600
Small Business Ombudsman - 302-739-9909
Solid Waste - 302-739-9403
Source Water Protection - 302-739-9945
Surface Water Discharge Permits (NPDES) - 302-739-9946
Underground Injection Control & Spray Irrigation - 302-739-9948
Underground Storage Tanks - 302-395-2500

Wastewater Collection, Conveyance, and/or Treatment Facility Construction Permits - 302-739-9946
Wastewater Treatment Facility Operators - 302-739-9946
Water Allocation Permits - 302-739-9945
Water Testing - Drinking Water (Division of Public Health) - 302-741-8630
Water Supply - 302-739-9945
Well Driller's License - 302-739-9944
Well Permits & Licensing - 302-739-9944
Wells - 302-739-9944
Wetlands and Subaqueous Lands Section - 302-739-9943