

The biweekly E-News Update features current information on the Divisions of Air Quality (DAQ), Waste and Hazardous Substances (WHS), and Water regarding public meetings, workshops, hearings, and regulatory documents available for public comment, as well as general news updates. For those of you who are receiving the E-News Update for the first time, the subscription is FREE!

Please sign up at: <http://www.dnrec.delaware.gov/Pages/DNRECLists.aspx> under "Division of Waste & Hazardous Substances Lists." There is no form to fill out; it's done in three clicks!

Suggestions? Additions? Please call Caroline Miller Horton at 302-739-9400, or send an email to caroline.miller-horton@state.de.us

Published by the Divisions of Air Quality, Waste and Hazardous Substances, and Water.

Visit us at: www.awm.delaware.gov

SECRETARY'S ORDERS

Consent Decree

RE: Department of Natural Resources and Environmental Control, plaintiff, v. Mountaire Farms of Delaware, Inc., filed in state Superior Court

UPCOMING AIR, WASTE, & WATER-RELATED HEARINGS, MEETINGS, & EVENTS

Water Well Licensing Board

DNREC Division of Water / Water / Natural Resources and Environmental Control
Board Meeting, **June 12 at 09:30 AM**, Richardson & Robbins Building, 89 Kings Hwy, Dover DE 19901. For more information contact: sarah.silves@state.de.us 302-739-9944. You may also visit: <https://publicmeetings.delaware.gov/Meeting/56812>

LEGAL NOTICE - PUBLIC HEARING

Notice is hereby given that Mountaire Farms of DE, Inc. has applied to the Groundwater Discharges Section for a renewal of their State of Delaware Non-Hazardous Liquid Waste Transporters Permit DE OH-091. Pursuant to 7 Delaware Code, Chapter 60, Section 6006, the Department will conduct a public hearing concerning the renewal application on Thursday, **June 14 at 6:00 PM** in the Indian River Senior Center (Millsboro Senior Center), 214 Irons Avenue, Millsboro. The Department solicits the views of interested parties with respect to this application. Statements and testimony may be presented orally or in written form at the hearing. Written statements may be mailed directly to the presiding hearing officer via email (Lisa.Vest@state.de.us) or via mail to Lisa Vest, Public Hearing Officer, Office of the Secretary, Department of Natural Resources and Environmental Control, 89 Kings Highway, Dover, DE 19904. The application and supporting documents may be inspected by appointment at the office of the Division of Water, Groundwater Discharges Section, 89 Kings Highway, Dover, Delaware, 19901. For an appointment to inspect the application, please contact Kathy Potter via email at kathy.potter@state.de.us or (302) 739-9948. For more information

visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=4222&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

Water Supply Coordinating Council

DNREC Division of Water / Water / Natural Resources and Environmental Control
Quarterly Council Meeting, **June 28 at 10:00 AM**, Kent County Administration Building, 555 S Bay Rd, Dover DE 19901. Contact Kimberly.burris@state.de.us, 302-739-9945. You may also visit: <https://publicmeetings.delaware.gov/Meeting/59682>

Board of Certification for Wastewater Operators Monthly Meeting

DNREC Division of Water / Water / Natural Resources and Environmental Control
Regular Monthly Meeting of the Board of Certification for Wastewater Operators.

July 03 at 9:00 AM, Richardson & Robbins Building, 89 Kings Hwy, Dover DE 19901. Contact faye.wheeler@state.de.us, 302-739-9946. You may also visit: <https://publicmeetings.delaware.gov/Meeting/50803>

LEGAL NOTICE - RESCHEDULING PUBLIC HEARING

This notice is to cancel the Department of Natural Resources and Environmental Control (DNREC) Division of Air Quality public hearing scheduled for Wednesday June 27, 2018 in the Richardson & Robbins Building Auditorium due to water damage.

The public hearing is rescheduled for Thursday **July 12 beginning at 6:00 pm** at the Kent County Building at 555 South Bay Road in Dover, Delaware. At this hearing we will present proposed amendments to Delaware air regulations 7 DE Admin. Code 1101 and 1102 and a proposed source category permit.

This hearing is scheduled to receive public comments on a proposal to establish a permit process for outdoor dry abrasive blasting of water tanks with lead-containing coatings. In addition to the proposed regulatory changes, DNREC will also present for public comment the proposed source category permit that will be required for applicable projects.

Copies of the proposed regulatory amendments and the source category permit are available for public review at the Department's offices at 715 Grantham Lane in New Castle, DE and 100 West Water Street, Suite 6A in Dover, DE. They also are available in the June 1, 2018 edition of the Delaware Register of Regulations at <http://regulations.delaware.gov/services/register.shtml>. The proposed source category permit can be found in the General Notices section. Please contact David Fees at (302) 739-9402 to make an appointment to inspect these documents.

Statements and testimony may be presented either orally or in writing at the public hearing. If you are unable to attend or wish to submit your comments in advance of the public hearing, please send your comments to the address below. Interested parties also may submit written comments to the Department, to the same address below, up until the end of the comment period, which will extend through July 27, 2018, unless a longer comment period is designated by the hearing officer at the public hearing.

DNREC – Division of Air Quality
100 W. WATER STREET, SUITE 6A
DOVER, DE 19904

THIS IS THE ONLY TIME THIS NOTICE WILL APPEAR

For more information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=4239&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeId=0x010034FD6D348B0CF04392485E93FC15AB3A>

DIVISION OF AIR QUALITY

OPT-IN! THE DELAWARE DIVISION OF AIR QUALITY (DAQ) is committed to working with citizens to continuously optimize Delaware's air quality and protect public health, welfare, and the environment. To determine that the DAQ is meeting the air quality needs of the citizens across the state, we encourage you to participate in our opt-in list. In the future you will receive surveys that will allow us to analyze our performance. You can access the opt-in list by clicking: https://survey.co1.qualtrics.com/jfe/form/SV_1RGZGUYt8fSuqkB

AIR QUALITY PERMITTING PROGRAM – Notice has been given that the facilities listed below have submitted applications for air quality management permits. The applications, the “draft/proposed” permits, all materials that the applicant has submitted (other than those granted confidential treatment under DNREC rules), and a copy of summary of other materials, if any, considered in preparing the “draft/proposed” permit, may be inspected at the offices of the Division of Air Quality, 100 W. Water Street, Suite 6A, Dover, 19904. **All comments and public hearing requests** should be mailed to the following address: DIVISION OF AIR QUALITY, 100 W. Water Street, Suite 6A, Dover 19904. To submit comments, for additional information, or for an appointment to inspect the application, please contact Tracy Mattson at (302) 739-9402.

Title V Permit Renewal Applications

Notice is hereby given that Delaware Solid Waste Authority (DSWA) having a facility at 1107 Willow Grove Rd in Felton, Delaware, has submitted a request for a permit renewal pursuant to 7 DE Admin. Code 1130, Section 7 for operating permit: AQM-001/00068. Based on the data and certifications contained in the application, the Division of Air Quality concludes that the applicant meets all applicable requirements promulgated by the Environmental Protection Agency (EPA) and the Department of Natural Resources and Environmental Control (DNREC). Therefore a "draft/proposed" permit renewal has been prepared. This "draft/proposed" permit renewal incorporates the requirements of new and updated regulations.

The application, the "draft/proposed" permit renewal (AQM-001/00068 R-3), all materials that the applicant has submitted (other than those granted confidential treatment under DNREC rules), and a copy of summary of other materials, if any, considered in preparing the "draft/proposed" permit renewal may be inspected at the offices of the Division of Air Quality, State Street Commons, 100 W. Water Street, Suite 6A, Dover, Delaware and 715 Grantham Lane, New Castle, Delaware. To submit comments, for additional information or for an appointment to inspect the application, please contact Tracy Mattson at the Dover Office at 7399402.

The "draft/proposed" permit renewal is being submitted to EPA for concurrent processing. If there are no significant comments, the "draft/proposed" permit renewal will be issued as a final permit after expiration of the EPA review period.

A public hearing concerning the permitting action will not be held unless the Secretary of the Department of Natural Resources and Environmental Control receives a request for such hearing within thirty (30) days from the date of this notice, ending **June 12**. A request for a hearing shall be in writing and must show a familiarity with the application and a reasoned statement of the permit renewal's probable impact. DIVISION OF AIR QUALITY, STATE STREET COMMONS 100 W. WATER STREET, SUITE 6A DOVER, DE 19904, (302) 739-9402. For more information visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=4215&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeId=0x010034FD6D348B0CF04392485E93FC15AB3A>

LEGAL NOTICE - 7 DE Admin. Code 1102 NATURAL MINOR PERMIT APPLICATIONS

Notice has been given that:

Amtrak – Bear Facility, requests a permit to construct and operate a Zep DynaClean cold solvent cleaner at their 258 E. Scotland Drive, Bear facility. The cold solvent cleaner will be permitted to emit VOCs by Permit: APC-2018/0108- Construction/Operation (VOC RACT).

The application for this permit may be reviewed at the offices of the Division of Air Quality, State Street Commons, 100 W. Water Street, Suite 6A, Dover, Delaware or 715 Grantham Lane, New Castle, Delaware. For additional information or for an appointment to review the application, please contact Tracy Mattson at (302) 739 9402.

A public hearing on any of the above applications will NOT be held unless the Secretary of DNREC receives a request for a hearing regarding that application within 15 days from the date of this notice, ending **June 18**. A request for a hearing shall be in writing. The request must also show a familiarity with the application and a reasoned statement of the permit's probable impact. All comments and public hearing requests should be mailed to the following address: Division of Air Quality, State Street Commons, 100 W. Water Street, Suite 6A, Dover, DE 19904, (302) 739-9402. You may also

visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=4229&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeId=0x010034FD6D348B0CF04392485E93FC15AB3A>

Federally Enforceable 7 DE Admin. Code 1102 Applications

Notice is hereby given that PATS Aircraft, LLC having a facility at 21652 Nanticoke Avenue, Georgetown, Delaware, has requested a federally enforceable 7 DE Admin. Code 1102 construction permit (Permit: APC-2018/0084-CONSTRUCTION (VOC RACT)(FE)) for a UniCure Model 1006 Downdraft side exhaust spray booth oven combination with NESHAP exhaust filtration and a 1.2 MMBTU/hr heater. The spray paint booth will be permitted to emit 0.77 TPY of VOC and 0.2 grains per standard cubic foot of PM. The 1.2 MMBTU/hr air heater/burner will be permitted to emit 0.01 TPY of VOC, 0.13 TPY of NOx, 0.001 TPY of SOx, and 0.01 TPY PM.

Upon completion of construction, the Department will incorporate the operating conditions and limits of the 7 DE Admin. Code 1102 Construction permit into the facility's existing Synthetic Minor permit (Permit: APC-98/0536-OPERATION (Amendment 7)(VOC RACT)(SM)) via an Administrative Amendment.

The application, the "draft/proposed" construction permit, all materials that the applicant has submitted (other than those granted confidential treatment under DNREC rules), and a copy of summary of other materials, if any, considered in preparing the "draft/proposed" permit may be inspected at the offices of the Division of Air Quality, State Street Commons, 100 W. Water Street, Suite 6A, Dover, Delaware and 715 Grantham Lane, New Castle, Delaware. To submit comments, for additional information or for an appointment to inspect the application, please contact Tracy Mattson at the Dover Office at 739 9402.

The "draft/proposed" construction permit is being submitted to EPA for concurrent processing. If there are no significant comments, the "draft/proposed" construction permit will be issued as a final permit after the expiration of the EPA review period.

A public hearing on the above application will NOT be held unless the Secretary of DNREC receives a request for a hearing regarding that application within 30 days from the date of this notice, ending **June 19**. A request for a hearing shall be in writing. The request must also show a familiarity with the application and a reasoned statement of the permit's probable impact.

All comments and public hearing requests should be mailed to the following address:

Division of Air Quality, State Street Commons, 100 W. Water Street, Suite 6A, Dover, DE 19904 (302) 739-9402, You may also

visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=4220&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

LEGAL NOTICE - 7 DE Admin. Code 1102 NATURAL MINOR PERMIT APPLICATIONS

Notice has been given that:

Blue Mountain Construction Service, LLC, requests a permit to operate temporary roving impactor crusher and conveyor for 3 weeks period each at 1250 Porter Road, Bear, 1100 South Heald Street, Wilmington and 734 Dexter Cornnew Road, Townsend, in New Castle County facilities. The roving crusher and conveyor will be permitted to emit 0.7 ton/year of NOX, 0.6 ton/year of CO, 0.1 ton/year of PM, 0.03 ton/year of THC, and 0.001 ton/year of SO2 by Permit# APC-2018/0098.

The application for this permit may be reviewed at the offices of the Division of Air Quality, State Street Commons, 100 W. Water Street, Suite 6A, Dover, Delaware or 715 Grantham Lane, New Castle, Delaware. For additional information or for an appointment to review the application, please contact Tracy Mattson at (302) 739-9402.

A public hearing on any of the above applications will NOT be held unless the Secretary of DNREC receives a request for a hearing regarding that application within 15 days from the date of this notice, ending June 25, 2018. A request for a hearing shall be in writing. The request must also show a familiarity with the application and a reasoned statement of the permit's probable impact.

All comments and public hearing requests should be mailed to the following address:

DIVISION OF AIR QUALITY, STATE STREET COMMONS 100 W. WATER STREET, SUITE 6A DOVER, DE 19904, (302) 739-9402. You may also

visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=4245&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

LEGAL NOTICE - Title V Fee Status Report

The Department of Natural Resources and Environmental Control's Division of Air Quality has published the Calendar Year 2017 Title V Fee Status Report per Section 6097(l) of 7 Del. C. Chapter 60, Subchapter VIII. This report may be reviewed at the offices of the Division of Air Quality, State Street Commons, 100 W. Water Street, Suite 6A, Dover, Delaware or 715 Grantham Lane, New Castle, Delaware or online at:

<http://www.dnrec.delaware.gov/Air/Documents/2017Title%20V%20Fee%20Committee%20Status%20ReporDAQFinal6.1.18.pdf> For additional information, please contact Tony Manson in Dover, at 302-739-9402. Division

of Air Quality, State Street Commons 100 W. Water Street, Suite 6A, Dover, DE 19904. You may also

visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=4244&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

DIVISION OF WASTE AND HAZARDOUS SUBSTANCES

SOLID AND HAZARDOUS WASTE MANAGEMENT SECTION - The Solid and Hazardous Waste Management Section (SHWMS) hereby gives notice that a permit application has been received from the following companies to transport regulated RCRA hazardous and/or non-hazardous solid wastes in, out of, or through the State of Delaware. The renewal application and associated documents are available for review during business hours at our agency Solid & Hazardous Waste Management Section office at 89 Kings Highway, Dover and also at our Lukens Drive office at 391 Lukens Drive in Wilmington.

PUBLIC NOTICE - RMR Delaware, LLC Application for Resource Recovery Facility Permit

The Department of Natural Resources and Environmental Control (DNREC) has received a permit application from RMR Delaware, LLC for a resource recovery facility to be located at 100 Amer Road in Wilmington. The applicant seeks to operate a materials recovery facility in order to accept, process, and store source-separated and single stream recyclables to be sent for recycling.

The complete application is available for review during business hours at the DNREC's Solid & Hazardous Waste Management Section office at 89 Kings Highway in Dover and at the DNREC offices at 391 Lukens Drive in New Castle. These documents can also be found on the DNREC website at: <http://www.dnrec.delaware.gov/dwhs/SHWMB/Pages/SolidWasteFacilities.aspx>

A public hearing concerning the request for a resource recovery facility permit will NOT be held unless the Secretary of DNREC receives a request for such a hearing within fifteen (15) days from the date of this notice, ending **June 25**. A request for a hearing shall be in writing and must show a familiarity with the application and a reasoned statement of the permit's probable impact. To submit comments, please contact Mindy Anthony, 89 Kings Highway, Dover, DE 19901, 302-739-9403 ext. 8, email mindy.anthony@state.de.us. You may also

visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=4246&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

SITE INVESTIGATION AND RESTORATION SECTION (SIRS) is responsible for the identification, evaluation, and remediation of sites in Delaware that have had past releases of hazardous substances. The section manages the contaminated sites under three major programs in accordance with the Hazardous Substance Cleanup Act (HSCA). The three programs are the **Brownfields Development Program, the Voluntary Cleanup Program (VCP), and the HSCA Enforcement Program** (for sites requiring enforcement action).

The Brownfields Development Program encourages the cleanup and redevelopment of either the entire property, the expansion of the property, or the reuse of the property which may be hindered by the reasonable held belief that the property may be contaminated. A party seeking to develop such a property negotiates with SIRS for a **Brownfields Development Agreement (BDA)** to perform an investigation and, if necessary, a remedy, for the purpose of addressing the risks posed by past releases of hazardous substances at these sites. However, a BDA is only available to parties that are not current owners or operators of the site. The **Voluntary Cleanup Program (VCP) Agreement** is available to site owners who want to clean up their sites and are already liable as a potentially responsible party for the site.

The Proposed and Final Plans of Remedial Action listed below outline site cleanup activities and covenants and are available online at:

<http://www.dnrec.delaware.gov/whs/awm/SIRB/Pages/SIRBPlans.aspx> under "Announcements." For site-specific information, please see DNREC's Environmental Navigator at:

<http://www.nav.dnrec.delaware.gov/DEN3>

LEGAL NOTICE - FINAL PLAN OF REMEDIAL ACTION FOR THE 615 SOUTH CHURCH STREET OU1 OF THE FORMER ESTATE OF WILLIAM C. WARD SITE (DE-1272)

The Department has adopted a plan regarding the clean-up of 615 South Church Street Operable Unit 1 of the Former Estate of William C. Ward Site located in Wilmington. The Site is undeveloped and vacant and requires a Remedial Action Work Plan, 1 foot cap of clean fill or impervious material, Environmental Covenant which restricts the use to non-residential, no groundwater wells shall be installed without prior DNREC approval, no land disturbing activities without prior DNREC approval, Contaminated Materials Management Plan, Long-Term Stewardship Plan, Remedial Action Completion Report and a Certification of Completion of Remedy.

DNREC issued public notice of the Proposed Plan for 615 South Church Street Operable Unit 1 of the Former Estate of William C. Ward Site on May 21, 2018. There were no comments or questions from the public regarding the Proposed Plan. Details of the Final Plan are available at the office of DNREC-SIRS (391 Lukens Drive, New Castle, DE, 19720), online at:

<http://www.nav.dnrec.delaware.gov/DEN3/>. For additional information, please contact Meghan Crystall, Project Manager at (302) 395-2600 or via email at Meghan.Crystall@state.de.us. You may also

visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=4232&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeId=0x010034FD6D348B0CF04392485E93FC15AB3A>

LEGAL NOTICE - AMENDED FINAL PLAN OF REMEDIAL ACTION FOR THE CHRYSLER NEWARK ASSEMBLY PLANT SITE (OPERABLE UNIT-3) (DE-0105)

The Department has adopted a plan regarding the clean-up of Operable Unit 3 of the Chrysler Newark Assembly Plant Site located in Newark. The Site, once the location of a vehicle assembly plant, is currently the location of the University of Delaware's Science, Technology, and Advanced Research (STAR) Campus. Required remedial actions on Operable Unit 3 of the Site include: capping of contaminated soils, removal of free product, installation of a vapor barrier beneath buildings as specified in the Plan, implementation of a soil management plan and a long-term stewardship plan, and compliance with an environmental covenant on the property deed.

DNREC issued public notice of the Amended Proposed Plan for Operable Unit 3 of the Chrysler Newark Assembly Plant Site on April 25, 2018. DNREC responded to one comment from the public regarding the Proposed Plan. Details of the Final Plan are available at the office of DNREC-SIRS (391 Lukens Drive, New Castle, DE, 19720) or online at:

<http://www.nav.dnrec.delaware.gov/DEN3/>. For additional information, please contact Lindsay Hall, Project Manager at (302) 395-2600 or via email at Lindsay.Hall@state.de.us. You may also visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=4231&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeId=0x010034FD6D348B0CF04392485E93FC15AB3A>

LEGAL NOTICE- AMENDED PROPOSED PLAN OF REMEDIAL ACTION FOR THE HESSLER PROPERTY SITE (OPERABLE UNIT-1) (DE-1203)

The Department invites public comment on an amended proposal to clean-up Operable Unit 1 of the Hessler Property Site located at 401 Garasches Lane and 610 South Market Street Wilmington. The Site was heavily filled with construction waste and other debris and most recently used as a lay-down and storage area for steel products. The proposed remedy will require the following: placement of an impervious cap across, at a minimum of 85% the property, groundwater monitoring, culverting or placing a concrete liner in the associated ditch with a reactive liner material to treat contaminated groundwater, recording an environmental covenant restricting digging and the use of groundwater, and submittals for DNREC's approval of a Remedial Action Work Plan, Contaminated Materials Management Plan and a Long Term Stewardship Plan. Details of the Amended Proposed Plan are available at the office of DNREC-SIRS (391 Lukens Drive, New Castle, DE, 19720), or online at:

<http://www.nav.dnrec.delaware.gov/DEN3/>

The comment period ends on June 25, 2018 For additional information, please contact Kristen

Thornton, Project Manager at (302) 395-2600 or via email at Kristen.Thornton@state.de.us. You may also

visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=4236&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeId=0x010034FD6D348B0CF04392485E93FC15AB3A>

LEGAL NOTICE - PROPOSED PLAN OF REMEDIAL ACTION FOR THE 2-4 East 7th Street Site (de-1636)

The Department invites the public to comment on a proposal to clean up the 2-4 East 7th Street Site located in Wilmington, Delaware. Soil is impacted by cobalt and thallium at depth over DNREC soil standards for residential use of the property. Indoor air is impacted by chloroform in the basement of 2 East 7th Street and the basement and 1st floor of 4 East 7th Street over DNREC standards for residential use of the property. Details of the Proposed Plan are available at the office of DNREC-SIRS at 391 Lukens Drive, New Castle, DE 19720, or online at:

<http://www.nav.dnrec.delaware.gov/DEN3/>. The comment period ends on **June 25**. For additional information, please contact Rick Galloway, Project Manager at (302)395-2600 or rick.galloway@state.de.us. You may also

visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=4235&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeId=0x010034FD6D348B0CF04392485E93FC15AB3A>

LEGAL NOTICE - FINAL PLAN OF REMEDIAL ACTION FOR THE FORMER RODNEY DORM COMPLEX DE 1658

The Department has adopted a plan regarding the clean-up of the Former Rodney Dorm Complex Site located in Newark. The Site, once used as a dormitory complex with residential dining hall for the University of Delaware requires abatement/removal of all asbestos-containing building materials; removal and disposal of all PCB-containing materials and equipment; conduct supplemental concrete/pad investigation to delineate PCB impacts to concrete in Buildings A/B, C/D, and the Powerhouse Building; collection and analysis of surface water from the on-site storm water pond once construction is completed; and an Environmental Covenant restricting site use to non-residential types, limiting groundwater withdrawal, and complying with the Contaminated Materials Management Plan (CMMP).

DNREC issued public notice of the Proposed Plan for the Former Rodney Dorm Complex Site on May 13, 2018. There were no comments or questions from the public regarding the Proposed Plan. Details of the Final Plan are available at the office of DNREC-SIRS located at 391 Lukens Drive, New Castle, DE, 19720, or online at:

<http://www.nav.dnrec.delaware.gov/DEN3/>

For additional information, please contact Morgan McGee-Solomon, Project Manager at (302) 395-2600 or via email at Morgan.McGee-Solomon@state.de.us. You may also

visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=4243&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeId=0x010034FD6D348B0CF04392485E93FC15AB3A>

LEGAL NOTICE - FINAL PLAN OF REMEDIAL ACTION FOR THE 14028 SUSSEX HIGHWAY SITE (DE-1651)

The Department has adopted a plan regarding the clean-up the 14028 Sussex Highway Site located in Greenwood. The Site, once used as a gas station, and more recently as storage and distribution of steel building materials requires a treatment system on the deep drinking water well in Operable Unit 1 (OU-1), an Environmental Covenant limiting the use of Operable Unit 2 (OU-2) to commercial use only, and limiting shallow groundwater withdrawals for OU-1 and OU-2.

DNREC issued public notice of the Proposed Plan for the 14028 Sussex Highway Site on May 6, 2018. There were no comments or questions from the public regarding the Proposed Plan. Details of the Final Plan are available at the office of DNREC-SIRS (391 Lukens Drive, New Castle, DE, 19720, and at 21309 Berlin Road, Suite 2, Georgetown, DE 19947 or online at:

<http://www.nav.dnrec.delaware.gov/DEN3/>. For additional information, please contact Kathryn Durant, Project Manager at (302) 395-2600 or via email at kathryn.durant@state.de.us. For more information

visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=4242&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeId=0x010034FD6D348B0CF04392485E93FC15AB3A>

LEGAL NOTICE - AMENDED FINAL PLAN OF REMEDIAL ACTION FOR THE HUDSON PIT SITE (DE-0107)

The Department has adopted a plan regarding the clean-up the Hudson Pit Site located in Lewes. The Amended Final Plan will split the Site into three operable units. Operable Unit 1 (OU-1) is approximately 18 acres and requires excavation of arsenic contaminated soil. Operable Unit 2 (OU-2) is approximately 9 acres and requires excavation of oil sands. Operable Unit 3 (OU-3) encompasses the rest of the site, which is approximately 9 acres, and includes all of the groundwater for the Site. OU-3 requires groundwater monitoring after the redevelopment is complete. OU-1 and OU-2 have buried organic debris and biodegradable waste that must be removed from the known areas of the Site as encountered.

DNREC issued public notice of the Amended Proposed Plan for the Hudson Pit Site on May 13, 2018. There were no comments or questions from the public regarding the Amended Proposed Plan. Details of the Amended Final Plan are available at the office of DNREC-SIRS (391 Lukens Drive, New Castle, DE, 19720), and at 21309 Berlin Road, Suite 2, Georgetown, DE 19947 or online at: <http://www.nav.dnrec.delaware.gov/DEN3/>. For additional information, please contact Kathryn Durant, Project Manager at (302) 395-2600 or via email at kathryn.durant@state.de.us. You may also

visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=4241&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeId=0x010034FD6D348B0CF04392485E93FC15AB3A>

DIVISION OF WATER - WATER SUPPLY - The Division of Water hereby gives notice that the following Well permit application has been received. For additional information concerning the applications below, please contact Water Supply Section - 89 Kings Highway, Dover, 19901; email Water.Allocation@state.de.us; or by phone at (302) 739-9945.

LEGAL NOTICE - Allocation Permits

Stanley Johnson has requested an irrigation allocation for one proposed well. The requested daily withdrawal for the well is 144,000 gallons per day. The well will be located NE of Millsboro in Sussex County, near the intersection of John J Williams Hwy and Jersey Rd. Tax Map Parcel 2-34-32.00-0109.00.

Sussex Group Partners LLC has requested an irrigation allocation for one proposed well. The requested daily withdrawal for the well is 72,000 gallons per day. The well will be located NE of Millsboro in Sussex County, near the intersection of Harmons Hill Rd and Hollyville Rd. Tax Map Parcel 2-34-16.00-0008.03.

Bar-Sgr LLC. has requested a dewatering permit from one excavation. The requested daily withdrawal from the excavation is 2,160,000 gallons per day. The excavation will be located in The Vines at Nassau Valley –Phase 3 development, Lewes DE, 19958. Tax Map Parcel 3-34-5.00-152.06.

Water Supply Section
89 Kings Highway, Dover, DE 19901
(302) 739-9945

Water.Allocation@state.de.us

A public hearing on the above applications will NOT be held unless the Secretary of DNREC determines that a public hearing is in the public interest or if a written meritorious objection to the application is received within 15 days from this notice. A public hearing request shall be deemed meritorious if it exhibits a familiarity with the application and provides a reasoned statement of the action's probable impact. For more information

visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=4247&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeId=0x010034FD6D348B0CF04392485E93FC15AB3A>

DIVISION OF WATER - SURFACE WATER DISCHARGES – The Division of Water hereby gives notice that the following permit applications have been received.

**LEGAL NOTICE - DNREC – Division of Water, Surface Water Discharges Section
Wastewater Facilities Construction Permit Application**

The Delaware Department of Natural Resources and Environmental Control, Division of Water, hereby gives notice that a permit application has been received from:

Caesar Rodney School District proposes to construct a quadplex E One grinder sanitary sewer pump station and approximately fifty linear feet (50 LF) of two (2) inch diameter force main to serve a proposed six hundred (600) student elementary school located near the intersection of Briarbush Road and Banning Road near Magnolia, Delaware. Questions regarding the applications and plans for the above are available for inspection by contacting: Keith Kooker, P.E., Environmental Finance, Office of the Secretary, Enterprise Business Park 97 Commerce Way, Suite 106, Dover, DE 19904, (302) 739-9941.

A public hearing concerning the above application will NOT be held unless the Secretary of DNREC determines that a hearing is in the public interest or if a written meritorious request for a hearing is received on or before **June 20**. A request for a public hearing shall be deemed meritorious if it exhibits a familiarity with the application and provides a reasoned statement of the permit's probable impact. You may also

visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=4240&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NPDES Permits

The Department of Natural Resources and Environmental Control, Division of Water, hereby gives notice that Calpine Mid-Atlantic Generation, LLC has applied for reissuance of its National Pollutant Discharge System (NPDES) Permit No. DE0000558 (State Number WPCC 3011E/75) to discharge condenser cooling water, boiler blowdown, cooling tower blowdown, screen backwash, strainer backwash, and storm water from their facility located at 198 and 200 Hay Road, in Wilmington, New Castle County, to the Delaware River and Shellpot Creek. There are thirty one (31) outfalls at this site which discharge to the Delaware River and Shellpot Creek. Only stormwater outfalls discharge to Shellpot Creek. The facility generates electrical power from steam.

Based on a preliminary staff review and application of lawful standards and regulations, the Department proposes to re-issue this permit, subject to certain effluent limitations and conditions. The proposed determinations are tentative. Persons wishing to comment upon or object to the proposed determinations are invited to submit same in writing to the Surface Water Discharges Section of the Division of Water, at the address listed below, no later than 30 days from this notice. All comments received prior to said date will be considered in the formulation of final determinations regarding this application.

A public hearing on the above will NOT be held unless the Secretary of DNREC receives a request by 4:30 pm on **July 6**, or if the Secretary determines that a public hearing is in the public interest. A request for a hearing shall be in writing and shall state the nature of the issues to be raised at the hearing. It must also show familiarity with the proposal and a reasoned statement of the permit's probable impact.

The applications, fact sheets, and permits are available for inspection or copies may be obtained by contacting: Division of Water, Surface Water Discharges Section, 89 Kings Highway, Dover, Delaware 19901, (302) 739-9946. You may also

visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=4237&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

DIVISION OF WATER – GROUNDWATER DISCHARGES SECTION

LEGAL NOTICE- Non-Hazardous Liquid Waste Transporters Permit

DiGati Wastewater Services has applied to the Groundwater Discharges Section for a Non-Hazardous Liquid Waste Transporters Permit to transport septage; holding tank waste; grease

trap/cooking oil waste; and portable toilet waste to be disposed of at the Kent County Sewer System and the New Castle County Sewer System.

On-Site Wastewater Treatment and Disposal System

Canterbury Homes Inc. has submitted renewal application for an operation permit for an on-site wastewater treatment and disposal system to serve the Chelesa Villa Subdivision. The system has been designed to accommodate 22,200 gallons per day of wastewater. The site is located approximately at the intersection of Willow Grove Rd and Kali Dr, Kent County, tax parcel # SM-00-117.02-1.00-39.00.

The above mentioned applications may be inspected by contacting: Kathleen Saunders, Groundwater Discharges, 89 Kings Highway, Dover, DE 19901, Kathleen.Saunders@state.de.us (302) 739-9948. A public hearing on the above applications will NOT be held unless the Secretary of DNREC determines that a public hearing is in the public interest or if a written meritorious objection to the application is received within 15 days from this notice. A public hearing request shall be deemed meritorious if it exhibits a familiarity with the application and provides a reasoned statement of the action's probable impact. For more information you may

visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=4221&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeId=0x010034FD6D348B0CF04392485E93FC15AB3A>

On-Site Wastewater Treatment and Disposal System

Canterbury Homes Inc. has submitted renewal application for an operation permit for an on-site wastewater treatment and disposal system to serve the Chelesa Villa Subdivision. The system has been designed to accommodate 22,200 gallons per day of wastewater. The site is located approximately at the intersection of Willow Grove Rd and Kali Dr, Kent County, tax parcel # SM-00-117.02-1.00-39.00.

The above mentioned applications may be inspected by contacting: Kathleen Saunders, Groundwater Discharges, 89 Kings Highway, Dover, DE 19901, Kathleen.Saunders@state.de.us (302) 739-9948. A public hearing on the above applications will NOT be held unless the Secretary of DNREC determines that a public hearing is in the public interest or if a written meritorious objection to the application is received within 15 days from this notice. A public hearing request shall be deemed meritorious if it exhibits a familiarity with the application and provides a reasoned statement of the action's probable impact. You may also

visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=4221&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeId=0x010034FD6D348B0CF04392485E93FC15AB3A>

LEGAL NOTICE - Non-Hazardous Liquid Waste Transporters Permit (Renewal)

City of Milford has applied to the Groundwater Discharges Section for a renewal of Non-Hazardous Liquid Waste Transporters Permit DE OH-175 which allows for the transport of other non-hazardous liquid waste, from City manholes, sewer lines, storm drains, pump stations or appurtenances to be disposed of at pump stations owned by the City of Milford.

The above mentioned application may be inspected by contacting: Kathleen Saunders, Groundwater Discharges, 89 Kings Highway, Dover, DE 19901, Kathleen.Saunders@state.de.us (302) 739-9948. A public hearing on the above application will NOT be held unless the Secretary of DNREC determines that a public hearing is in the public interest or if a written meritorious objection to the application is received within 15 days from this notice. A public hearing request shall be deemed meritorious if it exhibits a familiarity with the application and provides a reasoned statement of the action's probable impact. For more information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=4230&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeId=0x010034FD6D348B0CF04392485E93FC15AB3A>

DIVISION OF WATER - WETLANDS SECTIONS

Subaqueous Lands Permit Application

Joyce Branda and Stanley Reed- To construct a 4 by 20 foot long pier and a 5 by 20 foot long dock in the Salt Pond at 427 Canal Way East, Bethany Beach, Sussex County, DE
Allie Marie Cannon Heirs-To repair and/or reconstruct 3,970 linear feet of rip-rap in the Little

Assawoman Bay at 38876 Bennett Avenue, Selbyville, Sussex County, DE

Kevin Ruppert-To remove an existing pier and boatlift and construct a 6 by 40 foot long linear dock, a boatlift with 4 associated pilings, a 5 by 30 foot long dock, and a 6 by 8 foot long floating dock, in Bald Eagle Canal at 113 Kingsbridge Road, Rehoboth Beach Yacht and Country Club, Rehoboth Beach, Sussex County, DE

Gary Everett-To install a 3 by 10 foot long gangway and a 6 by 18 foot long floating dock at 10 Marshall Road, Old Landing, Rehoboth Beach, Sussex County, DE

City of Seaford-To convert a rip-rap revetment into a rip-rap sill by altering and installing approximately 125 cubic yards of rip-rap, excavating approximately 161 cubic yards of soil landward of the rip-rap sill, and to create approximately 6,000 square feet of wetlands landward of the rip-rap sill in the Nanticoke River adjacent to the Seaford Boat Ramp on Nanticoke Avenue, Seaford, Sussex County, DE

Keith L. Roughton and Anita Roughton-To construct a 3 by 31 foot long pier in Stump Creek at 107 Seawinds Drive, Dagsboro, Sussex County, DE

Dawn A. DuPre and Megan E. DuPre-Keating-To install a 5 by 10 foot long floating dock against the bulkhead, two (2) 5 by 14 foot long floating PWC docks and a 3.5 by 15 foot long floating pier in an unnamed lagoon at 2 Sherborne Road, Rehoboth Beach Yacht and Country Club, Rehoboth Beach, Sussex County, DE

Subaqueous Lands Permit and Wetlands Application

Zachary Alexander-To construct a 3 by 55 foot long wetland walkway, a 4 by 5 foot long pier, and a 5 by 25 foot long dock in Bethany Loop Canal at 430 Wiegand Lane, Bethany Beach, Sussex County, DE

James Dillard-To remove an existing dock and pier and construct a 3 by 27 foot long wetland walkway, a 3 by 18 foot long pier, a 8 foot long section of pier flaring from 3 to 5 feet wide, and a 6 by 24 foot long dock in a lagoon adjacent to Vines Creek at 32166 Linn Woods Lane, Linn Woods, Dagsboro, Sussex County, DE

Subaqueous Lands Lease Renewal Application

Anthony Massetti-To renew a lease to maintain a 4 by 31.5 foot long pier and a 5.5 by 15.5 foot long dock in the Rehoboth Bay at 34879 Bookhammer Landing Road, Joy Beach, Lewes, Sussex County, DE

Subaqueous Lands Lease Application

Chesapeake Utilities Corporation-To install an 8-inch, 700 foot long natural gas pipeline using directional boring under Love adjacent to 202 John J. Williams Highway in Lewes, Sussex County, DE

Wetlands Application

DNREC Coastal Programs-To install (5), 0.8-inch by 3-foot long redox sensors and (3), 1-inch by 4-foot long PVC research wells, to replace (1), 3-inch by 4-foot long PVC research well and to collect (30), 1-ounce sediment samples to a depth of 4-inches from State-regulated wetlands at the St. Jones Reserve at 818 Kitts Hummock Road, Dover, Kent County, DE

Subaqueous Lands Permit, Water Quality and Marina Permit Application

Delaware Division of Fish and Wildlife-To remove an existing boat ramp and to construct a 16 by 40 foot long concrete boat ramp, a 6 by 60 foot long dock, to fill approximately 0.061 acres of subaqueous lands, to install 174 linear feet of steel sheet piling to contain the fill for an expanded parking facility and to offset the impacts by managing invasive species to promote native wetland growth along Gravel Hill Road, in Millsboro Pond, Millsboro, Sussex County, DE

Subaqueous Lands Permit, Water Quality, Marina and O&M Application

Oyster House Village DE, LLC-To construct a new 20 slip minor marina by installing a 6 foot wide by 13 foot long section of access pier, a 6 foot wide by 4 foot long section of access pier, a 6 foot wide by 3 foot long kayak launch ladder and a 6 foot wide by 520 foot long dock; to repair by replace 76 linear feet of bulkhead, to stabilize the shoreline by installing 470 linear feet of riprap revetment and to mechanically maintenance dredge 300± cubic yards to a depth ranging from - 0.8 feet to -3.5 feet MLW in the Lewes and Rehoboth Canal, located south of the intersection of Kaitlyn Drive and Oyster House Road and to dispose of the dredged material via off-loading from a barge located west of Oyster House Road to Tax Parcel# 334-19.08-42.00, Rehoboth Beach, Sussex County, DE

The documents/applications above are available for review by contacting: Gayle Calder,

Wetlands and Subaqueous Lands Section, 89 Kings Highway, Dover, DE 19901
(302) 739-9943, FAX (302) 739-6304. You may also

visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=4226&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeId=0x010034FD6D348B0CF04392485E93FC15AB3A>

CONTACT INFORMATION

24-Hour Environmental Report and Spill Notification Line - 1-800-662-8802

Aboveground Storage Tanks - 302-395-2500
Air Quality - New Castle Office - 302-323-4542
Air Quality – Kent & Sussex – 302-739-9402
Asbestos New Castle - 302-323-4542
Asbestos Kent & Sussex - 302-739-9402
Biosolids Permits - 302-739-9946
Boiler Safety - 302-395-2500
Brownfields - 302-395-2600
Community Ombudsman - 302-739-9040
Community Services - 302-739-9959
Delaware Estuary Program - 302-739-9283 (Delaware Coastal Management Program)
Division of Air Quality Director's Office - 302-739-9402
Division of Energy & Climate - 302-735-3480
Division of Waste and Hazardous Substances Director's Office - 302-739-9400
Division of Water Information - 302-739-9950
Dock/Dredging/Bulkheads/Rip-Rap/Wetlands & Subaqueous Lands - 302-739-9943
Emergency Prevention and Response - 302-739-9404
Environmental Crimes Unit - 302-739-9401 or 1-800-662-8802
Environmental Laboratory - 302-739-9942
Hazardous Waste - 302-739-9403
Hazardous Chemical and Toxic Release Inventories – 302-739-9404
Industrial Stormwater Permits - 302-739-9946
Loans & Grants for Wastewater and Septic's (Environmental Finance) - 302-739-9941
Medical Waste - 302-739-9403
Non-Hazardous Liquid Waste Transporters - 302-739-9948
On-site Wastewater Licensing Program - 302-739-9948
Open Burning - 302-739-9402
Outreach Ombudsman - 302-395-2600
Recycling - 302-739-9403
Septic System Permits - Large Systems (Community & I/A) Statewide - 302-739-9948
Septic System Permits - Small Systems for Kent & New Castle Counties - 302-739-9947
Septic System Permits - Small Systems for Sussex Co. & Holding Tank Compli. Program - 302-856-4561
Site Investigation & Restoration Section (Superfund/Brownfields) - 302-395-2600
Small Business Ombudsman - 302-739-9069
Solid Waste - 302-739-9403
Source Water Protection - 302-739-9945
Surface Water Discharge Permits (NPDES) - 302-739-9946
Underground Injection Control & Spray Irrigation - 302-739-9948
Underground Storage Tanks - 302-395-2500
Wastewater Collection, Conveyance, and/or Treatment Facility Construction Permits - 302-739-9946
Wastewater Treatment Facility Operators - 302-739-9946
Water Allocation Permits - 302-739-9945
Water Testing - Drinking Water (Division of Public Health) - 302-741-8630
Water Supply - 302-739-9945
Well Driller's License - 302-739-9944
Well Permits & Licensing - 302-739-9944
Wells - 302-739-9944
Wetlands and Subaqueous Lands Section - 302-739-9943