

The biweekly E-News Update features current information on the Divisions of Air Quality (DAQ), Waste and Hazardous Substances (WHS), and Water regarding public meetings, workshops, hearings, and regulatory documents available for public comment, as well as general news updates. For those of you who are receiving the E-News Update for the first time, the subscription is FREE!

Please sign up at: <http://www.dnrec.delaware.gov/Pages/DNRECLists.aspx> under "Division of Waste & Hazardous Substances Lists." There is no form to fill out; it's done in three clicks!

Suggestions? Additions? Please call Kathy Nedelka at 302-739-9400, or send an email to katherine.nedelka@state.de.us

Published by the Divisions of Air Quality, Waste and Hazardous Substances, and Water.

Visit us at: www.awm.delaware.gov

SECRETARY'S ORDERS

[Secretary's Order No. 2017-A-0015](#)

RE: Approving Final Regulations to Amend 7 DE Admin. Code 1120, New Source Performance Standards, to wit: the adoption of a new Section 30.0 (as required by 40 CFR Part 60, Subpart XXX and 40 CFR Part 60, Subpart Cf); and proposed revisions to Delaware's Section III(d) State Plan for the Regulation of Air Emissions from Municipal Solid Waste Landfills

UPCOMING AIR, WASTE, & WATER-RELATED HEARINGS, MEETINGS, & EVENTS

DNREC/EPA (UPDATE) on Hockessin Groundwater Plume Site at June 19th GHADA Meeting -DNREC, with support from the US Environmental Protection Agency (EPA) and the Division of Public Health (DPH), will participate in the Greater Hockessin Area Development Association (GHADA) meeting on **June 19** to update the community on the Hockessin Ground Water Plume Site. The site consists of approx. 32 acres along Route 41 in Hockessin and encompasses numerous commercial and residential properties. The update will take place as part of the GHADA meeting at 7:00 pm at the Hockessin Memorial Hall, 610 Yorklyn Rd, Hockessin, 19707. For additional information, please contact Christina Wirtz, 302-395-2600, <https://publicmeetings.delaware.gov/Meeting/52903>

BOILER SAFETY COUNCIL MEETING – Meeting will discuss proposed regulation changes and will take place on **June 22** beginning at 10am at the Cannon Building, 1st floor, 861 Silver Lake Blvd, Dover, 19904. For additional information contact Alex Rittberg at 302-395-2500; or visit: <https://publicmeetings.delaware.gov/Meeting/52925>

Underground Storage Tank Advisory Committee Meeting - Meeting will be held on **June 28** at the New Castle Office located at 391 Lukens Drive 19720 beginning at 10:00 AM. For additional information please contact Alex Rittberg; or visit: <http://www.dnrec.delaware.gov/tanks/Pages/UST-Advisory-Committee.aspx>

ON-SITE SYSTEMS ADVISORY BOARD MEETING – This is a regular monthly meeting that will be held on **July 5** from 9:15am to 11:30am at the Richardson and Robbins Building, Conference Room B228: 89 Kings Highway, Dover, 19901. For additional information, contact Dawn Dryden, 302-739-9948; or visit: <https://publicmeetings.delaware.gov/Meeting/52654>

WATER WELL LICENSING BOARD MEETING – Meeting will take place on **July 11** from 9:30am to 12pm at DNREC Conference Room **B172**, 89 Kings Highway, Richardson and Robbins Building Dover, 19901. For additional information contact Sarah Jones at 302-739-9944 or visit: <https://publicmeetings.delaware.gov/Meeting/53970>

WATER SUPPLY COORDINATING COUNCIL MEETING - The Council will hold a meeting on **July 13** from 10am to 12pm at the Kent County Administration Complex, Conference Room 220,

555 Bay Road, Dover, 19901. For additional information, please contact Kimberly Burris at (302) 739-9945; or visit: <https://publicmeetings.delaware.gov/Meeting/52660>

BOARD OF CERTIFICATION FOR WASTEWATER OPERATORS MONTHLY MEETING –

This is a regular monthly meeting of the Board of Certification for Wastewater Operators. Meeting will take place on **August 1** from 9am to 10am at the Richardson & Robbins Building, Conference Room B172, 89 Kings Hwy, Dover 19901. For additional information contact Faye Wheeler at (302) 739-9946; or visit: <https://publicmeetings.delaware.gov/Meeting/39382>

OPT-IN! THE DELAWARE DIVISION OF AIR QUALITY (DAQ) is committed to working with citizens to continuously optimize Delaware's air quality and protect public health, welfare, and the environment. To determine that the DAQ is meeting the air quality needs of the citizens across the state, we encourage you to participate in our opt-in list. In the future you will receive surveys that will allow us to analyze our performance. You can access the opt-in list by clicking: https://survey.co1.qualtrics.com/jfe/form/SV_1RGZGUYt8fSuqkB

AIR QUALITY PERMITTING PROGRAM – Notice has been given that the facilities listed below have submitted applications for air quality management permits. The applications, the “draft/proposed” permits, all materials that the applicant has submitted (other than those granted confidential treatment under DNREC rules), and a copy of summary of other materials, if any, considered in preparing the “draft/proposed” permit, may be inspected at the offices of the Division of Air Quality, 100 W. Water Street, Suite 6A, Dover, 19904. **All comments and public hearing requests** should be mailed to the following address: DIVISION OF AIR QUALITY, 100 W. Water Street, Suite 6A, Dover 19904. To submit comments, for additional information, or for an appointment to inspect the application, please contact Tracy Mattson at (302) 739-9402.

NOTICE IS HEREBY GIVEN THAT Christiana Care Health Services having a facility at 4755 Ogletown Stanton Road, Newark, has requested federally enforceable 7 DE Admin. Code 1102 construction permits (Permit: APC-1979/0091-CONSTRUCTION (Amendment 5) (NOx RACT) (FE), Permit: APC-1979/0092-CONSTRUCTION (Amendment 5) (NOx RACT) (FE), Permit: APC-1979/0093-CONSTRUCTION (Amendment 5) (NOx RACT) (FE)) to install a new economizer on each unit and to install new exhaust ductwork that exits vertically through the roof above each unit individually. Permitted emissions will not be effected by this project. Upon completion of construction, the Department will incorporate the operating conditions and limits of the 7 DE Admin. Code 1102 Construction permit into the facility's existing Title V permit ((Permit: AQM-003/00080-Renewal (R3)) via an Administrative Amendment. A public hearing on the above application will NOT be held unless the Secretary receives a request for a hearing regarding that application ending **June 13**. A request for a hearing shall be in writing. The request must also show a familiarity with the application and a reasoned statement of the permit's probable impact. For more information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3762&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTICE IS HEREBY GIVEN THAT Techmer PM requests a permit to construct and operate ten (10) extruder machines to manufacture plastic resin pellets at 1600 Johnson Way, New Castle. All ten (10) extruder machines, associated adsorption filters and two (2) dust collectors will be permitted to emit 2.2 tons/year of VOCs and 0.03 ton/year of PM. Permit APC-2017/0008. A public hearing on any of the above applications will NOT be held unless the Secretary receives a request for a hearing regarding that application by **June 19**. A request for a hearing shall be in writing. The request must also show familiarity with the application and a reasoned statement of the permit's probable impact. For more information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3801&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTICE HAS BEEN GIVEN THAT Amick Farms, Inc. requests a construction permit to install a 10,000 bushel per hour grain receiving pit (Emission Unit 19) at their 10281 Amick Drive, Delmar, Sussex County facility. The receiving pit will be permitted to emit a total of 0.046 TPY PM10 by Permit# APC-2017/0126-CONSTRUCTION. A public hearing on any of the above applications will NOT be held unless the Secretary receives a request for a hearing regarding that application by **June 19**. A request for a hearing shall be in writing. The request must also show a familiarity with the application and a reasoned statement of the permit's probable impact. For more information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3797&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTICE HAS BEEN GIVEN THAT Amick Farms, Inc. requests permits to construct two 24,566 bushel hopper tanks (Emission Units 16A and 16B) at their 10281 Amick Drive, Delmar, Sussex County facility. The hopper tanks will be permitted to emit a total of 0.89 TPY PM10 by Permits# APC-2017/0122-CONSTRUCTION and APC-2017/0123-CONSTRUCTION. For additional information or for an appointment to review the application, please contact Tracy Mattson at (302) 739-9402. A public hearing on any of the above applications will NOT be held unless the Secretary receives a request for a hearing by **June 26**. A request for a hearing shall be in writing. The request must also show a familiarity with the application and a reasoned statement of the permit's probable impact. For more information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3814&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTICE HAS BEEN GIVEN THAT Atlantic Contracting & Material Co., Inc., requests a construction permit to construct a portable concrete batch plant at the intersection of Armstrong Corner Rd (Rd 429) and the spur road for the new US-301 Mainline Project, Middletown, DE 19709. The Company will construct a portable paving plant which will consist of conveyors, mixers, cement/cement supplement silo, and baghouse. The portable concrete batch plant will be permitted to emit 0.75 ton/year of PM10 through Permit: APC-2017/0127. For additional information or for an appointment to review the application, please contact Tracy Mattson at (302) 739-9402. A public hearing on any of the above applications will NOT be held unless the Secretary receives a request for a hearing regarding that application by **June 26**. A request for a hearing shall be in writing. The request must also show a familiarity with the application and a reasoned statement of the permit's probable impact. For more information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3811&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTICE HAS BEEN GIVEN THAT R.E. Pierson Construction Company has submitted changes to its application for a construction permit to install a portable soil/cement manufacturing plant powered by an 800 kW Tier 4 diesel engine generator at 636 Boyd's Corner Road, Middletown, County of New Castle. The plant will produce 26,000 tons of road base material for the Route 301 Project and will operate a total of 200 hours. The project is expected to last four weeks. The permit application was first advertised on May 17. The current request is for a correction of emissions calculations. The portable soil/cement manufacturing plant and diesel generator will now be permitted to emit 0.69 ton of NOX, 0.69 ton of CO, 0.08 ton of NMHC, 0.001 ton of SO2 and 0.02 ton of PM by Permit APC-2017/0128-TEMPORARY CONSTRUCTION/OPERATION. For additional information or for an appointment to review the application, please contact Tracy Mattson at (302) 739-9402. A public hearing on any of the above applications will NOT be held unless the Secretary receives a request for a hearing regarding that application by June 26. A request for a hearing shall be in writing. The request must also show a familiarity with the application and a reasoned statement of the permit's probable impact. For more information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3810&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTICE IS HEREBY GIVEN THAT Calpine Mid-Atlantic Generation, LLC. Edge Moor Energy Center having a facility at 200 Hay Road in Wilmington, has submitted a request for significant permit modification pursuant to 7 DE Admin. Code 1130, Section 7 for operating Permit: AQM-003/00007-Renewal (2). Based on the data and certifications contained in the application, the Division of Air Quality concludes that the applicant meets all applicable requirements promulgated by the Environmental Protection Agency (EPA) and the Department of Natural Resources and Environmental Control (DNREC). Therefore a “draft/proposed” permit modification has been prepared. This “draft/proposed” significant permit modification incorporates the terms and conditions of the black start emergency generator Permit: APC-2015/0026–OPERATION (NSPS) into the Title V Permit: AQM-003/00007-Renewal (2), places an ammonia slip concentration limit for Emission Units EM3, EM4, and EM5, and establishes PM emission rate for Units EM4 and EM5 to satisfy Best Available Retrofit Technology (BART) requirements. A public hearing concerning the permitting action will not be held unless the Secretary receives a request for such hearing by **June 27**. A request for a hearing shall be in writing and must show a familiarity with the application and a reasoned statement of the permit renewal’s probable impact. For more information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3783&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTICE IS HEREBY GIVEN THAT Delaware Municipal Electric Corporation having a facility at the Warren F. “Sam” Beasley Power Station on 217 Artisan Drive, Smyrna, has submitted a request for a permit renewal pursuant to 7 DE Admin. Code 1130, Section 7 for operating Permit: AQM-001/00152-(Renewal 3). Based on the data and certifications contained in the application, the Division of Air Quality concludes that the applicant meets all applicable requirements promulgated by the Environmental Protection Agency (EPA) and the Department of Natural Resources and Environmental Control (DNREC). Therefore a “Draft/Proposed” permit renewal has been prepared. This “Draft/Proposed” permit renewal has been updated to include the revised applicable requirements of 7 DE Admin. Code 1108, and 1124 Section 8. This permit renewal also incorporates applicable requirements for the new 300,804 gallon storage tank for ultra-low Sulfur fuel oil. Acid Rain units are allowed to use the alternative procedures in 40 CFR Part 75 Appendix G to estimate Carbon Dioxide (CO₂) emissions. The permit requirement to conduct stack test on the 51 MW combustion turbine for CO₂ has been deleted. The 51 MW stationary combustion turbine passed the particulate matter (PM) stack test on October 5, 2016 while firing natural gas. This PM testing requirement has been deleted; and the Company is allowed to use the AP-42 Emission Factor to calculate tons of PM emissions for natural gas combustion. A public hearing concerning the permitting action will not be held unless the Secretary receives a request for such hearing by **July 5**. A request for a hearing shall be in writing and must show a familiarity with the application and a reasoned statement of the permit renewal's probable impact. For more information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3799&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTICE IS HEREBY GIVEN THAT Delaware Municipal Electric Corporation having a facility at the Warren F. “Sam” Beasley Power Station on 217 Artisan Drive, Smyrna, has submitted a request for a permit renewal pursuant to 40 CFR Part 72.30(c), and 7 DE Admin. Code 1136. Based on the data and certifications contained in the application, the Division of Air Quality concludes that the applicant meets all applicable requirements promulgated by the Environmental Protection Agency (EPA) and the Department of Natural Resources and Environmental Control (DNREC). Therefore a “Draft/Proposed” permit renewal has been prepared. There has been no change to the applicable requirements and all existing permit conditions will transfer into the Title

IV renewal permit. A public hearing concerning the permitting action will not be held unless the Secretary receives a request for such hearing by **July 5**. A request for a hearing shall be in writing and must show a familiarity with the application and a reasoned statement of the permit renewal's probable impact. For more information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3798&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTICE IS HEREBY GIVEN THAT Delaware Solid Waste Authority (DSWA) Cherry Island Landfill having a facility at 1706 E. 12th Street, Wilmington, has submitted a request for a permit renewal pursuant to 7 DE Admin. Code 1130, Section 7 for operating permit: AQM-003/00111-Renewal 3. Based on the data and certifications contained in the application, the Division of Air Quality concludes that the applicant meets all applicable requirements promulgated by the Environmental Protection Agency (EPA) and the Department of Natural Resources and Environmental Control (DNREC). Therefore a "draft/proposed" permit renewal has been prepared. This "draft/proposed" permit renewal incorporates the requirements of the 4500 SCFM Perennial Flare in addition to addressing any and all administrative duties associated with renewing the existing Title V Operating Permit. To submit comments, for additional information or for an appointment to inspect the application, please contact Tracy Mattson at the Dover Office at 739-9402. A public hearing concerning the permitting action will not be held unless the Secretary receives a request for such hearing by **July 11**. A request for a hearing shall be in writing and must show a familiarity with the application and a reasoned statement of the permit renewal's probable impact. For more information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3809&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

WHS - SITE INVESTIGATION AND RESTORATION SECTION (SIRS) is responsible for the identification, evaluation, and remediation of sites in Delaware that have had past releases of hazardous substances. The section manages the contaminated sites under three major programs in accordance with the Hazardous Substance Cleanup Act (HSCA). The three programs are the **Brownfields Development Program, the Voluntary Cleanup Program (VCP), and the HSCA Enforcement Program** (for sites requiring enforcement action).

The Brownfields Development Program encourages the cleanup and redevelopment of vacant, abandoned, or underutilized properties, which may be contaminated. A party seeking to develop such a property negotiates with SIRS for a **Brownfields Development Agreement (BDA)** to perform an investigation and, if necessary, a remedial action or remedy, for the purpose of addressing the risks posed by past releases of hazardous substances at these sites. However, a BDA is only available to parties that are not current site owners. The **Voluntary Cleanup Program (VCP) Agreement** is available to site owners who want to clean up their sites and are already liable as a potentially responsible party for the site.

NOTIFICATION OF PUBLIC COMMENT FOR A BROWNFIELD DEVELOPMENT AGREEMENT FOR THE METAL MASTERS SITE (DE-0043)

The Department has negotiated a BDA with Shadaw Enterprises, LLC regarding the Metal Masters Site (Site) located at 655 and 664 West Glenwood Avenue in Smyrna. The 12.1 acre Site is comprised of two (2) parcels identified on the tax maps of Kent County as parcel numbers DC-00-009.20-01-21-000 and DC-17.009.20-02-036.00-000. The Site had a release of hazardous substances as a result of past use as a refrigerant manufacturing plant. The public comment will close **June 13**. Please submit written comments to Project Manager, Patrick Boettcher at SIRS, 391 Lukens Drive, New Castle, 19720. Learn more about this site contact the Project Manager, Patrick Boettcher at (302) 395-2600 or Patrick.Boettcher@state.de.us or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3781&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTIFICATION OF PUBLIC COMMENT FOR A BROWNFIELD DEVELOPMENT

AGREEMENT FOR THE JACKSON PIT SITE (DE-0149) The Department has negotiated a BDA with Mid-Atlantic Community Partners regarding the Jackson Pit Site located at 19000 block of Beaver Dam Road in Lewes, Identified by Sussex County as tax parcel numbers 3-34.600-504.02, -504.03, -504.06 and -504.07, the 18.33 acre Site may have had a release of hazardous substances as a result of past use as a landfill. The public comment will close on **June 19**.

Please submit written comments to the Project Manager, Lindsay Hall at SIRS, 391 Lukens Drive, New Castle, 19720 or lindsay.hall@state.de.us; or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3787&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

The Proposed and Final Plans of Remedial Action listed below outline site cleanup activities and covenants and are available online at:

<http://www.dnrec.delaware.gov/whs/awm/SIRB/Pages/SIRBPlans.aspx> under "Announcements." For site-specific information, please see DNREC's Environmental Navigator at:

<http://www.nav.dnrec.delaware.gov/DEN3>

FINAL PLAN OF REMEDIAL ACTION FOR THE JABLOW PROPERTY SITE (DE-1329)

The Department has adopted a plan regarding the clean-up of the Jablow Property Site (DE-1329) located in Wilmington. The Site, which is located on the east side of the Christina River, was once used as a beef slaughterhouse from the 1930s to the early 1960s and through 2004. The Site requires a Remedial Action Work Plan, a cap, an Environmental Covenant, and a Contaminated Materials Management Plan, and Long Term Stewardship Plan. DNREC issued public notice of the Proposed Plan for Jablow Property Site on May 7. There were no comments or questions from the public regarding the Proposed Plan. For additional information, please contact Robert C. Asreen, Jr., Project Manager at (302) 395-2600 or via email at robert.asreen@state.de.us or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3804&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

FINAL PLAN OF REMEDIAL ACTION FOR THE FORMER AIR PRODUCTS SITE (DE-1570)

The Department has adopted a plan regarding the clean-up of the Former Air Products Site located in New Castle. The Site, once used as an oxygen, nitrogen, and argon manufacturing facility requires the installation and maintenance of a cap on the eastern portion of the Site and a restriction from residential use placed on the deed. DNREC issued a public notice of the Proposed Plan for the Former Air Products Site on May 7. There were no comments or questions from the public regarding the Proposed Plan. For additional information, please contact Patrick Boettcher, Project Managers at (302) 395-2600 or via email at Patrick.Boettcher@state.de.us or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3803&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

AMENDED PROPOSED PLAN OF REMEDIAL ACTION FOR THE FORMER CHESAPEAKE SUPPLY SITE (DE-1334)

The Department invites public comment on a proposal to clean up the Former Chesapeake Supply Site located at 238 Railroad Avenue in Dover. The Site consists of two (2) tax parcels totaling approximately 1.75 acres. The northwestern parcel is a vacant grassy lot. The other parcel has five commercial buildings, which are used as office space and storage. The Site requires an Environmental Covenant to restrict groundwater use. The comment period ends on **June**

26. For additional information, please contact Rick Galloway, Project Manager at (302)395-2600 or rick.galloway@state.de.us or visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3802&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

PROPOSED PLAN OF REMEDIAL ACTION FOR Former Wilmington Piece Dye OU-2 (DE-1304)

The Department invites public comment on a proposal to clean up Operable Unit (OU-2) of the Former Wilmington Piece Dye Site located at 165 Bancroft Mills Road/0 Riddle Avenue in Wilmington. Currently, the approximately 6.27-acre Site consists of a paved road. The former Aboveground Storage Tanks and building have been removed. The Site soil is contaminated polynuclear aromatic hydrocarbons and metals, including arsenic and lead. Groundwater was not evaluated on OU-2. Contamination at OU-2 of the Site is related to the former Aboveground Storage Tanks and its historic use is supporting the textile mill from the 1830's to 2003. The comment period ends on **June 26**. For additional information, please contact Patrick Boettcher, Project Manager, at (302) 395-2600. For more information visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3800&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

FINAL PLAN OF REMEDIAL ACTION FOR THE FORMER MIL-DEL SITE (DE-1634)

The Department has adopted a plan regarding the clean-up of the Former Mil-Del Site located in Milford. The Site was used as a warehouse building and metals and benzo(a)pyrene were detected at the site. An Environmental Covenant that will limit the use of groundwater at the Site, and restrict the use of the Site to non-residential; and implementation of a Contaminated Material Management Plan will be required. DNREC issued public notice of the Proposed Plan for the site on May 7. There were no comments or questions from the public regarding the Proposed Plan. For additional information, please contact Qazi Salahuddin, Program Manager at (302) 395-2600 or via email at qazi.salahuddin@state.de.us or visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3807&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

SOLID AND HAZARDOUS WASTE MANAGEMENT SECTION - The Solid and Hazardous Waste Management Section (SHWMS) hereby gives notice that a permit application has been received from the following companies to transport regulated RCRA hazardous and/or non-hazardous solid wastes in, out of, or through the State of Delaware. The renewal application and associated documents are available for review during business hours at our agency Solid & Hazardous Waste Management Section office at 89 Kings Highway, Dover and also at our Lukens Drive office at 391 Lukens Drive in Wilmington.

DuPont Experimental Station Request for Modifications to its Hazardous Waste Storage Permit

The Department has received a request from DuPont to modify the hazardous waste storage permit (HW04F22) issued to the DuPont Experimental Station located at the intersection of Route 141 and Henry Clay Road in Wilmington. The permit modification is requested to allow the Experimental Station hazardous waste storage facility to continue to manage hazardous waste generated on-site to include other research and development businesses that lease space at the Experimental Station. This modification does not change the amount or type of waste currently permitted to be stored at the Experimental Station. DuPont will hold a public meeting on this application on **June 20** at 7:00PM. The meeting will be held at the DuPont Country Club, Blackgates Room, on Rockland Rd, Wilmington. The purpose of the public meeting is to provide information and discuss issues related to the application. The applicant's contact person is: Mary

Glowacki, Environmental Manager, DuPont Experimental Station, 200 Powder Mill Road, Wilmington, 19803, (302)-695-3821. The DNREC contact person is: Melissa Ferree, Engineer III, Solid and Hazardous Waste Management Section, 89 Kings Highway, Dover, 19901, (302) 739-9403, or melissa.ferree@state.de.us. A copy of the modification request can be viewed and copied at the DuPont Experimental Station Main Gate, 200 Powder Mill Road, Rt. 141 (between Rts. 202 and 52), Wilmington, 19880, and at Solid and Hazardous Waste Management Section, 89 Kings Highway, Dover, 19901. The permittee's compliance history during the life of the permit being modified is available from the DNREC contact person listed above. Written comments on this application must be submitted by **July 17** to the DNREC contact person listed above. All written comments received by **July 17** will be considered in the formulation of the final permit decision. A public hearing may be held, if response to this notice indicates significant public interest. Should you desire to request a hearing regarding the proposed determination, a request must be submitted by **July 17**. A public hearing on the above proposed modification will NOT be held unless the Secretary, in care of Melissa Ferree, receives a meritorious request for a hearing within 60 days of the date of this notice or the Secretary determines there is significant public interest. A request for a hearing must be in writing and shall state the nature of the issues to be raised at the hearing. It must also show a familiarity with the application and a reasoned statement of the permit's probable impact. For more information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3767&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

DIVISION OF WATER - GROUND WATER DISCHARGES -The Division of Water hereby gives notice that the applications below are available for inspection or copies may be obtained by contacting: Kathleen Saunders, Ground Water Discharges, 89 Kings Highway, Dover 19901, or by calling (302) 739-9948. A public hearing on the applications will NOT be held unless the Secretary determines that a public hearing is in the public interest or if a written meritorious objection to the application is received by **June 19**. A public hearing request shall be deemed meritorious if it exhibits a familiarity with the application and provides a reasoned statement of the action's probable impact. For more information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3806&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

On-Site Wastewater Treatment and Disposal System

Intercollegiate Studies Institute has applied to construct a standard full depth gravity on-site wastewater treatment and disposal system. The system has been designed to accommodate 600 gallons per day of wastewater. The system will service a 120 seat conference center. The property is located at 3901 Centerville Road, Wilmington, New Castle County, 19807. The tax parcel ID # is 07-025.00-010.

Non-Hazardous Liquid Waste Transporters Permit

KLD Portable Toilets, dba Miss Honey Dipper, has applied to the Groundwater Discharges Section for a renewal of Non-Hazardous Liquid Waste Transporters Permit DE WH-140 which allows for the transport of Portable Toilet Waste to be disposed of at the Kent County Sewer System.

T & M Wastewater LLC has applied to the Groundwater Discharges Section for a Non-Hazardous Liquid Waste Transporters Permit to transport grease trap waste to be disposed of at out-of-state permitted facilities.

Spray Irrigation Permit

Artesian Wastewater Management, Inc. has applied to the Groundwater Discharges Section for an amendment to State of Delaware Spray Irrigation Construction Permit DEN Number: 359288-

01. The current permit authorizes the construction of a wastewater treatment facility that will be known as Artesian Northern Sussex Regional Water Recharge Facility (ANSRWRF). The amendment requests the modification of Phase I to allow for the storage and disposal of treated industrial wastewater. The treated, reclaimed wastewater is proposed to be utilized for spray irrigation on privately owned agricultural land, under a lease held in perpetuity by Artesian as the wastewater utility provider. The proposed irrigation site encompasses approximately 1,714 acres of land which includes both wooded and agricultural acreage. Construction of the storage lagoon, pump station and chlorination equipment is proposed to be performed on Sussex County Parcel Number: 235-6.00- 28.09; a 75 acre site located south of Reynolds Pond Road, east of Route 30, north of Ingram Branch and Route 16, and west of Cedar Creek Road, Sussex County. The above mentioned application may be inspected by contacting: Jack Hayes, Groundwater, Discharges, 89 Kings Highway, Dover, 19901, John.Hayes@state.de.us , (302) 739-9948. A public hearing on the above application will NOT be held unless the Secretary determines that a public hearing is in the public interest or if a written meritorious objection to the application is received by **June 26**. A public hearing request shall be deemed meritorious if it exhibits a familiarity with the application and provides a reasoned statement of the action's probable impact. For more information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3812&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

DIVISION OF WATER - SURFACE WATER DISCHARGES – The Division of Water hereby gives notice that the following permit applications have been received.

Wastewater Facilities Construction Permit Application

NOTICE IS HEREBY GIVEN THAT Artesian Wastewater Management, Inc. of Newark to construct approximately twenty thousand, eight hundred and fifty three linear feet of sixteen inch (20,853 LF of 16”) PVC forcemain The forcemain will be located from the intersection of Huff Road (County Road 252) and Gravel Hill Road (County Road 248), run northwards along Gravel Hill Road (County Road 248) and Isaacs Road (County Road 230) and terminate at the Artesian Northern Sussex Regional Water Reclamation Facility (ANSRWRF), north of Ingram Stream Branch, Sussex County. Questions regarding the applications and plans for the above are available for inspection by contacting: Dr. Davison Mwale (PhD), Environmental Finance, Office of the Secretary, 5E Reed Street, Suite 200 Dover, 19901, (302) 739-9941. A public hearing concerning the above application will NOT be held unless the Secretary determines that a hearing is in the public interest or if a written meritorious request for a hearing is received by **June 14**. A request for a public hearing shall be deemed meritorious if it exhibits a familiarity with the application and provides a reasoned statement of the permit's probable impact. For more information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3792&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTICE IS HEREBY GIVEN THAT Artesian Wastewater Management, Inc. is proposing to install approximately fourteen thousand three hundred and forty-six (14,346) linear feet of parallel eight (8) and sixteen (16) inch sewer force mains in Harbeson. The proposed force mains are to be installed along Gravel Hill Road between the Huff Road and Lewes-Georgetown Highway (Rt. 9) intersections and along the Lewes-Georgetown Highway (Rt. 9) from the Gravel Hill Road intersection east about two thousand five hundred (2,500) linear feet. Questions regarding the applications and plans for the above are available for inspection by contacting: Keith Kooker, P.E. Environmental Finance, Office of the Secretary, 5 E. Reed Street, Suite 200, Dover, 19901, (302) 739-9941. A public hearing concerning the above application will NOT be held unless the Secretary determines that a hearing is in the public interest or if a written meritorious request for a hearing is received by **June 14**. A request for a public hearing shall be deemed meritorious if it

exhibits a familiarity with the application and provides a reasoned statement of the permit's probable impact. For more information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3791&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTICE IS HEREBY GIVEN THAT Sussex Real Estate Partners, LLC plans to construct a sanitary sewer pump station and force main to serve one hundred and forty-seven (147) single family homes and a pool house located within the proposed Belle Terre Subdivision, which is located on Dorman Farm Lane about 1,000 feet west of its intersection with Mulberry Knoll Road, about 5 miles southwest of Lewes, Delaware. The project includes 7.5 horsepower duplex submersible pumps, back-up power and three thousand and fifty (3,050) linear feet of four (4) inch diameter force main. The proposed force main is going to interconnect with an existing eight (8) inch diameter force main in Mulberry Knoll Road. Questions regarding the applications and plans for the above are available for inspection by contacting: Keith Kooker, P.E.Environmental Finance, Office of the Secretary 5E Reed Street, Suite 200, Dover, 19901, (302) 739-9941. A public hearing concerning the above application will NOT be held unless the Secretary determines that a hearing is in the public interest or if a written meritorious request for a hearing is received on or before **June 14**. A request for a public hearing shall be deemed meritorious if it exhibits a familiarity with the application and provides a reasoned statement of the permit's probable impact. For more information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3794&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTICE IS HEREBY GIVEN THAT Artesian Wastewater Management, Inc. of Newark, to construct two sewage pump stations, each with dual submersible sewage pumps, associated piping, valves, controls and related facilities, approximately six hundred and seventy four linear feet of eight inch forcemain (674 LF of 8" FM) and one thousand six hundred and seventeen linear feet of six inch (1,617 LF of 6") force main. The sewage pump stations and the force mains will be located within the Estates of Sand Hill Valley residential subdivision, Georgetown and Broadkill Hundred, Sussex County. Artesian Wastewater Management, Inc. will also construct six thousand, nine hundred and eighty six linear feet of eight inch force main (6,986 LF of 8" FM). The force main will be installed from the Estates of Sand Hill Valley residential subdivision, at the intersection of Huff Road (SCR 252) and Security Way, run northeast along Huff Road (SCR 252) and tie-into an existing eight inch force main, located at the intersection of Huff Road and Gravel Hill Road, Georgetown and Broadkill Hundred, Sussex County. Questions regarding the applications and plans for the above are available for inspection by contacting: Dr. Davison Mwale (PhD), Environmental Finance, Office of the Secretary, 5E Reed Street, Suite 200, Dover, 19901, (302) 739-9941. A public hearing concerning the above application will NOT be held unless the Secretary determines that a hearing is in the public interest or if a written meritorious request for a hearing is received by **June 25**. A request for a public hearing shall be deemed meritorious if it exhibits a familiarity with the application and provides a reasoned statement of the permit's probable impact. For more information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3808&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NPDES Permits

NOTICE IS HEREBY GIVEN THAT New Castle County Department of Special Services has applied for reissuance of its National Pollutant Discharge System (NPDES) Permit No. DE0021555 (State Number WPCC 3077E/74) to discharge treated wastewater from the Delaware City Wastewater Treatment Plant located at the Governor Bacon Health Center in Delaware City. The treatment plant treats domestic waste from residential areas for the Delaware City and North St. Georges, Governor Bacon Health Center and Gunning Bedford School. It has a single

discharge (Outfall 001) of treated sanitary wastewater to the Delaware River. Wastewater treatment is provided by rotary drum screens, equalization tank, aeration cell, clarifiers, cloth disk filters and ultraviolet disinfection system. The waste sludge generated is transported to Wilmington Wastewater Treatment Plant for ultimate disposal. The solids from the screens are collected in dumpsters and transferred to a sanitary landfill for proper disposal. Based on a preliminary staff review and application of lawful standards and regulations, the Department proposes to re-issue this permit, subject to certain effluent limitations and conditions. The proposed determinations are tentative. Persons wishing to comment upon or object to the proposed determinations are invited to submit same in writing to the Surface Water Discharges Section of the Division of Water, at the address listed below, no later than 30 days from this notice. All comments received prior to end date will be considered in the formulation of final determinations regarding this application. A public hearing on the above will NOT be held unless the Secretary receives a request by **June 23**, or if the Secretary determines that a public hearing is in the public interest. A request for a hearing shall be in writing and shall state the nature of the issues to be raised at the hearing. It must also show familiarity with the proposal and a reasoned statement of the permit's probable impact. The applications, fact sheets, and permits are available for inspection or copies may be obtained by contacting: George Mwangi, Surface Water Discharges Section, 89 Kings Highway, Dover, 19901, (302) 739-9946 or visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3780&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAIItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

Agricultural Utilization Permit

Permit Amendment - State Permit Number AGU 1506-K-03 issued to Hollis Warren, Inc.: Hollis Warren, Inc. currently has an agricultural utilization permit, State Permit Number AGU 1506-K-03, which authorizes the land application of septage liquid and septage solids that have undergone a process to significantly reduce pathogens (lime stabilization) at the Hollis Warren, Inc. facility, onto approved farmland owned by Hollis Warren, Inc. Stabilized septage solids are applied by subsurface injection and stabilized liquid septage is applied by spray irrigation. The existing permit also authorizes the land application of grease trap waste. Septage and grease trap waste are required to be delivered to the site in accordance with a valid Delaware Waste Transporters Permit. All wastes materials are required to be land applied at agronomic rates based on the nitrogen content of the wastes. The Hollis Warren agricultural utilization site is located on the south side of State Road 10 approximately 4 miles southwest of Woodside. Upon amendment of State Permit Number AGU 1506-K-03, the frequency of septage supernatant samples will increase from biannually to quarterly and revised sample location language will be included in the permit. The Department's Guidance and Regulations Governing the Land Treatment of Wastes, Part III, B., Regulations Governing the Land Treatment of Sludges and Sludge Products and Part V, Regulation Governing Land Treatment of Waste Products, allows for such activity pending public notice. Copies of the permit above are available by contacting: Brian Churchill, Surface Water Discharges Section, 89 Kings Highway, Dover, 19901, (302) 739-9946. A public hearing on the above application will NOT be held unless the Secretary determines that a public hearing is in the public interest or if a written meritorious objection to the application is received by **June 30**. A public hearing request shall be deemed meritorious if it exhibits a familiarity with the application and provides a reasoned statement of the action's probable impact. For more information visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3793&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAIItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

DIVISION OF WATER - WETLANDS AND SUBAQUEOUS LANDS SECTION – The Division of Water hereby gives notice that the applications below are available for inspection or copies may be obtained by contacting: Gayle Calder, Wetlands and Subaqueous Lands Section, 89 Kings Highway, Dover, 19901, or by calling (302) 739-9943. A public hearing on the applications below will NOT be held unless our agency Secretary determines that a public hearing is in the public interest, or if a written meritorious objection to the application is received by **June 20**. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3796&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeId=0x010034FD6D348B0CF04392485E93FC15AB3A>

Subaqueous Lands Permit Application

James Hawke - To install two 5 by 12 foot long floating PWC docks at 204 Russel Road, South Bethany, Sussex County

Mark and Mary Eid – To construct a 4 by 25 foot long finger pier and authorize a 4 by 9.5 foot long floating jet-ski dock in an unnamed lagoon basin adjacent to Old Canal located at 39534 Wilson Walk, Bayview Park, Bethany Beach, Sussex County,

Division of Watershed Stewardship – To construct a farm road crossing by excavating 34.3 cubic yards of sediment and installing a 40 foot long 60 inch diameter HDPE pipe, placing 19.2 cubic yards of fill and 34.3 cubic yards of rip-rap in Asketum Branch located at 16272 Hardscrabble Road, Laurel, Sussex County

Robert Crossan – To install a 4 by 10 foot long floating dock and 5 by 14 foot long kayak launch in an unnamed lagoon at 157 Layton Drive in South Bethany, Sussex County

Kent County Levy Court – Reauthorization to construct an 8 by 160 foot long pedestrian bridge over Isaac Branch near 91 Vining Run in Camden, Kent County

William Rodriguez - To trench a 4 inch diameter 12 foot long wastewater pipeline and to temporary install a cofferdam with a pump-around in Pike Creek located at 5 Chesbee Drive Newark, Sussex County

Subaqueous Lands Lease Application

Swann Cove West, LLC - To install a community structure consisting of a 4 by 50 foot long fixed pier, a 3 by 12 foot long gangway and a 6 by 50 foot long floating dock in Dirickson Creek at the terminus of Tammy Court, Swann Cove West, Selbyville, Sussex County

Mark and Lori Casey - To install a 4 by 70 foot long pier, a 6 by 30 foot long linear dock, two 4 by 32 foot long finger piers, two boat lifts with 4 associated pilings each, a seasonal 13 foot wide by 20 foot long upweller and up to sixteen seasonal 32” by 48” long floating oyster cages to establish an oyster nursery in the Indian River at 28517 Warwick Road, Sussex County, Millsboro

Subaqueous Lands Lease Renewal Application

Marcella Hanson – To renew a lease to maintain a 5 by 25 foot long pier in the Rehoboth Bay at 208 Salisbury Street, Rehoboth Beach, Sussex County

Subaqueous Lands Lease Supplemental Application

The Nature Conservancy – To remove an existing 5 by 12 foot long pier, to install a 6 by 8 foot long pier, a 4 by 30 foot long gangway and a 8 by 16 foot long floating kayak launch with 2 associated pilings in the Broadkill River at 27167 Round Pole Bridge Road, Milton, Sussex County

CONTACT INFORMATION

24-Hour Environmental Report and Spill Notification Line - 1-800-662-8802

Aboveground Storage Tanks - 302-395-2500

Air Quality - New Castle Office - 302-323-4542

Air Quality – Kent & Sussex – 302-739-9402
Asbestos New Castle - 302-323-4542
Asbestos Kent & Sussex - 302-739-9402
Biosolids Permits - 302-739-9946
Boiler Safety - 302-395-2500
Brownfields - 302-395-2600
Community Ombudsman - 302-739-9040
Community Services - 302-739-9959
Delaware Estuary Program - 302-739-9283 (Delaware Coastal Management Program)
Division of Air Quality Director's Office - 302-739-9402
Division of Energy & Climate - 302-735-3480
Division of Waste and Hazardous Substances Director's Office - 302-739-9400
Division of Water Information - 302-739-9950
Dock/Dredging/Bulkheads/Rip-Rap/Wetlands & Subaqueous Lands - 302-739-9943
Emergency Prevention and Response - 302-739-9404
Environmental Crimes Unit - 302-739-9401 or 1-800-662-8802
Environmental Laboratory - 302-739-9942
Hazardous Waste - 302-739-9403
Hazardous Chemical and Toxic Release Inventories – 302-739-9404
Industrial Stormwater Permits - 302-739-9946
Loans & Grants for Wastewater and Septic's (Environmental Finance) - 302-739-9941
Medical Waste - 302-739-9403
Non-Hazardous Liquid Waste Transporters - 302-739-9948
On-site Wastewater Licensing Program - 302-739-9948
Open Burning - 302-739-9402
Outreach Ombudsman - 302-395-2600
Recycling - 302-739-9403
Septic System Permits - Large Systems (Community & I/A) Statewide - 302-739-9948
Septic System Permits - Small Systems for Kent & New Castle Counties - 302-739-9947
Septic System Permits - Small Systems for Sussex Co. & Holding Tank Compli. Program - 302-856-4561
Site Investigation & Restoration Section (Superfund/Brownfields) - 302-395-2600
Small Business Ombudsman - 302-739-9909
Solid Waste - 302-739-9403
Source Water Protection - 302-739-9945
Surface Water Discharge Permits (NPDES) - 302-739-9946
Underground Injection Control & Spray Irrigation - 302-739-9948
Underground Storage Tanks - 302-395-2500
Wastewater Collection, Conveyance, and/or Treatment Facility Construction Permits - 302-739-9946
Wastewater Treatment Facility Operators - 302-739-9946
Water Allocation Permits - 302-739-9945
Water Testing - Drinking Water (Division of Public Health) - 302-741-8630
Water Supply - 302-739-9945
Well Driller's License - 302-739-9944
Well Permits & Licensing - 302-739-9944
Wells - 302-739-9944
Wetlands and Subaqueous Lands Section - 302-739-9943