

The biweekly E-News Update features current information on the Divisions of Air Quality (DAQ), Waste and Hazardous Substances (WHS), and Water regarding public meetings, workshops, hearings, and regulatory documents available for public comment, as well as general news updates. For those of you who are receiving the E-News Update for the first time, the subscription is FREE!

Please sign up at: <http://www.dnrec.delaware.gov/Pages/DNRECLists.aspx> under "Division of Waste & Hazardous Substances Lists." There is no form to fill out; it's done in three clicks!

Suggestions? Additions? Please call Stacy Jones at 302-739-9400, or send an email to Stacy.Jones@state.de.us

Published by the Divisions of Air Quality, Waste and Hazardous Substances and Water.

Visit us at: www.awm.delaware.gov

SECRETARY'S ORDERS

Secretary's Order No. 2016-A-0024

RE: Notice of Administrative Penalty Assessment and Secretary's Order Pursuant to 7 Del. C. § 6005 Issued to Delaware State University for violation of state air regulations and the university's permit. This Order will supersede and withdraw Notice of Administrative Penalty Assessment and Secretary's Order No. 2015-A-0029 issued to Respondent on August 10, 2015.

Secretary's Order No. 2016-W-0021

RE: Kent County Levy Court's Application for an Agricultural Use Permit to Apply Class B Biosolids at Vineyard Farm, Carpenters Bridge Road, Frederica, Kent County

UPCOMING AIR, WASTE, & WATER-RELATED HEARINGS, MEETINGS, & EVENTS

BOILER SAFETY COUNCIL MEETING- Lessons learned from the recent Carbon Monoxide Incident, Conversion of Database to Jurisdiction on-line and any additional new business if requested will occur at this yearly meeting. Meeting will take place on **June 15** from 10am to 12pm at DNREC Lukens Drive Offices, Conference Room B: 391 Lukens Dr., New Castle, DE, 19720. Contact Alex Rittberg at 302-395-2500 for additional information or visit: <https://egov.delaware.gov/pmc/Event/Details/35894>

PUBLIC HEARING ON AMENDMENT TO REG. 1101 - DEFINITIONS AND

ADMINISTRATIVE PRINCIPLES- Revise definition of VOC in Section 2.0 so that it comports with federal requirements at 40 CFR 51.100. The action adds 8 compounds to the list exempted from regulation as a VOC, and eliminates recordkeeping, reporting and modeling requirements associated with exempt TBAC. This action is not anticipated to negatively impact air quality, and reduces the regulatory requirements that apply to existing and new businesses to allow the use and sale of products the regulation currently prohibits. This public hearing will be held on **June 22**, at 6:00 PM in the DNREC Richardson & Robbins Auditorium, 89 Kings Highway, Dover, DE. For additional information contact David Fees at (302) 739-9402 or visit:

<https://egov.delaware.gov/pmc/Event/Details/38066>

PROPOSED CHANGES TO THE DELAWARE REGULATIONS GOVERNING ABOVEGROUND STORAGE TANKS

– The purpose of this meeting is to accept comments and questions on proposed changes to the Delaware Regulations Governing Aboveground Storage Tanks. Meeting dates and times are as follows:

June 22 from 10am to 12pm at DNREC - Lukens Drive Offices Conference Room B: 391 Lukens Dr., New Castle, DE, 19720. Contact Alex Rittberg at 302-395-2500 for additional information or visit:

<https://egov.delaware.gov/pmc/Event/Details/35899>

June 29 from 10am to 12pm at DNREC - R&R Building Auditorium: 89 Kings Highway, Dover, DE, 19901. Contact Alex Rittberg at 302-395-2500 for additional information or visit: <https://egov.delaware.gov/pmc/Event/Details/35900>

AIR QUALITY PERMITTING PROGRAM – Notice has been given that the facilities listed below have submitted applications for air quality management permits. The applications, the “draft/proposed” permits, all materials that the applicant has submitted (other than those granted confidential treatment under DNREC rules), and a copy of summary of other materials, if any, considered in preparing the “draft/proposed” permit, may be inspected at the offices of the Division of Air Quality, 100 W. Water Street, Suite 6A, Dover, 19904. **All comments and public hearing requests** should be mailed to the following address: DIVISION OF AIR QUALITY, 100 W. Water Street, Suite 6A, Dover, 19904. To submit comments, for additional information, or for an appointment to inspect the application, please contact Penny Gentry at (302) 739-9402.

THE DELAWARE DIVISION OF AIR QUALITY (DAQ) is committed to working with citizens to continuously optimize Delaware’s air quality and protect public health, welfare, and the environment. To determine that the DAQ is meeting the air quality needs of the citizens across the state, we encourage you to participate in our opt-in list. In the future you will receive surveys that will allow us to analyze our performance. You can access the opt-in list by clicking: https://survey.co1.qualtrics.com/jfe/form/SV_1RGZGUYt8fSuqkB

NOTICE IS HEREBY GIVEN THAT CRODA, INC. having a facility at 315 Cherry Lane, New Castle, Delaware, has requested a federally enforceable 7 DE Admin. Code 1102 construction permit (APC-2016/0068-CONSTRUCTION (NSPS) (MACT) (VOC RACT) (MNSR) (FE)) for a 30,000 TPY ethylene oxide plant. Permitted emissions for the facility will not exceed 2.29 TPY CO, 1.75 TPY NO_x, 0.02 TPY SO₂, 5.49 TPY VOC, and 0.21 TPY PM₁₀. Upon completion of construction, the Department will incorporate the operating conditions and limits of the 7 DE Admin. Code 1102 Construction permit into the facility’s existing Title V permit (Permit: AQM-003/00058-Renewal (R3)) via an Administrative Amendment. A public hearing on the above application will NOT be held unless our agency Secretary receives a request for a hearing by **June 14**. A request for a hearing shall be in writing. The request must also show a familiarity with the application and a reasoned statement of the permit’s probable impact. For additional information visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3254&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTICE IS HEREBY GIVEN THAT CHRISTIANA MATERIALS, LLC - FARMINGTON has submitted an application for a permit to construct one (1) 300 TPH hot mix asphalt (HMA) plant with one (1) ultra-drum dryer, one (1) fabric filter Gencor baghouse, one (1) hot oil heater rated 1 MMBTU/hr, one (1) 10,000 gallon No. 2 fuel oil storage tank, one (1) 20,000 gallon asphalt storage tank, one (1) 25,000 gallon asphalt storage tank, and one (1) 1,000 gallon calibration tank, located at 21996 S DuPont Highway, Farmington, Kent County. Christiana Materials, LLC - Farmington requests an annual production limit of 300,000 tons per year of hot mix asphalt. The facility will have the ability to combust either natural gas or No. 2 fuel oil and the company requests an annual limit of 50,000 gallons for No. 2 fuel oil. These limits are necessary to restrict Christiana Materials, LLC – Farmington’s potential to emit air pollutants, and the limit will be enforceable by the EPA and the state. Total estimated emissions from the facility are 4.63 TPY NO_x, 19.50 TPY CO, 4.80 TPY VOC, 1.28 TPY SO₂, and 4.95 TPY PM. A public hearing on the above application will NOT be held unless our agency Secretary receives a request for a hearing by **June 14**. A request for a hearing shall be in writing. For additional information visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3253&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notic>

[es%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A](http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3249&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A)

NOTICE IS HEREBY GIVEN THAT KRAFT HEINZ FOODS COMPANY having a facility at 1250 West North Street, Dover, has requested a federally enforceable 7 DE Admin. Code 1102 construction permit (APC-2016/0087-CONSTRUCTION (VOC MNSR)(FE), APC-2016/0124-CONSTRUCTION, APC-2016/0125-CONSTRUCTION, APC-2016/0126-CONSTRUCTION) for emissions of 12.19 tpy of NOX, 18.45 tpy of VOCs, 7.07 tpy of CO, 4.24 tpy of PM10, 0.09 tpy of SO2, and 0.69 tpy of HAPs from a Baking Production Line consisting of three (3) Silos each equipped with Bin Vents and Pulse Jet Filters, a Baking Oven (5.8 MMBTU/hr), a Catalytic Oxidizer, two (2) Dryers (6.4 MMBTU/hr each), and two (2) Cyclone Collectors. A public hearing on the above application will NOT be held unless our agency Secretary receives a request for a hearing by **June 14**. A request for a hearing shall be in writing. For additional information visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3249&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTICE HAS BEEN GIVEN THAT TUTOR PERINI CORPORATION requests a permit to construct and operate temporary portable concrete batching plant at 636 Boyds Corner Road, Middletown. The temporary portable concrete batching plant will be permitted to emit 0.006 ton/year of PM and 0.004 ton per year of PM10 by Permit# APC-2016/0146. A public hearing on the above application will NOT be held unless our agency Secretary receives a request for a hearing by **June 20**. A request for a hearing shall be in writing. The request must also show a familiarity with the application and a reasoned statement of the permit's probable impact. For additional information visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3286&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTICE HAS BEEN GIVEN THAT UNIVERSITY OF DELAWARE requests permission for the construction of one (1) emergency generator, rated 600 kW (896 HP) at 700 Pilottown Road, Lewes, Sussex County, Delaware. The engine used in this generator set complies with U. S. EPA regulations under the provisions of 40 CFR 89, Non-Road Tier 2 emissions limits. Permit # APC-2016/0142-CONSTRUCTION (NSPS) (GACT). A public hearing on the above application will NOT be held unless our agency Secretary receives a request for a hearing by **June 20**. The request must also show a familiarity with the application and a reasoned statement of the permit's probable impact. For more information visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3285&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTICE IS HEREBY GIVEN THAT THE DUPONT EXPERIMENTAL STATION having a facility at 200 Powder Mill Road in Wilmington has requested a federally enforceable 7 DE Admin. Code 1102 construction permit (Permit: APC-2008/0041-CONSTRUCTION (NSPS)(RACT)(Amendment 1)) for the conversion of Boiler #6 to combust natural gas primarily and No. 2 fuel oil as the emergency backup fuel instead of No. 6 fuel oil. A public hearing on the above application will NOT be held unless our agency Secretary receives a request for a hearing regarding that application by **June 21**. A request for a hearing shall be in writing. The request must also show a familiarity with the application and a reasoned statement of the permit's probable impact. For additional information visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3257&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTICE HAS BEEN GIVEN THAT JOHNSON CONTROLS BATTERY GROUP, INC., requests three construction permits to construct three cast on strap process lines at their 700 North Broad

Street, Middletown, Delaware facility. The three cast on strap process lines (C.O.S. Lines 1B, 2B & 3B) will be permitted to emit 0.029 lb/hr and 0.13 TPY of lead, each. The automatic post burners, associated with each cast on strap process line, will be permitted to emit 0.000116 lb/hr and 0.00034 TPY of lead. Additionally, the heat seal machines, associated with each cast on strap process line, will be permitted to emit 0.11 lb/hr and 0.48 TPY of total suspended particulates, each. The three cast on strap process lines will be permitted by Permit: APC-2016/0143-CONSTRUCTION, Permit: APC-2016/0144-CONSTRUCTION and Permit: APC-2016/0145-CONSTRUCTION. The total facility wide increase of emissions for the three construction permits are 0.39 TPY of lead and 1.44 TPY of total suspended particulates. A public hearing on the above application will NOT be held unless our agency Secretary receives a request for a hearing regarding that application by **June 21**. A request for a hearing shall be in writing. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3287&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTICE HAS BEEN GIVEN THAT THE ARUNDEL COMPANY, LLC, REQUESTS a construction permit to install an alternate barge loading feed hopper at their 26056 River Road, Seaford, Sussex County facility. The aggregate transfer facility will be permitted to emit 2.2 TPY PM10 by Permit# APC-2008/0174-CONSTRUCTION/OPERATION (Amendment 2). A public hearing on the above application will NOT be held unless our agency Secretary receives a request for a hearing regarding that application by **June 27**. A request for a hearing shall be in writing. The request must also show a familiarity with the application and a reasoned statement of the permit's probable impact. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3295&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTICE HAS BEEN GIVEN THAT CITY OF DELAWARE CITY REQUESTS

permission for the operation of one (1) natural gas fired emergency generator, rated 125 kW (167.625 HP) at 407 Clinton Street, New Castle, Delaware. The engine used in this generator set complies with U. S. EPA regulations under the provisions of 40 CFR 60 Subpart JJJJ emission limits. Permit: APC-2016/0120-CONSTRUCTION. A public hearing on the above application will NOT be held unless our agency Secretary receives a request for a hearing regarding that application by **June 27**. A request for a hearing shall be in writing. The request must also show a familiarity with the application and a reasoned statement of the permit's probable impact. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3294&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTICE IS HEREBY GIVEN THAT FMC HEALTH AND NUTRITION having a facility at 1301 Ogletown Road, Newark, Delaware has requested a federally enforceable 7 DE Admin. Code 1102 construction permit (APC-2016/0112-CONSTRUCTION (FE)) for a new baghouse to replace the existing EP-109 baghouse of Storage Bin # 4 which is nearing the end of its life. The new bag house will be permitted to emit 0.05 ton of particulate matter (PM10) per year. A public hearing on the above application will NOT be held unless our agency Secretary receives a request for a hearing regarding that application by **June 28**. A request for a hearing shall be in writing. The request must also show a familiarity with the application and a reasoned statement of the permit's probable impact. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3269&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTICE IS HEREBY GIVEN THAT SIEMENS HEALTHCARE DIAGNOSTICS INC. requests a federally enforceable 7 DE Admin. Code 1102 construction permit APC-2016/0118-CONSTRUCTION (NSPS)(GACT)(FE) for the installation of one (1) emergency generator, rated 750 kW (1100 HP) at Route 896 & Corporate Blvd, Newark, New Castle County, Delaware. The engine used in this generator set complies with U. S. EPA regulations under the provisions of 40 CFR 89, Non-Road Tier 2 emissions limits. Permitted emissions based on 150 hours per year are 0.022 TPY HC, 1.07 TPY NOx, 0.05 TPY CO, 0.009 TPY PM, and 0.02 TPY SO2. A public hearing on the above application will NOT be held unless our agency Secretary receives a request for a hearing regarding that application by **June 28**. A request for a hearing shall be in writing. The request must also show a familiarity with the application and a reasoned statement of the permit's probable impact. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3267&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

WHS - SITE INVESTIGATION AND RESTORATION SECTION is responsible for the identification, evaluation and remediation of sites in Delaware that have had past releases of hazardous substances. The section manages the contaminated sites under three major programs in accordance with the Hazardous Substance Cleanup Act (HSCA). The three programs are the **Brownfields Development Program, the Voluntary Cleanup Program (VCP) and the HSCA Enforcement Program** (for sites requiring enforcement action).

NOTIFICATION OF NEGOTIATIONS CONCERNING A VOLUNTARY CLEANUP PROGRAM AGREEMENT FOR THE FORMER AIR PRODUCTS SITE (DE-1570) -

DNREC is negotiating a VCP Agreement with Governor Lea Associates, LLC regarding the Former Air Products Site (Site) located at 755 Governor Lea Road in New Castle. The approximate 15.62 acre Site is identified on the maps of New Castle County as tax parcel number 12-003.00-001. The Site may have had a release of hazardous substances as a result of past industrial use at the Site. This notice expires **July 4**. For additional information, please contact the project officer, Patrick Boettcher at (302) 395-2600; or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3297&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

The Brownfields Development Program encourages the cleanup and redevelopment of vacant, abandoned or underutilized properties, which may be contaminated. A party seeking to develop such a property negotiates with SIRS for a **Brownfields Development Agreement (BDA)** to perform an investigation and, if necessary, a remedial action or remedy, for the purpose of addressing the risks posed by past releases of hazardous substances at these sites. However, a BDA is only available to parties that are not current site owners. The **Voluntary Cleanup Program (VCP) Agreement** is available to site owners, who want to clean up their sites and are already liable as a potentially responsible party for the site.

NOTIFICATION OF NEGOTIATIONS FOR A BROWNFIELD DEVELOPMENT AGREEMENT FOR THE OYSTER HOUSE VILLAGE SITE (DE-1573) – SIRS

negotiated a BDA with Oyster House Village, LLC regarding the Oyster House Village Site (Site), located at 37686 Oyster House Road in Rehoboth Beach. Identified by Sussex County as tax parcel numbers 3-34-19.08.42.00, -42.01, -44.00, -45.00 and 3-34-19.12-4.00 & -4.01, the 4.2 acre Site may have had a release of hazardous substances as a result of historical use as an oyster processor and automotive related business. The public comment period began June 1 and will close on **June 20**. Please submit written comments to the DNREC-SIRS Project Manager, Krystal Stanley at DNREC-SIRS, 391 Lukens Drive, New Castle, DE 19720. For additional information contact SIRS Project Manager, Krystal Stanley at (302) 395-2600; or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3275&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTIFICATION OF NEGOTIATIONS AND PUBLIC COMMENT FOR BROWNFIELD DEVELOPMENT AGREEMENT FOR THE 510 A STREET SITE (DE-1626) - SIRS

negotiated a BDA with 510, LLC regarding the 510 A Street Site, located at the same address in Wilmington. Identified on the tax maps of New Castle County as parcel number 26-050.00-043, the 1.18 acre Site may have had a release of hazardous substances from use as an industrial welding facility. The public comment period began June 1 and will close on **June 20**. Please submit written comments to the SIRS Project Manager, Patrick Boettcher at SIRS, 391 Lukens Drive, New Castle, DE 19720. For additional information contact Patrick Boettcher at (302) 395-2600; or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3274&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTIFICATION OF NEGOTIATIONS AND PUBLIC COMMENT FOR BROWNFIELD DEVELOPMENT AGREEMENT FOR THE FORMER MCGRELLIS AUCTION HOUSE SITE (DE-1610) - SIRS

negotiated a BDA with Setting Hockessin II, LLC regarding the Former McGrellis Auction House Site (Site), located at 713, 721 and 729 Valley Road in Hockessin. Identified on the tax maps of New Castle County as tax parcel numbers 08-021.00-033, -034 and -073, the 27.19 acre Site may have had a release of hazardous substances as a result of non-permitted historic fill dumped at the Site. The public comment period began June 1 and will close on **June 20**. Please submit written comments to the SIRS Project Manager, Patrick Boettcher at SIRS, 391 Lukens Drive, New Castle, DE 19720. For additional information contact Patrick Boettcher at (302) 395-2600; or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3273&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTIFICATION OF NEGOTIATIONS FOR A BROWNFIELD DEVELOPMENT AGREEMENT FOR FORMER S. DUPONT SHELL STATION SITE (DE-1510) - SIRS

is negotiating a new BDA with the First State Firearms and Accessories LLC regarding the Former S. DuPont Shell Station Site located at 178 S. DuPont Highway in Wilmington. Identified by New Castle County as tax parcel number 10-030.00-029, the 1.34 acre Site may have had a release of hazardous substances as a result of past use as a gasoline station and fuel oil storage and dispensing facility. DNREC's Tank Management Section managed the Site which is known by TMS as facility 3-00095 and 3-000203. This notice expires **June 21**. For additional information contact SIRS Project Manager, Wendy March at (302) 395-2600; or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3260&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

The Proposed and Final Plans of Remedial Action listed below outline site cleanup activities and covenants and are available online at:

<http://www.dnrec.delaware.gov/whs/awm/SIRB/Pages/SIRBPlans.aspx> under

“Announcements.” For site-specific information, please see DNREC's Environmental Navigator at: <http://www.nav.dnrec.delaware.gov/DEN3>

PROPOSED PLAN OF REMEDIAL ACTION FOR THE CITISTEEL (FORMER EVRAZ-CLAYMONT STEEL) OPERABLE UNIT #1 (DE-0046) - The Department invites public comment on a proposal to clean up Operable Unit #1 of the CitiSteel (Former Evraz-Claymont Steel) Site located at 4001 Philadelphia Pike in Claymont, Delaware. The 32-acre Operable Unit was the former scrap yard. Site soils need to be kept from the adjacent Naamans Creek and areas surrounding the creek during redevelopment activities to protect identified Ecologically Sensitive Areas. Additionally, future uses of the site will be restricted to non-residential uses, and groundwater use will be restricted at the site. The comment period ends on **June 20**. For additional information, please contact John G. Cargill, Project Manager, or Robert Newsome, Public Information Officer, at (302) 395-2600; or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3271&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

PROPOSED PLAN OF REMEDIAL ACTION FOR THE CITISTEEL (FORMER EVRAZ-CLAYMONT STEEL) OPERABLE UNIT #4 (DE-0046) - The Department invites public comment on a proposal to clean up Operable Unit #4 of the CitiSteel (Former EVRAZ-Claymont Steel) Site located at 4001 Philadelphia Pike in Claymont, Delaware. The 12-acre Operable Unit consists of the former cooling water/sedimentation lagoon. The former cooling water lagoon must be closed/filled and capped to eliminate potential human health and ecological impacts. In addition, the future uses of the site will be restricted to non-residential uses, and groundwater use will be restricted. The comment period ends on **June 27**. For additional information, please contact John G. Cargill, Project Manager, or Robert Newsome, Public Information Officer, at (302)395-2600; or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3293&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

PROPOSED PLAN OF REMEDIAL ACTION FOR THE CITISTEEL (FORMER EVRAZ-CLAYMONT STEEL) OPERABLE UNIT #5 (DE-0046) - The Department invites public comment on a proposal to clean up Operable Unit #5 of the CitiSteel (Former EVRAZ-Claymont Steel) Site located at 4001 Philadelphia Pike in Claymont, Delaware. The 23-acre Operable Unit contained a storage and handling area with associated rail lines, a material warehouse, and aboveground storage tanks. The comment period ends on **June 27**. For additional information, please contact John G. Cargill, Project Manager, or Robert Newsome, Public Information Officer, at (302)395-2600; or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3281&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

PROPOSED PLAN OF REMEDIAL ACTION FOR THE BARCROFT SITE (A/K/A SPI PHARMA) (DE-0037) The Department has adopted a plan regarding the clean-up of the Barcroft Site (aka SPI Pharma) located in Lewes. The remedy includes an Environmental Covenant which restricts the use of the property to non-residential and restricts the use of contaminated groundwater. The Site will continue to be used by SPI Pharma for manufacturing activities. DNREC issued public notice of the Proposed Plan for the Barcroft Site (aka SPI Pharma) on April 24. There were no comments or questions from the public regarding the Proposed Plan. The public has until **June 21** to appeal this Final Plan. For additional information, please contact Kathryn Durant, Project Manager, or Robert Newsome, Public Information Officer, at (302) 395-2600; or visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3272&Source>

[=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A](http://www.dnrec.delaware.gov/Lists/Public%20Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A)

FINAL PLAN OF REMEDIAL ACTION FOR THE FORMER 200 CHURCHMAN'S ROAD SITE (DE-1598)

The Department has adopted a plan regarding the clean-up of the Former 200 Churchman's Road Site located at 200 Churchman's Road in New Castle. The Site soil is contaminated with antimony and thallium and groundwater is contaminated with several inorganics and pesticides related to the Site's historical use. DNREC issued public notice of the Proposed Plan for the Former 200 Churchman's Road Site on May 8. There were no comments or questions from the public regarding the Proposed Plan. The public has until **June 27** to appeal this final plan. For additional information, please contact Morgan M. Price, Project Manager, or Robert Newsome, Public Information Officer, at (302) 395-2600; or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3289&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

FINAL PLAN OF REMEDIAL ACTION BAST PARKING LOT SITE (DE-1490)

The Department has adopted a plan regarding the clean-up of the Bast Parking Lot Site located at Sussex County tax parcel number 1-35-142-0121 in Georgetown, Delaware. The remedy will consist of installing a paved parking lot, the placement of an environmental covenant, compliance with a DNREC-approved Contaminated Materials Management Plan, and compliance with a DNREC-approved Long Term Stewardship Plan to ensure the integrity of the remedy. DNREC issued public notice of the Proposed Plan for the Bast Parking Lot Site on May 4. There were no comments or questions from the public regarding the Proposed Plan. The public has until **June 27** to appeal this final plan. For additional information, please contact Kristen Thornton, Project Manager, or Robert Newsome, Public Information Officer, at (302) 395-2600; or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3280&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

FINAL PLAN OF REMEDIAL ACTION FOR THE RIVERFRONT OFFICE BUILDING

(DE-1237) - The Department has adopted a Proposed Plan of Remedial Action (Proposed Plan) regarding the clean-up of the Riverfront Office Building Site located in Wilmington. The required remedial actions include: capping site soils and recording an environmental covenant on the property deed restricting certain site use activities. DNREC issued public notice of the Proposed Plan for Riverfront Office Building Site on May 1. There were no comments or questions from the public regarding the Proposed Plan. The public has until **June 27** to appeal this final plan. For additional information, please contact Lindsay Hall, Project Manager, or Robert Newsome, Public Information Officer, at (302) 395-2600; or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3279&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

PROPOSED PLAN OF REMEDIAL ACTION FOR THE PENCADER PLAZA DRY CLEANERS SITE (DE-1551)

The Department invites public comment on a proposal to clean up the Pencader Plaza Dry Cleaners Site located at 160 Pencader Plaza in Newark. The Site consists of an approximately 1-acre portion of the Pencader Plaza Shopping Center. Elevated concentrations of volatile organic compounds have been detected in the groundwater and soil gas beneath the Site. The comment period ends on

June 27. For additional information, please contact Lindsay Hall, Project Manager, or Robert Newsome, Public Information Officer, at (302)395-2600; or visit:
<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3278&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

WHS- TANK MANAGEMENT SECTION – The Tank Management Section hereby gives notice that a permit application has been received. For additional information or an appointment to inspect the application, please contact: Deborah Brown, 391 Lukens Drive, New Castle, DE 19720 or (302) 395-2500.

NOTICE IS HEREBY GIVEN THAT A PERMIT APPLICATION HAS BEEN RECEIVED FROM TOM RUSZIN, for a construction/operating permit for a Stage I vapor recovery system, at their facility located at 840 Middletown-Warwick Road, New Castle County. A public hearing on the above applications will NOT be held unless our agency Secretary receives a request by **June 27**. A request for a hearing shall be in writing and must also show a familiarity with the application and a reasoned statement of the permit's probable impact. For additional information visit:
<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3296&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

DIVISION OF WATER - GROUND WATER DISCHARGES -The Division of Water hereby gives notice that the application below is available for inspection or copies may be obtained by contacting: Kathleen Saunders, Ground Water Discharges, 89 Kings Highway, Dover 19901, or by calling (302) 739-9948.

Perseverance Properties, LLC has applied for a replacement on-site wastewater treatment and disposal system permit. The system has been designed to accommodate 828 gallons per day generated by a retail store. The site is located on Route 13 in Harrington, DE, tax map # MN 171.00-01-04.00. A public hearing on the above application will NOT be held unless our agency determines that a public hearing is in the public interest or if a written meritorious objection is received by **June 16**. A public hearing request shall be deemed meritorious if it exhibits a familiarity with the application and provides a reasoned statement of the action's probable impact. For additional information visit :
<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3276&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

DIVISION OF WATER - SURFACE WATER DISCHARGES – The Division of Water hereby gives notice that the following permit application has been received. For additional information or to inspect the applications below contact, Greg Pope, P.E., 5E Reed Street, Suite 200, Dover, DE 19901, (302) 739-9941.

NOTICE IS HEREBY GIVEN THAT A PERMIT APPLICATION HAS BEEN RECEIVED FROM SUSSEX COUNTY EMS located in Georgetown, plans to construct a pre-packaged grinder pump station at the Medic 104/ EMS 100 Facility, 19255 Plantation Road, Rehoboth Beach, Sussex County, Delaware. The project includes installation of a 700 gpd (design) grinder pump station and a 530 LF 1.5" force main into the Sussex County sewer system and discharging to the Inland Bays wastewater treatment facility. A public hearing concerning the above application will NOT be held unless our agency determines that a hearing is in the public interest or if a written meritorious request for a hearing is received on or before **June 23**. A request for a public hearing shall be deemed

meritorious if it exhibits a familiarity with the application and provides a reasoned statement of the permit's probable impact. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3292&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTICE IS HEREBY GIVEN THAT CARL C. FREEMAN COMPANIES located in Fenwick Island, Delaware, plans to construct Tidewater Landing Development sanitary sewer collection system, force main and pump station, located at the intersection of Robinsonville and Kendale Road in Sussex County, Delaware. The system includes a gravity collection system of 17,840 LF of 8", 297 LF of 10", and 1013 LF of 12" gravity sewer, 105 manholes, 1073 LF of 3" force main, and a 80,850 gpd (design) pump station that connects to the Inland Bays Regional Wastewater Facility. A public hearing concerning the above application will NOT be held unless our agency determines that a hearing is in the public interest or if a written meritorious request for a hearing is received on or before **June 23**. A request for a public hearing shall be deemed meritorious if it exhibits a familiarity with the application and provides a reasoned statement of the permit's probable impact. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3283&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTICE IS HEREBY GIVEN THAT ARTESIAN WASTEWATER MANAGEMENT, INC. LOCATED IN NEWARK, plans to construct 362 LF of 4" force main at the Reserves of Lewes Landing to tie in Sussex County sewer system along Lewes-Georgetown Highway (Route 9) in Lewes, Sussex County. The proposed force main from the existing force main will terminate at a force main discharge manhole before tying into the Sussex County manhole within Route 9 and discharges to the Wolfe Neck wastewater treatment facility. A public hearing concerning the above application will NOT be held unless our agency determines that a hearing is in the public interest or if a written meritorious request for a hearing is received on or before **June 23**. A request for a public hearing shall be deemed meritorious if it exhibits a familiarity with the application and provides a reasoned statement of the permit's probable impact. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3282&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

DIVISION OF WATER - WETLANDS AND SUBAQUEOUS LANDS SECTION – The Division of Water hereby gives notice that the applications below are available for inspection or copies may be obtained by contacting: Gayle Calder, Wetlands and Subaqueous Lands Section, 89 Kings Highway, Dover – 19901, or by calling (302) 739-9943. A public hearing on the applications below will NOT be held unless our agency Secretary determines that a public hearing is in the public interest, or if a written meritorious objection to the application is received by **June 21**. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3270&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

Subaqueous Lands Permit Application

Amjad Madanat- (1-34-19.00-60) To construct a 5 foot by 11 foot PWC floating dock in a lagoon adjacent to Millers Creek, at 34700 Bethany Drive, George C. Moore Subdivision, Frankford, Sussex County

SUEZ Water Delaware Inc- (0805600001 & 0901100066) To maintenance dredge 1,250 cubic

yards of sediment each year from White Clay Creek in the area surrounding two intake structures at the Stanton water treatment facility, 2000 First State Boulevard, Stanton, and dispose of the material at Parkway Gravel Inc., 820 Federal School Lane, New Castle, New Castle County

Subaqueous Wetlands Application

Sussex County Engineering- To temporarily impact 900 square feet of State Regulated Wetlands by trench cutting 120 linear feet for installation of an 8 inch wastewater pipeline adjacent to Camp Arrowhead Road, Lewes, Sussex County

Subaqueous Lands Lease and Wetlands Application

John and Regina Wren (233-7.00-48.00) - To construct a 3 x 20 foot long wetlands walkway, 4 x 85 foot long pier, 5 x 20 foot long dock, 2 mooring pilings, 2 floating jet ski docks and a floating kayak dock at 31230 Dumpling Neck Lane in Dagsboro, Sussex County

Subaqueous Lands Lease Supplemental

Bombay Hook National Wildlife Refuge (1-00-03100-01-0100-00001) – To reconfigure an existing 5 x 35 foot long gangway and 8 x 25 foot long floating dock landward of authorized placement in the Leipsic River at Bombay Hook Wildlife Refuge in Kent County

Subaqueous Lands Permit and Wetlands Application

DNREC, Division of Fish and Wildlife (1301000007) To install 300 cubic yards of material and a water control structure to repair a failed dike and complete mitigation in the adjacent agriculture field adjacent to 525 Thorntown Road, Middletown, New Castle County

Subaqueous Lands Lease and Water Quality Application

Sea Colony Recreational Association, Inc. (1-34-17-41.00, 45.00, 48.00, 52.00, 56.01 thru 56.07) To perform beach replenishment, as needed, by hydraulically dredging approximately 150,000 +/- cubic yards, per event, from offshore Borrow Site E and/or Fenwick Island borrow site and deposit the material as beach fill along 2,350 feet of Atlantic Ocean shoreline extending from the southern town limits of Bethany Beach to the northern limits of Middlesex Beach, Bethany Beach, Sussex County

CONTACT INFORMATION

24-Hour Environmental Report and Spill Notification Line - 1-800-662-8802

Aboveground Storage Tanks - 302-395-2500

Air Quality - New Castle Office - 302-323-4542

Air Quality – Kent & Sussex – 302-739-9402

Asbestos New Castle - 302-323-4542

Asbestos Kent & Sussex - 302-739-9402

Biosolids Permits - 302-739-9946

Boiler Safety - 302-395-2500

Brownfields - 302-395-2600

Community Ombudsman - 302-739-9040

Community Services - 302-739-9959

Delaware Estuary Program - 302-739-9283 (Delaware Coastal Management Program)

Division of Air Quality Director's Office - 302-739-9402

Division of Energy & Climate - 302-735-3480

Division of Waste and Hazardous Substances Director's Office - 302-739-9400

Division of Water Information - 302-739-9950

Dock/Dredging/Bulkheads/Rip-Rap/Wetlands & Subaqueous Lands - 302-739-9943

Emergency Prevention and Response - 302-739-9404

Environmental Crimes Unit - 302-739-9401 or 1-800-662-8802

Environmental Laboratory - 302-739-9942

Hazardous Waste - 302-739-9403

Hazardous Chemical and Toxic Release Inventories – 302-739-9404

Industrial Stormwater Permits - 302-739-9946

Loans & Grants for Wastewater and Septic's (Environmental Finance) - 302-739-9941
Medical Waste - 302-739-9403
Non-Hazardous Liquid Waste Transporters - 302-739-9948
On-site Wastewater Licensing Program - 302-739-9948
Open Burning - 302-739-9402
Outreach Ombudsman - 302-395-2600
Recycling - 302-739-9403
Septic System Permits - Large Systems (Community & I/A) Statewide - 302-739-9948
Septic System Permits - Small Systems for Kent & New Castle Counties - 302-739-9947
Septic System Permits - Small Systems for Sussex Co. & Holding Tank Compli. Program - 302-856-4561
Site Investigation & Restoration Section (Superfund/Brownfields) - 302-395-2600
Small Business Ombudsman - 302-739-9909
Solid Waste - 302-739-9403
Source Water Protection - 302-739-9945
Surface Water Discharge Permits (NPDES) - 302-739-9946
Underground Injection Control & Spray Irrigation - 302-739-9948
Underground Storage Tanks - 302-395-2500
Wastewater Collection, Conveyance and/or Treatment Facility Construction Permits - 302-739-9946
Wastewater Treatment Facility Operators - 302-739-9946
Water Allocation Permits - 302-739-9945
Water Testing - Drinking Water (Division of Public Health) - 302-741-8630
Water Supply - 302-739-9945
Well Driller's License - 302-739-9944
Well Permits & Licensing - 302-739-9944
Wells - 302-739-9944
Wetlands and Subaqueous Lands Section - 302-739-9943