

The biweekly E-News Update features current information on the Divisions of Air Quality, Waste and Hazardous Substances, and Water regarding public meetings, workshops, hearings, and regulatory documents available for public comment, as well as general news updates. For those of you who are receiving the E-News Update for the first time, the subscription is FREE! Please sign up at the following link under the Divisions of Air Quality and Waste and Hazardous Substances at:

<http://www..delaware.gov/Pages/Lists.aspx>

There is no form to fill out; it's done in three clicks! Suggestions? Additions? Please call Stacy Jones at 302-739-9400, or send an email to Stacy.Jones@state.de.us

Published by Divisions of Air Quality, Waste and Hazardous Substances, and Water.

Visit us at: www.awm.delaware.gov

SECRETARY'S ORDERS

[Secretary's Order No. 2015-W-0019](#)

Notice of Administrative Penalty Assessment Issued Pursuant to 7 Delaware Code §6005 to Junior's Auto Repair, Wilmington, Del.

[Secretary's Order No. 2015-WH-0023](#)

Approving Final Regulations to Amend 7 DE Admin. Code 1375: Delaware Regulations Governing Hazardous Substance Cleanup

[Secretary's Order No. 2015-A-0022](#)

Amended Notice of Administrative Penalty Assessment and Secretary's Order Pursuant to 7 Del. C. § 6005 issued to Pettinaro Construction Co., Inc. and Christina Crescent, LLC of Wilmington

UPCOMING AIR, WASTE, & WATER-RELATED HEARINGS, MEETINGS, & EVENTS

REVISION TO SECT. 36 STAGE II VAPOR RECOVERY OF 7 DE ADMIN CODE 1124

CONTROL OF VOC EMISSIONS – Meeting will be held on **June 25** at 6pm at our Richardson and Robbins Building located at 89 Kings Highway Dover, DE, 19901. This meeting will discuss the revision of Sect. 36 -7 DE Admin. Code 1124. Contact Dave Fees at 302-739-9402 for additional information or visit:

<https://egov.delaware.gov/pmc/Event/Details/27565>

ON-SITE SYSTEMS ADVISORY BOARD – Meeting will take place on **July 1** from 9:15 am to 11:30 am in Rm B228 at the Richardson and Robbins Building-89 Kings Highway, Dover, DE, 19901. Contact Dawn Dryden 302-739-9948 for additional information or visit:

<https://egov.delaware.gov/pmc/Event/Details/27616>

WATER SUPPLY COORDINATING COUNCIL MEETING - The Council will hold a meeting on **July 29** from 10am to 12pm at the Kent County Administration Complex, Conference Room 220, 555 Bay Road, Dover, DE, 19901. Dover, DE 19901. For additional information, please contact Kimberly Burris at (302) 739-9945; or visit:

<https://egov.delaware.gov/pmc/Event/Details/27415>

AIR QUALITY PERMITTING PROGRAM – Notice has been given that the facilities listed below have submitted applications for air quality management permits. The applications, the “draft/proposed” permits, all materials that the applicant has submitted (other than those granted confidential treatment under DNREC rules), and a copy of summary of other materials, if any, considered in preparing the “draft/proposed” permit, may be inspected at the offices of the Division of Air Quality, 655 S. Bay Road, Dover and 715 Grantham Lane, New Castle. All comments and public hearing requests should be mailed to the following address: DIVISION OF AIR QUALITY, 655 S. Bay Road, Suite 5 N, Dover, DE 19901. To submit comments, for

additional information, or for an appointment to inspect the application, please contact Laura Bogus or Penny Gentry at (302) 739-9402.

NOTICE HAS BEEN GIVEN THAT UNITED WATER OF DELAWARE, INC. (STANTON)

requests permission for the operation of one (1) emergency generator, rated 2 MW (2,935 HP) at 2000 First State Blvd, Wilmington, Delaware. The engine used in this generator has an estimated uncontrolled potential to emit (PTE) of 0.51TPY of PM, 0.51 TPY of PM10, 0.51 TPY of PM2.5, 0.30 TPY of SO2, 17.61 TPY of NOX, 0.52 TPY of VOCs, 4.04 TPY of CO, and 0.02 TPY of HAPs by Permit# APC-2015/0104-CONSTRUCTION/OPERATION. A public hearing will NOT be held unless our agency Secretary receives a request for a hearing by **June 22**. For additional information visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2783&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTICE HAS BEEN GIVEN THAT UNITED WATER OF DELAWARE, INC. (BELLEVUE)

requests permission for the operation of one (1) emergency generator, rated 1 MW (1,550 HP) at 1023 Philadelphia Pike, Wilmington, Delaware. The engine used in this generator has an estimated uncontrolled potential to emit (PTE) of 0.27TPY of PM, 0.27 TPY of PM10, 0.27 TPY of PM2.5, 0.16 TPY of SO2, 9.30 TPY of NOX, 0.27 TPY of VOCs, 2.13 TPY of CO, and 0.02 TPY of HAPs by Permit# APC-2015/0103-CONSTRUCTION/OPERATION. A public hearing will NOT be held unless our agency Secretary receives a request for a hearing by **June 22**. For additional information visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2783&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTICE HAS BEEN GIVEN THAT HERCULES, INC. requests an operating permit to operate one spray sink cold solvent degreaser at their Ashland Research Center, 500 Hercules Road, Wilmington, New Castle County, facility. (Permit: APC-2015/0081-Construction/Operation (VOC RACT)) A public hearing will NOT be held unless our agency Secretary receives a request for a hearing by **June 29**. A request for a hearing shall be in writing. The request must also show a familiarity with the application and a reasoned statement of the permit's probable impact. For additional information visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2792&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTICE HAS BEEN GIVEN THAT DOGFISH HEAD CRAFT BREWERY, INC., requests a (Construction/Operation) permit to operate a 500 BHP natural gas fired boiler at their 6 Cannery Village Center, Milton, Sussex County facility. The boiler will be permitted to emit 4.3 TPY NOx, 7.2 TPY CO, 0.65 TPY PM, 0.05 TPY SO2, and 0.47 TPY VOC by Permit# APC-2015/0040-CONSTRUCTION/OPERATION (NOx RACT)(NSPS). A public hearing will NOT be held unless our agency Secretary receives a request for a hearing regarding that application by **June 29**. The request must also show a familiarity with the application and a reasoned statement of the permit's probable impact. For additional information visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2791&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTICE HAS BEEN GIVEN THAT ZACK EXCAVATING, INC., requests an amendment to two permits to add a new location to operate their existing 300 TPH Sandvik impact crusher and 300 TPH Powerscreen jaw crusher. These amendments will allow the impact crusher and jaw crusher to operate at 376 Holly Oak Lane, Central Delaware Business Park, Cheswold, Kent County. These crushers are permitted under Permit: APC-2015/0075-OPERATION (Amendment 1) and Permit: APC-2013/0119-OPERATION (Amendment 3), respectively. Permitted emissions will not change due to the additional location. A public hearing will NOT be held unless our agency Secretary receives a request for a hearing regarding that application by **June 29**. A request for a hearing shall be in writing. The request must also show a familiarity with the application and a reasoned statement of the permit's probable impact. For additional information visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2790&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTICE IS HEREBY GIVEN THAT SIEMENS HEALTHCARE DIAGNOSTICS, INC. has submitted an application, pursuant to 7 DE Admin. Code 1102, Section 2.1, 11.2.9, and 12.3 for an Amendment to Permit: APC-1983/0397-OPERATION (Amendment 5)(SM). This amendment will add a new 750 kW emergency generator to the permit which was constructed under permit APC-2015/0022-CONSTRUCTION (NSPS)(GACT). The facility now includes four (4) dual fuel fired (natural gas/No. 2) boilers, one (1) natural gas fired boiler, five (5) natural gas fired emergency generators, two (2) diesel fired emergency generators, three (3) diesel fired portable generators and three (3) diesel fired fire pumps at 500 GBC Drive, Newark. Siemens Healthcare Diagnostics requests a limit for the maximum hours of operation (150 hours) for the new emergency generator. This limit is necessary to restrict the Company's potential to emit air pollutants, and the limits will be enforceable by the EPA and the state. Total permitted emissions in tons per year (TPY) from the new emergency generator are SO₂: 0.018 TPY, CO: 0.051 TPY, NO_X: 1.1 TPY, PM₁₀: 0.009 TPY and VOC: 0.022 TPY. A public hearing concerning the permitting action will not be held unless our agency Secretary receives a request for such hearing by **July 7**. For more information visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2782&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

SITE INVESTIGATION AND RESTORATION SECTION – The Division's Site Investigation and Restoration Section (SIRS) is responsible for the identification, evaluation and remediation of sites in Delaware that have had past releases of hazardous substances. The Section manages the contaminated sites under three major programs in accordance with the Hazardous Substance Cleanup Act (HSCA). The three programs are the Brownfields Development Program, the Voluntary Cleanup Program (VCP) and the HSCA Enforcement Program (for sites requiring enforcement action).

PROPOSED PLAN OF REMEDIAL ACTION FOR THE AMTRAK FORMER FUELING FACILITY OU-2 (DE-0266) Car Shop Relocation Building Area- The Department invites public comment on a proposal to clean up a portion of the Amtrak Former Fueling Facility, Amtrak Wilmington Shops, in Wilmington, Delaware. The 1/6-acre Site is the location of a proposed Car Shop Relocation Building. Details of the Proposed Plan are available at our SIRS office located at 391 Lukens Drive, New Castle, DE, 19720. The comment period ends on **June 16**. For additional information, please contact John Cargill, Project Manager, or Robert Newsome, Public Information Officer, at (302)395-2600; or visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2772&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

PROPOSED PLAN OF REMEDIAL ACTION FOR THE Hudson Pit Site (DE-0107) The Department invites public comment on a proposal to clean up the Hudson Pit Site located near Route 1 and Tulip Drive in Lewes. Soil at the Site is contaminated with arsenic, oil sands and organic debris related to the Site's former use. The comment period ends on **June 22**. For additional information, please contact Kathryn Durant, Project Manager, or Robert Newsome, Public Information Officer, at (302)395-2600; or visit:
<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2775&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTICE OF A SIGNING OF A CONSENT DECREE FOR THE PEP-UP SITE, OPERABLE UNIT 2 (DE-1571) AND THE GEORGETOWN COAL GAS SITE (DE-0188) The Site Investigation and Restoration Section (SIRS), on behalf of our agency, is requesting public comment regarding the Consent Decree for a settlement of past costs for the remediation and potential natural resource damages at the Former Pep-Up Site - Operable Unit 2 (OU-2) (DE-1571) and the Georgetown Coal Gas Site (DE-0188). The Consent Decree concerns the performance of work under the Final Plan of Remedial Action for the Former Pep-Up-OU-2 Site and the performance of work under the Final Plan of Remedial Action for Georgetown Coal Gas Site; the resolution of Respondents' liability for response costs and any potential natural resource damages for the Former Pep-Up-OU-2 Site and the Georgetown Coal Gas Site and Townsend's agreement to release and hold harmless Respondents and our agency with respect to all claims, damages, and disputes regarding any environmental impact to the Townsend Property from the Sites. Pursuant to 7 Del. C. § 9112, the public may request a public hearing regarding the Consent Decree. The public comment period ends **June 22**. For more information, contact Rick Galloway or Qazi Salahuddin at (302) 395-2600; or visit:
<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2774&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

FINAL PLAN OF REMEDIAL ACTION FOR THE 427 WEST 7TH STREET OPERABLE UNIT 1 (OU-2) (DE-1574) The Department has adopted a plan regarding the clean-up of Operable Unit 2 of the 427 West 7th Street Site located in New Castle. The proposed remedy includes capping the non-wetlands portion of the Site with at least one foot of clean fill or impervious material, the placement of an Environmental Covenant restricting groundwater withdrawal and the development of a Contaminated Materials Management Plan (CMMP) and Long Term Stewardship (LTS) Plan. The Site is currently owned by Jaksn, LLC and will be utilized for mixed use (commercial and residential). Our agency issued a public notice of the Proposed Plan for OU-2 of 427 West 7th Street Site on May 10. There were no comments or questions from the public regarding the Proposed Plan. The public has until **June 23** to appeal the Final Plan. For additional information, please contact Wendy March, Project Manager, or Robert Newsome, Public Information Officer, at (302) 395-2600; or visit:
<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2781&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

FINAL PLAN OF REMEDIAL ACTION FOR THE HAMILTON PARK/PYLES LANE SITE (OPERABLE UNIT-15) (DE-1284) The Department has adopted a plan regarding the clean-up of Operable Units 11, 12, 13, and 14 of the Hamilton Park/Pyles Lane Site located in New Castle. The plan includes the removal of soil within the top two feet below ground surface (bgs) in select areas, as well as a restriction, in a defined area, on digging at depths greater than 1 foot bgs without the prior written approval of our agency. The Site is a residential neighborhood and Operable Unit 15 is the residence located at 106 Hamilton Street. Our agency issued public notice of the Proposed Plan for Operable Unit 15 of the Hamilton Park/Pyles Lane Site on May 13. There were no comments or questions from the public regarding the Proposed Plan. The public may appeal this Final Plan by **June 23**. For additional information, please contact Lindsay

Hall or Wendy March, Project Managers, or Robert Newsome, Public Information Officer, at (302) 395-2600; or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2779&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

FINAL PLAN OF REMEDIAL ACTION FOR TRAILS & PATHWAYS, CHRISTINA

PEDESTRIAN BRIDGE (DE-1560) The Department has adopted a plan regarding the clean-up of Trails & Pathways, Christina Pedestrian Bridge Site located in Wilmington. The Site will operate under a Contaminated Material Management Plan (CMMP). Any excavated coal ash/fill and sediment will be properly disposed of off-site at a licensed waste disposal facility. An Environmental Covenant will be placed on the property. The Site is currently owned by DelDOT, who will construct a pedestrian bridge across the Christina River. Our agency issued public notice of the Trails and Pathways Christina Pedestrian Bridge on May 6. There were no comments or questions from the public regarding the Proposed Plan. The public may appeal this Final Plan by **June 29**. For additional information, please contact Todd Keyser, Project Manager, or Robert Newsome, Public Information Officer, at (302) 395-2600; or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2785&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

The Brownfields Development Program encourages the cleanup and redevelopment of vacant, abandoned or underutilized properties, which may be contaminated. A party seeking to develop such a property negotiates with SIRS for a **Brownfields Development Agreement (BDA)** to perform an investigation and, if necessary, a remedial action or remedy, for the purpose of addressing the risks posed by past releases of hazardous substances at these sites. However, a BDA is only available to parties that are not current site owners. The **Voluntary Cleanup Program (VCP) Agreement** is available to site owners, who want to clean up their sites and are already liable as a potentially responsible party for the site. Proposed and Final Plans of Remedial Action are available online at:

<http://www.dnrec.delaware.gov/whs/awm/SIRB/Pages/SIRBPlans.aspx> under "Announcements."

For site-specific information, please see DNREC's Environmental Navigator at

<http://www.nav.dnrec.delaware.gov/DEN3>

NOTIFICATION OF PUBLIC COMMENT FOR A BROWNFIELDS DEVELOPMENT AGREEMENT FOR THE 2004 & 2008 SHIPLEY ROAD-WILMINGTON SITE, (DE-1603)

The Site Investigation and Restoration Section (DNREC-SIRS) negotiated a BDA with Harbor Retirement Development, LLC regarding the 2004 & 2008 Shipley Road-Wilmington Site (Site). Identified on the tax maps of New Castle County as tax parcel numbers 06-078.00-404 and 06-078.00-459, the 8.41 acre Site may have had a release of hazardous substances as a result of past use from herbicides, pesticides and the location of underground storage tanks. The public comment period will end on **July 6**. Please submit written comments SIRS Project Manager, Meghan Crystall at 391 Lukens Drive, New Castle, DE 19720. For additional information contact Meghan Crystall at (302) 395-2600; or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2789&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

SOLID AND HAZARDOUS WASTE MANAGEMENT SECTION - The Solid and Hazardous Waste Management Section (SHWMS) hereby gives notice that a permit application has been received from the following companies to transport regulated RCRA hazardous and/or non-hazardous solid wastes in, out of, or through the State of Delaware. The renewal application and associated documents are available for review during business hours at our agency Solid & Hazardous Waste Management Section office at 89 Kings Highway, Dover and also at our Lukens Drive office at 391 Lukens Drive in Wilmington.

NOTICE IS HEREBY GIVEN THAT AN APPLICATION HAS BEEN MADE BY THE DELAWARE RECYCLABLE PRODUCTS, INC. located at 246 Marsh Lane, New Castle. The DRPI Industrial Waste Landfill permit renewal application requests to continue accepting construction and demolition (dry) solid waste from commercial waste haulers for disposal. The DRPI permit renewal application includes a modification to reduce the footprint on the southeast corner of Cell 6-2 to provide space for the construction of a park for the surrounding Minquadale community. There are no proposed changes to the final maximum landfill elevation, the groundwater control plan, or the overall facility capacity. The facility hours of operation and the maximum daily tonnage of 2,400 tons will not change. A public hearing on the above permit application will NOT be held unless our agency Secretary receives a request by **June 22**. For additional information or an appointment to review the application, please contact Ting Guo (ting.guo@state.de.us) or Brad Richardson (Brad.Richardson@state.de.us) at 302-739-9403; or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2788&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

DIVISION OF WATER - Ground Water Discharges - On-Site Wastewater Treatment, Disposal System, and Underground Injection Control Permits - The Division of Water hereby gives notice that the applications below are available for inspection or copies may be obtained by contacting: Kathleen Saunders, Ground Water Discharges, 89 Kings Highway, Dover – 19901, or by calling (302) 739-9948.

Non-Hazardous Liquid Waste Transporters Permit

DOJ Wastewater LLC has applied to the Ground Water Discharges Section for a Non-Hazardous Liquid Waste Transporters Permit to transport grease trap waste and/or cooking oil waste to be disposed of at permitted out-of-state facilities. A public hearing unless our agency Secretary determines that a public hearing is in the public interest or if a written meritorious objection to the application is received by **June 22**. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2786&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

Formal Waiver

Mark & Valerie Dunkle have applied for a Formal Waiver to construct a replacement on-site wastewater treatment and disposal system on their property located on the south side of Beechwood Drive, North of Wilgus Cemetery Road near Roxana, DE, Sussex County Tax Map # 533-6.00-146.00. The request is being made to replace an existing holding tank with a sand-lined elevated sand mound (ESM) that incorporates advanced nitrogen removal. The ESM would be located on soil that does not meet current criteria for system placement. The system would serve an existing 3 bedroom dwelling and would have a design flow rate of 360 gallons per day. A public hearing unless our agency Secretary determines that a public hearing is in the public interest or if a written meritorious objection to the application is received by **June 22**. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2786&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

On-Site Wastewater Treatment and Disposal System Application

France Anna Arriola has applied for an innovative & alternative on-site wastewater treatment and disposal system permit. The system has been designed to accommodate 640 gallons per day generated by a daycare facility. The site is located on Route 9 in Laurel, DE, tax map # 2-32-7.00-6.02. A public hearing unless our agency Secretary determines that a public hearing is in the

public interest or if a written meritorious objection to the application is received by **June 29**. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2795&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

DIVISION OF WATER - SURFACE WATER DISCHARGES – The Division of Water hereby gives notice that the following permit application has been received. For additional information or to inspect the applications below contact, Molly Mackil at Surface Water Discharges Section - Division of Water, 89 Kings Highway, Dover, DE 19901, (302) 739-9946. A public hearing concerning the applications below will NOT be held unless our agency Secretary determines that a hearing is in the public interest or if a written meritorious request for a hearing is received on or before **June 18**. For additional information visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2778&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTICE IS HEREBY GIVEN THAT PERMIT A APPLICATION HAS BEEN RECEIVED FROM SUSSEX COUNTY AND STEVE CAMPBELL to construct approximately 2,140 linear feet of 8" gravity sewer, interconnecting manholes, one pump station with dual Flygt pumps, valves, piping, controls and related facilities, and approximately 3,660 linear feet of 4" PVC force main, to serve the proposed 168 unit apartment complex known as Arbors of Cottagedale, to be located on Cottagedale Way, located at the terminus of Mackenzie Way, off of Plantation Road (County Road 275). The force main will be located along Mackenzie Way and Plantation Road, Belltown/Five Points/Lewes area, Lewes and Rehoboth Hundred, Sussex County

NOTICE IS HEREBY GIVEN THAT PERMIT A APPLICATION HAS BEEN RECEIVED FROM WINTERTHUR MUSEUM, GARDEN AND LIBRARY to construct approximately 515 linear feet of 6" and 8" gravity sewer, one (1) pump station with an E-One duplex pump and related facilities, and 500 linear feet of 1.25" force main, to be located on the grounds at 5105 Kennett Pike, Wilmington, New Castle County

DIVISION OF WATER - WATER SUPPLY - The Division of Water hereby gives notice that the following well permit application has been received. For additional information concerning the applications below contact Allison Diggins/Water Supply Section - 89 Kings Highway, Dover, DE 19901, (302) 739-9945.

Dewatering Permits

Rob the Ranger, LLC proposes a dewatering project to construct a sewer gravity main. The proposed system consists of 260 well points, 22 feet below grade, with 1.5 inch diameter casing. The duration of this project is 120 days and water discharge location will be an on-site ditch. The site is located on the north side of Rt. 9, east of Gravel Hill Road in Harbeson, Sussex County. The requested capacity of this system is 1,296,000 gallons per day. A public hearing will NOT be held unless our agency Secretary determines that a public hearing is in the public interest, or if a written meritorious objection to the application is received by **June 22**. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2787&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

Allocation Permits

Pries Farms, LLC has requested a modification to their existing irrigation allocation. Five wells have been added to their farming operations which are located southeast of Felton in Kent County. The requested maximum daily withdrawal of the modification is 6,390,000 gallons per day. A public hearing will NOT be held unless our agency Secretary determines that a public

hearing is in the public interest, or if a written meritorious objection to the application is received by **June 29**. For additional information visit:
<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2794&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

Richard L Sapp Farms, LLC has requested a modification to their existing irrigation allocation. Four wells have been added to their farming operations which are located north of Milton in Sussex County. The requested maximum daily withdrawal of the modification is 15,840,000 gallons per day. A public hearing will NOT be held unless our agency Secretary determines that a public hearing is in the public interest, or if a written meritorious objection to the application is received by **June 29**. For additional information visit:
<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2794&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

DIVISION OF WATER - WETLANDS AND SUBAQUEOUS LANDS SECTION – The Division of Water hereby gives notice that the applications below are available for inspection or copies may be obtained by contacting: Gayle Calder, Wetlands and Subaqueous Lands Section, 89 Kings Highway, Dover – 19901, or by calling (302) 739-9943.

Subaqueous Lands Supplemental Application

Steven Hollman-To install a 6 x 20 foot floating kayak dock with 2 support pilings attached to an existing dock and pier in the Lewes and Rehoboth Canal at 87 Anchor Road, North Shores, Rehoboth Beach, Sussex County A public hearing on the applications below will NOT be held unless our agency Secretary determines that a public hearing is in the public interest, or if a written meritorious objection to the application is received by **June 19**. For additional information, please visit:
<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2754&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

Patricia Zamorski-To install a 10 x 12 foot floating dock and three pilings in Vines Creek at 151 Riverview Drive, Dagsboro, Sussex County. A public hearing on the applications below will NOT be held unless our agency Secretary determines that a public hearing is in the public interest, or if a written meritorious objection to the application is received by **June 19**. For additional information, please visit:
<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2754&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

Subaqueous Lands Permit Application

Division of Parks and Recreation-To maintenance dredges approximately 102,000 cubic yards of material in the marina and to place the dredged material in an on-site upland confined disposal facility at the Summit North Marina, adjacent to the Chesapeake and Delaware Canal, at 3000 Harbour Place in Bear, New Castle County. A public hearing will NOT be held unless our agency Secretary determines that a public hearing is in the public interest, or if a written meritorious objection to the application is received by **June 19**. For additional information, please visit:
<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2754&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

William Stief (Parcel 2-34-24.00-120) To construct 250 linear feet of riprap revetment in a tidal lagoon connected to Herring Creek at 7 Bay Point Road, Millsboro, Sussex County. A public

hearing on the applications below will NOT be held unless our agency Secretary determines that a public hearing is in the public interest, or if a written meritorious objection to the application is received by **June 23**. For additional information, please visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2780&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

Schooner Village Property Owners Association (Parcel 1-34-13.00-88.00) To install a 5 x 8 foot long wooden kayak launching facility in a tidal ditch connecting to the Salt Pond adjacent to Building E Unit 33 Jeremys Branch, Schooner Village, Bethany Beach, Sussex County. A public hearing on the applications below will NOT be held unless our agency Secretary determines that a public hearing is in the public interest, or if a written meritorious objection to the application is received by **June 23**. For additional information, please visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2780&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

Subaqueous Lands Lease Application

Guy Fisher-To install a 13 x 13 foot boat lift and four pilings in Pepper Creek at 134 Creekside Drive in Dagsboro, Sussex County. A public hearing on the applications below will NOT be held unless our agency Secretary determines that a public hearing is in the public interest, or if a written meritorious objection to the application is received by **June 19**. For additional information, please visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2754&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

Chester Jones-To renew a Subaqueous Lease for an existing 3 by x 178 foot pier, a 6 x 29 foot dock, a PWC lift and 4 pilings for a boat lift in Broad Creek at 15 Sailors Path, Bethel, Sussex County. A public hearing on the applications below will NOT be held unless our agency Secretary determines that a public hearing is in the public interest, or if a written meritorious objection to the application is received by **June 19**. For additional information, please visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2754&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

Patrick Sweeney (Parcel 5-33-20.19-1.00) to construct a pier 4 by 18 feet, a transition pier 4 feet to 6 feet, a dock 6 by 20 feet, and a 2-piling boat lift, in the Assawoman Bay, at 38866 Old Lighthouse Rd. Selbyville, Sussex County. A public hearing on the applications below will NOT be held unless our agency Secretary determines that a public hearing is in the public interest, or if a written meritorious objection to the application is received by **June 23**. For additional information, please visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2780&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

Subaqueous Lands Permit, Water Quality and Wetlands Application

Delaware Department of Transportation (0704340055) to construct the New Castle Industrial Track Trail consisting of a 15-19 foot wide by 330 foot long bridge crossing the Christina River consisting of 596 cubic yards of fill for the bridge piers and steel sheeting frame, a 11-15 foot wide by 2,201 foot long wetland walkway, a 11-15 foot wide by 346 foot long pier over the Little Mill River and its associated tributaries, to construct a 11 by 100 foot long access road consisting of 70 cubic yards of fill in State-regulated wetlands, to temporary disturb 82,885square feet of state regulated wetlands for temporary access roads, matting, vehicle access, and temporary

bulkhead, to temporarily disturb 9,387square feet of subaqueous lands for temporary bulkhead construction, barge access, and pier construction, and to complete wetland restoration adjacent to the Russell W. Peterson Urban Wildlife Refuge adjacent to 1400 Delmarva Lane, Wilmington, New Castle County. A public hearing on the applications below will NOT be held unless our agency Secretary determines that a public hearing is in the public interest, or if a written meritorious objection to the application is received by **June 23**. For additional information, please visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2780&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

EMPLOYEE UPDATES

Welcome to Melisa Kiser, Administrative Specialist II, Surface Water Discharges, effective May 26.

Welcome to Michael Moyer, Engineer III, Division of Waste and Hazardous Substances Tank Management Section, effective June 8.

Best wishes to Jennifer Zambri on her new career journey. Effective June 19, Jennifer is leaving Surface Water Discharges for DHSS Epidemiology.

CONTACT INFORMATION

24-Hour Report and Spill Notification Line - 1-800-662-8802

Aboveground Storage Tanks - 302-395-2500

Air Quality - New Castle Office - 302-323-4542

Air Quality – Kent & Sussex – 302-739-9402

Asbestos New Castle - 302-323-4542

Asbestos Kent & Sussex - 302-739-9402

Biosolids Permits - 302-739-9946

Boiler Safety - 302-744-2735

Brownfields - 302-395-2600

Delaware Estuary Program - 302-739-9283 (Delaware Coastal Management Program)

Division of Air Quality Director's Office - 302-739-9402

Division of Waste and Hazardous Substances Director's Office - 302-739-9400

Division of Water Information - 302-739-9950

Dock/Dredging/Bulkheads/Rip-Rap/Wetlands & Subaqueous Lands - 302-739-9943

Emergency Prevention and Response - 302-739-9404

Environmental Crimes Unit - 302-739-9401 or 1-800-662-8802

Environmental Laboratory - 302-739-9942

Hazardous Waste - 302-739-9403

Industrial Stormwater Permits - 302-739-9946

Loans & Grants for Wastewater and Septic's (Financial Assistance Branch) - 302-739-9941

Medical Waste - 302-739-9403

Non-Hazardous Liquid Waste Transporters - 302-739-9948

On-site Wastewater Licensing Program - 302-739-9948

Open Burning - 302-739-9402

Outreach Ombudsman - 302-395-2600

Recycling - 302-739-9403

Septic System Permits - Large Systems (Community & I/A) Statewide - 302-739-9948

Septic System Permits - Small Systems for Kent & New Castle Counties - 302-739-9947

Septic System Permits - Small Systems for Sussex County & Holding Tank Compliance Program 302-856-4561

Site Investigation & Restoration Section (Superfund/Brownfields) - 302-395-2600

Solid Waste - 302-739-9403

Source Water Protection - 302-739-9945

Surface Water Discharge Permits (NPDES) - 302-739-9946
Underground Injection Control & Spray Irrigation - 302-739-9948
Underground Storage Tanks - 302-395-2500
Wastewater Collection, Conveyance and/or Treatment Facility Construction Permits - 302-739-9946
Wastewater Treatment Facility Operators - 302-739-9946
Water Allocation Permits - 302-739-9945
Water Testing - Drinking Water (Division of Public Health) - 302-741-8630
Water Supply - 302-739-9945
Well Driller's License - 302-739-9944
Well Permits & Licensing - 302-739-9944
Wells - 302-739-9944
Wetlands and Subaqueous Lands Section - 302-739-9943
