

The biweekly E-News Update features current information on the Divisions of Air Quality (DAQ), Waste and Hazardous Substances (WHS), and Water regarding public meetings, workshops, hearings, and regulatory documents available for public comment, as well as general news updates. For those of you who are receiving the E-News Update for the first time, the subscription is FREE!

Please sign up at: <http://www.dnrec.delaware.gov/Pages/DNRECLists.aspx> under "Division of Waste & Hazardous Substances Lists." There is no form to fill out; it's done in three clicks!

Suggestions? Additions? Please call Kathy Nedelka at 302-739-9400, or send an email to [katherine.nedelka@state.de.us](mailto:katherine.nedelka@state.de.us)

Published by the Divisions of Air Quality, Waste and Hazardous Substances, and Water.

Visit us at: [www.awm.delaware.gov](http://www.awm.delaware.gov)

## SECRETARY'S ORDERS

[Secretary's Order No. 2017-F-0016](#)

RE: Emergency Secretary's Order Pursuant to 29 DelC § 10119 and 7 Del.C. § 903(h) 7 DE Admin Code 3511: Summer Flounder Size Limits; Possession Limits; Seasons.

## UPCOMING AIR, WASTE, & WATER-RELATED HEARINGS, MEETINGS, & EVENTS

**UNDERGROUND STORAGE TANK ADVISORY COMMITTEE-** The purpose of the meeting is for the Department to exchange ideas with and solicit feedback from stakeholders on different matters concerning underground storage tanks. The meeting will take place on **June 28** beginning at 10 AM at Lukens Drive Offices Pat Ellis Conference Room, 391 Lukens Dr. New Castle 19720. For additional information contact Alex Rittberg, 302-395-2500; or visit: <https://publicmeetings.delaware.gov/Meeting/54021>

**BOARD OF CERTIFICATION FOR WASTEWATER OPERATORS MONTHLY MEETING –** This is a regular monthly meeting of the Board of Certification for Wastewater Operators. Meeting will take place on **July 5** from 9am to 10am at the Richardson & Robbins Building, Conference Room B172, 89 Kings Hwy, Dover 19901. For additional information contact Faye Wheeler at (302) 739-9946; or visit: <https://publicmeetings.delaware.gov/Meeting/54010>

**WATER WELL LICENSING BOARD MEETING –** Meeting will take place on **July 11** from 9:30am to 12pm at DNREC Conference Room B172, 89 Kings Highway, Richardson and Robbins Building, Dover, 19901. For additional information contact Sarah Jones at 302-739-9944 or visit: <https://publicmeetings.delaware.gov/Meeting/53970>

**ON-SITE SYSTEMS ADVISORY BOARD MEETING –** This is a regular monthly meeting that will be held on **July 12** from 9:15am to 11:30am at the Richardson and Robbins Building, Conference Room B228: 89 Kings Highway, Dover, 19901. Photo ID required to enter meeting location. For additional information, contact Dawn Dryden, 302-739-9948; or visit: <https://publicmeetings.delaware.gov/Meeting/52654>

**WATER SUPPLY COORDINATING COUNCIL MEETING -** The Council will hold a meeting on **July 13** from 10am to 12pm at the Kent County Administration Complex, Conference Room 220, 555 Bay Road, Dover, 19901. For additional information, please contact Kimberly Burris at (302) 739-9945; or visit: <https://publicmeetings.delaware.gov/Meeting/52660>

## **BOARD OF CERTIFICATION FOR WASTEWATER OPERATORS MONTHLY MEETING –**

This is a regular monthly meeting of the Board of Certification for Wastewater Operators. Meeting will take place on **August 1** from 9am to 10am at the Richardson & Robbins Building, Conference Room B172, 89 Kings Hwy, Dover 19901. For additional information contact Faye Wheeler at (302) 739-9946; or visit:

<https://publicmeetings.delaware.gov/Meeting/39382>

**OPT-IN! THE DELAWARE DIVISION OF AIR QUALITY (DAQ)** is committed to working with citizens to continuously optimize Delaware’s air quality and protect public health, welfare, and the environment. To determine that the DAQ is meeting the air quality needs of the citizens across the state, we encourage you to participate in our opt-in list. In the future you will receive surveys that will allow us to analyze our performance. You can access the opt-in list by clicking:

[https://survey.co1.qualtrics.com/jfe/form/SV\\_1RGZGUYt8fSugkB](https://survey.co1.qualtrics.com/jfe/form/SV_1RGZGUYt8fSugkB)

**AIR QUALITY PERMITTING PROGRAM** – Notice has been given that the facilities listed below have submitted applications for air quality management permits. The applications, the “draft/proposed” permits, all materials that the applicant has submitted (other than those granted confidential treatment under DNREC rules), and a copy of summary of other materials, if any, considered in preparing the “draft/proposed” permit, may be inspected at the offices of the Division of Air Quality, 100 W. Water Street, Suite 6A, Dover, 19904. **All comments and public hearing requests** should be mailed to the following address: DIVISION OF AIR QUALITY, 100 W. Water Street, Suite 6A, Dover 19904. To submit comments, for additional information, or for an appointment to inspect the application, please contact Tracy Mattson at (302) 739-9402.

**NOTICE IS HEREBY GIVEN THAT Calpine Mid-Atlantic Generation, LLC. Edge Moor Energy Center** having a facility at 200 Hay Road in Wilmington, has submitted a request for significant permit modification pursuant to 7 DE Admin. Code 1130, Section 7 for operating Permit: AQM-003/00007-Renewal (2). Based on the data and certifications contained in the application, the Division of Air Quality concludes that the applicant meets all applicable requirements promulgated by the Environmental Protection Agency (EPA) and the Department of Natural Resources and Environmental Control (DNREC). Therefore a “draft/proposed” permit modification has been prepared. This “draft/proposed” significant permit modification incorporates the terms and conditions of the black start emergency generator Permit: APC-2015/0026–OPERATION (NSPS) into the Title V Permit: AQM-003/00007-Renewal (2), places an ammonia slip concentration limit for Emission Units EM3, EM4, and EM5, and establishes PM emission rate for Units EM4 and EM5 to satisfy Best Available Retrofit Technology (BART) requirements. A public hearing concerning the permitting action will not be held unless the Secretary receives a request for such hearing by **June 27**. A request for a hearing shall be in writing and must show a familiarity with the application and a reasoned statement of the permit renewal’s probable impact. For more information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3783&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

**NOTICE IS HEREBY GIVEN THAT Superior Contractor Services, Inc.**, requests a permit amendment to operate their jaw crusher, impact crusher, and other permitted equipment at 30548 Thorogood Road, Dagsboro, Sussex County. Permitted emissions from the portable crushing equipment will remain unchanged by Permit# APC-2015/0047-OPERATION (Amendment 6). For additional information or for an appointment to review the application, please contact Tracy Mattson at (302) 739 9402. A public hearing on any of the above applications will NOT be held unless the Secretary receives a request for a hearing regarding that application by **July 3**. A request for a hearing shall be in writing. The request must also show a familiarity with the application and a reasoned statement of the permit’s probable impact. For more information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3829&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

**NOTICE HAS BEEN GIVEN THAT Golder Associates Inc. on behalf of the Delaware Sand & Gravel Superfund Site** requests a construction permit to construct a landfill gas mitigation system that includes a LFG Technologies 500 scfm capacity open candlestick flare at their 757 Grantham Lane, New Castle facility. The 500 scfm open flare will be permitted to emit 5.8 TPY of NOx, 26.5 TPY of CO, 1.3 TPY of PM10, 0.3 TPY of VOCs and 2.4 TPY of SO2 by Permit# APC-2017/0129-CONSTRUCTION. For additional information or for an appointment to review the application, please contact Tracy Mattson at (302) 739-9402. A public hearing on any of the above applications will NOT be held unless the Secretary receives a request for a hearing regarding that application by **July 3**. A request for a hearing shall be in writing. The request must also show a familiarity with the application and a reasoned statement of the permit's probable impact. For more information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3821&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

**NOTICE HAS BEEN GIVEN THAT the Department of Veterans Affairs Medical Center** requests a construction/operation permit for a limited term emergency generator at 1601 Kirkwood Highway, Wilmington, 19805. The 750 KW emergency generator will be used for a limited term while an existing permitted emergency generator is being repaired and is not operational. The limited term emergency generator will be permitted for 6 months and will be permitted to emit 0.06 ton/year of PM, 0.25 ton/year of SOx, 2.01 tons/year of NOx, 0.35 ton/year of CO, and 0.06 ton/year of VOC's through Permit: APC-2017/0137. For additional information or for an appointment to review the application, please contact Tracy Mattson at (302) 739-9402. A public hearing on any of the above applications will NOT be held unless the Secretary receives a request for a hearing regarding that application by **July 3**. A request for a hearing shall be in writing. The request must also show a familiarity with the application and a reasoned statement of the permit's probable impact. For more information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3820&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

**NOTICE IS HEREBY GIVEN THAT Delaware Municipal Electric Corporation** having a facility at the Warren F. "Sam" Beasley Power Station on 217 Artisan Drive, Smyrna, has submitted a request for a permit renewal pursuant to 7 DE Admin. Code 1130, Section 7 for operating Permit: AQM-001/00152-(Renewal 3). Based on the data and certifications contained in the application, the Division of Air Quality concludes that the applicant meets all applicable requirements promulgated by the Environmental Protection Agency (EPA) and the Department of Natural Resources and Environmental Control (DNREC). Therefore a "Draft/Proposed" permit renewal has been prepared. This "Draft/Proposed" permit renewal has been updated to include the revised applicable requirements of 7 DE Admin. Code 1108, and 1124 Section 8. This permit renewal also incorporates applicable requirements for the new 300,804 gallon storage tank for ultra-low Sulfur fuel oil. Acid Rain units are allowed to use the alternative procedures in 40 CFR Part 75 Appendix G to estimate Carbon Dioxide (CO2) emissions. The permit requirement to conduct stack test on the 51 MW combustion turbine for CO2 has been deleted. The 51 MW stationary combustion turbine passed the particulate matter (PM) stack test on October 5, 2016 while firing natural gas. This PM testing requirement has been deleted; and the Company is allowed to use the AP-42 Emission Factor to calculate tons of PM emissions for natural gas combustion. A public hearing concerning the permitting action will not be held unless the Secretary receives a request for such hearing by **July 5**. A request for a hearing shall be in writing and must show a familiarity with the application and a reasoned statement of the permit renewal's probable impact. For more information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3799&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

**NOTICE IS HEREBY GIVEN THAT Delaware Municipal Electric Corporation** having a facility at the Warren F. "Sam" Beasley Power Station on 217 Artisan Drive, Smyrna, has submitted a request for a permit renewal pursuant to 40 CFR Part 72.30(c), and 7 DE Admin. Code 1136. Based on the data and certifications contained in the application, the Division of Air Quality concludes that the applicant meets all applicable requirements promulgated by the Environmental Protection Agency (EPA) and the Department of Natural Resources and Environmental Control (DNREC). Therefore a "Draft/Proposed" permit renewal has been prepared. There has been no change to the applicable requirements and all existing permit conditions will transfer into the Title IV renewal permit. A public hearing concerning the permitting action will not be held unless the Secretary receives a request for such hearing by **July 5**. A request for a hearing shall be in writing and must show a familiarity with the application and a reasoned statement of the permit renewal's probable impact. For more information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3798&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

**NOTICE IS HEREBY GIVEN THAT New Crete, LLC**, requests a Natural Minor permit to construct a transit mix concrete plant at their 20354 Sussex Hwy., Bridgeville, Sussex County facility. The transit mix concrete plant which consists of two (2) tower silos with associated baghouses and one (1) cement batcher, will be permitted to emit 1.30 TPY of PM10 by Permit: APC-2017/0100-Construction (Amendment 1) , Permit: APC-2017/0101-Construction (Amendment 1), and Permit: APC-2017/0102-Construction (Amendment 1). For additional information or for an appointment to review the application, please contact Tracy Mattson at (302) 739-9402. A public hearing on any of the above applications will NOT be held unless the Secretary receives a request for a hearing regarding that application by **July 10**. A request for a hearing shall be in writing. The request must also show a familiarity with the application and a reasoned statement of the permit's probable impact. For more information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3834&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

**NOTICE IS HEREBY GIVEN THAT Delaware Solid Waste Authority (DSWA) Cherry Island Landfill** having a facility at 1706 E. 12th Street, Wilmington, has submitted a request for a permit renewal pursuant to 7 DE Admin. Code 1130, Section 7 for operating permit: AQM-003/00111-Renewal 3. Based on the data and certifications contained in the application, the Division of Air Quality concludes that the applicant meets all applicable requirements promulgated by the Environmental Protection Agency (EPA) and the Department of Natural Resources and Environmental Control (DNREC). Therefore a "draft/proposed" permit renewal has been prepared. This "draft/proposed" permit renewal incorporates the requirements of the 4500 SCFM Perennial Flare in addition to addressing any and all administrative duties associated with renewing the existing Title V Operating Permit. To submit comments, for additional information or for an appointment to inspect the application, please contact Tracy Mattson at the Dover Office at 739-9402. A public hearing concerning the permitting action will not be held unless the Secretary receives a request for such hearing by **July 11**. A request for a hearing shall be in writing and must show a familiarity with the application and a reasoned statement of the permit renewal's probable impact. For more information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3809&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

**WHS - SITE INVESTIGATION AND RESTORATION SECTION (SIRS)** is responsible for the identification, evaluation, and remediation of sites in Delaware that have had past releases of hazardous substances. The section manages the contaminated sites under three major programs in accordance with the Hazardous Substance Cleanup Act (HSCA). The three programs are the **Brownfields Development Program, the Voluntary Cleanup Program (VCP), and the HSCA Enforcement Program** (for sites requiring enforcement action).

**The Brownfields Development Program** encourages the cleanup and redevelopment of vacant, abandoned, or underutilized properties, which may be contaminated. A party seeking to develop such a property negotiates with SIRS for a **Brownfields Development Agreement (BDA)** to perform an investigation and, if necessary, a remedial action or remedy, for the purpose of addressing the risks posed by past releases of hazardous substances at these sites. However, a BDA is only available to parties that are not current site owners. The **Voluntary Cleanup Program (VCP) Agreement** is available to site owners who want to clean up their sites and are already liable as a potentially responsible party for the site.

**NOTIFICATION OF NEGOTIATIONS CONCERNING A VOLUNTARY CLEANUP FOR THE BEST STONERWORKS, INC. SITE (DE-1659)** The Department is negotiating a VCP Agreement with the Berthold, LLC regarding the Best Stoneworks, Inc. Site (Site) located at 3015 Bellevue Avenue in Wilmington. The approximate 0.88 acre Site is identified on the maps of New Castle County as tax parcel number 26-030.00-046 The Site may have had a release of hazardous substances as a result of past use as a stone veneer manufacturing facility. For additional information, please contact the project officer, Lindsay Hall @ (302) 395-2600 or [lindsay.hall@state.de.us](mailto:lindsay.hall@state.de.us) ; or visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3825&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

**NOTIFICATION OF NEGOTIATIONS AND PUBLIC COMMENT FOR A BROWNFIELD DEVELOPMENT AGREEMENT FOR THE FORMER RODNEY DORM COMPLEX SITE (DE-1658)** The department has negotiated a BDA with City of Newark regarding the Former Rodney Dorm Complex Site (Site) located at 103 Hillside Road in Newark. The 0.74 acre Site is identified on the tax maps of New Castle County as parcel number 18-019.00-296. The Site may have had a release of hazardous substances as a result of a small electrical PCB oil spill at the Site. The public comment period will close **July 10**. Please submit written comments to the Project Manager, Morgan McGee-Solomon at 391 Lukens Drive, New Castle, 19720, (302) 395-2600 or [morgan.mcgee-solomon@state.de.us](mailto:morgan.mcgee-solomon@state.de.us); or visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3824&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

**NOTIFICATION OF PUBLIC COMMENT FOR A BROWNFIELD DEVELOPMENT AGREEMENT FOR THE HOMALITE, INC. SITE (DE-0256)** The Department has negotiated a BDA with Brookside Properties, LLC regarding the Homalite, Inc. Site (Site) located at 11, 13 and 16 Brookside Drive in Wilmington. The 0.99 acre Site is identified on the tax maps of New Castle County as parcel numbers 07-039.40-008, 07-039.40-009 and 07-039.40-011. The Site may have had a release of hazardous substances as a result of past use as an industrial manufacturing facility. The public comment period ends **July 10**. Please submit written comments to the Project Manager, Lindsay Hall at 391 Lukens Drive, New Castle, 19720, (302) 395-2600 or [lindsay.hall@state.de.us](mailto:lindsay.hall@state.de.us); or visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3823&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

**The Proposed and Final Plans of Remedial Action** listed below outline site cleanup activities and covenants and are available online at:

<http://www.dnrec.delaware.gov/whs/awm/SIRB/Pages/SIRBPlans.aspx> under “Announcements.” For site-specific information, please see DNREC’s Environmental Navigator at: <http://www.nav.dnrec.delaware.gov/DEN3>

**FINAL PLAN OF REMEDIAL ACTION FOR THE 735B SOUTH MARKET STREET SITE (DE-1632)** The Department has adopted a plan regarding the clean-up of the 735B

South Market Street Site located in Wilmington. The Site, once used as welding supply sales and propane distribution required an Environmental Covenant restricting the Site use to non-residential and restricting groundwater withdrawal. DNREC issued public notice of the Proposed Plan for the 735B South Market Street Site on May 14. There were no comments or questions from the public regarding the Proposed Plan. For additional information, please contact Morgan Price, Project Manager at (302) 395-2600 or via email at [morgan.price@state.de.us](mailto:morgan.price@state.de.us) or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3816&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

#### **PROPOSED PLAN OF REMEDIAL ACTION FOR THE MILFORD MOSQUITO**

**CONTROL SHOP OPERABLE UNIT 1 (OU-1) SITE (DE-1156)** The Department invites public comment on a proposal to clean up the Milford Mosquito Control Shop, Operable Unit 1 (OU-1) located at 1161 Airport Road in Milford, Kent County. The Site, occupied by the State of DNREC-DFW Mosquito Control section for over fifty-eight (58) years of which operations included the storage, mixing, and transferring of pesticide and pesticide-mixtures for distribution and application throughout the State, requires no remedial action for the soils of OU-1. However, SIRS will require an Environmental Covenant, consistent with Delaware's Uniform Environmental Covenants Act (7 Del.C. Chapter 79, Subchapter II), limiting groundwater withdrawal on OU-1 as groundwater had not been investigated by the issuance of this notice. Groundwater contamination from past land use Site will be addressed separately as Operable Unit-2 (OU-2). The groundwater restriction on OU-1 will be reconsidered after the investigation of OU-2 is completed. And, the remaining soils of the areas outside of OU-1 shall be investigated as Operable Unit-3 (OU-3). The comment period ends on **July 5**. For additional information, please contact Morgan McGee-Solomon Project Manager, at (302)395-2600 or email at [Morgan.McGee-Solomon@state.de.us](mailto:Morgan.McGee-Solomon@state.de.us); or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3815&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

#### **PROPOSED PLAN OF REMEDIAL ACTION FOR THE MILFORD MOSQUITO CONTROL SHOP OPERABLE UNIT 1 (OU-1) SITE (DE-1156)**

The Department invites public comment on a proposal to clean up the Milford Mosquito Control Shop, Operable Unit 1 (OU-1) located at 1161 Airport Road in Milford, Kent County. The Site, occupied by the DNREC-DFW Mosquito Control section for over fifty-eight (58) years of which operations included the storage, mixing, and transferring of pesticide and pesticide-mixtures for distribution and application throughout the State, requires no remedial action for the soils of OU-1. Groundwater contamination from past land use Site will be addressed separately as Operable Unit-2 (OU-2) And, the remaining soils of the areas outside of OU-1 shall be investigated as Operable Unit-3 (OU-3). The comment period ends on **July 10**. For additional information, please contact Morgan McGee-Solomon Project Manager, at (302)395-2600 or email at [Morgan.McGee-Solomon@state.de.us](mailto:Morgan.McGee-Solomon@state.de.us); or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3822&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

#### **FINAL PLAN OF REMEDIAL ACTION FOR THE FORMER MIKE'S MINI MART (DE-1578)**

The Department has adopted a plan regarding the clean-up of Former Mike's Mini Mart Site located in Frederica. The Site, once used as a gas station, required removal or abandonment of four underground storage tanks, an environmental covenant to restrict site use to commercial, limitation on groundwater use, and requires compliance with a long-term stewardship and contaminated material management plan. DNREC issued

public notice of the Proposed Plan for Former Mike's Mini Mart Site on May 14. There were no comments or questions from the public regarding the Proposed Plan. For additional information, please contact Rick Galloway, Project Managers at (302) 395-2600 or via email at [rick.galloway@state.de.us](mailto:rick.galloway@state.de.us); or visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3819&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

**SOLID AND HAZARDOUS WASTE MANAGEMENT SECTION** - The Solid and Hazardous Waste Management Section (SHWMS) hereby gives notice that a permit application has been received from the following companies to transport regulated RCRA hazardous and/or non-hazardous solid wastes in, out of, or through the State of Delaware. The renewal application and associated documents are available for review during business hours at our agency Solid & Hazardous Waste Management Section office at 89 Kings Highway, Dover and also at our Lukens Drive office at 391 Lukens Drive in Wilmington.

### **Permits Pending**

Approved Storage & Waste Hauling MA; Auston Contracting, Inc.; Bed Rock Inc. DBA Tri State Motor; C&O Trucking, Inc.; Dart Trucking Company, Inc.; Delphi Engineering & Contracting; Homecraft, Inc.; J&D Trucking, Inc.; Kowalski Tire, LLC; Lyon Trucking Corp.; Reybold Group & Companies, Inc.; Typhoon Trucking, LLC. The applications may be inspected by appointment from 8:00 AM to 4:30 PM Monday through Friday at the offices of DNREC. For additional information or an appointment to inspect the applications, please contact Tara Grazier, DWHS/SHWMS, 89 Kings Hwy, Dover, DE 19901, 302.739.9403. A public hearing concerning these applications will NOT be held unless the Secretary, in care of Karen J'Anthony, receives a meritorious request for a hearing by **June 30**. A request for a hearing must be in writing and shall state the nature of the issues to be raised at the hearing. It must also show a familiarity with the application and a reasoned statement of the activity's probable impact. For more information visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3831&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

Center Point Tank Services; JG Environmental; K. Williamson Hauling, LLC; Mendez Trucking; Mercury Transportation, LLC; MK Century Transport, LLC; NOV693 LLC DBA DRW Hauling; Olsen Enterprises, Inc.; Product Conversions Company DBA Proco Company; Swain Excavation, Inc.; Tarjet Hauling, LLC; Woolston Company. For additional information or an appointment to inspect the applications, please contact Tara Grazier, DWHS/SHWMS, 89 Kings Hwy, Dover 19901, 302.739.9403. A public hearing concerning these applications will NOT be held unless the Secretary, in care of Karen J'Anthony, receives a meritorious request for a hearing by **July 3**. A request for a hearing must be in writing and shall state the nature of the issues to be raised at the hearing. It must also show a familiarity with the application and a reasoned statement of the activity's probable impact. For more information visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3830&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

**DuPont Experimental Station Request for Modifications to its Hazardous Waste Storage Permit** The Department has received a request from DuPont to modify the hazardous waste storage permit (HW04F22) issued to the DuPont Experimental Station located at the intersection of Route 141 and Henry Clay Road in Wilmington. The permit modification is requested to allow the Experimental Station hazardous waste storage facility to continue to manage hazardous waste generated on-site to include other research and development businesses that lease space at the Experimental Station. This modification does not change the amount or type of waste currently permitted to be stored at the Experimental Station. DuPont will hold a public meeting on this application on **June 20** at 7:00PM. The meeting will be held at the DuPont Country Club,

Blackgates Room, on Rockland Rd, Wilmington. The purpose of the public meeting is to provide information and discuss issues related to the application. The applicant's contact person is: Mary Glowacki, Environmental Manager, DuPont Experimental Station, 200 Powder Mill Road, Wilmington, 19803, (302)-695-3821. The contact person is: Melissa Ferree, Engineer III, Solid and Hazardous Waste Management Section, 89 Kings Highway, Dover, 19901, (302) 739-9403, or [melissa.ferree@state.de.us](mailto:melissa.ferree@state.de.us). A copy of the modification request can be viewed and copied at the DuPont Experimental Station Main Gate, 200 Powder Mill Road, Rt. 141 (between Rts. 202 and 52), Wilmington, 19880, and at Solid and Hazardous Waste Management Section, 89 Kings Highway, Dover, 19901. The permittee's compliance history during the life of the permit being modified is available from the DNREC contact person listed above. Written comments on this application must be submitted by **July 17** to the DNREC contact person listed above. All written comments received by **July 17** will be considered in the formulation of the final permit decision. A public hearing may be held, if response to this notice indicates significant public interest. Should you desire to request a hearing regarding the proposed determination, a request must be submitted by **July 17**. A public hearing on the above proposed modification will NOT be held unless the Secretary, in care of Melissa Ferree, receives a meritorious request for a hearing within 60 days of the date of this notice or the Secretary determines there is significant public interest. A request for a hearing must be in writing and shall state the nature of the issues to be raised at the hearing. It must also show a familiarity with the application and a reasoned statement of the permit's probable impact. For more information visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3767&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAIItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

**WHS- TANK MANAGEMENT SECTION** - Tank Management Section (TMS) regulates the installation, operation, maintenance, and closure of Underground Storage Tank and Aboveground Storage Tank (UST and AST) systems in order to prevent contamination of soils and groundwater. The staff also permits the installation and operation of Vapor Recovery (VR) equipment, inspects Boilers and Pressure Vessels to protect public safety, and oversees the cleanup of releases from both UST and AST systems. The TMS prevents leaks to the environment by conducting inspections at regulated UST and AST facilities to ensure equipment is properly installed and maintained. These inspections take place at different types of facilities including gas stations, facilities that have large tank systems, and industrial or manufacturing sites located in Delaware.

**NOTICE IS HEREBY GIVEN THAT applications have been filed by Service Energy LLC**, for a construction/operating permit for a Stage I EVR vapor recovery system, at their facility located 695 Bethany Loop, Bethany Beach in Sussex County. The application may be inspected at the office of the Tank Management Section, 391 Lukens Drive, New Castle, Delaware. For additional information or an appointment to inspect the application, please contact: Jennifer Vavala, Tank Management Section, 391 Lukens Drive, New Castle, 19720, (302) 395-2500. A public hearing on the above applications will NOT be held unless the Secretary receives a request by **July 3**. A request for a hearing shall be in writing and must also show a familiarity with the application and a reasoned statement of the permit's probable impact. **THIS IS THE ONLY LEGAL NOTICE TO APPEAR.** For more information visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3818&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAIItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

**DIVISION OF WATER - GROUND WATER DISCHARGES** -The Division of Water hereby gives notice that the applications below are available for inspection or copies may be obtained by contacting: Kathleen Saunders, Ground Water Discharges, 89 Kings Highway, Dover 19901, or by calling (302) 739-9948. A public hearing on the applications will NOT be held unless the Secretary determines that a public hearing is in the public interest or if a written meritorious objection to the application is received by **July 3**. A public hearing request shall be deemed meritorious if it exhibits a familiarity with the application and provides a reasoned statement of the action's probable impact. For more information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3826&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeId=0x010034FD6D348B0CF04392485E93FC15AB3A>

### **On-Site Wastewater Treatment and Disposal System**

Intercollegiate Studies Institute has applied to construct a standard full depth gravity on-site wastewater treatment and disposal system. The system has been designed to accommodate 600 gallons per day of wastewater. The system will service a 120 seat conference center. The property is located at 3901 Centerville Road, Wilmington, New Castle County, 19807. The tax parcel ID # is 07-025.00-010.

### **Non-Hazardous Liquid Waste Transporters Permit**

KLD Portable Toilets, dba Miss Honey Dipper, has applied to the Groundwater Discharges Section for a renewal of Non-Hazardous Liquid Waste Transporters Permit DE WH-140 which allows for the transport of Portable Toilet Waste to be disposed of at the Kent County Sewer System.

T & M Wastewater LLC has applied to the Groundwater Discharges Section for a Non-Hazardous Liquid Waste Transporters Permit to transport grease trap waste to be disposed of at out-of-state permitted facilities.

Weaver's Sanitation, LLC has applied to the Groundwater Discharges Section for a renewal of Non-Hazardous Liquid Waste Transporters Permit DE WH-001 which allows for the transport of septage, holding tank waste, grease trap waste and/or cooking oil waste, and portable toilet waste, to be disposed of at the New Castle County Sewer System and the Kent County Sewer System.

Atlantic Pumping Inc. has applied to the Groundwater Discharges Section for a renewal of Non-Hazardous Liquid Waste Transporters Permit DE WH-260 which allows for the transport of septage, holding tank waste and portable toilet waste to be disposed of at the Town of Laurel Wastewater Treatment Facility, Sussex County Sewer System, and out-of-state permitted facilities; portable toilet waste will be disposed of at out-of-state permitted facilities only.

P. B. Trucking, Inc. has applied to the Groundwater Discharges Section for a renewal of Non-Hazardous Liquid Waste Transporters Permit DE OH-630 which allows for the transport of non-hazardous liquid waste (clam waste and waste filter cake) to be disposed of at the out-of-state permitted facilities and farms in accordance with D&M Permit 1604-S-05 (and subsequent amendments).

### **Spray Irrigation Permit**

The Town of Middletown has applied to the Groundwater Discharges Section for reissuance of State Permit DEN Number 359099-03. The permit authorizes the operation and maintenance of the Frog Hollow/The Legends Golf Course Community Wastewater Treatment Facility for the collection, conveyance, tertiary treatment and land application of domestic wastewater from the Town of Middletown and Frog Hollow/The Legends Golf Course Communities. The wastewater spray irrigation facility and spray fields are located on both sides of County Road 427, east of the Conrail tracks, between two unnamed tributaries of Dove Nest Branch, and west of Village Brooke MHP, New Castle County.

Baywood LLC has applied to the Groundwater Discharges Section for a renewal of State of Delaware Spray Irrigation Permit DEN Number 359012-04 which authorizes the operation and maintenance of a domestic wastewater treatment and spray irrigation facility known as Baywood Wastewater Treatment Facility. The facility and spray fields are located between John J. Williams

Hwy (Route 24), Long Neck (County Road 23) and Banks Rd (County Road 298), Long Neck, Sussex County.

**DIVISION OF WATER - SURFACE WATER DISCHARGES** – The Division of Water hereby gives notice that the following permit applications have been received.

### **Agricultural Utilization Permit**

Permit Amendment - State Permit Number AGU 1506-K-03 issued to Hollis Warren, Inc.: Hollis Warren, Inc. currently has an agricultural utilization permit, State Permit Number AGU 1506-K-03, which authorizes the land application of septage liquid and septage solids that have undergone a process to significantly reduce pathogens (lime stabilization) at the Hollis Warren, Inc. facility, onto approved farmland owned by Hollis Warren, Inc. Stabilized septage solids are applied by subsurface injection and stabilized liquid septage is applied by spray irrigation. The existing permit also authorizes the land application of grease trap waste. Septage and grease trap waste are required to be delivered to the site in accordance with a valid Delaware Waste Transporters Permit. All wastes materials are required to be land applied at agronomic rates based on the nitrogen content of the wastes. The Hollis Warren agricultural utilization site is located on the south side of State Road 10 approximately 4 miles southwest of Woodside. Upon amendment of State Permit Number AGU 1506-K-03, the frequency of septage supernatant samples will increase from biannually to quarterly and revised sample location language will be included in the permit. The Department's Guidance and Regulations Governing the Land Treatment of Wastes, Part III, B., Regulations Governing the Land Treatment of Sludges and Sludge Products and Part V, Regulation Governing Land Treatment of Waste Products, allows for such activity pending public notice. Copies of the permit above are available by contacting: Brian Churchill, Surface Water Discharges Section, 89 Kings Highway, Dover, 19901, (302) 739-9946. A public hearing on the above application will NOT be held unless the Secretary determines that a public hearing is in the public interest or if a written meritorious objection to the application is received by **June 30**. A public hearing request shall be deemed meritorious if it exhibits a familiarity with the application and provides a reasoned statement of the action's probable impact. For more information visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3793&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

### **NPDES Permits**

**NOTICE IS HEREBY GIVEN that National Railroad Passenger Corporation (AMTRAK)** has applied for reissuance of its National Pollutant Discharge System (NPDES) Permit No. DE0050962 (State Number WPCC 3089F/85) to discharge storm water runoff associated with industrial activity and groundwater from the Wilmington Maintenance Facility located west of I-495, closer to 12th Street, at 4001 Vandever Avenue in Wilmington. There are six (6) outfalls at this site which discharge storm water runoff and groundwater to Brandywine Creek and Shellpot Creek. Major activities of the Wilmington Amtrak Facility are overhauling, rebuilding, and repairing of electric and diesel locomotives, metal cutting and turning, fueling operations and aqueous degreasing of parts and engine. Groundwater pumped from sumps within the Administration Building is treated using granulated activated carbon before being discharged to the storm water conveyance system. Based on a preliminary staff review and application of lawful standards and regulations, the Department proposes to re-issue this permit, subject to certain effluent limitations and conditions. The proposed determinations are tentative. Persons wishing to comment upon or object to the proposed determinations are invited to submit same in writing to the Surface Water Discharges Section of the Division of Water, at the address listed below, no later than **July 21**. All comments received prior to said date will be considered in the formulation of final determinations regarding this application. A public hearing on the above will NOT be held unless the Secretary receives a request by **July 21**, or if the Secretary determines that a public hearing is in the public interest. A request for a hearing shall be in writing and shall state the nature of the issues to be raised at the hearing. It must also show familiarity with the proposal and a reasoned statement of

the permit's probable impact. The applications, fact sheets, and permits are available for inspection or copies may be obtained by contacting: George Mwangi, Surface Water Discharges Section, 89 Kings Highway, Dover, 19901, (302) 739-9946 or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3833&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

### **Agricultural Utilization Permits - Request for Permit Amendments - Kent County (Delaware) Levy Court:**

Kent County Levy Court has requested that their two existing agricultural utilization (AGU) permits, State Permit Numbers AGU 1401-K-03 and 1603-K-03 be amended. The current AGU permits authorize the application of Class B biosolids generated at the Kent County Regional Wastewater Treatment Facility onto six farms, known as the Kent County Sludge Farm, the Nyle Calloway Farm, the Blessing Farm, the Goldinger Farm, the West Farm, and the Vineyard Farm, comprising a total of approximately 570 acres of farmland located in Kent County. Class B biosolids are biosolids that have undergone what is known as a process to significantly reduce pathogens (PSRP). Upon amendment and issuance of the permits, Class B biosolids generated at the City of Harrington's Wastewater Treatment Plant (WWTP) would be approved for land application onto the aforementioned lands as a fertilizer substitute. Prior to application, the biosolids are required to undergo analysis for a list of specific parameters including nutrient content and metals. Biosolids are required to be delivered to the land application sites, in accordance with a Delaware Waste Transporters Permit, where land application occurs at agronomic rates. The above referenced permits will be amended under Part III, B. of the Department's Guidance and Regulations Governing the Land Treatment of Wastes which allows for such activity pending public notice. Copies of the permits above are available by contacting: Brian Churchill, Surface Water Discharges Section, 89 Kings Highway, Dover, 19901, (302) 739-9946. A public hearing on the above application will NOT be held unless the Secretary determines that a public hearing is in the public interest or if a written meritorious objection to the application is received by **July 21**. A public hearing request shall be deemed meritorious if it exhibits a familiarity with the application and provides a reasoned statement of the action's probable impact. For more information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3827&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

### **CONTACT INFORMATION**

#### **24-Hour Environmental Report and Spill Notification Line - 1-800-662-8802**

Aboveground Storage Tanks - 302-395-2500

Air Quality - New Castle Office - 302-323-4542

Air Quality – Kent & Sussex – 302-739-9402

Asbestos New Castle - 302-323-4542

Asbestos Kent & Sussex - 302-739-9402

Biosolids Permits - 302-739-9946

Boiler Safety - 302-395-2500

Brownfields - 302-395-2600

Community Ombudsman - 302-739-9040

Community Services - 302-739-9959

Delaware Estuary Program - 302-739-9283 (Delaware Coastal Management Program)

Division of Air Quality Director's Office - 302-739-9402

Division of Energy & Climate - 302-735-3480

Division of Waste and Hazardous Substances Director's Office - 302-739-9400

Division of Water Information - 302-739-9950

Dock/Dredging/Bulkheads/Rip-Rap/Wetlands & Subaqueous Lands - 302-739-9943

Emergency Prevention and Response - 302-739-9404

Environmental Crimes Unit - 302-739-9401 or 1-800-662-8802  
Environmental Laboratory - 302-739-9942  
Hazardous Waste - 302-739-9403  
Hazardous Chemical and Toxic Release Inventories – 302-739-9404  
Industrial Stormwater Permits - 302-739-9946  
Loans & Grants for Wastewater and Septic's (Environmental Finance) - 302-739-9941  
Medical Waste - 302-739-9403  
Non-Hazardous Liquid Waste Transporters - 302-739-9948  
On-site Wastewater Licensing Program - 302-739-9948  
Open Burning - 302-739-9402  
Outreach Ombudsman - 302-395-2600  
Recycling - 302-739-9403  
Septic System Permits - Large Systems (Community & I/A) Statewide - 302-739-9948  
Septic System Permits - Small Systems for Kent & New Castle Counties - 302-739-9947  
Septic System Permits - Small Systems for Sussex Co. & Holding Tank Compli. Program - 302-856-4561  
Site Investigation & Restoration Section (Superfund/Brownfields) - 302-395-2600  
Small Business Ombudsman - 302-739-9069  
Solid Waste - 302-739-9403  
Source Water Protection - 302-739-9945  
Surface Water Discharge Permits (NPDES) - 302-739-9946  
Underground Injection Control & Spray Irrigation - 302-739-9948  
Underground Storage Tanks - 302-395-2500  
Wastewater Collection, Conveyance, and/or Treatment Facility Construction Permits - 302-739-9946  
Wastewater Treatment Facility Operators - 302-739-9946  
Water Allocation Permits - 302-739-9945  
Water Testing - Drinking Water (Division of Public Health) - 302-741-8630  
Water Supply - 302-739-9945  
Well Driller's License - 302-739-9944  
Well Permits & Licensing - 302-739-9944  
Wells - 302-739-9944  
Wetlands and Subaqueous Lands Section - 302-739-9943