

The biweekly E-News Update features current information on the Divisions of Air Quality (DAQ), Waste and Hazardous Substances (WHS), and Water regarding public meetings, workshops, hearings, and regulatory documents available for public comment, as well as general news updates. For those of you who are receiving the E-News Update for the first time, the subscription is FREE!

Please sign up at: <http://www.dnrec.delaware.gov/Pages/DNRECLists.aspx> under "Division of Waste & Hazardous Substances Lists." There is no form to fill out; it's done in three clicks!

Suggestions? Additions? Please call Stacy Jones at 302-739-9400, or send an email to [Stacy.Jones@state.de.us](mailto:Stacy.Jones@state.de.us)

Published by the Divisions of Air Quality, Waste and Hazardous Substances and Water.

Visit us at: [www.awm.delaware.gov](http://www.awm.delaware.gov)

## **UPCOMING AIR, WASTE, & WATER-RELATED HEARINGS, MEETINGS, & EVENTS**

### **PROPOSED CHANGES TO THE DELAWARE REGULATIONS GOVERNING ABOVEGROUND STORAGE TANKS**

– The purpose of this meeting is to accept comments and questions on proposed changes to the Delaware Regulations Governing Aboveground Storage Tanks. The next meeting will be held on **June 29** from 10am to 12pm at DNREC - R&R Building Auditorium, 89 Kings Highway, Dover, DE, 19901.

Contact Alex Rittberg at 302-395-2500 for additional information, or visit:

<https://egov.delaware.gov/pmc/Event/Details/35900>

### **BOARD OF CERTIFICATION FOR WASTEWATER OPERATORS MONTHLY MEETING**

– This is a regular monthly meeting of the Board of Certification for Wastewater Operators. Meeting will take place on **July 5** from 9am to 11am at the Richardson and Robbins Building, Conference Room B172: 89 Kings Highway, Dover, DE, 19901. For additional information contact Faye Wheeler at (302) 739-9946, or visit:

<https://egov.delaware.gov/pmc/Event/Details/32996>

### **ON-SITE SYSTEMS ADVISORY BOARD MEETING**

– will be held on **July 6** from 9:15am to 11:30am at the Richardson and Robbins Building, Conference Room B228: 89 Kings Highway, Dover, DE, 19901. For additional information, contact Dryden 302-739-9948 or visit:

<https://egov.delaware.gov/pmc/Event/Details/38079>

**OPT-IN! THE DELAWARE DIVISION OF AIR QUALITY (DAQ)** is committed to working with citizens to continuously optimize Delaware's air quality and protect public health, welfare, and the environment. To determine that the DAQ is meeting the air quality needs of the citizens across the state, we encourage you to participate in our opt-in list. In the future you will receive surveys that will allow us to analyze our performance. You can access the opt-in list by clicking:

[https://survey.co1.qualtrics.com/jfe/form/SV\\_1RGZGUYt8fSuqkB](https://survey.co1.qualtrics.com/jfe/form/SV_1RGZGUYt8fSuqkB)

**AIR QUALITY PERMITTING PROGRAM** – Notice has been given that the facilities listed below have submitted applications for air quality management permits. The applications, the "draft/proposed" permits, all materials that the applicant has submitted (other than those granted confidential treatment under DNREC rules), and a copy of summary of other materials, if any, considered in preparing the "draft/proposed" permit, may be inspected at the offices of the Division of Air Quality, 100 W. Water Street, Suite 6A, Dover, 19904. **All comments and public hearing requests** should be mailed to the following address: DIVISION OF AIR QUALITY, 100 W. Water Street, Suite 6A, Dover, 19904. To submit comments, for additional information, or for an appointment to inspect the application, please contact Penny Gentry at (302) 739-9402.

**FMC HEALTH AND NUTRITION** having a facility at 1301 Ogletown Road, Newark, Delaware has requested a federally enforceable 7 DE Admin. Code 1102 construction permit (APC-2016/0112-CONSTRUCTION (FE)) for a new baghouse to replace the existing EP-109 baghouse of Storage

Bin # 4 which is nearing the end of its life. The new bag house will be permitted to emit 0.05 ton of particulate matter (PM10) per year. A public hearing on the above application will NOT be held unless our agency Secretary receives a request for a hearing regarding that application by **June 28**. A request for a hearing shall be in writing. The request must also show a familiarity with the application and a reasoned statement of the permit's probable impact. For additional information, visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3269&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

**SIEMENS HEALTHCARE DIAGNOSTICS INC.** requests a federally enforceable 7 DE Admin. Code 1102 construction permit APC-2016/0118-CONSTRUCTION (NSPS)(GACT)(FE) for the installation of one (1) emergency generator, rated 750 kW (1100 HP) at Route 896 & Corporate Blvd, Newark, New Castle County, Delaware. The engine used in this generator set complies with U. S. EPA regulations under the provisions of 40 CFR 89, Non-Road Tier 2 emissions limits. Permitted emissions based on 150 hours per year are 0.022 TPY HC, 1.07 TPY NOx, 0.05 TPY CO, 0.009 TPY PM, and 0.02 TPY SO2. A public hearing on the above application will NOT be held unless our agency Secretary receives a request for a hearing regarding that application by **June 28**. A request for a hearing shall be in writing. The request must also show a familiarity with the application and a reasoned statement of the permit's probable impact. For additional information, visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3267&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

**SUSSEX COUNTY COUNCIL PUMP STATION 210** requests permission for the installation of one (1) emergency generator, rated 800 kW (1220 HP) and fired with diesel at 33881 Westcoats Road, Lewes, Sussex County, Delaware. The engine used in this generator set complies with U. S. EPA regulations under the provisions of 40 CFR 89, Non-Road Tier 2 emissions limits. Permit # APC 2016/0133-Construction. A public hearing on the above application will NOT be held unless our agency Secretary receives a request for a hearing regarding that application by **July 5**. A request for a hearing shall be in writing. The request must also show a familiarity with the application and a reasoned statement of the permit's probable impact. For additional information, visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3309&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

**ALLAN MYERS DELAWARE, INC.** having a facility at 22351 Joseph Road, Georgetown, and 3700 Bay Road, Dover, has requested a federally enforceable 7 DE Admin. Code 1102 construction permits (APC-2016/0106- CONSTRUCTION (NSPS) (MNSR) (FE) and APC-2016/0107-CONSTRUCTION (NSPS) (MNSR) (FE)) for a portable 125 HP screener and conveyor belts to size Recycled Asphalt Pavement (RAP). Allan Myers Delaware, Inc. requests a limit for operating hours and fuel usage for the screener. These limits are necessary to comply with 7 DE Admin. Code 1125, Minor New Source Review. Total potential estimated emissions from the screener and conveyors are 12.6 TPY NOx, 0.83 TPY SO2, 2.7 TPY CO, 1.0 TPY TOC, and 11.37 TPY PM10. Actual emissions will not exceed 0.717 TPY NOx, 0.047 SO2, 0.15 TPY CO, 0.059 TPY TOC, and 0.64 TPY PM10. A public hearing on the above application will NOT be held unless our agency Secretary receives a request for a hearing regarding that application by **July 20**. A request for a hearing shall be in writing. The request must also show a familiarity with the application and a reasoned statement of the permit's probable impact. For additional information, visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3308&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

**THE UNIVERSITY OF DELAWARE** having a facility at 222 S. Chapel Street, Newark, Delaware, has submitted a request for a significant permit modification pursuant to 7 DE Admin. Code 1130, Section 7 for operating permit: AQM-003/00022(Renewal 3). Based on the data and certifications contained in the application, the Division of Air Quality concludes that the applicant meets all applicable requirements promulgated by the Environmental Protection Agency (EPA) and the Department of Natural Resources and Environmental Control (DNREC). Therefore a “draft/proposed” significant permit modification has been prepared. This “draft/proposed” significant permit modification changes the Responsible Official, removes fuel oil from UD1031 (Boiler 6) and changes its emissions for natural gas, and adds stack testing requirements for UD1010 (Boiler 4). A public hearing on the above application will NOT be held unless our agency Secretary receives a request for a hearing regarding that application by **July 20**. A request for a hearing shall be in writing. The request must also show a familiarity with the application and a reasoned statement of the permit’s probable impact. For additional information, visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3307&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

**A.I. DUPONT HOSPITAL FOR CHILDREN** having a facility at 1600 Rockland Road, Wilmington, Delaware, has submitted a request for a Title V Permit Renewal renewal pursuant to 7 DE Admin. Code 1130, Section 7 for operating permit: AQM-003/00131-Renewal 4. Based on the data and certifications contained in the application, the Division of Air Quality concludes that the applicant meets all applicable requirements promulgated by the Environmental Protection Agency (EPA) and the Department of Natural Resources and Environmental Control (DNREC). A public hearing concerning the permitting action will not be held unless the Secretary of the Department of Natural Resources and Environmental Control receives a request for such hearing within thirty (30) days from the date of this notice, ending **July 26, 2016**. A request for a hearing shall be in writing and must show a familiarity with the application and a reasoned statement of the permit renewal’s probable impact. For additional information, visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3317&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

**WHS - SITE INVESTIGATION AND RESTORATION SECTION (SIRS)** is responsible for the identification, evaluation and remediation of sites in Delaware that have had past releases of hazardous substances. The section manages the contaminated sites under three major programs in accordance with the Hazardous Substance Cleanup Act (HSCA). The three programs are the **Brownfields Development Program, the Voluntary Cleanup Program (VCP) and the HSCA Enforcement Program** (for sites requiring enforcement action).

**NOTIFICATION OF NEGOTIATIONS CONCERNING A VOLUNTARY CLEANUP PROGRAM AGREEMENT FOR THE FORMER AIR PRODUCTS SITE (DE-1570) -** DNREC is negotiating a VCP Agreement with Governor Lea Associates, LLC regarding the Former Air Products Site (Site) located at 755 Governor Lea Road in New Castle. The approximate 15.62 acre Site is identified on the maps of New Castle County as tax parcel number 12-003.00-001. The Site may have had a release of hazardous substances as a result of past industrial use at the Site. This notice expires **July 4**. For additional information, please contact the project officer, Patrick Boettcher at (302) 395-2600; or visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3297&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

**The Brownfields Development Program** encourages the cleanup and redevelopment of vacant, abandoned or underutilized properties, which may be contaminated. A party seeking to develop such a property negotiates with SIRS for a **Brownfields Development Agreement (BDA)** to perform an investigation and, if necessary, a remedial action or remedy, for the purpose of addressing the risks posed by past releases of hazardous substances at these sites. However, a BDA is only available to parties that are not current site owners. The **Voluntary Cleanup Program (VCP) Agreement** is available to site owners, who want to clean up their sites and are already liable as a potentially responsible party for the site.

**NOTIFICATION OF PUBLIC COMMENT FOR A BROWNFIELD DEVELOPMENT AGREEMENT FOR THE FORMER S. DUPONT SHELL STATION SITE (DE-1510)** - the SIRS negotiated a Brownfield Development Agreement with the First State Firearms and Accessories LLC regarding the Former S. DuPont Shell Station Site located at 178 S. DuPont Highway in Wilmington. Identified by New Castle County as tax parcel number 10-030.00-029, the 1.34 acre Site may have had a release of hazardous substances as a result of past use as a gasoline station and fuel oil storage and dispensing facility. DNREC's Tank Management Section (TMS) managed the Site which is known by TMS as facility 3-00095 and 3-000203. The public comment period began on June 22 and will close on **July 11**. Please submit written comments to the DNREC-SIRS Project Manager, Wendy March at SIRS, 391 Lukens Drive, New Castle, DE 19720. For additional information contact Wendy March at (302) 395-2600 or visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3316&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

**The Proposed and Final Plans of Remedial Action** listed below outline site cleanup activities and covenants and are available online at: <http://www.dnrec.delaware.gov/whs/awm/SIRB/Pages/SIRBPlans.aspx> under "Announcements." For site-specific information, please see DNREC's Environmental Navigator at: <http://www.nav.dnrec.delaware.gov/DEN3>

**FINAL PLAN OF REMEDIAL ACTION FOR THE DELAWARE MILITARY ACADEMY (DMA) EXPANSION SITE (OPERABLE UNIT-2) (DE-1484)**- The Department has adopted a plan regarding the clean-up of Operable Unit 2 of the DMA Expansion Site located in Wilmington. Since the aboveground and underground tanks have already been removed, the remedial actions include filing of an environmental covenant restricting groundwater withdrawal. DNREC issued public notice of the Proposed Plan for Operable Unit 2 of the DMA Expansion Site on May 19. There were no comments or questions from the public regarding the Proposed Plan. The public has until **July 12** to appeal this Final Plan. For additional information, please contact Morgan M. Price, Project Manager, or Robert Newsome, Public Information Officer, at (302) 395-2600; or visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3315&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

**DIVISION OF WATER - GROUND WATER DISCHARGES** -The Division of Water hereby gives notice that the applications below are available for inspection or copies may be obtained by contacting: Kathleen Saunders, Ground Water Discharges, 89 Kings Highway, Dover 19901, or by calling (302) 739-9948.

#### **On-Site Wastewater Treatment and Disposal System**

**Heather Lynch-James** has applied to construct a standard gravity full depth on-site wastewater treatment and disposal system. The system has been designed to accommodate 1,400 gallons per day of wastewater. The system will service a group

home consisting of 14 bedrooms. The property is located at 207 Ruth Drive, Middletown, DE, New Castle County, tax parcel # 13-018.00-162. A public hearing concerning the above application will NOT be held unless our agency Secretary determines that a hearing is in the public interest or if a written meritorious request for a hearing is received on or before **July 5**. A request for a public hearing shall be deemed meritorious if it exhibits a familiarity with the application and provides a reasoned statement of the permit's probable impact. For additional information, visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3311&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

#### **Formal Waiver**

**Mr. Randy Eddinger, Director of Southern Operations, Shore Water Refining, Inc.**, is seeking a Formal Waiver for Shore Water Refining, Inc. to install Demand Initiated Regeneration (DIR) water softeners which discharge regenerative waters directly into a conventional on-site wastewater treatment and disposal system pursuant to 7 Del. Admin. C.§7101 - 5.6.2 of the Regulations Governing the Design, Installation, and Operation of On-Site Wastewater Treatment and Disposal Systems. The request includes documentation that the homeowner and Shore Water Refining, Inc. must sign, agree to, notarize, and have recorded in the respective County Recorder of Deeds for each system installed. A public hearing concerning the above application will NOT be held unless our agency Secretary determines that a hearing is in the public interest or if a written meritorious request for a hearing is received on or before **July 7**. A request for a public hearing shall be deemed meritorious if it exhibits a familiarity with the application and provides a reasoned statement of the permit's probable impact. For additional information, visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3313&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

#### **Underground Injection Control Permit**

**E.I. DuPont de Nemours and Company [Stine Haskell Research Center]**, located at 1090 Elkton Road, Newark, New Castle County, has applied to the Ground Water Discharges Section for an amendment of their current Underground Injection Control (UIC) permit, for the addition of 3 injection points (steam traps in the form of dry wells) for discharging infiltrated rainwater and steam condensate from various process boilers at the facility. A public hearing on the above application will NOT be held unless the Secretary of DNREC determines that a public hearing is in the public interest or if a written meritorious objection to the application is received by **July 26**. A public hearing request shall be deemed meritorious if it exhibits a familiarity with the application and provides a reasoned statement of the action's probable impact. For additional information, visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3319&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

#### **Non-Hazardous Liquid Waste Transporters Permits and Spray Irrigation Permit**

A public hearing on the applications below will NOT be held unless the Secretary of DNREC determines that a public hearing is in the public interest or if a written meritorious objection to the application is received by **July 11**. A public hearing request shall be deemed meritorious if it exhibits a familiarity with the application and provides a reasoned statement of the action's probable impact. For more information, visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3320&Source>

<http://www.dnrec.delaware.gov/Lists/Public%20Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

**J.R.'s Septic Service, Inc.** has applied to the Ground Water Discharges Section for a renewal of Non-Hazardous Liquid Waste Transporters Permit DE WH-094 which allows for the transport of septage to be disposed of at the New Castle County Sewer System.

**Hollis Warren Inc.** has applied to the Ground Water Discharges Section for a renewal of Non-Hazardous Liquid Waste Transporters Permit DE WH-004 which allows for the transport of septage, holding tank waste, grease trap waste and/or cooking oil waste to be disposed of at the Kent County Sewer System; and approved portions of the 151.4 acre Hollis Warren, Inc. Farm (tax parcel 7-00-109.00-02-37.00-00001), Kent County, in accordance with Agricultural Utilization Permit Number AGU 1005-K-03 (and subsequent amendments).

**The Town of Middletown** has applied to the Groundwater Discharges Section for an Amended Operations Permit to allow for the spray irrigation of highly treated wastewater onto 88.2 acres of the St. Anne's Golf Course rough, greens, tees, and fairways. The Town of Middletown has also applied for a Construction Permit to install irrigation equipment in a proposed expansion of the St. Anne's Golf Course resulting in 50.5 additional acres of irrigation area. The Town of Middletown is permitted by State of Delaware Spray Irrigation Permit DEN Number 359298-13 for the Middletown Wastewater Treatment Plant. The Middletown Wastewater Treatment Plant treats and spray irrigates domestic wastewater collected from the Town of Middletown. The facility is located on the south side of Delaware Route 301, east of County Road 10, south of Bunker Hill Road, New Castle County, Delaware.

**DIVISION OF WATER - SURFACE WATER DISCHARGES** – The Division of Water hereby gives notice that the following permit application has been received.

**Wastewater Facilities Construction Permit Applications:**

**Perdue Foods, LLC**, located in Georgetown, Sussex County, to install a new Dissolved Air Flootation system to provide partial wastewater pretreatment upstream of the existing Anaerobic pretreatment system, 90 linear feet of 16 inch force main and replace three existing pump motors with new VFD capable 40 HP motors to pump 1,000 gpm at 45 ft. per pump. Questions regarding the applications and plans for the above are available for inspection by contacting: Dr. Davison Mwale (PhD), Environmental Finance, 5E Reed Street, Suite 200, Dover, DE 19901, (302) 739-9941. A public hearing concerning the above application will NOT be held unless our agency Secretary determines that a hearing is in the public interest or if a written meritorious request for a hearing is received on or before **June 30**. A request for a public hearing shall be deemed meritorious if it exhibits a familiarity with the application and provides a reasoned statement of the permit's probable impact. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3300&Source=http://www.dnrec.delaware.gov/Lists/Public%20Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

**Mills Brother Market** of Milford, Kent County, to abandon a failing septic system and install 20 LF of 6" gravity sewer, 1,342 linear feet of 2" force main and one (1) package Eone grinder pump station and related facilities and to serve the Mills Brother Market store and transmit waste flows from the store to an existing Kent County 2" force main that eventually discharges to Kent County Regional Wastewater Treatment Facility. The pump station will be located at the Mills Brother Market store property, Kent County. Questions regarding the applications and plans for the above are available for inspection by contacting: Dr. Davison Mwale (PhD), Environmental Finance, 5E Reed Street, Suite 200, Dover, DE 19901, (302) 739-9941. A public hearing concerning the

above application will NOT be held unless our agency Secretary determines that a hearing is in the public interest or if a written meritorious request for a hearing is received on or before **July 6**. A request for a public hearing shall be deemed meritorious if it exhibits a familiarity with the application and provides a reasoned statement of the permit's probable impact. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3312&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

**MBAB Partnership** of Lewes, Sussex County, Delaware, to install 270 linear feet of 4" force main, 1,662 linear feet of 8" gravity sewer, 10 manholes and one (1) submersible pump station with dual pumps, valves and related facilities to serve the Red Clover Walk subdivision and transmit waste flows from the subdivision to an existing Sussex County 4" force main that discharges to the Inland Bays Regional Waste Water facility. The pump station will be located within the subdivision, at 18121 Robersonville Road, east of Robersonville Road (County Road 277) and south east of Seashell Blvd, Rehoboth Hundred, Sussex County. Questions regarding the applications and plans for the above are available for inspection by contacting: Dr. Davison Mwale (PhD), Environmental Finance, 5E Reed Street, Suite 200, Dover, DE 19901, (302) 739-9941. A public hearing concerning the above application will NOT be held unless our agency Secretary determines that a hearing is in the public interest or if a written meritorious request for a hearing is received on or before **July 6**. A request for a public hearing shall be deemed meritorious if it exhibits a familiarity with the application and provides a reasoned statement of the permit's probable impact. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3303&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

**City of Milford**, Delaware located in Kent County, plans to relocate a portion of (2600 LF) of an existing 4" force main which transmits wastewater from the existing pump station at the south end of Silicato Way, adjacent to the Royal Farms, to an existing sewer manhole at the intersection of Northeast Front Street and Rehoboth Blvd. The force main eventually discharges to the Kent County Regional Wastewater Facility. Questions regarding the applications and plans for the above are available for inspection by contacting: Greg Pope, P.E., Environmental Finance, 5E Reed Street, Suite 200, Dover, DE 19901, (302) 739-9941. A public hearing concerning the above application will NOT be held unless our agency Secretary determines that a hearing is in the public interest or if a written meritorious request for a hearing is received on or before **July 7**. A request for a public hearing shall be deemed meritorious if it exhibits a familiarity with the application and provides a reasoned statement of the permit's probable impact. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3305&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

**Bay Wood, LLC**, located in Long Neck, Sussex County, Delaware, to construct Bridleshire at Baywood Phase 1 Development at the intersection of Green Road and Banks Road in Long Neck. The project includes as a gravity collection system of 12,000 LF of 8" sanitary sewer, 71 manholes, 8337 LF of 4" force main, two 69,120 gpd (design) pump stations, one 236,160 gpd (design) pump station, and one 505,440 gpd (design) pump station that connects to the existing on site community wastewater treatment system. Questions regarding the applications and plans for the above are available for inspection by contacting: Greg Pope, P.E., Environmental Finance, 5E Reed Street, Suite 200, Dover, DE 19901, (302) 739-9941. A public hearing concerning the above application will NOT be held unless our agency Secretary determines that a hearing is in the public interest or if a written meritorious request for a hearing is received on or before **July 7**. A request for a public hearing shall be deemed meritorious if it exhibits a familiarity with the application and provides a reasoned statement of the permit's probable impact. For additional information, visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3304&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

**Georgetown Airport Associates, LLC**, located in Wilmington, Delaware, to construct King Farm Industrial Park on Park Avenue (Sussex County Road 321), Georgetown Hundred, Sussex County, Delaware. The project includes as a gravity collection system of 3690 LF of 8" sanitary sewer, 16 manholes, 143 LF of 4" force main, one 13,800 gpd (design) pump station to serve a 46 EDU proposed industrial park. Flow is eventually discharged to the Town of Georgetown Wastewater Reclamation Facility. Questions regarding the applications and plans for the above are available for inspection by contacting: Greg Pope, P.E., Environmental Finance, Office of the Secretary, 5 E. Reed Street, Suite 200, Dover, DE 19901, or by calling (302) 739-9941. A public hearing concerning the above application will NOT be held unless the Secretary of DNREC determines that a hearing is in the public interest or if a written meritorious request for a hearing is received on or before **July 11, 2016**. A request for a public hearing shall be deemed meritorious if it exhibits a familiarity with the application and provides a reasoned statement of the permit's probable impact. For additional information, visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3318&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

**DIVISION OF WATER - WATER SUPPLY** - The Division of Water hereby gives notice that the following well permit application has been received. For additional information concerning the applications below, please contact Allison Diggins/Water Supply Section - 89 Kings Highway, Dover, DE 19901; or, by phone at (302) 739-9945.

#### **Allocation Permits**

The Delaware Department of Transportation and R E Pierson Construction Company proposes to operate 5 borrow pits in the State-owned right-of-way of the Route 301 bypass project. The purpose of the proposed groundwater withdrawal is to mine sand for road construction. The requested daily withdrawal is 756,000 gallons per day. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3310&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

**DIVISION OF WATER - WETLANDS AND SUBAQUEOUS LANDS SECTION** – The Division of Water hereby gives notice that the applications below are available for inspection or copies may be obtained by contacting: Gayle Calder, Wetlands and Subaqueous Lands Section, 89 Kings Highway, Dover – 19901, or by calling (302) 739-9943. A public hearing on the applications below will NOT be held unless our agency Secretary determines that a public hearing is in the public interest, or if a written meritorious objection to the application is received by **July 5**. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3298&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

#### **Subaqueous Lands Permit Application**

Forty-Nine Pines, LLC -To replace a 24 inch diameter culvert pipe with a 36 inch diameter by 80 foot long RCP in Maidstone Branch for a road crossing at the proposed Forty Nine Pines subdivision at 3226 West Dennys Road, Kent County, DE

#### **Subaqueous Lands Lease**

Tina Haney - To authorize a 6 by 29 foot long linear dock, to install a boat lift and two mooring pilings, to remove a PWC lift in Assawoman Bay at 38397 Maple Lane, Keenwik, Selbyville,

Sussex County, DE

Richard Turner- To authorize and repair a 4 by 90 foot long pier, a 6 by 30 foot long dock, and a boat lift with 4 associated pilings in the Rehoboth Bay at 29 White Oak Rd, Rehoboth Beach Yacht and Country Club, Rehoboth Beach, Sussex County, DE

Thomas Sites - To construct a 4 by 85 foot long pier and a 4 by 20 foot long dock in Dirickson Creek at 36843 Jahnigen Drive, Frankford, Sussex County.

**Subaqueous Wetlands Map Change**

Parkway Gravel- requesting a change of State wetlands map DNR-396 to reclassify 14,400 square feet of ( O, Other) upland area to (M, Marsh) to reflect current conditions of a tidal marsh adjacent to Army Creek at 0 Heron Drive, New Castle , New Castle County.

**Subaqueous Lands Lease Supplemental**

Michael Koppenhaver -To install a 6 by 12 foot long floating kayak dock and a ladder connecting to a previously authorized structure in Bald Eagle Creek at 162 East Side Drive, Rehoboth Beach Yacht and Country Club Rehoboth Beach, Sussex County, DE

**Subaqueous Lands Lease and Permit Application**

Hugh Fuller – To construct a 4 by 180 foot long pier, a 6 by 30 foot long dock, and a boat lift with 4 associated pilings in Rehoboth Bay at 19 Marshall Road in Rehoboth Beach, Sussex County.

**CONTACT INFORMATION**

**24-Hour Environmental Report and Spill Notification Line - 1-800-662-8802**

Aboveground Storage Tanks - 302-395-2500

Air Quality - New Castle Office - 302-323-4542

Air Quality – Kent & Sussex – 302-739-9402

Asbestos New Castle - 302-323-4542

Asbestos Kent & Sussex - 302-739-9402

Biosolids Permits - 302-739-9946

Boiler Safety - 302-395-2500

Brownfields - 302-395-2600

Community Ombudsman - 302-739-9040

Community Services - 302-739-9959

Delaware Estuary Program - 302-739-9283 (Delaware Coastal Management Program)

Division of Air Quality Director's Office - 302-739-9402

Division of Energy & Climate - 302-735-3480

Division of Waste and Hazardous Substances Director's Office - 302-739-9400

Division of Water Information - 302-739-9950

Dock/Dredging/Bulkheads/Rip-Rap/Wetlands & Subaqueous Lands - 302-739-9943

Emergency Prevention and Response - 302-739-9404

Environmental Crimes Unit - 302-739-9401 or 1-800-662-8802

Environmental Laboratory - 302-739-9942

Hazardous Waste - 302-739-9403

Hazardous Chemical and Toxic Release Inventories – 302-739-9404

Industrial Stormwater Permits - 302-739-9946

Loans & Grants for Wastewater and Septic's (Environmental Finance) - 302-739-9941

Medical Waste - 302-739-9403

Non-Hazardous Liquid Waste Transporters - 302-739-9948

On-site Wastewater Licensing Program - 302-739-9948

Open Burning - 302-739-9402

Outreach Ombudsman - 302-395-2600

Recycling - 302-739-9403

Septic System Permits - Large Systems (Community & I/A) Statewide - 302-739-9948

Septic System Permits - Small Systems for Kent & New Castle Counties - 302-739-9947

Septic System Permits - Small Systems for Sussex Co. & Holding Tank Compli. Program - 302-856-4561  
Site Investigation & Restoration Section (Superfund/Brownfields) - 302-395-2600  
Small Business Ombudsman - 302-739-9909  
Solid Waste - 302-739-9403  
Source Water Protection - 302-739-9945  
Surface Water Discharge Permits (NPDES) - 302-739-9946  
Underground Injection Control & Spray Irrigation - 302-739-9948  
Underground Storage Tanks - 302-395-2500  
Wastewater Collection, Conveyance and/or Treatment Facility Construction Permits - 302-739-9946  
Wastewater Treatment Facility Operators - 302-739-9946  
Water Allocation Permits - 302-739-9945  
Water Testing - Drinking Water (Division of Public Health) - 302-741-8630  
Water Supply - 302-739-9945  
Well Driller's License - 302-739-9944  
Well Permits & Licensing - 302-739-9944  
Wells - 302-739-9944  
Wetlands and Subaqueous Lands Section - 302-739-9943