

The biweekly E-News Update features current information on the Divisions of Air Quality (DAQ), Waste and Hazardous Substances (WHS), and Water regarding public meetings, workshops, hearings, and regulatory documents available for public comment, as well as general news updates. For those of you who are receiving the E-News Update for the first time, the subscription is FREE!

Please sign up at: <http://www.delaware.gov/Pages/Lists.aspx> under "Division of Waste & Hazardous Substances Lists." There is no form to fill out; it's done in three clicks!

Suggestions? Additions? Please call Stacy Jones at 302-739-9400, or send an email to Stacy.Jones@state.de.us

Published by Divisions of Air Quality, Waste and Hazardous Substances and Water.

Visit us at: www.awm.delaware.gov

Secretary's Order No. 2015-WHS-0002

Issued to Norfolk Southern Railway Co., a/k/a Norfolk Southern Corporation, for violation of Delaware's Hazardous Substance Cleanup Act, 7 Del. C. Chapter 91 ("HSCA") and of 7 DE Administrative Code 1375, Delaware's Regulations Governing Hazardous Substance Cleanup.

UPCOMING AIR, WASTE, & WATER-RELATED HEARINGS, MEETINGS, & EVENTS

BOARD OF CERTIFICATION MEETING - The July meeting of the Board of Certification for Wastewater Operators will take place on **July 1** from 9am to 11am in Room B136 at the Richardson and Robbins Building, 89 Kings Highway, Dover, DE 19901. Please contact Melissa Kiser at (302) 739-99468 for additional information, or visit: <https://egov.delaware.gov/pmc/Event/Details/27440>

ON-SITE SYSTEMS ADVISORY BOARD – Meeting will take place on **July 1** from 9:15am to 11:30am in Room B228 at the Richardson and Robbins Building-89 Kings Highway, Dover, DE 19901. Please contact Dawn Dryden (302) 739-9948 for additional information, or visit: <https://egov.delaware.gov/pmc/Event/Details/27616>

WATER SUPPLY COORDINATING COUNCIL MEETING - The Council will hold a meeting on **July 29** from 10am to 12pm at the Kent County Administration Complex, Conference Room 220, 555 Bay Road, Dover, DE, 19901. Dover, DE 19901. For additional information, please contact Kimberly Burris at (302) 739-9945; or visit: <https://egov.delaware.gov/pmc/Event/Details/27415>

BOARD OF CERTIFICATION MEETING - The August meeting of the Board of Certification for Wastewater Operators will take place on **August 5** from 9am to 11am in Room B136 at the Richardson and Robbins Building, 89 Kings Highway, Dover, DE 19901. Please contact Melissa Kiser at (302) 739-99468 for additional information, or visit: <https://egov.delaware.gov/pmc/Event/Details/28677>

REVISION TO REG. 1138 SECT. 6 & REG. 1141- SECT. 2 PUBLIC HEARING – Two (2) separate hearings will be held in succession on **August 4**, in the order shown above, beginning at 6pm at the Richardson and Robbins Building - 89 Kings Highway, Dover, DE, 19901. Persons interested in one or both of the hearings should arrive by 6pm, as these amendments are expected to be noncontroversial and the hearings may progress quickly. For additional information, please contact Jim Snead at (302) 323-4542; or visit: <https://egov.delaware.gov/pmc/Event/Details/28720> and <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2814&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

ON-SITE SYSTEMS ADVISORY BOARD (OSSAB) REPRESENTATIVE INTEREST - The Ground Water Discharges Section (GWDS) is soliciting those Class F Liquid Waste Haulers

interested in applying for consideration to become a member of the On-Site Systems Advisory Board (OSSAB) representing your peers. If you'd like to apply for the Class F Liquid Waste Hauler representative on the OSSAB, please submit a completed application and an updated resume by **August 31** to: GWDS /OSSAB Licensing Coordinator - Dawn Dryden, 89 Kings Highway, Dover, DE 19901. For additional information, please visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2805&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

HSCA ADVISORY COMMITTEE (FORMERLY BROWNFIELDS ADVISORY COMMITTEE)

– The Committee will hold a public meeting on **September 10** from 9am to 12:30pm at the DNREC Lukens Field Office, 391 Lukens Drive, New Castle, DE 19720.

For additional information, please contact Christina Wirtz at (302) 395-2600 or visit:

<https://egov.delaware.gov/pmc/Event/Details/27640>

AIR QUALITY PERMITTING PROGRAM – Notice has been given that the facilities listed below have submitted applications for air quality management permits. The applications, the “draft/proposed” permits, all materials that the applicant has submitted (other than those granted confidential treatment under DNREC rules), and a copy of summary of other materials, if any, considered in preparing the “draft/proposed” permit, may be inspected at the offices of the Division of Air Quality, 655 S. Bay Road, Dover and 715 Grantham Lane, New Castle. **All comments and public hearing requests** should be mailed to the following address: DIVISION OF AIR QUALITY, 655 S. Bay Road, Suite 5 N, Dover, DE 19901. To submit comments, for additional information, or for an appointment to inspect the application, please contact Laura Bogus or Penny Gentry at (302) 739-9402.

NOTICE HAS BEEN GIVEN THAT THE ANIMAL SOUL, INC., requests a construction permit to construct one (1) B&L Cremation Systems, Inc. Model BLP-750 animal crematory at their 304/305 Robinson Lane facility, located in Wilmington, Delaware. The BLP-750 crematory will be permitted to emit 0.22 ton per year of PM10, 0.17 ton per year of SO2, 0.59 ton per year of NOx, 0.02 ton per year of CO, 0.005 ton per year of VOC's, and 0.0005 ton per year of lead by Permit: APC-2015/0108-CONSTRUCTION. A public hearing concerning the permitting action will not be held unless our agency Secretary receives a request for such hearing by **July 6**. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2807&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTICE IS HEREBY GIVEN THAT SIEMENS HEALTHCARE DIAGNOSTICS, INC. has submitted an application, pursuant to 7 DE Admin. Code 1102, Section 2.1, 11.2.9, and 12.3 for an Amendment to Permit: APC-1983/0397-OPERATION (Amendment 5)(SM). This amendment will add a new 750 kW emergency generator to the permit which was constructed under permit APC-2015/0022-CONSTRUCTION (NSPS)(GACT). The facility now includes four (4) dual fuel fired (natural gas/No. 2) boilers, one (1) natural gas fired boiler, five (5) natural gas fired emergency generators, two (2) diesel fired emergency generators, three (3) diesel fired portable generators and three (3) diesel fired fire pumps at 500 GBC Drive, Newark. Siemens Healthcare Diagnostics requests a limit for the maximum hours of operation (150 hours) for the new emergency generator. This limit is necessary to restrict the Company's potential to emit air pollutants, and the limits will be enforceable by the EPA and the state. Total permitted emissions in tons per year (TPY) from the new emergency generator are SO2: 0.018 TPY, CO: 0.051 TPY, NOX: 1.1 TPY, PM10: 0.009 TPY and VOC: 0.022 TPY. A public hearing concerning the permitting action will not be held unless our agency Secretary receives a request for such hearing by **July 7**. For more information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2782&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

[es%2FAAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A](http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2808&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A)

NOTICE IS HEREBY GIVEN THAT KUEHNE CHEMICAL COMPANY having a facility at 1645 River Road, Delaware City, Delaware, has submitted a request for permit renewal pursuant to 7 DE Admin. Code 1130, Section 7 for operating Permit: AQM-003/00115. Based on the data and certifications contained in the application, the Division of Air Quality concludes that the applicant meets all applicable requirements promulgated by the Environmental Protection Agency (EPA) and the Department of Natural Resources and Environmental Control (DNREC). Therefore a "draft/proposed" permit renewal has been prepared. This "draft/proposed" permit renewal renews the operating permit and incorporates the operating conditions for chlorine scrubber (ID:18-14U). A public hearing concerning the permitting action will not be held unless our agency Secretary receives a request for such hearing by **July 21**. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2808&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTICE IS HEREBY GIVEN THAT DUPONT EXPERIMENTAL STATION having a facility at Rt. 141 and Henry Clay in Wilmington has requested one federally enforceable 7 DE Admin. Code 1102 operating permit (Permit: APC-2015/0083-OPERATION (FE)) to convert from a batch to a continuous process for the Polymerization Process in Building 258. The permit will limit emissions to 15 lbs/day and 2.74 tpy of Hazardous Air Pollutants (HAPs) and 15 lbs/day and 2.74 tpy of Volatile Organic Compounds (VOCs) and increase of 5 lbs/day and 0.91 tpy for each pollutant from previously permitted levels. Upon completion of construction, the Department will incorporate the operating conditions and limits of the 7 DE Admin. Code 1102 Construction permit into the facility's existing Title V permit (Permit: AQM-003/00011) via an Administrative Amendment. A public hearing will NOT be held unless our agency Secretary receives a request for a hearing regarding this application by **July 21**. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2796&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

WHS - SITE INVESTIGATION AND RESTORATION SECTION is responsible for the identification, evaluation and remediation of sites in Delaware that have had past releases of hazardous substances. The section manages the contaminated sites under three major programs in accordance with the Hazardous Substance Cleanup Act (HSCA). The three programs are the **Brownfields Development Program, the Voluntary Cleanup Program (VCP) and the HSCA Enforcement Program** (for sites requiring enforcement action).

The Brownfields Development Program encourages the cleanup and redevelopment of vacant, abandoned or underutilized properties, which may be contaminated. A party seeking to develop such a property negotiates with SIRS for a **Brownfields Development Agreement (BDA)** to perform an investigation and, if necessary, a remedial action or remedy, for the purpose of addressing the risks posed by past releases of hazardous substances at these sites. However, a BDA is only available to parties that are not current site owners. The **Voluntary Cleanup Program (VCP) Agreement** is available to site owners, who want to clean up their sites and are already liable as a potentially responsible party for the site.

NOTIFICATION OF PUBLIC COMMENT FOR A BROWNFIELDS DEVELOPMENT AGREEMENT FOR THE 2004 & 2008 SHIPLEY ROAD-WILMINGTON SITE, (DE-1603) The Site Investigation and Restoration Section (DNREC-SIRS) negotiated a BDA with Harbor Retirement Development, LLC regarding the 2004 & 2008 Shipley Road-Wilmington Site (Site). Identified on the tax maps of New Castle County as tax parcel numbers 06-078.00-404 and 06-078.00-459, the 8.41 acre Site may have had a release of hazardous substances as a

result of past use from herbicides, pesticides and the location of underground storage tanks. The public comment period will end on **July 6**. Please submit written comments SIRS Project Manager, Meghan Crystall at 391 Lukens Drive, New Castle, DE 19720. For additional information contact Meghan Crystall at (302) 395-2600; or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2789&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTIFICATION OF NEGOTIATIONS CONCERNING A VOLUNTARY CLEANUP PROGRAM AGREEMENT FOR THE KAISER YACHT SITE (DE-1563)-

The Site Investigation and Restoration Section (SIRS), on behalf of our agency, initiated the VCP in February 1995 in an effort to lessen the time and cost required in cleaning up contaminated sites by reducing litigation. Our agency is negotiating a VCP Agreement with John Kaiser regarding the Kaiser Yacht Site located at 1122 East 7th Street and 0 SS East 7th Street in Wilmington. The 1.04 acre Site is identified on the maps of New Castle County as tax parcel number 26-044.00-011 and 26-044.00-031 and may have had a release of hazardous substances at the Site. This notice expires **July 14**. For additional information, please contact the project officer, Lindsay Hall at ; or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2811&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

The Proposed and Final Plans of Remedial Action listed below outline site cleanup activities and covenants and are available online at:

<http://www.dnrec.delaware.gov/whs/awm/SIRB/Pages/SIRBPlans.aspx> under "Announcements." For site-specific information, please see DNREC's Environmental Navigator at <http://www.nav.dnrec.delaware.gov/DEN3>

FINAL PLAN OF REMEDIAL ACTION FOR THE FORMER OCEANIC GAS STATION SITE DE-1562-

The Department has adopted a plan regarding the clean-up of the Former Oceanic Gas Station Site located in Wilmington. The selected remedy is to maintain the existing impervious cap, adopt an Environmental Covenant limiting the Site to commercial development and restricting the use of groundwater, and submit for agency approval a Contaminated Materials Management Plan and Long Term Stewardship Plan. The public may appeal this Final Plan by **July 13**. In the event the twentieth day falls on a weekend or holiday the final date to appeal will be the next business day. For additional information, please contact Kristen Thornton, Project Manager, or Robert Newsome, Public Information Officer, at

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2804&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

PROPOSED PLAN OF REMEDIAL ACTION FOR THE FORMER SUPER SODA CENTER MILFORD II (DE-1583)

The Department invites public comment on a proposal to clean up the Former Super Soda Center Milford II Site located at 320 N.E. Front Street in Milford. The Site is a commercial property approximately 0.39 acres in size, and consists of an office building with open areas covered in a mixture of asphalt, concrete, grass, and stone. The comment period ends on **July 13**. For additional information, please contact Lindsay Hall, Project Manager, or Robert Newsome, Public Information Officer, at (302)395-2600; or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2801&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

FINAL PLAN OF REMEDIAL ACTION FOR THE FIRST STATE MILITARY ACADEMY SITE (DE-1565)

The Department has adopted a plan regarding the clean-up of the First State Military Academy Site located in Clayton. The Site remedy includes an environmental covenant which restricts the use of contaminated groundwater. The Site will be redeveloped for use as a high school called First State Military Academy. Our agency issued public notice of the Proposed Plan

for the First State Military Academy Site on May 24. There were no comments or questions from the public regarding the Proposed Plan. The public may appeal this Final by **July 13**. For additional information, please contact Stephanie Gordon, Project Manager, or Robert Newsome, Public Information Officer, at (302) 395-2600; or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2800&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

FINAL PLAN OF REMEDIAL ACTION FOR THE A-1 AUTO SALVAGE SITE (DE-1172) -

The Department has adopted a plan for A-1 Auto Salvage located at 410 Garasches Lane, Wilmington. The site will be capped, groundwater will be monitored and an environmental covenant restricting the site to commercial use will be place on the property. The Site is currently owned by Garasches Lane Trust. The public may appeal this Final Plan for a period of, twenty (20) days from the date of this notice ending **July 13**. For additional information, please contact Karissa Hendershot, Project Manager, or Robert Newsome, Public Information Officer, at (302) 395-2600; or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2799&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

PROPOSED PLAN OF REMEDIAL ACTION FOR THE FORMER TAKE-A-BREAK SITE (DE-1579)

The Department invites public comment on a proposal to clean up the Former Take-A-Break Site located at 413 8th Avenue, Wilmington. The 1.39-acre Site consists of two (2) buildings- one building is an office building with a shop area and one is a warehouse with offices in a commercial area. The Site soil is contaminated with poly-nuclear aromatic hydrocarbons (PAHs) while the groundwater is contaminated with semi-volatile organic compounds (SVOCs) and cobalt related to leaks from former underground storage tanks. The comment period ends on **July 14**. For additional information, please contact Rick Galloway, Project Manager, or Robert Newsome, Public Information Officer, at (302) 395-2600; or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2810&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

PROPOSED PLAN OF REMEDIAL ACTION FOR THE FORMER EASTERN AUTO BODY (DE-1593) -

The Department invites public comment on a proposal to clean up the Former Eastern Auto Body site located at 1 Brookside Drive in Wilmington, Delaware. The 0.20 acre site consists of a one story masonry building with asphalt paving in the front and gravel cover on both sides. It is surrounded by a mixed residential/commercial area. The comment period ends on **July 20**. For additional information, please contact Larry Jones, Project Manager, or Robert Newsome, Public Information Officer, at (302) 395-2600; or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2815&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

FINAL PLAN OF REMEDIAL ACTION FOR THE HUDSON PIT SITE (DE-0107) -

The Department has adopted a final plan regarding the clean-up of the Hudson Pit Site located in Lewes. The arsenic impacted area, and the buried organic debris and biodegradable waste will be excavated and properly disposed. The area of subsurface oil sands will be capped and an Environmental Covenant will be recorded for the property. The public may appeal the Final Plan by **July 20**. For additional information, please contact Kathryn Durant, Project Manager, or Robert Newsome, Public Information Officer, at (302) 395-2600; or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2816&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

FINAL PLAN OF REMEDIAL ACTION FOR THE AMTRAK FORMER FUELING FACILITY OU-2 (DE-0266) CAR SHOP RELOCATION BUILDING AREA - The Department has adopted a final plan regarding the clean-up of Operable Unit 2 of the Amtrak Former Fueling Facility Site located in Wilmington, Delaware. The remedy will consist of compliance with a TSCA-approved self-implementing plan under 40 CFR 761.61(a) for disposition of PCB-contaminated soils above a concentration of 10 parts per million. As a result, other HSCA-related compounds in soil within the ACS-64 Building footprint will be removed from the property for disposal at a permitted facility.

DNREC issued public notice of the Proposed Plan for Operable Unit 2, the Car Shop Relocation Building Area, on May 27, 2014. There were no comments or questions from the public regarding the Proposed Plan. The public may appeal this Final Plan by **July 20**. For additional information, please contact John Cargill, Project Manager, or Robert Newsome, Public Information Officer, at (302) 395-2600; or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2812&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

DIVISION OF WATER - WATER SUPPLY - The Division of Water hereby gives notice that the following well permit application has been received. For additional information concerning the applications below, please contact Allison Diggins/Water Supply Section - 89 Kings Highway, Dover, DE 19901; or, by phone at (302) 739-9945.

Well Permit

Lin-Lo Farms proposes to construct an irrigation well, located 1,700 feet east of North Oak Grove Rd, between Wild Turkey and Horseshoe Roads, 5 miles northwest of Seaford, Sussex County. The well is proposed to be 100 feet deep and 16 inches in diameter. The desired capacity of this well is 1,000 gallons per minute. A public hearing will NOT be held unless our agency Secretary determines that a public hearing is in the public interest or if a written meritorious objection to the application is received by **July 6**. A public hearing request shall be deemed meritorious if it exhibits a familiarity with the application and provides a reasoned statement of the action's probably impact. For more information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2809&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

Allocation Permits

Clifton Parker, Jr. has requested a modification to his existing irrigation allocation. Three wells have been added to his farming operations which are located southeast of Frankford in Sussex County. The requested maximum daily withdrawal of the modification is 12,744,000 gallons per day. A public hearing will NOT be held unless our agency Secretary determines that a public hearing is in the public interest or if a written meritorious objection to the application is received by **July 6**. A public hearing request shall be deemed meritorious if it exhibits a familiarity with the application and provides a reasoned statement of the action's probably impact. For more information, please visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2809&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

Robert L. Emerson, III has requested an irrigation allocation for his farming operations. He has two wells that are located north of Middletown in New Castle County. The requested daily withdrawal is 1,281,600 gallons per day. A public hearing will NOT be held unless the Secretary of DNREC determines that a public hearing is in the public interest or if a written meritorious objection to the application is received by **July 13**. A public hearing request shall be deemed meritorious if it exhibits a familiarity with the application and provides a reasoned statement of the

action's probably impact. For more information, please visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2818&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

EMPLOYEE NEWS

Effective July 1, Tara Chambers, Administrative Specialist II, will be joining WHS' Emergency Planning and Community Right-to-Know Act (EPCRA) Group.

Effective July 29, Faye Myers, CAP-OM, Administrative Specialist III, will be working in the Division of Water's Surface Water Discharges Section.

CONTACT INFORMATION

24-Hour Report and Spill Notification Line - 1-800-662-8802

Aboveground Storage Tanks - 302-395-2500

Air Quality - New Castle Office - 302-323-4542

Air Quality – Kent & Sussex – 302-739-9402

Asbestos New Castle - 302-323-4542

Asbestos Kent & Sussex - 302-739-9402

Biosolids Permits - 302-739-9946

Boiler Safety - 302-395-2500

Brownfields - 302-395-2600

Delaware Estuary Program - 302-739-9283 (Delaware Coastal Management Program)

Division of Air Quality Director's Office - 302-739-9402

Division of Waste and Hazardous Substances Director's Office - 302-739-9400

Division of Water Information - 302-739-9950

Dock/Dredging/Bulkheads/Rip-Rap/Wetlands & Subaqueous Lands - 302-739-9943

Emergency Prevention and Response - 302-739-9404

Environmental Crimes Unit - 302-739-9401 or 1-800-662-8802

Environmental Laboratory - 302-739-9942

Hazardous Waste - 302-739-9403

Industrial Stormwater Permits - 302-739-9946

Loans & Grants for Wastewater and Septic's (Financial Assistance Branch) - 302-739-9941

Medical Waste - 302-739-9403

Non-Hazardous Liquid Waste Transporters - 302-739-9948

On-site Wastewater Licensing Program - 302-739-9948

Open Burning - 302-739-9402

Outreach Ombudsman - 302-395-2600

Recycling - 302-739-9403

Septic System Permits - Large Systems (Community & I/A) Statewide - 302-739-9948

Septic System Permits - Small Systems for Kent & New Castle Counties - 302-739-9947

Septic System Permits - Small Systems for Sussex County & Holding Tank Compliance Program - 302-856-4561

Site Investigation & Restoration Section (Superfund/Brownfields) - 302-395-2600

Solid Waste - 302-739-9403

Source Water Protection - 302-739-9945

Surface Water Discharge Permits (NPDES) - 302-739-9946