

The biweekly E-News Update features current information on the Divisions of Air Quality (DAQ), Waste and Hazardous Substances (WHS), and Water regarding public meetings, workshops, hearings, and regulatory documents available for public comment, as well as general news updates. For those of you who are receiving the E-News Update for the first time, the subscription is FREE!

Please sign up at: <http://www.dnrec.delaware.gov/Pages/DNRECLists.aspx> under "Division of Waste & Hazardous Substances Lists." There is no form to fill out; it's done in three clicks!

Suggestions? Additions? Please call Kathy Nedelka at 302-739-9400, or send an email to katherine.nedelka@state.de.us

Published by the Divisions of Air Quality, Waste and Hazardous Substances, and Water.

Visit us at: www.awm.delaware.gov

SECRETARY'S ORDERS

[Secretary's Order No. 2017-EC-0017](#)

RE: Approving Final Regulatory Repeal of 7 DE Admin. Code 2102: Implementation of the Renewable Energy Portfolio Standards

UPCOMING AIR, WASTE, & WATER-RELATED HEARINGS, MEETINGS, & EVENTS

WATER WELL LICENSING BOARD MEETING – Meeting will take place on **July 11** from 9:30am to 12pm at DNREC Conference Room B172, 89 Kings Highway, Richardson and Robbins Building, Dover, 19901. For additional information contact Sarah Jones at 302-739-9944 or visit:

<https://publicmeetings.delaware.gov/Meeting/53970>

ON-SITE SYSTEMS ADVISORY BOARD MEETING – This is a regular monthly meeting that will be held on **July 12** from 9:15am to 11:30am at the Richardson and Robbins Building, Conference Room B228: 89 Kings Highway, Dover, 19901. Photo ID required to enter meeting location. For additional information, contact Dawn Dryden, 302-739-9948; or visit:

<https://publicmeetings.delaware.gov/Meeting/52654>

WATER SUPPLY COORDINATING COUNCIL MEETING - The Council will hold a meeting on **July 13** from 10am to 12pm at the Kent County Administration Complex, Conference Room 220, 555 Bay Road, Dover, 19901. For additional information, please contact Kimberly Burris at (302) 739-9945; or visit:

<https://publicmeetings.delaware.gov/Meeting/52660>

PUBLIC HEARING The Groundwater Discharges Section (GWDS) will be conducting a public hearing regarding the proposed amendments to the Artesian Northern Sussex Regional Water Reclamation Facility (ANSRWRF) construction permit application. The public hearing will take place on **July 27** at 6:00PM in the Milton Library (121 Union Street, Milton). The application may be viewed at:

<http://www.dnrec.delaware.gov/wr/Services/Pages/GroundWaterDischarges.aspx> The Department requests that persons who want to comment on the application at the hearing should register in advance no later than the day before the hearing. This registration will be used to determine the order of speakers at the public hearing. In addition, the public comment period is re-opened and written public comments may be submitted until the public hearing. Registration and any written comments should be sent, preferably by email, to: Robert.Haynes@state.de.us; Mail to: Robert P. Haynes, Esq. Senior Hearing Officer, Office of the Secretary, 89 Kings Highway Dover 19901 or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3844&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

BOARD OF CERTIFICATION FOR WASTEWATER OPERATORS MONTHLY MEETING –

This is a regular monthly meeting of the Board of Certification for Wastewater Operators. Meeting will take place on **August 1** from 9am to 10am at the Richardson & Robbins Building, Conference Room B172, 89 Kings Hwy, Dover 19901. For additional information contact Faye Wheeler at (302) 739-9946; or visit:

<https://publicmeetings.delaware.gov/Meeting/39382>

PUBLIC HEARING The Surface Water Discharges Section (SWDS), Board of Certification for Wastewater Operator Licensing, will be holding a public hearing regarding proposed amendments to the Regulations for Licensing Operators of Wastewater Facilities. The regulations for licensing of wastewater operators have been revised to incorporate language as recommended by the operating community, reorganization and structure of the Board of Certification, updates to the treatment plant classification process, and enhancement of the licensing process. There are no new fees proposed, and there are no changes/modifications being proposed that will increase current costs to affected public and private entities, nor the wastewater operating community. You are invited to send written comments before the public hearing, or provide written and/or verbal comments at the public hearing. The hearing will be held **August 10** beginning at 6:00 pm – DNREC Auditorium, 89 Kings Highway, Dover, 19901. The proposed changes/updates to the Wastewater Operator Licensing Regulations can be found on our website at:

www.dnrec.delaware.gov/wr/Information/SWDInfo/Documents/WastewaterOperatorRegulations.pdf . For more information or directions, please contact: Faye Wheeler, Surface Water Discharges, 89 Kings Highway, Dover, 19901, (302) 739-9946, Faye.Wheeler@state.de.us or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3849&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

OPT-IN! THE DELAWARE DIVISION OF AIR QUALITY (DAQ) is committed to working with citizens to continuously optimize Delaware’s air quality and protect public health, welfare, and the environment. To determine that the DAQ is meeting the air quality needs of the citizens across the state, we encourage you to participate in our opt-in list. In the future you will receive surveys that will allow us to analyze our performance. You can access the opt-in list by clicking:

https://survey.co1.qualtrics.com/jfe/form/SV_1RGZGUYt8fSuqkB

AIR QUALITY PERMITTING PROGRAM – Notice has been given that the facilities listed below have submitted applications for air quality management permits. The applications, the “draft/proposed” permits, all materials that the applicant has submitted (other than those granted confidential treatment under DNREC rules), and a copy of summary of other materials, if any, considered in preparing the “draft/proposed” permit, may be inspected at the offices of the Division of Air Quality, 100 W. Water Street, Suite 6A, Dover, 19904. **All comments and public hearing requests** should be mailed to the following address: DIVISION OF AIR QUALITY, 100 W. Water Street, Suite 6A, Dover 19904. To submit comments, for additional information, or for an appointment to inspect the application, please contact Tracy Mattson at (302) 739-9402.

NOTICE IS HEREBY GIVEN THAT Delaware Solid Waste Authority (DSWA) Cherry Island Landfill having a facility at 1706 E. 12th Street, Wilmington, has submitted a request for a permit renewal pursuant to 7 DE Admin. Code 1130, Section 7 for operating permit: AQM-003/00111-Renewal 3. Based on the data and certifications contained in the application, the Division of Air Quality concludes that the applicant meets all applicable requirements promulgated by the Environmental Protection Agency (EPA) and the Department of Natural Resources and Environmental Control (DNREC). Therefore a “draft/proposed” permit renewal has been

prepared. This "draft/proposed" permit renewal incorporates the requirements of the 4500 SCFM Perennial Flare in addition to addressing any and all administrative duties associated with renewing the existing Title V Operating Permit. To submit comments, for additional information or for an appointment to inspect the application, please contact Tracy Mattson at the Dover Office at 739-9402. A public hearing concerning the permitting action will not be held unless the Secretary receives a request for such hearing by **July 11**. A request for a hearing shall be in writing and must show a familiarity with the application and a reasoned statement of the permit renewal's probable impact. For more information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3809&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTICE HAS BEEN GIVEN THAT Johnson Controls Battery Group, Inc., requests a construction permit to expand the formation of batteries at their 50 Patriot Drive, Middletown, facility. The facility requests to expand the existing starting, lighting and ignition (SLI) battery area by adding 4 water bath tables. With this addition, the facility will have a total of 36 SLI water bath tables. Additionally, the facility requests to install 80 new water bath tables for the formation of absorbent glass mat (AGM) batteries. The expansion will be permitted by Permit: APC-2017/0103 (SLI) and Permit: APC-2017/0104 (AGM). The facility will control sulfuric acid emissions by installing 11 wet scrubbers and using existing general exhaust fans. The total facility-wide sulfuric acid emissions will be 0.10 lb/hr and 0.44 ton/year. The battery formation process emits hydrogen gas. The facility conducted preliminary stack testing at the existing configuration (32 water bath tables) which resulted in emissions less than 1,188 tons per year of hydrogen gas. The detection limit, during the testing, was within the range of 16.4 to 17.7 pounds per hour per exhaust fan (16 exhaust fans). For additional information or for an appointment to review the application, please contact Tracy Mattson at (302) 739 9402. A public hearing on any of the above applications will NOT be held unless the Secretary receives a request for a hearing regarding that application by **July 24**. A request for a hearing shall be in writing. The request must also show a familiarity with the application and a reasoned statement of the permit's probable impact. For more information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3851&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTICE HAS BEEN GIVEN THAT Dogfish Head Craft Brewery, LLC, requests a construction permit to install twenty (20) 1,200 barrel capacity beer maturation (fermentation) vessels for MV-Bay 7 at their 6 Cannery Village Center, Milton, Sussex County facility. The maturation vessels will be permitted to emit 0.50 TPY VOC and 0.0038 TPY hydrogen sulfide by Permit# APC-2017/0140-CONSTRUCTION. A public hearing on any of the above applications will NOT be held unless the Secretary receives a request for a hearing regarding that application by **July 24**. A request for a hearing shall be in writing. The request must also show a familiarity with the application and a reasoned statement of the permit's probable impact. For more information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3847&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

LEGAL NOTICE Title V Fee Status Report - The Division of Air Quality has published the Calendar Year 2016 Title V Fee Status Report per Section 6097(l) of 7 Del. Code Chapter 60, Subchapter VIII. This report may be reviewed at the offices of the Division of Air Quality, 100 W. Water Street, Suite 6A, Dover, Delaware or 715 Grantham Lane, New Castle, Delaware or online at:

[http://www.dnrec.delaware.gov/Air/Documents/2016Title%20V%20Fee%20Committee%20Status%20Report\(Final\)6.30.17.pdf](http://www.dnrec.delaware.gov/Air/Documents/2016Title%20V%20Fee%20Committee%20Status%20Report(Final)6.30.17.pdf) For additional information, please contact Tony Manson, in Dover, at (302) 739-9402. Division of Air Quality, 100 W. Water Street, Suite 6A, Dover, 19904; or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3850&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

WHS - SITE INVESTIGATION AND RESTORATION SECTION (SIRS) is responsible for the identification, evaluation, and remediation of sites in Delaware that have had past releases of hazardous substances. The section manages the contaminated sites under three major programs in accordance with the Hazardous Substance Cleanup Act (HSCA). The three programs are the **Brownfields Development Program, the Voluntary Cleanup Program (VCP), and the HSCA Enforcement Program** (for sites requiring enforcement action).

The Brownfields Development Program encourages the cleanup and redevelopment of vacant, abandoned, or underutilized properties, which may be contaminated. A party seeking to develop such a property negotiates with SIRS for a **Brownfields Development Agreement (BDA)** to perform an investigation and, if necessary, a remedial action or remedy, for the purpose of addressing the risks posed by past releases of hazardous substances at these sites. However, a BDA is only available to parties that are not current site owners. The **Voluntary Cleanup Program (VCP) Agreement** is available to site owners who want to clean up their sites and are already liable as a potentially responsible party for the site.

NOTIFICATION OF PUBLIC COMMENT FOR A BROWNFIELD DEVELOPMENT AGREEMENT FOR THE OYSTER HOUSE VILLAGE SITE (DE-1573) Site Investigation and Restoration Section (SIRS) negotiated a BDA with OHV DE, LLC regarding the Oyster House Village Site (Site), located at 37686 Oyster House Road in Rehoboth Beach. Identified by Sussex County as tax parcel numbers 3-34-19.08.42.00, -42.01, -44.00, -45.00 and 3-34-19.12-4.00 & -4.01, the 4.2 acre Site may have had a release of hazardous substances as a result of historical use as an oyster processor and automotive related business. The public comment period ends on **July 19**. Please submit written comments to the Project Manager, Krystal Stanley at SIRS, 391 Lukens Drive, New Castle, 19720, (302) 395-2600 or krystal.stanley@state.de.us or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3837&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTIFICATION OF SETTLEMENT AGREEMENTS FOR THE ASTRAZENECA NORTH CAMPUS SITE (DE-1662) The Site Investigation and Restoration Section (SIRS) has negotiated Settlement Agreements with Brandywine Investment Group, LLC and AstraZeneca Pharmaceuticals LP regarding a portion of the AstraZeneca North Campus Site located at 1800 Concord Pike, Wilmington, Delaware, and identified as a portion of New Castle County Tax Parcel number 06-100.00.067 comprising approximately 78.20 acres. AstraZeneca Pharmaceuticals LP is selling the Site to Brandywine Investment Group, LLC and has agreed to investigate and, if required, remediate the Site to DNREC's satisfaction in accordance with the Delaware Hazardous Substance Cleanup Act and the Delaware Regulations Governing Hazardous Substance Cleanup. The Site may have had a release or releases of hazardous substances. For further information, please contact the project manager, Lindsay Hall at 302-395-3600 or lindsay.hall@state.de.us or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3842&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

The Proposed and Final Plans of Remedial Action listed below outline site cleanup activities and covenants and are available online at:

<http://www.dnrec.delaware.gov/whs/awm/SIRB/Pages/SIRBPlans.aspx> under "Announcements." For site-specific information, please see DNREC's Environmental Navigator at:

<http://www.nav.dnrec.delaware.gov/DEN3>

SECOND AMENDED FINAL PLAN OF REMEDIAL ACTION FOR THE FORMER CHESAPEAKE SUPPLY (DE-1334) The Department has adopted a plan regarding the clean-up of the Former Chesapeake Supply Site located in Dover. The Site, once used as fruit processing, basket manufacturing, creamery, plumbing /heating supplies and construction equipment sales facility required an environmental covenant to restrict the installation of groundwater wells for drinking water purposes without DNREC's pre-approval. DNREC issued public notice of the Former Chesapeake Supply on June 4. There were no comments or questions from the public regarding the Proposed Plan. For additional information, please contact Rick Galloway, Project Managers at (302) 395-2600 or via email at rick.galloway@state.de.us or visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3839&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

FINAL PLAN OF REMEDIAL ACTION FOR THE FORMER WILMINGTON PIECE DYE SITE OU-2 (DE-1304) The Department has adopted a plan regarding the clean-up of Operable Unit 2 of the Former Wilmington Piece Dye Site located in Wilmington. The Site, once used as a textile mill from the 1830's to early 2000's required the removal of contaminated soil, the creation and adherence of a Contaminated Materials Management Plan, and restrictions of groundwater withdraw. DNREC issued public notice of the Proposed Plan for Operable Unit 2 of the Former Wilmington Piece Dye Site on June 4. There were no comments or questions from the public regarding the Proposed Plan. The public may appeal this Final Plan until **July 20**. For additional information, please contact Patrick Boettcher, Project Manager at (302) 395-2600 or email Patrick at Patrick.Boettcher@state.de.us or visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3838&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

SOLID AND HAZARDOUS WASTE MANAGEMENT SECTION - The Solid and Hazardous Waste Management Section (SHWMS) hereby gives notice that a permit application has been received from the following companies to transport regulated RCRA hazardous and/or non-hazardous solid wastes in, out of, or through the State of Delaware. The renewal application and associated documents are available for review during business hours at our agency Solid & Hazardous Waste Management Section office at 89 Kings Highway, Dover and also at our Lukens Drive office at 391 Lukens Drive in Wilmington.

Permits Pending

American Red Cross; August Rubbish Removal; FAFA Trucking, LLC; Gregory Tsoi Trucking, Inc.; Hepaco, LLC; Mert Trucking, Inc. For additional information or an appointment to inspect the applications, please contact Tara Grazier, DWHS/SHWMS, 89 Kings Hwy, Dover, 19901, 302.739.9403. A public hearing concerning these applications will NOT be held unless the Secretary, in care of Karen J'Anthony, receives a meritorious request for a hearing by **July 13**. A request for a hearing must be in writing and shall state the nature of the issues to be raised at the hearing. It must also show a familiarity with the application and a reasoned statement of the activity's probable impact. For more information visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3840&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

Atlantic Response, Inc.; Boylan & Sons, LLC; Cuba Truck Company; Curtis Bay Energy; Dependable Construction of Delaware; Emanuel Tire of PA, Inc.; H+K Group dba Haines & Kibblehouse; Hepaco, LLC; J&JD Trucking; KBS, Inc.; Miller Environmental, Inc.; RR Trucking; Universal Constructors, Inc. For additional information or an appointment to inspect the

applications, please contact Tara Grazier, DWHS/SHWMS, 89 Kings Hwy, Dover, 19901, 302.739.9403. A public hearing concerning these applications will NOT be held unless the Secretary, in care of Karen J'Anthony, receives a meritorious request for a hearing by **July 25**. A request for a hearing must be in writing and shall state the nature of the issues to be raised at the hearing. It must also show a familiarity with the application and a reasoned statement of the activity's probable impact. For more information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3852&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

DuPont Experimental Station Request for Modifications to its Hazardous Waste Storage Permit

The Department has received a request from DuPont to modify the hazardous waste storage permit (HW04F22) issued to the DuPont Experimental Station located at the intersection of Route 141 and Henry Clay Road in Wilmington. The permit modification is requested to allow the Experimental Station hazardous waste storage facility to continue to manage hazardous waste generated on-site to include other research and development businesses that lease space at the Experimental Station. This modification does not change the amount or type of waste currently permitted to be stored at the Experimental Station. DuPont will hold a public meeting on this application on **June 20** at 7:00PM. The meeting will be held at the DuPont Country Club, Blackgates Room, on Rockland Rd, Wilmington. The purpose of the public meeting is to provide information and discuss issues related to the application. The applicant's contact person is: Mary Glowacki, Environmental Manager, DuPont Experimental Station, 200 Powder Mill Road, Wilmington, 19803, (302)-695-3821. The DNREC contact person is: Melissa Ferree, Engineer III, Solid and Hazardous Waste Management Section, 89 Kings Highway, Dover, 19901, (302) 739-9403, or melissa.ferree@state.de.us. A copy of the modification request can be viewed and copied at the DuPont Experimental Station Main Gate, 200 Powder Mill Road, Rt. 141 (between Rts. 202 and 52), Wilmington, 19880, and at Solid and Hazardous Waste Management Section, 89 Kings Highway, Dover, 19901. The permittee's compliance history during the life of the permit being modified is available from the DNREC contact person listed above. Written comments on this application must be submitted by **July 17** to the DNREC contact person listed above. All written comments received by **July 17** will be considered in the formulation of the final permit decision. A public hearing may be held, if response to this notice indicates significant public interest. Should you desire to request a hearing regarding the proposed determination, a request must be submitted by **July 17**. A public hearing on the above proposed modification will NOT be held unless the Secretary, in care of Melissa Ferree, receives a meritorious request for a hearing within 60 days of the date of this notice or the Secretary determines there is significant public interest. A request for a hearing must be in writing and shall state the nature of the issues to be raised at the hearing. It must also show a familiarity with the application and a reasoned statement of the permit's probable impact. For more information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3767&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

DIVISION OF WATER - GROUND WATER DISCHARGES -The Division of Water hereby gives notice that the applications below are available for inspection or copies may be obtained by contacting: Kathleen Saunders, Ground Water Discharges, 89 Kings Highway, Dover 19901, or by calling (302) 739-9948. A public hearing on the applications will NOT be held unless the Secretary determines that a public hearing is in the public interest or if a written meritorious objection to the application is received by **July 17**. A public hearing request shall be deemed meritorious if it exhibits a familiarity with the application and provides a reasoned statement of the action's probable impact. For more information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3843&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

Non-Hazardous Liquid Waste Transporters Permit

Cherry Creek Valley, Inc. has applied for a renewal of Non-Hazardous Liquid Waste Transporters Permit DE WH-186 which allows for the transport of septage and holding tank waste, to be disposed of at the Sussex County Sewer System

On-Site Wastewater Treatment and Disposal System

Elliott Krems has applied to construct a cap and fill pressure-dosed on-site wastewater treatment and disposal system. The system has been designed to accommodate 660 gallons per day of wastewater and will service a non-single family neighborhood home. The property is located at 1175 Choptank Road in Middletown, New Castle County, 19709. The tax parcel # is 11-06100-013.

DIVISION OF WATER - SURFACE WATER DISCHARGES – The Division of Water hereby gives notice that the following permit applications have been received.

NPDES Permits

NOTICE IS HEREBY GIVEN that National Railroad Passenger Corporation (AMTRAK) has applied for reissuance of its National Pollutant Discharge System (NPDES) Permit No. DE0050962 (State Number WPCC 3089F/85) to discharge storm water runoff associated with industrial activity and groundwater from the Wilmington Maintenance Facility located west of I-495, closer to 12th Street, at 4001 Vandever Avenue in Wilmington. There are six (6) outfalls at this site which discharge storm water runoff and groundwater to Brandywine Creek and Shellpot Creek. Major activities of the Wilmington Amtrak Facility are overhauling, rebuilding, and repairing of electric and diesel locomotives, metal cutting and turning, fueling operations and aqueous degreasing of parts and engine. Groundwater pumped from sumps within the Administration Building is treated using granulated activated carbon before being discharged to the storm water conveyance system. Based on a preliminary staff review and application of lawful standards and regulations, the Department proposes to re-issue this permit, subject to certain effluent limitations and conditions. The proposed determinations are tentative. Persons wishing to comment upon or object to the proposed determinations are invited to submit same in writing to the Surface Water Discharges Section of the Division of Water, at the address listed below, no later than **July 21**. All comments received prior to said date will be considered in the formulation of final determinations regarding this application. A public hearing on the above will NOT be held unless the Secretary receives a request by **July 21**, or if the Secretary determines that a public hearing is in the public interest. A request for a hearing shall be in writing and shall state the nature of the issues to be raised at the hearing. It must also show familiarity with the proposal and a reasoned statement of the permit's probable impact. The applications, fact sheets, and permits are available for inspection or copies may be obtained by contacting: George Mwangi, Surface Water Discharges Section, 89 Kings Highway, Dover, 19901, (302) 739-9946 or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3833&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

Agricultural Utilization Permits - Request for Permit Amendments - Kent County (Delaware) Levy Court:

Kent County Levy Court has requested that their two existing agricultural utilization (AGU) permits, State Permit Numbers AGU 1401-K-03 and 1603-K-03 be amended. The current AGU permits authorize the application of Class B biosolids generated at the Kent County Regional Wastewater Treatment Facility onto six farms, known as the Kent County Sludge Farm, the Nyle Calloway Farm, the Blessing Farm, the Goldinger Farm, the West Farm, and the Vineyard Farm, comprising a total of approximately 570 acres of farmland located in Kent County. Class B biosolids are biosolids that have undergone what is known as a process to significantly reduce pathogens (PSRP). Upon amendment and issuance of the permits, Class B biosolids generated at the City of Harrington's Wastewater Treatment Plant (WWTP) would be approved for land

application onto the aforementioned lands as a fertilizer substitute. Prior to application, the biosolids are required to undergo analysis for a list of specific parameters including nutrient content and metals. Biosolids are required to be delivered to the land application sites, in accordance with a Delaware Waste Transporters Permit, where land application occurs at agronomic rates. The above referenced permits will be amended under Part III, B. of the Department's Guidance and Regulations Governing the Land Treatment of Wastes which allows for such activity pending public notice. Copies of the permits above are available by contacting: Brian Churchill, Surface Water Discharges Section, 89 Kings Highway, Dover, 19901, (302) 739-9946. A public hearing on the above application will NOT be held unless the Secretary determines that a public hearing is in the public interest or if a written meritorious objection to the application is received by **July 21**. A public hearing request shall be deemed meritorious if it exhibits a familiarity with the application and provides a reasoned statement of the action's probable impact. For more information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3827&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

DIVISION OF WATER - WATER SUPPLY - The Division of Water hereby gives notice that the following Well permit application has been received. For additional information concerning the applications below, please contact Water Supply Section - 89 Kings Highway, Dover, 19901; email Water.Allocation@state.de.us; or by phone at (302)739-9945. A public hearing on the above applications will NOT be held unless the Secretary determines that a public hearing is in the public interest or if a written meritorious objection to the application is received by **July 24**. A public hearing request shall be deemed meritorious if it exhibits a familiarity with the application and provides a reasoned statement of the action's probable impact. For more information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3848&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

Allocation Permits

Cool Branch Farm, Inc. has requested an irrigation allocation for a proposed irrigation well. The requested daily withdrawal for the well is 720,000 gallons per day. The well will be located southeast of Seaford in Sussex County, near the intersection of Airport Road and Bethel Concord Road. Tax Map Parcel 1-32-07.00-0082.00

DIVISION OF WATER - WETLANDS AND SUBAQUEOUS LANDS SECTION – The Division of Water hereby gives notice that the applications below are available for inspection or copies may be obtained by contacting: Gayle Calder, Wetlands and Subaqueous Lands Section, 89 Kings Highway, Dover, 19901, or by calling (302) 739-9943. A public hearing on the applications below will NOT be held unless our agency Secretary determines that a public hearing is in the public interest, or if a written meritorious objection to the application is received by **July 18**. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3835&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

Subaqueous Lands Permit Application

Center for the Inland Bays-To install 50 oyster cages that are 36" by 48", with 6" diameter PVC pipes on top of the cages for the purpose of aquaculture within a 1 acre area in Pasture Cove adjacent to the James Farm Ecological Preserve at 30048 Cedar Neck Road, Ocean View, Sussex County

Chris and Kevin Seramone (134-7.00-44.00) – To construct a 4 by 50 foot long dock in an unnamed lagoon at 30185 New Castle Road, Indian River Acres, Dagsboro, Sussex County

The Trustees of the Protestant Episcopal Church of Delaware (134-17.00-12.00) – To install 5 road crossings by excavating 713 cubic yards of material, consisting of 40 to 112 foot long by 36-60 inch diameter culvert pipes and placing 117 cubic yards of backfill; to fill 2,029 square feet of a drainage ditch; and to construct 2 storm water control structures by placing 13 cubic yards of rip-rap in non-tidal drainage ditches at the proposed Lighthipe Subdivision located adjacent to Ogre Drive in Ocean View, Sussex County

Curtis Myers (334-19.00-1008.00) – To construct a 6 by 12 foot long linear dock, boatlift with 4 associated pilings and 2 PWC lifts each with 1 associated piling in Torquay Canal at 25 Sheffield Road, Rehoboth Beach Yacht and Country Club, Rehoboth Beach, Sussex County

Gail Purcell (334-22.00-9.00) – To install a 3 by 10 foot long gangway and a 6 by 25 foot long floating dock in an unnamed lagoon at 5 Arnell Road, Old Landing, Rehoboth Beach, Sussex County

Joseph & Pamela Anderson (2-34-25.00-3.00)- To install a 4 by 3 foot long pier, a 5 by 35 foot long dock connecting to a 3 by 40 foot long dock at 25879 Berry Street, Bay City, Millsboro, Sussex County

White House Beach, Inc. (2-34-30.00-6.00)-To repair an existing bulkhead by installing 890 linear feet of bulkhead by stepping out 4 feet channelward and backfilling approximately 14,240 square feet of private subaqueous lands consisting of 528 cubic yards of fill in an unnamed lagoon adjacent to the Indian River Bay, at 35266 Fisherman's Road, Millsboro, Sussex County

Subaqueous Lands Lease Application

Guy Walker – 2-34 17.00 146.00 To transfer an existing lease for a 6 by 44 foot long pier, a 6 by 25 foot long dock and 2 pilings and to construct a boat lift with 4 associated pilings in Hopkins Prong at 24034 Shady Lane, Millsboro, Sussex County

Robert E. & Patricia Winterbottom (5-33-20.18-165.00) To authorize a 5 by 18 foot long dock, a 4 by 25 foot long pier, a 6 by 8 foot long access dock, two stand-alone pilings and to install a 5 by 10 foot long floating kayak dock in the Assawoman Bay at 38837 Taft Avenue, Cape Windsor, Selbyville, Sussex County

Subaqueous Lands Lease Renewal Application

Paskey, William L, Andria and William J. –8-01-115.17-01-20.00-00001 – To renew a lease to maintain 124 by 6 foot wide dock in the Murderkill River at 190 and 203 Wyatt Street, Bowers Beach, Kent County

Rusty Rudder, LLC (Tax Parcel No. 334-20.18-133.00)To renew a lease to utilize an existing 540 by 5 foot wide pier, a 60 by 6 foot wide dock, two 20 by 6 foot wide finger piers, two 9 by 1.5 foot wide finger piers and 12 freestanding piles in Rehoboth Bay at 113 Dickinson Street, Dewey Beach, Sussex County

Subaqueous Lands Lease Supplemental Application

Bonnie Turner (334-19.00-70.00) – To install a boatlift with 4 associated pilings in the Rehoboth Bay at 29 White Oak Road, Rehoboth Beach Yacht and Country Club, Rehoboth Beach, Sussex County

Subaqueous Wetlands Application

Matthew & Ellen Parks (1-34-09.00-1063)- To construct a 4 by 20 foot long section of wetland walkway connecting to previously authorized structures in an unnamed tributary located off the Indian River Bay at 409 East Bank Road, Bethany Beach, Sussex County

Subaqueous Lands Permit, Water Quality and Wetlands Application

Division of Fish and Wildlife (ED-00-078.00-01-08.00) To construct a 8 by 40 foot long gangway connecting to a 8 by 25 foot long courtesy dock, a 8 by 30 foot long gangway connecting to a 10 by 80 foot long enforcement dock, a 8 by 30 foot long gangway connecting to a 8 by 80 foot long fishing dock, a 28 by 67 foot long boat ramp consisting of 56 cubic yards of concrete fill; to excavate 882 cubic yards of subaqueous lands and 236 cubic yards of State-Regulated Tidal Wetlands. To fill 4,876 square feet of State-Regulated Tidal Wetlands consisting of 299 cubic yards of fill materials, to impact 11,562 square feet (5,314 permanent impacts and 6,247 temporary) of State-Regulated Tidal Wetlands and to create 19,602 square feet (.45 acres) of tidal wetlands for mitigation adjacent to the Little River along Bayside Drive (State Route 9) just north of the intersection with South Little Creek Road, Kent County

CONTACT INFORMATION

24-Hour Environmental Report and Spill Notification Line - 1-800-662-8802

Aboveground Storage Tanks - 302-395-2500
Air Quality - New Castle Office - 302-323-4542
Air Quality – Kent & Sussex – 302-739-9402
Asbestos New Castle - 302-323-4542
Asbestos Kent & Sussex - 302-739-9402
Biosolids Permits - 302-739-9946
Boiler Safety - 302-395-2500
Brownfields - 302-395-2600
Community Ombudsman - 302-739-9040
Community Services - 302-739-9959
Delaware Estuary Program - 302-739-9283 (Delaware Coastal Management Program)
Division of Air Quality Director's Office - 302-739-9402
Division of Energy & Climate - 302-735-3480
Division of Waste and Hazardous Substances Director's Office - 302-739-9400
Division of Water Information - 302-739-9950
Dock/Dredging/Bulkheads/Rip-Rap/Wetlands & Subaqueous Lands - 302-739-9943
Emergency Prevention and Response - 302-739-9404
Environmental Crimes Unit - 302-739-9401 or 1-800-662-8802
Environmental Laboratory - 302-739-9942
Hazardous Waste - 302-739-9403
Hazardous Chemical and Toxic Release Inventories – 302-739-9404
Industrial Stormwater Permits - 302-739-9946
Loans & Grants for Wastewater and Septic's (Environmental Finance) - 302-739-9941
Medical Waste - 302-739-9403
Non-Hazardous Liquid Waste Transporters - 302-739-9948
On-site Wastewater Licensing Program - 302-739-9948
Open Burning - 302-739-9402
Outreach Ombudsman - 302-395-2600
Recycling - 302-739-9403
Septic System Permits - Large Systems (Community & I/A) Statewide - 302-739-9948
Septic System Permits - Small Systems for Kent & New Castle Counties - 302-739-9947
Septic System Permits - Small Systems for Sussex Co. & Holding Tank Compli. Program - 302-856-4561
Site Investigation & Restoration Section (Superfund/Brownfields) - 302-395-2600
Small Business Ombudsman - 302-739-9069
Solid Waste - 302-739-9403
Source Water Protection - 302-739-9945

Surface Water Discharge Permits (NPDES) - 302-739-9946
Underground Injection Control & Spray Irrigation - 302-739-9948
Underground Storage Tanks - 302-395-2500
Wastewater Collection, Conveyance, and/or Treatment Facility Construction Permits - 302-739-9946
Wastewater Treatment Facility Operators - 302-739-9946
Water Allocation Permits - 302-739-9945
Water Testing - Drinking Water (Division of Public Health) - 302-741-8630
Water Supply - 302-739-9945
Well Driller's License - 302-739-9944
Well Permits & Licensing - 302-739-9944
Wells - 302-739-9944
Wetlands and Subaqueous Lands Section - 302-739-9943