

The biweekly E-News Update features current information on the Divisions of Air Quality (DAQ), Waste and Hazardous Substances (WHS), and Water regarding public meetings, workshops, hearings, and regulatory documents available for public comment, as well as general news updates. For those of you who are receiving the E-News Update for the first time, the subscription is FREE!

Please sign up at: <http://www.dnrec.delaware.gov/Pages/DNRECLists.aspx> under "Division of Waste & Hazardous Substances Lists." There is no form to fill out; it's done in three clicks!

Suggestions? Additions? Please call Stacy Jones at 302-739-9400, or send an email to [Stacy.Jones@state.de.us](mailto:Stacy.Jones@state.de.us)

Published by the Divisions of Air Quality, Waste and Hazardous Substances and Water.

Visit us at: [www.awm.delaware.gov](http://www.awm.delaware.gov)

## **SECRETARY'S ORDERS**

### **Secretary's Order No. 2016-W-0025**

RE: Conciliation order by consent issued pursuant to 7 Del. C. § 6005(b) to City of Dover to address past and current violations and ensure compliance with 7 Del. C. Chapter 60, the Phase II MS4 Permit (NPDES Permit# DE0051161, State Permit #WPCC 3033/03) and Del. Admin. C. § 7201, State of Delaware Regulations Governing the Control of Water Pollution, § 7201-9 .1 of the "Regulations Governing Storm Water Discharges Associated with Industrial Activities"

## **UPCOMING AIR, WASTE, & WATER-RELATED HEARINGS, MEETINGS, & EVENTS**

**RECYCLING PUBLIC ADVISORY COUNCIL** – will meet on **July 27** from 1:00pm to 3:30pm at Appoquinimink Library, 651 N. Broad St., Middletown, DE 19709. The council will discuss recycling issues for the State of Delaware. For additional information contact Bill Miller at 302- 739- 9403, or visit: <https://egov.delaware.gov/pmc/Event/Details/38251>

### **BOARD OF CERTIFICATION FOR WASTEWATER OPERATORS MONTHLY**

**MEETING** – This is a regular monthly meeting of the Board of Certification for Wastewater Operators. Meeting will take place on **August 2** from 9am to 11am at the Richardson and Robbins Building, Conference Room B172: 89 Kings Highway, Dover, DE, 19901. For additional information contact Faye Wheeler at (302) 739-9946, or visit: <https://egov.delaware.gov/pmc/Event/Details/32998>

**ON-SITE SYSTEMS ADVISORY BOARD MEETING** – will be held on **August 3** from 9:15am to 11:30am at the Richardson and Robbins Building, Conference Room B228: 89 Kings Highway, Dover, DE, 19901. For additional information, contact Dryden 302-739-9948 or visit: <https://egov.delaware.gov/pmc/Event/Details/38306>

**WATER SUPPLY COORDINATING COUNCIL MEETING** - The Council will hold a meeting on **August 18** from 10am to 12pm at the Kent County Administration Complex, Conference Room 220, 555 Bay Road, Dover, DE, 19901. For additional information contact Kimberly Burris at (302) 739-9945; or visit: <https://egov.delaware.gov/pmc/Event/Details/37030>

**OPT-IN! THE DELAWARE DIVISION OF AIR QUALITY (DAQ)** is committed to working with citizens to continuously optimize Delaware's air quality and protect public health, welfare, and the environment. To determine that the DAQ is meeting the air quality needs of the citizens across the state, we encourage you to participate in our opt-in list. In the future you will receive surveys that will allow us to analyze our performance. You can access the opt-in list by clicking: [https://survey.co1.qualtrics.com/jfe/form/SV\\_1RGZGUYt8fSuqkB](https://survey.co1.qualtrics.com/jfe/form/SV_1RGZGUYt8fSuqkB)

**AIR QUALITY PERMITTING PROGRAM** – Notice has been given that the facilities listed below have submitted applications for air quality management permits. The applications, the

“draft/proposed” permits, all materials that the applicant has submitted (other than those granted confidential treatment under DNREC rules), and a copy of summary of other materials, if any, considered in preparing the “draft/proposed” permit, may be inspected at the offices of the Division of Air Quality, 100 W. Water Street, Suite 6A, Dover, 19904. **All comments and public hearing requests** should be mailed to the following address: DIVISION OF AIR QUALITY, 100 W. Water Street, Suite 6A, Dover, 19904. To submit comments, for additional information, or for an appointment to inspect the application, please contact Penny Gentry at (302) 739-9402.

**ALLAN MYERS DELAWARE, INC.** having a facility at 22351 Joseph Road, Georgetown, and 3700 Bay Road, Dover, has requested a federally enforceable 7 DE Admin. Code 1102 construction permits (APC-2016/0106- CONSTRUCTION (NSPS) (MNSR) (FE) and APC-2016/0107-CONSTRUCTION (NSPS) (MNSR) (FE)) for a portable 125 HP screener and conveyor belts to size Recycled Asphalt Pavement (RAP). Allan Myers Delaware, Inc. requests a limit for operating hours and fuel usage for the screener. These limits are necessary to comply with 7 DE Admin. Code 1125, Minor New Source Review. Total potential estimated emissions from the screener and conveyors are 12.6 TPY NOx, 0.83 TPY SO<sub>2</sub>, 2.7 TPY CO, 1.0 TPY TOC, and 11.37 TPY PM<sub>10</sub>. Actual emissions will not exceed 0.717 TPY NOx, 0.047 SO<sub>2</sub>, 0.15 TPY CO, 0.059 TPY TOC, and 0.64 TPY PM<sub>10</sub>. A public hearing on the above application will NOT be held unless our agency Secretary receives a request for a hearing regarding that application by **July 20**. A request for a hearing shall be in writing. The request must also show a familiarity with the application and a reasoned statement of the permit’s probable impact. For additional information, visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3308&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

**THE UNIVERSITY OF DELAWARE** having a facility at 222 S. Chapel Street, Newark, Delaware, has submitted a request for a significant permit modification pursuant to 7 DE Admin. Code 1130, Section 7 for operating permit: AQM-003/00022(Renewal 3). Based on the data and certifications contained in the application, the Division of Air Quality concludes that the applicant meets all applicable requirements promulgated by the Environmental Protection Agency (EPA) and the Department of Natural Resources and Environmental Control (DNREC). Therefore a “draft/proposed” significant permit modification has been prepared. This “draft/proposed” significant permit modification changes the Responsible Official, removes fuel oil from UD1031 (Boiler 6) and changes its emissions for natural gas, and adds stack testing requirements for UD1010 (Boiler 4). A public hearing on the above application will NOT be held unless our agency Secretary receives a request for a hearing regarding that application by **July 20**. A request for a hearing shall be in writing. The request must also show a familiarity with the application and a reasoned statement of the permit’s probable impact. For additional information, visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3307&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

**DuPont Stine-Haskell Research Center** requests a permit to construct two (2) Agricultural Sprayer Units at their 1090 Elkton Road, Newark, New Castle County facility. The two sprayer units will be permitted to emit 7.3 TPY of Acetone by Permit# APC 2016/0160C, and Permit# APC 2016/0161C. A public hearing on any of the above application will NOT be held unless our agency Secretary receives a request for a hearing regarding that application by **July 25**. A request for a hearing shall be in writing. The request must also show a familiarity with the application and a reasoned statement of the permit’s probable impact. For additional information, visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3332&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

**Mountaire Farms, Inc.**, requests a permit to install and operate a temporary 32.659 MMBTU/hr (800 HP) boiler at their Hoosier and Railroad Street, Selbyville, Sussex County facility. The temporary boiler will be permitted to emit 1.4 TPY PM, 0.14 TPY SO<sub>2</sub>, 4.99 TPY NO<sub>x</sub>, 5.7 TPY CO, and 2.28 TPY VOC by Permit# APC-2017/0001-CONSTRUCTION (MNSR). A public hearing on any of the above application will NOT be held unless our agency Secretary receives a request for a hearing regarding that application by **July 25**. A request for a hearing shall be in writing. The request must also show a familiarity with the application and a reasoned statement of the permit's probable impact. For additional information, visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3331&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

**Neuber Environmental Services, Inc.** requests a permit to construct and operate crusher unit and associated Caterpillar C9 diesel engine at 508 Maryland Avenue. The crusher unit and associated diesel engine will be permitted to run with total permitted emissions of 1.01 ton/year of NO<sub>x</sub>, 0.51 ton/year of CO, 0.03 ton/year of PM, 0.05 ton/year of THC, and 0.38 ton/year of SO<sub>2</sub>. Permit APC- 2017/0003-C/O. A public hearing on any of the above applications will NOT be held unless our agency Secretary receives a request for a hearing regarding that application by **July 25**. A request for a hearing shall be in writing. The request must also show familiarity with the application and a reasoned statement of the permit's probable impact. For additional information, visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3330&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

**A.I. DUPONT HOSPITAL FOR CHILDREN** having a facility at 1600 Rockland Road, Wilmington, Delaware, has submitted a request for a Title V Permit Renewal renewal pursuant to 7 DE Admin. Code 1130, Section 7 for operating permit: AQM-003/00131-Renewal 4. Based on the data and certifications contained in the application, the Division of Air Quality concludes that the applicant meets all applicable requirements promulgated by the Environmental Protection Agency (EPA) and the Department of Natural Resources and Environmental Control (DNREC). A public hearing concerning the permitting action will not be held unless our agency Secretary receives a request for such hearing by **July 26**. A request for a hearing shall be in writing and must show a familiarity with the application and a reasoned statement of the permit renewal's probable impact. For additional information, visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3317&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

**Amazon** has submitted an application, pursuant to 7 DE Admin. Code 1102, Section 2.1, 11.2.9, and 12.3 for a construction permit to replace the existing dust collector associated with their bookbinding operation located at 560 Merrimac Avenue, Middletown, Delaware. APC-2016/0038-Construction (SM). Amazon requests to limit their potential to emit by using filter bags guaranteed to achieve at least 99.9% efficiency and to emit no more than 0.01 grains per standard cubic foot. These limits are necessary to restrict Amazon's potential to emit air pollutants, and the limit will be enforceable by the EPA and the state. The total estimated emission from the facility is 8 tons per year of Particulate Matter. A public hearing concerning the permitting action will not be held unless our agency Secretary receives a request for such hearing by **August 2**. A request for a hearing shall be in writing and must show a familiarity with the application and a reasoned statement of the permit's probable impact. For additional information, visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3324&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notic>

[es%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15A  
B3A](http://www.dnrec.delaware.gov/whs/awm/SIRB/Pages/SIRBPlans.aspx)

**WHS - SITE INVESTIGATION AND RESTORATION SECTION (SIRS)** is responsible for the identification, evaluation and remediation of sites in Delaware that have had past releases of hazardous substances. The section manages the contaminated sites under three major programs in accordance with the Hazardous Substance Cleanup Act (HSCA). The three programs are the **Brownfields Development Program, the Voluntary Cleanup Program (VCP) and the HSCA Enforcement Program** (for sites requiring enforcement action).

**The Brownfields Development Program** encourages the cleanup and redevelopment of vacant, abandoned or underutilized properties, which may be contaminated. A party seeking to develop such a property negotiates with SIRS for a **Brownfields Development Agreement (BDA)** to perform an investigation and, if necessary, a remedial action or remedy, for the purpose of addressing the risks posed by past releases of hazardous substances at these sites. However, a BDA is only available to parties that are not current site owners. The **Voluntary Cleanup Program (VCP) Agreement** is available to site owners, who want to clean up their sites and are already liable as a potentially responsible party for the site.

**The Proposed and Final Plans of Remedial Action** listed below outline site cleanup activities and covenants and are available online at:

<http://www.dnrec.delaware.gov/whs/awm/SIRB/Pages/SIRBPlans.aspx> under "Announcements." For site-specific information, please see DNREC's Environmental Navigator at: <http://www.nav.dnrec.delaware.gov/DEN3>

**FINAL PLAN OF REMEDIAL ACTION FOR THE DELAWARE MILITARY ACADEMY (DMA) EXPANSION SITE (OPERABLE UNIT-2) (DE-1484)**- The Department has adopted a plan regarding the clean-up of Operable Unit 2 of the DMA Expansion Site located in Wilmington. Since the aboveground and underground tanks have already been removed, the remedial actions include filing of an environmental covenant restricting groundwater withdrawal. DNREC issued public notice of the Proposed Plan for Operable Unit 2 of the DMA Expansion Site on May 19. There were no comments or questions from the public regarding the Proposed Plan. The public has until **July 12** to appeal this Final Plan. For additional information, please contact Morgan M. Price, Project Manager, or Robert Newsome, Public Information Officer, at (302) 395-2600; or visit: [http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3315&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15A  
B3A](http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3315&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15A<br/>B3A)

**FINAL PLAN OF REMEDIAL ACTION FOR THE CitiSteel (Former EVRAZ-Claymont Steel) Operable Unit #1 (DE-0046)** The Department has adopted a plan regarding the clean-up of Operable Unit 1 of the CitiSteel (Former EVRAZ-Claymont Steel) Site located at 4001 Philadelphia Pike in Claymont, Delaware. Site soils need to be kept from the adjacent Naamans Creek and areas surrounding the creek during redevelopment activities to protect identified Ecologically Sensitive Areas. Additionally, future uses of the site will be restricted to non-residential uses, and groundwater use will be restricted at the site. DNREC issued public notice of the Proposed Plan for the Site on June 1, 2016. DNREC received public comments, but they did not result in any changes to the Proposed Plan. The public has until **July 19** to appeal this Final Plan. For additional information contact John G. Cargill, Project Manager, or Robert Newsome, Public Information Officer, at (302) 395-2600; or visit: [http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3322&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15A  
B3A](http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3322&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15A<br/>B3A)

[es%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A](http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3334&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A)

**FINAL PLAN OF REMEDIAL ACTION FOR THE CITISTEEL (FORMER EVRAZ-CLAYMONT STEEL) OPERABLE UNIT #4 (DE-0046)** The Department has adopted a plan regarding the clean-up of Operable Unit 4 of the CitiSteel (Former EVRAZ-Claymont Steel) Site located at 4001 Philadelphia Pike in Claymont, Delaware. The 12-acre Operable Unit consists of the former cooling water/sedimentation lagoon. The former cooling water lagoon must be closed/filled and capped to eliminate potential human health and ecological impacts. In addition, the future uses of the site will be restricted to non-residential uses, and groundwater use will be restricted. DNREC received public comments, but they did not result in any changes to the Proposed Plan. The public has until **July 30** to appeal this Final Plan. For additional information, please contact John G. Cargill, Project Manager, or Robert Newsome, Public Information Officer, at (302) 395-2600; or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3334&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

**FINAL PLAN OF REMEDIAL ACTION FOR THE CITISTEEL (FORMER EVRAZ-CLAYMONT STEEL) OPERABLE UNIT #5 (DE-0046)** The Department has adopted a plan regarding the clean-up of Operable Unit 5 of the CitiSteel (Former EVRAZ-Claymont Steel) Site located at 4001 Philadelphia Pike in Claymont, Delaware. The 23-acre Operable Unit contained a storage and handling area with associated rail lines, a material warehouse, and aboveground storage tanks. Future uses of the site will be restricted to non-residential uses, and groundwater use will be restricted at the site. DNREC issued public notice of the Proposed Plan for the Site on June 1. There were no comments or questions from the public regarding the Proposed Plan. The public has until **July 30** to appeal this Final Plan. For additional information, please contact John G. Cargill, Project Manager, or Robert Newsome, Public Information Officer, at (302) 395-2600; or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3333&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

**FINAL PLAN OF REMEDIAL ACTION FOR THE PENCADER PLAZA DRY CLEANERS SITE (DE-1551)** The Department has adopted a plan regarding the clean-up of the Pencader Plaza Dry Cleaners Site located in Newark. The required remedial actions include: maintenance of the existing building foundation, and adherence to both a Long-Term Stewardship Plan and an environmental covenant restricting groundwater use beneath the Site. The Site is currently owned by FP SPE LLC. DNREC issued public notice of the Proposed Plan for the Pencader Plaza Dry Cleaners Site on June 5. There were no comments or questions from the public regarding the Proposed Plan. The public has until **July 30** to appeal this Final Plan. For additional information, please contact John G. Cargill, Project Manager, or Robert Newsome, Public Information Officer, at (302) 395-2600; or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3328&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

**DIVISION OF WATER - GROUND WATER DISCHARGES** -The Division of Water hereby gives notice that the applications below are available for inspection or copies may be obtained by contacting: Kathleen Saunders, Ground Water Discharges, 89 Kings Highway, Dover 19901, or by calling (302) 739-9948.

## Temporary Holding Tank

**Georgetown Airport Center, LLC** has submitted an application for temporary holding tank for the King Farm Industrial Park. The system has been designed to accommodate 20,000 gallons per day of wastewater. The site is located at Park Avenue, Sussex County, tax parcel # 1-35-15.00-138.00. . A public hearing on the above application will NOT be held unless the Secretary of DNREC determines that a public hearing is in the public interest or if a written meritorious objection to the application is received by **July 14**. A public hearing request shall be deemed meritorious if it exhibits a familiarity with the application and provides a reasoned statement of the action's probable impact. For additional information, visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3323&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

## Non-Hazardous Liquid Waste Transporters Permit

**Miller Environmental Group Inc.** has applied to the Ground Water Discharges Section for a renewal of Non-Hazardous Liquid Waste Transporters Permit DE WH-252 which allows for the transport of portable toilet waste to be disposed of at the Kent County Sewer System. . A public hearing on the above application will NOT be held unless the Secretary of DNREC determines that a public hearing is in the public interest or if a written meritorious objection to the application is received by **July 14**. A public hearing request shall be deemed meritorious if it exhibits a familiarity with the application and provides a reasoned statement of the action's probable impact. For additional information, visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3323&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

**Clean Venture, Inc.** has applied to the Ground Water Discharges Section for a renewal of Non-Hazardous Liquid Waste Transporters Permit DE WH-245 which allows for the transport of septage; sludge from NRG-Indian River Waste Water Plant; and other non-hazardous liquid waste (sewage and grease from jetting sewer lines and lift stations for Tidewater Utilities, Inc.), to be disposed of at the Town of Laurel (septage only) and the New Castle County Sewer System. A public hearing on the above application will NOT be held unless the Secretary of DNREC determines that a public hearing is in the public interest or if a written meritorious objection to the application is received by **July 21**. A public hearing request shall be deemed meritorious if it exhibits a familiarity with the application and provides a reasoned statement of the action's probable impact. For additional information, visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3326&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

## On-Site Wastewater Treatment and Disposal System

**Town of Middletown** has submitted an application for an operation permit for an on-site wastewater treatment and disposal system. The system has been designed to accommodate 157,000 gallons per day of wastewater. The site is located west of Levels Road, south of Patriots Drive and east of Levels Road, New Castle County, tax parcel #

23-043.00-001 and 23-052.00-001. A public hearing on the above application will NOT be held unless the Secretary of DNREC determines that a public hearing is in the public interest or if a written meritorious objection to the application is received by **July 21**. A public hearing request shall be deemed meritorious if it exhibits a familiarity with the application and provides a reasoned statement of the action's probable impact. For additional information, visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3326&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

**Nardo Inc.** has applied for a permit to construct an on-site wastewater treatment and disposal system (septic system) on their property located at Harbeson Business Park, Route 9 east of Route 5. Sussex County Tax Map Parcel 2-35-30.00-58.04. The system will serve two (2) warehouses with a design flow rate of 300 gallons per day per building (600 total). A public hearing on the above application will NOT be held unless our agency Secretary determines that a public hearing is in the public interest or if a written meritorious objection to the application is received by **July 25**. A public hearing request shall be deemed meritorious if it exhibits a familiarity with the application and provides a reasoned statement of the action's probable impact. For additional information, visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3329&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

#### **Underground Injection Control Permit**

**E.I. DuPont de Nemours and Company [Stine Haskell Research Center]**, located at 1090 Elkton Road, Newark, New Castle County, has applied to the Ground Water Discharges Section for an amendment of their current Underground Injection Control (UIC) permit, for the addition of 3 injection points (steam traps in the form of dry wells) for discharging infiltrated rainwater and steam condensate from various process boilers at the facility. A public hearing on the above application will NOT be held unless the Secretary of DNREC determines that a public hearing is in the public interest or if a written meritorious objection to the application is received by **July 26**. A public hearing request shall be deemed meritorious if it exhibits a familiarity with the application and provides a reasoned statement of the action's probable impact. For additional information, visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3319&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

**DIVISION OF WATER - WATER SUPPLY** - The Division of Water hereby gives notice that the following well permit application has been received. For additional information concerning the applications below, please contact Allison Diggins/Water Supply Section - 89 Kings Highway, Dover, DE 19901; or, by phone at (302) 739-9945.

#### **Formal Variance**

Jennifer Steiner, representing Adorn Properties LLC., has applied for a Formal Variance under Section 11.00 of The Regulations Governing the Construction and Use of Wells to construct a Miscellaneous Public well to serve the facility. The property is located at 5712 Kennett Pike, Wilmington, DE 19807. Tax map parcel 07-007.00-027. A public hearing on the above applications will NOT be held unless the Secretary of DNREC determines that a public hearing is

in the public interest or if a written meritorious objection to the application is received by **July 18**. For additional information, visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3325&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

Seaford Agrisoil proposes a dewatering project to line an existing pond. The proposed system consists of 38 well points, 31 feet below grade, with 8 inch diameter casing. The duration of this project is 56 days and water discharge location will be an onsite tax ditch. The site is located on the west side of Seaford Road, Seaford, Sussex County. The requested capacity of this system is 2,736,000 gallons per day. A public hearing on the above applications will NOT be held unless the Secretary of DNREC determines that a public hearing is in the public interest or if a written meritorious objection to the application is received **July 25**. A public hearing request shall be deemed meritorious if it exhibits a familiarity with the application and provides a reasoned statement of the action's probably impact. For additional information, visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3327&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

**DIVISION OF WATER - WETLANDS AND SUBAQUEOUS LANDS SECTION** – The Division of Water hereby gives notice that the applications below are available for inspection or copies may be obtained by contacting: Gayle Calder, Wetlands and Subaqueous Lands Section, 89 Kings Highway, Dover – 19901, or by calling (302) 739-9943. A public hearing on the applications below will NOT be held unless our agency Secretary determines that a public hearing is in the public interest, or if a written meritorious objection to the application is received by **July 19**. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3321&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

#### **Subaqueous Lands Permit Application**

George Werner (1-32-2.00-17.00)-To construct a 4 by 18 foot long pier and 5 by 20 foot long dock in the Nanticoke River at 9585 Cedar Lane, Seaford, Sussex County

Division of Watershed Stewardship (3-34-20.05-23.00 and 3-34-20.05-65.00) – to dredge approximately 1,500 cubic yards of sediment, dredging to a depth of 2.5 feet below the ordinary water line and disposing of the dredged material along the northeastern bank creating 2 wetland benches in Silver Lake at Scarborough Avenue and Lake Drive in Rehoboth Beach, Sussex County

#### **Subaqueous Lands and Water Quality Permit Application**

Division of Fish and Wildlife (2-32-13.00-3.16) – To remove existing timber flashboards and replace them with manually-operated steel gates and to dredge 25 cubic yards of material and place 16 cubic yards of concrete fill in Chipman's Pond at 12099 Chipman's Pond Road in Laurel, Sussex County

Division of Fish and Wildlife (2-31-17.00-12.00) – To remove existing timber flashboards and replace them with manually-operated steel gates and to dredge 18 cubic yards of material and place 162 square feet of fill in Concord Pond at Concord Pond Road in Seaford, Sussex County

#### **Wetlands Permit**

University of Delaware(3-35-7.00-1.00, 3-35-7.00-1.01, 3-35-3.00-1.00, 3-35-4.00-13.04, 3-35-8.00-993.00)- To install 15 meteorological stations that will temporarily impact 375 square feet of state regulated wetlands in the Great Marsh, Lewes, Sussex County

Town of Slaughter Beach (3-30-9.00-6.00) – To construct a 6 by 122 foot long wetlands walkway with a 16 by 18 foot long observation platform for public use at Bay Road and Marvel Drive in Slaughter Beach, Sussex County

### **Subaqueous Wetlands Map Change**

Tom Sites (TM 5-33-11.00-428.00)- To change approximately 5,391 ft<sup>2</sup> of State-regulated wetlands delineated as (M) Marsh and (F) Tidal Forested Swamp on State Wetland Map DNR051 to (W) Water and (O) Other, adjacent to Dirickson Creek at 36843 Jahnigen Drive, Frankford, Sussex County

### **Subaqueous Lands Lease Supplemental**

Bonita Zonko (1-34-23.12-15.00)- To authorize a 3 by 8 foot long section of a dock and to install a 4 foot 10" wide by 21 foot long kayak platform connecting to a previously authorized structure at 1304 North Schultz Road, Fenwick Island, Sussex County

Jeffery Peterson (2-33-7.00-47.00) – To install a 5 by 21 foot long dock, a 4 piling boat lift and 2 PWC lifts with 1 associated piling each in Pepper Creek at 106 Riverview **Drive in Dagsboro, Sussex County**

### **Subaqueous Lands Lease and Permit Application**

Rocky Slaughter (DC-00-010.11-01-14.00-000) -To remove two docking facilities and to construct a 4 by 28 foot long pier, a 5 by 14 foot long dock, a 4 by 5 foot long pier, and to remove 30 linear feet of bulkhead and replace with rip-rap in Duck Creek at 227 Shorty Lane, Smyrna, Kent County

## **EMPLOYEE NEWS**

Effective **July 11**, Traci Evans is our new Environmental Scientist II with the Division of Water, Groundwater Discharges Section, Small Systems Branch. Traci was a Management Analyst II with the Division of Energy and Climate. **Welcome!**

## **CONTACT INFORMATION**

### **24-Hour Environmental Report and Spill Notification Line - 1-800-662-8802**

Aboveground Storage Tanks - 302-395-2500

Air Quality - New Castle Office - 302-323-4542

Air Quality – Kent & Sussex – 302-739-9402

Asbestos New Castle - 302-323-4542

Asbestos Kent & Sussex - 302-739-9402

Biosolids Permits - 302-739-9946

Boiler Safety - 302-395-2500

Brownfields - 302-395-2600

Community Ombudsman - 302-739-9040

Community Services - 302-739-9959

Delaware Estuary Program - 302-739-9283 (Delaware Coastal Management Program)

Division of Air Quality Director's Office - 302-739-9402

Division of Energy & Climate - 302-735-3480

Division of Waste and Hazardous Substances Director's Office - 302-739-9400

Division of Water Information - 302-739-9950

Dock/Dredging/Bulkheads/Rip-Rap/Wetlands & Subaqueous Lands - 302-739-9943

Emergency Prevention and Response - 302-739-9404

Environmental Crimes Unit - 302-739-9401 or 1-800-662-8802

Environmental Laboratory - 302-739-9942

Hazardous Waste - 302-739-9403  
Hazardous Chemical and Toxic Release Inventories – 302-739-9404  
Industrial Stormwater Permits - 302-739-9946  
Loans & Grants for Wastewater and Septic's (Environmental Finance) - 302-739-9941  
Medical Waste - 302-739-9403  
Non-Hazardous Liquid Waste Transporters - 302-739-9948  
On-site Wastewater Licensing Program - 302-739-9948  
Open Burning - 302-739-9402  
Outreach Ombudsman - 302-395-2600  
Recycling - 302-739-9403  
Septic System Permits - Large Systems (Community & I/A) Statewide - 302-739-9948  
Septic System Permits - Small Systems for Kent & New Castle Counties - 302-739-9947  
Septic System Permits - Small Systems for Sussex Co. & Holding Tank Compli. Program - 302-856-4561  
Site Investigation & Restoration Section (Superfund/Brownfields) - 302-395-2600  
Small Business Ombudsman - 302-739-9909  
Solid Waste - 302-739-9403  
Source Water Protection - 302-739-9945  
Surface Water Discharge Permits (NPDES) - 302-739-9946  
Underground Injection Control & Spray Irrigation - 302-739-9948  
Underground Storage Tanks - 302-395-2500  
Wastewater Collection, Conveyance and/or Treatment Facility Construction Permits - 302-739-9946  
Wastewater Treatment Facility Operators - 302-739-9946  
Water Allocation Permits - 302-739-9945  
Water Testing - Drinking Water (Division of Public Health) - 302-741-8630  
Water Supply - 302-739-9945  
Well Driller's License - 302-739-9944  
Well Permits & Licensing - 302-739-9944  
Wells - 302-739-9944  
Wetlands and Subaqueous Lands Section - 302-739-9943