

The biweekly E-News Update features current information on the Divisions of Air Quality (DAQ), Waste and Hazardous Substances (WHS), and Water regarding public meetings, workshops, hearings, and regulatory documents available for public comment, as well as general news updates. For those of you who are receiving the E-News Update for the first time, the subscription is FREE!

Please sign up at: <http://www.dnrec.delaware.gov/Pages/DNRECLists.aspx> under "Division of Waste & Hazardous Substances Lists." There is no form to fill out; it's done in three clicks!

Suggestions? Additions? Please call Kathy Nedelka at 302-739-9400, or send an email to katherine.nedelka@state.de.us

Published by the Divisions of Air Quality, Waste and Hazardous Substances, and Water.

Visit us at: www.awm.delaware.gov

SECRETARY'S ORDERS

Secretary's Order No. 2017-WS-0018

RE: Pursuant to the authority granted to the Secretary of the Department of Natural Resources and Environmental Control pursuant to Delaware Code Title 7, Chapter 60 and Title 29, Chapter 80 and Delaware Administrative Code 7402 Shellfish Sanitation Regulations 3.1.5, the Secretary has the authority to close shellfish growing areas in response to events which could affect the introduction of contaminants into shellfish growing waters. Based upon the recommendation of the Division of Watershed Stewardship's Shellfish Program, as outlined in the attached Memorandum of Record, the Delaware Bay (GA-1), north of the entrance to the Mispillion Inlet, will be placed under emergency closure due to contamination of the growing area by undertreated wastewater.

UPCOMING AIR, WASTE, & WATER-RELATED HEARINGS, MEETINGS, & EVENTS

PUBLIC HEARING The Groundwater Discharges Section (GWDS) will be conducting a public hearing regarding the proposed amendments to the Artesian Northern Sussex Regional Water Reclamation Facility (ANSRWRF) construction permit application. The public hearing will take place on **July 27** at 6:00PM in the Milton Library (121 Union Street, Milton). The application may be viewed at: <http://www.dnrec.delaware.gov/wr/Services/Pages/GroundWaterDischarges.aspx> The Department requests that persons who want to comment on the application at the hearing should register in advance no later than the day before the hearing. This registration will be used to determine the order of speakers at the public hearing. In addition, the public comment period is re-opened and written public comments may be submitted until the public hearing. Registration and any written comments should be sent, preferably by email, to: Robert.Haynes@state.de.us; Mail to: Robert P. Haynes, Esq. Senior Hearing Officer, Office of the Secretary, 89 Kings Highway Dover 19901 or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3844&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAilltms%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

BOARD OF CERTIFICATION FOR WASTEWATER OPERATORS MONTHLY MEETING –

This is a regular monthly meeting of the Board of Certification for Wastewater Operators. Meeting will take place on **August 1** from 9am to 10am at the Richardson & Robbins Building, Conference Room B172, 89 Kings Hwy, Dover 19901. For additional information contact Faye Wheeler at (302) 739-9946; or visit:

<https://publicmeetings.delaware.gov/Meeting/39382>

ON-SITE SYSTEMS ADVISORY BOARD MEETING – This is a regular monthly meeting that will be held on **August 2** from 9:15am to 11:30am at the Richardson and Robbins Building,

Conference Room B228: 89 Kings Highway, Dover, 19901. Photo ID required to enter meeting location. For additional information, contact Dawn Dryden, 302-739-9948; or visit: <https://publicmeetings.delaware.gov/Meeting/52655>

WATER WELL LICENSING BOARD MEETING – Meeting will take place on **August 8** from 9:30am to 12pm at DNREC Conference Room B172, 89 Kings Highway, Richardson and Robbins Building, Dover, 19901. For additional information contact Sarah Jones at 302-739-9944 or visit: <https://publicmeetings.delaware.gov/Meeting/53971>

Public Hearing for Proposed Amendments to the Regulations for Licensing Operators of Wastewater the Surface Water Discharges Section (SWDS), Board of Certification for Wastewater Operator Licensing, will be holding a public hearing regarding proposed amendments to the Regulations for Licensing Operators of Wastewater Facilities. The regulations for licensing of wastewater operators have been revised to incorporate language as recommended by the operating community, reorganization and structure of the Board of Certification, updates to the treatment plant classification process, and enhancement of the licensing process. There are no new fees proposed, and there are no changes/modifications being proposed that will increase current costs to affected public and private entities, nor the wastewater operating community. You are invited to send written comments before the public hearing, or provide written and/or verbal comments at the public hearing. The hearing will be held: **August 10** beginning at 6:00 pm – DNREC Auditorium, 89 Kings Highway, Dover, 19901. The proposed changes/updates to the Wastewater Operator Licensing Regulations can be found on our website at: www.dnrec.delaware.gov/wr/Information/SWDInfo/Documents/WastewaterOperatorRegulations.pdf. For more information or directions, please contact: Faye Wheeler, Surface Water Discharges, 89 Kings Highway, Dover, 19901, (302) 739-9946, Faye.Wheeler@state.de.us or visit: <https://publicmeetings.delaware.gov/Meeting/54133>

OPT-IN! THE DELAWARE DIVISION OF AIR QUALITY (DAQ) is committed to working with citizens to continuously optimize Delaware’s air quality and protect public health, welfare, and the environment. To determine that the DAQ is meeting the air quality needs of the citizens across the state, we encourage you to participate in our opt-in list. In the future you will receive surveys that will allow us to analyze our performance. You can access the opt-in list by clicking: https://survey.co1.qualtrics.com/jfe/form/SV_1RGZGUYt8fSugkB

AIR QUALITY PERMITTING PROGRAM – Notice has been given that the facilities listed below have submitted applications for air quality management permits. The applications, the “draft/proposed” permits, all materials that the applicant has submitted (other than those granted confidential treatment under DNREC rules), and a copy of summary of other materials, if any, considered in preparing the “draft/proposed” permit, may be inspected at the offices of the Division of Air Quality, 100 W. Water Street, Suite 6A, Dover, 19904. **All comments and public hearing requests** should be mailed to the following address: DIVISION OF AIR QUALITY, 100 W. Water Street, Suite 6A, Dover 19904. To submit comments, for additional information, or for an appointment to inspect the application, please contact Tracy Mattson at (302) 739-9402.

NOTICE HAS BEEN GIVEN THAT Austin and Bednash Construction, Inc. requests a permit amendment to operate their existing 400 ton per hour portable crusher at two additional sites: 3521 Silverside Road, Wilmington, 19810 and 4500 New Linden Hill Road, Wilmington, 19808. Operation at these locations will be limited to six weeks. By Permit: APC-2014/0027-OPERATION (NSPS) (MNSR) (Amendment 2), total combined emissions from all permitted locations will not exceed 3.47 tons per year (TPY) of Nitrogen Oxides (NOx), 0.24 TPY of Total Hydrocarbons (THC), 3.2 TPY of Carbon Monoxide (CO), 0.31 TPY of Sulfur Dioxide (SO2) and 0.9 tons per year of Particulate Matter (PM). A public hearing on any of the above applications will NOT be held unless the Secretary receives a request for a hearing regarding that

application by **July 31**. A request for a hearing shall be in writing. The request must also show a familiarity with the application and a reasoned statement of the permit's probable impact. For more information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3860&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTICE IS HEREBY GIVEN THAT Allan Myers, Delaware, Inc. has submitted an application, pursuant to 7 DE Admin Code 1102 Section 2 1, 11 2 9, and 12 3 for an amendment at 3700 Bay Road, Dover. Allan Myers Delaware, Inc. requests addition of contracted services for a portable impact crusher and screener (under separate permit) to process Recycled Asphalt Pavement (RAP), limiting production capacity and throughput rate. These limits are necessary to restrict Allan Myers Delaware, Inc. potential to emit air pollutants, and the limit will be enforceable by the EPA and the state. Permitted emissions from the contracted crusher and screener are 0.31 TPY CO, 0.32 TPY NOx, 0.0006 TPY SOx, 0.12 TPY VOC, and 0.81 TPY PM. Allan Myers Delaware, Inc. operates three facilities under permits: (APC-2016/0026-OPERATION (NSPS)(SM)) Wilmington, (APC-2012/0154-OPERATION (NSPS) (MNSR)(SM)) Dover and (APC-1997/0494-OPERATION (MNSR)(NSPS)(SM)) Georgetown. Operational limits for the portable equipment will be applied at each location. A public hearing concerning the permitting action will not be held unless the Secretary receives a request by **August 15**. A request for a hearing shall be in writing and must show a familiarity with the application and a reasoned statement of the permit's probable impact. For more information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3859&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTICE IS HEREBY GIVEN THAT Allan Myers, Delaware, Inc. has submitted an application, pursuant to 7 DE Admin. Code 1102, Section 2.1, 11.2.9, and 12.3 for an amendment at 22351 Joseph Road, Georgetown. Allan Myers Delaware, Inc. requests addition of contracted services for a portable impact crusher and screener (under separate permit) to process Recycled Asphalt Pavement (RAP), limiting production capacity and throughput rate. These limits are necessary to restrict Allan Myers Delaware, Inc. potential to emit air pollutants, and the limit will be enforceable by the EPA and the state. Permitted emissions from the contracted crusher and screener are 0.31 TPY CO, 0.32 TPY NOx, 0.0006 TPY SOx, 0.12 TPY VOC, and 0.81 TPY PM. Allan Myers Delaware, Inc. operates three facilities under permits: (APC-2016/0026-OPERATION (NSPS)(SM)) Wilmington, (APC-2012/0154-OPERATION (NSPS) (MNSR)(SM)) Dover and (APC-1997/0494-OPERATION (MNSR)(NSPS)(SM)) Georgetown. Operational limits for the portable equipment will be applied at each location. A public hearing concerning the permitting action will not be held unless the Secretary receives a request for such hearing by **August 15**. A request for a hearing shall be in writing and must show a familiarity with the application and a reasoned statement of the permit's probable impact. For more information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3855&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTICE HAS BEEN GIVEN THAT RCJJ International LLC submitted a registration to operate a jaw crusher at Concord Plaza (3651 Silverside Road) for four weeks. The crusher will be operated for up to 5 hours per day and will be used to crush a 3,000 yard pile of concrete at the site to create a subbase for future development. Total Emissions will be less than 10 lbs/day. This advertisement is a courtesy notice of the operation and is not required by regulation. For more information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3858&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

WHS - SITE INVESTIGATION AND RESTORATION SECTION (SIRS) is responsible for the identification, evaluation, and remediation of sites in Delaware that have had past releases of hazardous substances. The section manages the contaminated sites under three major programs in accordance with the Hazardous Substance Cleanup Act (HSCA). The three programs are the **Brownfields Development Program, the Voluntary Cleanup Program (VCP), and the HSCA Enforcement Program** (for sites requiring enforcement action).

The Brownfields Development Program encourages the cleanup and redevelopment of vacant, abandoned, or underutilized properties, which may be contaminated. A party seeking to develop such a property negotiates with SIRS for a **Brownfields Development Agreement (BDA)** to perform an investigation and, if necessary, a remedial action or remedy, for the purpose of addressing the risks posed by past releases of hazardous substances at these sites. However, a BDA is only available to parties that are not current site owners. The **Voluntary Cleanup Program (VCP) Agreement** is available to site owners who want to clean up their sites and are already liable as a potentially responsible party for the site.

The Proposed and Final Plans of Remedial Action listed below outline site cleanup activities and covenants and are available online at:

<http://www.dnrec.delaware.gov/whs/awm/SIRB/Pages/SIRBPlans.aspx> under “Announcements.” For site-specific information, please see DNREC’s Environmental Navigator at:
<http://www.nav.dnrec.delaware.gov/DEN3>

PROPOSED PLAN OF REMEDIAL ACTION FOR THE HAMILTON PARK/PYLES LANE SITE – OPERABLE UNITS 24, 25, 26, 27, and 28 (DE-1284) The Department invites public comment on a proposal to cleanup Operable Units (OUs) – 24, 25, 26, 27, and 28 of the Hamilton Park/Pyles Lane Site, a residential neighborhood located in New Castle. Fill material placed before the houses were constructed, as well as remnants of foundry operations previously located in the rear of the neighborhood, are the likely sources of elevated metals and polycyclic aromatic hydrocarbons (PAHs) detected within the top 0 to 2 feet below ground surface (bgs). The plan includes the removal of soil within the top two feet bgs in select areas within each operable unit, and replacement with soil meeting residential use requirements. The comment period ends on **August 8**. For additional information, please contact Lindsay Hall, Project Manager, at (302)395-2600 or via e-mail at Lindsay.Hall@state.de.us; or visit:
<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3866&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

PROPOSED PLAN OF REMEDIAL ACTION FOR THE FORMER DOVER PRODUCTS OU-1 SITE (DE-1617). The Department invites public comment on a proposal to clean up the Former Dover Products Operable Unit 1 (OU-1) Site located at 5200 Denneys Road in Dover. The Site consists of one (1) tax parcel totaling approximately 17.6 acres. OU-1 is 6.3-acre upland portion of the Site which contains 8 buildings including a house. OU-2 contains a wetlands and trees. OU-1 requires an Environmental Covenant to restrict the Site to commercial use and restrict groundwater use. The comment period ends on **August 8**. For additional information, please contact Rick Galloway, Project Manager at (302)395-2600 or rick.galloway@state.de.us; or visit:
<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3865&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

AMENDED PROPOSED PLAN OF REMEDIAL ACTION FOR THE Reichhold Chemical Inc. OU-2. The Department invites public comment on a proposal to clean up a portion of the Reichhold Chemical Inc. Operable Unit 2 (OU-2) in Dover. Groundwater

in OU-2 has been impacted by chlorinated hydrocarbons. The contamination will be addressed in OU-2 by restricting the area to commercial use, limiting interference with remedy, limiting the use of the groundwater, a plan for construction workers to safely handle the soil and groundwater, requiring a vapor mitigation system and a Long-Term groundwater monitoring program. The comment period ends on **August 8**. For additional information, please contact Rick Galloway, Project Manager, or via email at rick.galloway@state.de.us; or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3864&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

PROPOSED PLAN OF REMEDIAL ACTION FOR THE FORT DUPONT REDEVELOPMENT SITE OPERABLE UNIT-3 THE MORTAR BATTERY (DE-1618)

The Department invites public comment on a proposal to clean up the Fort DuPont Redevelopment Site (Site), Operable Unit 3 (OU-3), also known as the Mortar Battery located at the corner of Wilmington and Sussex Avenues in Delaware City. Operable Unit-3 of the Site was once used as a mortar battery at the former military installation, Fort DuPont, and as office space for the Delaware Emergency Management Agency. The Proposed Plan requires a limited surface soil excavation, a Remedial Action Work Plan, a Remedial Action Completion Report, an Environmental Covenant, and a Contaminated Materials Management Plan. The comment period ends on **August 8**. For additional information, please contact Kristen Thornton, Project Manager, at (302)395-2600 or email at Kristen.thornton@state.de.us; or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3863&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

FINAL PLAN OF REMEDIAL ACTION FOR THE MILFORD MOSQUITO CONTROL SHOP SITE (OPERABLE UNIT-1) (DE-1156)

The Department has adopted a plan regarding the clean-up of Operable Unit 1 of the Milford Mosquito Control Shop Site located in Milford. The Site, once used as by the State of DNREC-DFW Mosquito Control section for over fifty-eight (58) years of which operations included the storage, mixing, and transferring of pesticide and pesticide-mixtures for distribution and application throughout the State required no remedial action for the soils of OU-1. Groundwater contamination from past land use Site will be addressed separately as Operable Unit-2 (OU-2) And, the remaining soils of the areas outside of OU-1 shall be investigated as Operable Unit-3 (OU-3). DNREC issued public notice of the Proposed Plan for Operable Unit 1 of the Milford Mosquito Control Shop Site on June 18. There were no comments or questions from the public regarding the Proposed Plan. For additional information, please contact Morgan McGee-Solomon, Project Manager at (302) 395-2600 or via email at Morgan.McGee-Solomon@state.de.us; or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3861&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

SOLID AND HAZARDOUS WASTE MANAGEMENT SECTION - The Solid and Hazardous Waste Management Section (SHWMS) hereby gives notice that a permit application has been received from the following companies to transport regulated RCRA hazardous and/or non-hazardous solid wastes in, out of, or through the State of Delaware. The renewal application and associated documents are available for review during business hours at our agency Solid & Hazardous Waste Management Section office at 89 Kings Highway, Dover and also at our Lukens Drive office at 391 Lukens Drive in Wilmington.

Permits Pending

Atlantic Response, Inc.; Boylan & Sons, LLC; Cuba Truck Company; Curtis Bay Energy; Dependable Construction of Delaware; Emanuel Tire of PA, Inc.; H+K Group dba Haines & Kibblehouse; Hepaco, LLC; J&JD Trucking; KBS, Inc.; Miller Environmental, Inc.; RR Trucking; Universal Constructors, Inc. For additional information or an appointment to inspect the applications, please contact Tara Grazier, SHWMS, 89 Kings Hwy, Dover, 19901, 302.739.9403. A public hearing concerning these applications will NOT be held unless the Secretary, in care of Karen J 'Anthony, receives a meritorious request for a hearing by **July 25**. A request for a hearing must be in writing and shall state the nature of the issues to be raised at the hearing. It must also show a familiarity with the application and a reasoned statement of the activity's probable impact. For more information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3852&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

A&W Supply; Aqua-Tex Transport, Inc.; Charlie's Waste Services; Nichols Excavation; Rod Lee Hauling, LLC. The applications may be inspected by appointment from 8:00 AM to 4:30 PM Monday through Friday at the offices of DNREC. For additional information or an appointment to inspect the applications, please contact Tara Grazier, SHWMS, 89 Kings Hwy, Dover, 19901, 302.739.9403. A public hearing concerning these applications will NOT be held unless the Secretary, in care of Karen J 'Anthony, receives a meritorious request for a hearing by **July 31**. A request for a hearing must be in writing and shall state the nature of the issues to be raised at the hearing. It must also show a familiarity with the application and a reasoned statement of the activity's probable impact. For more information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3862&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

DIVISION OF WATER - GROUND WATER DISCHARGES -The Division of Water hereby gives notice that the applications below are available for inspection or copies may be obtained by contacting: Kathleen Saunders, Ground Water Discharges, 89 Kings Highway, Dover 19901, or by calling (302) 739-9948. A public hearing on the applications will NOT be held unless the Secretary determines that a public hearing is in the public interest or if a written meritorious objection to the application is received by **July 27**. A public hearing request shall be deemed meritorious if it exhibits a familiarity with the application and provides a reasoned statement of the action's probable impact. For more information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3853&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

On-Site Wastewater Treatment and Disposal System

T. S. Smith & Sons, Inc. has applied for a permit to construct an on-site wastewater treatment and disposal system (septic system) on their property located on the east side of US Route 13 (Sussex Highway) at the corner of Sussex County Road 40 (Redden Road) near Bridgeville, Sussex County Tax parcel 1-31-11.00-3.00. The system will serve a produce stand and will have a design flow rate of 570 gallons per day.

Rural Area Waiver

BDP Investments, LLC has applied for a Rural Area Waiver to construct an on-site wastewater treatment and disposal system (septic system) on their property located on the South side of Rt. 9 (County Seat Highway), ~775' west of CR 329 (Whaley's Corner Road) near Georgetown, Sussex County Tax Parcel 2-31-15.00-60.02. The system will serve a single family dwelling with a design flow rate not to exceed 600 gallons per day.

DIVISION OF WATER - SURFACE WATER DISCHARGES – The Division of Water hereby gives notice that the following permit applications have been received.

NPDES Permits

The Kent County Department of Public Works has applied for reissuance of its NPDES Permit No. DE0020338 (State Number WPCC 3082G/74) permit to discharge treated wastewater and storm water from the Kent County Regional Resource Recovery Facility located at 139 Milford Neck Road, Milford, Kent County. The facility is a regional wastewater treatment plant (WWTP) that services the domestic, commercial, and industrial users in Kent County, southern portions of New Castle County, and portions of Sussex County in and near Milford. The facility has a single wastewater discharge (Outfall 001) to The Gut, a Tributary of the Murderkill River located at Latitude 38° 59' 36.7" N, Longitude 75° 26' 14.4" W. One storm water outfall (SW001) also discharges from the site at Latitude 38° 59' 49.34" N, Longitude 75° 26' 19.50" W. The facility has no Combined Sewer Overflows (CSO's). Wastewater treatment includes fine screening, grit removal, influent sampling for process control, extended aeration with rolling oxic and anoxic zones for BNR, ferric chloride addition for phosphorous reduction, secondary clarification with six (6) clarifiers available, sand filter, ultra violet (UV) disinfection with twelve (12) UV channels available, effluent metering and monitoring. Waste sludge is dewatered via belt filter press, lime stabilized, and dried on site prior to transportation off site to be land applied on local farms. Based on a preliminary staff review and application of lawful standards and regulations, the Department proposes to re-issue this permit, subject to certain effluent limitations and conditions. The proposed determinations are tentative. Persons wishing to comment upon or object to the proposed determinations are invited to submit same in writing to the Surface Water Discharges Section of the Division of Water, at the address listed below, no later than 30 days from this notice. All comments received prior to said date will be considered in the formulation of final determinations regarding this application. A public hearing on the above will NOT be held unless the Secretary receives a request by **August 11**, or if the Secretary determines that a public hearing is in the public interest. A request for a hearing shall be in writing and shall state the nature of the issues to be raised at the hearing. It must also show familiarity with the proposal and a reasoned statement of the permit's probable impact. The applications, fact sheets, and permits are available for inspection or copies may be obtained by contacting: Division of Water Surface Water Discharges Section 89 Kings Highway Dover, 19901, (302) 739-9946 or visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3854&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

DIVISION OF WATER - WATER SUPPLY - The Division of Water hereby gives notice that the following Well permit application has been received. For additional information concerning the applications below, please contact Water Supply Section - 89 Kings Highway, Dover, 19901; email Water.Allocation@state.de.us; or by phone at (302)739-9945. A public hearing on the above applications will NOT be held unless the Secretary determines that a public hearing is in the public interest or if a written meritorious objection to the application is received by **August 7**. A public hearing request shall be deemed meritorious if it exhibits a familiarity with the application and provides a reasoned statement of the action's probable impact. For more information visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3869&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

Allocation Permits

East Valley Farms has requested an irrigation allocation for a proposed and an existing irrigation well. The requested daily withdrawal for the wells is 252,000 and 720,000 gallons per day, respectively. The wells will be located north of Greenwood in Sussex County, near the intersection of Woodyard and Greenhurst Farm Roads. Tax Map Parcel 5-30-05.00-0010.00

Canuso Homes has requested an irrigation allocation for proposed lawn irrigation well. The requested daily withdrawal is 432,000 gallons per day. The well will be located northeast of Millsboro in Sussex County, near the intersection of Bay Farm and Trinity Roads. Tax Map Parcel 2-34-29.00-1837.00

CONTACT INFORMATION

24-Hour Environmental Report and Spill Notification Line - 1-800-662-8802

Aboveground Storage Tanks - 302-395-2500
Air Quality - New Castle Office - 302-323-4542
Air Quality – Kent & Sussex – 302-739-9402
Asbestos New Castle - 302-323-4542
Asbestos Kent & Sussex - 302-739-9402
Biosolids Permits - 302-739-9946
Boiler Safety - 302-395-2500
Brownfields - 302-395-2600
Community Ombudsman - 302-739-9040
Community Services - 302-739-9959
Delaware Estuary Program - 302-739-9283 (Delaware Coastal Management Program)
Division of Air Quality Director's Office - 302-739-9402
Division of Energy & Climate - 302-735-3480
Division of Waste and Hazardous Substances Director's Office - 302-739-9400
Division of Water Information - 302-739-9950
Dock/Dredging/Bulkheads/Rip-Rap/Wetlands & Subaqueous Lands - 302-739-9943
Emergency Prevention and Response - 302-739-9404
Environmental Crimes Unit - 302-739-9401 or 1-800-662-8802
Environmental Laboratory - 302-739-9942
Hazardous Waste - 302-739-9403
Hazardous Chemical and Toxic Release Inventories – 302-739-9404
Industrial Stormwater Permits - 302-739-9946
Loans & Grants for Wastewater and Septic's (Environmental Finance) - 302-739-9941
Medical Waste - 302-739-9403
Non-Hazardous Liquid Waste Transporters - 302-739-9948
On-site Wastewater Licensing Program - 302-739-9948
Open Burning - 302-739-9402
Outreach Ombudsman - 302-395-2600
Recycling - 302-739-9403
Septic System Permits - Large Systems (Community & I/A) Statewide - 302-739-9948
Septic System Permits - Small Systems for Kent & New Castle Counties - 302-739-9947
Septic System Permits - Small Systems for Sussex Co. & Holding Tank Compli. Program - 302-856-4561
Site Investigation & Restoration Section (Superfund/Brownfields) - 302-395-2600
Small Business Ombudsman - 302-739-9069
Solid Waste - 302-739-9403
Source Water Protection - 302-739-9945
Surface Water Discharge Permits (NPDES) - 302-739-9946
Underground Injection Control & Spray Irrigation - 302-739-9948
Underground Storage Tanks - 302-395-2500
Wastewater Collection, Conveyance, and/or Treatment Facility Construction Permits - 302-739-9946
Wastewater Treatment Facility Operators - 302-739-9946
Water Allocation Permits - 302-739-9945
Water Testing - Drinking Water (Division of Public Health) - 302-741-8630
Water Supply - 302-739-9945
Well Driller's License - 302-739-9944
Well Permits & Licensing - 302-739-9944
Wells - 302-739-9944
Wetlands and Subaqueous Lands Section - 302-739-9943