

The biweekly E-News Update features current information on the Divisions of Air Quality (DAQ), Waste and Hazardous Substances (WHS), and Water regarding public meetings, workshops, hearings, and regulatory documents available for public comment, as well as general news updates. For those of you who are receiving the E-News Update for the first time, the subscription is FREE!

Please sign up at: <http://www.dnrec.delaware.gov/Pages/DNRECLists.aspx> under "Division of Waste & Hazardous Substances Lists." There is no form to fill out; it's done in three clicks!

Suggestions? Additions? Please call Stacy Jones at 302-739-9400, or send an email to [Stacy.Jones@state.de.us](mailto:Stacy.Jones@state.de.us)

Published by the Divisions of Air Quality, Waste and Hazardous Substances and Water.5  
Visit us at: [www.awm.delaware.gov](http://www.awm.delaware.gov)

## **UPCOMING AIR, WASTE, & WATER-RELATED HEARINGS, MEETINGS, & EVENTS**

**RECYCLING PUBLIC ADVISORY COUNCIL** – will meet on **July 27** from 1:00pm to 3:30pm at Appoquinimink Library, 651 N. Broad St., Middletown, DE 19709. The council will discuss recycling issues for the State of Delaware. For additional information contact Bill Miller at 302- 739- 9403, or visit: <https://egov.delaware.gov/pmc/Event/Details/38251>

**BOARD OF CERTIFICATION FOR WASTEWATER OPERATORS MONTHLY MEETING** – This is a regular monthly meeting of the Board of Certification for Wastewater Operators. Meeting will take place on **August 2** from 9am to 11am at the Richardson and Robbins Building, Conference Room B172: 89 Kings Highway, Dover, DE, 19901. For additional information contact Faye Wheeler at (302) 739-9946, or visit: <https://egov.delaware.gov/pmc/Event/Details/32998>

**ON-SITE SYSTEMS ADVISORY BOARD MEETING** – will be held on **August 3** from 9:15am to 11:30am at the Richardson and Robbins Building, Conference Room B228: 89 Kings Highway, Dover, DE, 19901. For additional information, contact Dryden 302-739-9948 or visit: <https://egov.delaware.gov/pmc/Event/Details/38306>

**DELAWARE WATER WELL LICENSING BOARD Meeting**- Will Review Previous Month Meeting minutes, agenda, and applications. This meeting will take place on **August 9** from 9:30am to 11am at Richardson and Robbins Building Conference Room B172, 89 Kings Highway, Dover, DE, 19901. For additional information contact Lori Foraker 302-739-9944; or visit: <https://egov.delaware.gov/pmc/Event/Details/38366>

**WATER SUPPLY COORDINATING COUNCIL MEETING** – scheduled for **August 18** has been **CANCELLED** and rescheduled to **September 29**.  
<https://egov.delaware.gov/pmc/Event/Details/37030>

**BOARD OF CERTIFICATION FOR WASTEWATER OPERATORS MONTHLY MEETING** – This is a regular monthly meeting of the Board of Certification for Wastewater Operators. Meeting will take place on **September 6** from 9am to 11am at the Richardson and Robbins Building, Conference Room B172: 89 Kings Highway, Dover, DE, 19901. For additional information contact Faye Wheeler at (302) 739-9946, or visit: <https://egov.delaware.gov/pmc/Event/Details/32999>

**WATER SUPPLY COORDINATING COUNCIL MEETING** rescheduled to **September 29** from 10am to 12pm at the Kent County Administration Complex, Conference Room 220, 555 Bay Road, Dover, DE, 19901. For additional information contact Kimberly Burris at (302) 739-9945; or visit: <https://egov.delaware.gov/pmc/Event/Details/38371>

**OPT-IN! THE DELAWARE DIVISION OF AIR QUALITY (DAQ)** is committed to working with citizens to continuously optimize Delaware's air quality and protect public health, welfare, and the

environment. To determine that the DAQ is meeting the air quality needs of the citizens across the state, we encourage you to participate in our opt-in list. In the future you will receive surveys that will allow us to analyze our performance. You can access the opt-in list by clicking: [https://survey.co1.qualtrics.com/jfe/form/SV\\_1RGZGUYt8fSuqkB](https://survey.co1.qualtrics.com/jfe/form/SV_1RGZGUYt8fSuqkB)

**AIR QUALITY PERMITTING PROGRAM** – Notice has been given that the facilities listed below have submitted applications for air quality management permits. The applications, the “draft/proposed” permits, all materials that the applicant has submitted (other than those granted confidential treatment under DNREC rules), and a copy of summary of other materials, if any, considered in preparing the “draft/proposed” permit, may be inspected at the offices of the Division of Air Quality, 100 W. Water Street, Suite 6A, Dover, 19904. **All comments and public hearing requests** should be mailed to the following address: DIVISION OF AIR QUALITY, 100 W. Water Street, Suite 6A, Dover, 19904. To submit comments, for additional information, or for an appointment to inspect the application, please contact Penny Gentry at (302) 739-9402.

**A.I. DUPONT HOSPITAL FOR CHILDREN** having a facility at 1600 Rockland Road, Wilmington, Delaware, has submitted a request for a Title V Permit Renewal renewal pursuant to 7 DE Admin. Code 1130, Section 7 for operating permit: AQM-003/00131-Renewal 4. Based on the data and certifications contained in the application, the Division of Air Quality concludes that the applicant meets all applicable requirements promulgated by the Environmental Protection Agency (EPA) and the Department of Natural Resources and Environmental Control (DNREC). A public hearing concerning the permitting action will not be held unless our agency Secretary receives a request for such hearing by **July 26**. A request for a hearing shall be in writing and must show a familiarity with the application and a reasoned statement of the permit renewal’s probable impact. For additional information, visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3317&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

**MOUNTAIRE FARMS, INC.**, requests a (construction) permit to construct a 24.494 MMBTU/hr (600 HP) boiler fired by natural gas at their Hoosier and Railroad Street, Selbyville, Sussex County facility. The boiler will be permitted to emit 0.80 TPY PM, 0.06 TPY SO<sub>2</sub>, 3.4 TPY NO<sub>x</sub>, 8.8 TPY CO, and 0.58 TPY VOC by Permit# APC-2017/0004-CONSTRUCTION (NSPS). A public hearing on any of the above applications will NOT be held unless the Secretary of DNREC receives a request for a hearing regarding that application by **August 1**. A request for a hearing shall be in writing and must show a familiarity with the application and a reasoned statement of the permit renewal’s probable impact. For additional information, visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3339&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

**AMAZON** has submitted an application, pursuant to 7 DE Admin. Code 1102, Section 2.1, 11.2.9, and 12.3 for a construction permit to replace the existing dust collector associated with their bookbinding operation located at 560 Merrimac Avenue, Middletown, Delaware. APC-2016/0038-Construction (SM). Amazon requests to limit their potential to emit by using filter bags guaranteed to achieve at least 99.9% efficiency and to emit no more than 0.01 grains per standard cubic foot. These limits are necessary to restrict Amazon’s potential to emit air pollutants, and the limit will be enforceable by the EPA and the state. The total estimated emission from the facility is 8 tons per year of Particulate Matter. A public hearing concerning the permitting action will not be held unless our agency Secretary receives a request for such hearing by **August 2**. A request

for a hearing shall be in writing and must show a familiarity with the application and a reasoned statement of the permit's probable impact. For additional information, visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3324&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

**DHSS State Hospital** has submitted an application for the operation of one (1) 750 kW Kohler Diesel Generator for emergency use at the Herman Holloway Sr. Campus at 1901 N. DuPont Highway in New Castle, Delaware. Permit: APC-2016/0159-CONSTRUCTION/OPERATION. The generator will be permitted to operate for 500 hours a year. Total estimated emissions from the facility are 2.64 tons per year NOX, 0.10 tons per year HC, 0.26 tons per year CO, 0.05 tons per year PM, 0.004 tons per year SO<sub>2</sub>, and 325 tons per year CO<sub>2</sub>. A public hearing concerning the permitting action will not be held unless our agency Secretary receives a request for such hearing by **August 8**. A request for a hearing shall be in writing and must show a familiarity with the application and a reasoned statement of the permit's probable impact. For more information, visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3345&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

**WHS - SITE INVESTIGATION AND RESTORATION SECTION (SIRS)** is responsible for the identification, evaluation and remediation of sites in Delaware that have had past releases of hazardous substances. The section manages the contaminated sites under three major programs in accordance with the Hazardous Substance Cleanup Act (HSCA). The three programs are the **Brownfields Development Program, the Voluntary Cleanup Program (VCP) and the HSCA Enforcement Program** (for sites requiring enforcement action).

**The Brownfields Development Program** encourages the cleanup and redevelopment of vacant, abandoned or underutilized properties, which may be contaminated. A party seeking to develop such a property negotiates with SIRS for a **Brownfields Development Agreement (BDA)** to perform an investigation and, if necessary, a remedial action or remedy, for the purpose of addressing the risks posed by past releases of hazardous substances at these sites. However, a BDA is only available to parties that are not current site owners. The **Voluntary Cleanup Program (VCP) Agreement** is available to site owners, who want to clean up their sites and are already liable as a potentially responsible party for the site.

**NOTIFICATION OF NEGOTIATIONS AND PUBLIC COMMENT FOR A BROWNFIELD DEVELOPMENT AGREEMENT WITH MATTLIND, LLC** regarding the former Mil-Del site located at 700 and 718 McColley Street in Milford. Identified on the tax maps of Sussex County as parcel numbers 330-11.09.7.00 and-8.00, the 3.97 acre Site may have had a release of hazardous substances from former use as a garage door manufacturing facility. The public comment period began July 20, and will close **August 8**. Please submit written comments to the SIRS Project Manager, Eileen Capitoli at DNREC-SIRS, 391 Lukens Drive, New Castle, DE 19720. For additional information contact, Eileen Capitoli at (302) 395-2600; or visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3342&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

**The Proposed and Final Plans of Remedial Action** listed below outline site cleanup activities and covenants and are available online at: <http://www.dnrec.delaware.gov/whs/awm/SIRB/Pages/SIRBPlans.aspx> under

“Announcements.” For site-specific information, please see DNREC’s Environmental Navigator at: <http://www.nav.dnrec.delaware.gov/DEN3>

**FINAL PLAN OF REMEDIAL ACTION FOR THE CITISTEEL (FORMER EVRAZ-CLAYMONT STEEL) OPERABLE UNIT #4 (DE-0046)** The Department has adopted a plan regarding the clean-up of Operable Unit 4 of the CitiSteel (Former EVRAZ-Claymont Steel) Site located at 4001 Philadelphia Pike in Claymont, Delaware. The 12-acre Operable Unit consists of the former cooling water/sedimentation lagoon. The former cooling water lagoon must be closed/filled and capped to eliminate potential human health and ecological impacts. In addition, the future uses of the site will be restricted to non-residential uses, and groundwater use will be restricted. DNREC received public comments, but they did not result in any changes to the Proposed Plan. The public has until **July 30** to appeal this Final Plan. For additional information, please contact John G. Cargill, Project Manager, or Robert Newsome, Public Information Officer, at (302) 395-2600; or visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3334&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

**FINAL PLAN OF REMEDIAL ACTION FOR THE CITISTEEL (FORMER EVRAZ-CLAYMONT STEEL) OPERABLE UNIT #5 (DE-0046)** The Department has adopted a plan regarding the clean-up of Operable Unit 5 of the CitiSteel (Former EVRAZ-Claymont Steel) Site located at 4001 Philadelphia Pike in Claymont, Delaware. The 23-acre Operable Unit contained a storage and handling area with associated rail lines, a material warehouse, and aboveground storage tanks. Future uses of the site will be restricted to non-residential uses, and groundwater use will be restricted at the site. DNREC issued public notice of the Proposed Plan for the Site on June 1. There were no comments or questions from the public regarding the Proposed Plan. The public has until **July 30** to appeal this Final Plan. For additional information, please contact John G. Cargill, Project Manager, or Robert Newsome, Public Information Officer, at (302) 395-2600; or visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3333&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

**FINAL PLAN OF REMEDIAL ACTION FOR THE PENCADER PLAZA DRY CLEANERS SITE (DE-1551)** The Department has adopted a plan regarding the clean-up of the Pencader Plaza Dry Cleaners Site located in Newark. The required remedial actions include: maintenance of the existing building foundation, and adherence to both a Long-Term Stewardship Plan and an environmental covenant restricting groundwater use beneath the Site. The Site is currently owned by FP SPE LLC. DNREC issued public notice of the Proposed Plan for the Pencader Plaza Dry Cleaners Site on June 5. There were no comments or questions from the public regarding the Proposed Plan. The public has until **July 30** to appeal this Final Plan. For additional information, please contact John G. Cargill, Project Manager, or Robert Newsome, Public Information Officer, at (302) 395-2600; or visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3328&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

**PROPOSED PLAN OF REMEDIAL ACTION FOR THE PROCINO PLATING SITE (DE-0344)** -The Department invites public comment on a proposal to clean up the Procino Plating Site located at 901 Market Street in Blades, Delaware. The 1.16-acre Site consists of office/ warehouse buildings with a gravel parking lot in a mixed

residential/commercial area. The Site groundwater is contaminated with chromium related to its use as a metal plating facility. The comment period ends on **August 15**. For additional information, contact John G. Cargill, Project Manager, or Robert Newsome, Public Information Officer, at (302)395-2600; or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3346&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

**SOLID AND HAZARDOUS WASTE MANAGEMENT SECTION** - The Solid and Hazardous Waste Management Section (SHWMS) hereby gives notice that a permit application has been received from the following companies to transport regulated RCRA hazardous and/or non-hazardous solid wastes in, out of, or through the State of Delaware. The renewal application and associated documents are available for review during business hours at our agency Solid & Hazardous Waste Management Section office at 89 Kings Highway, Dover and also at our Lukens Drive office at 391 Lukens Drive in Wilmington.

**Bayside Exteriors, LLC; Care Environmental; City of New Castle; Environmental Restoration, Inc.; Heavy Equipment Rental; Kowalski Tire, LLC; LA Robinson Trucking, LLC; NS Trucking, LLC; RSO, Inc.; Selective Dismantlement, Inc.; SW, Inc. dba Penn Container; Tundra Transport.** A public hearing concerning these applications will NOT be held unless our agency Secretary, in care of Karen J'Anthony, receives a meritorious request for a hearing by **August 2**. A request for a hearing must be in writing and shall state the nature of the issues to be raised at the hearing. It must also show a familiarity with the application and a reasoned statement of the activity's probable impact. For additional information visit:  
<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3341&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&RootFolder=%2FLists%2FPublic%20Notices&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

**Blade Trucking; D. Sabatelli, Inc.; Harmony Trucking; Petroleum Management, Inc.; Quinton Sand & Gravel, LLC; Silver Top, Inc.; Swain Excavation.** A public hearing concerning these applications will NOT be held unless our agency Secretary, in care of Karen J'Anthony, receives a meritorious request for a hearing by **August 5**. A request for a hearing must be in writing and shall state the nature of the issues to be raised at the hearing. It must also show a familiarity with the application and a reasoned statement of the activity's probable impact. For additional information visit:  
<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3344&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

**A.P. Croll & Sons, Inc.; Able Recycling; Ceylan Trucking, LLC; Charlies Waste Services, LLC; G Dickinson Transport, LLC; Hakan Yilmaz Trucking; Pauls Paving, Inc.; Technivate, Inc.; Town of Delmar.** A public hearing concerning these applications will NOT be held unless our agency Secretary, in care of Karen J'Anthony, receives a meritorious request for a hearing by **August 8**. A request for a hearing must be in writing and shall state the nature of the issues to be raised at the hearing. It must also show a familiarity with the application and a reasoned statement of the activity's probable impact. For additional information visit:  
<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3348&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

**DIVISION OF WATER - GROUND WATER DISCHARGES** -The Division of Water hereby gives notice that the applications below are available for inspection or copies may be obtained by contacting: Kathleen Saunders, Ground Water Discharges, 89 Kings Highway, Dover 19901, or by calling (302) 739-9948.

**Underground Injection Control Permit**

**E.I. DuPont de Nemours and Company [Stine Haskell Research Center]**, located at 1090 Elkton Road, Newark, New Castle County, has applied to the Ground Water Discharges Section for an amendment of their current Underground Injection Control (UIC) permit, for the addition of 3 injection points (steam traps in the form of dry wells) for discharging infiltrated rainwater and steam condensate from various process boilers at the facility. A public hearing on the above application will NOT be held unless the Secretary of DNREC determines that a public hearing is in the public interest or if a written meritorious objection to the application is received by **July 26**. A public hearing request shall be deemed meritorious if it exhibits a familiarity with the application and provides a reasoned statement of the action's probable impact. For additional information, visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3319&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

**Brownfield Science & Technology, Inc.** has applied to the Ground Water Discharges Section for an extension for a current Underground Injection Control (UIC) permit to operate 28 injection points for the injection of air as part of an Air Sparge/Soil Vapor Extraction (AS/SVE) project, to remediate the contaminated soil and groundwater. The site is located at 550 South College Ave, Newark (former Chrysler Paint Mix Building). The Permit will be extended three (3) years. A public hearing on the above application will NOT be held unless the Secretary of DNREC determines that a public hearing is in the public interest or if a written meritorious objection to the application is received by **August 12**. A public hearing request shall be deemed meritorious if it exhibits a familiarity with the application and provides a reasoned statement of the action's probable impact. For additional information, visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3336&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

### **On-Site Wastewater Treatment and Disposal System**

**William C. Adkins** has submitted renewal application for an operation permit for an on-site wastewater treatment and disposal system for the Rookery North. The system has been designed to accommodate 2,200 gallons per day of wastewater. The site is located at 6152 South Rehoboth Blvd, Sussex County, tax parcel # 3-30-11.00-0008.00. A public hearing on the above application will NOT be held unless our agency Secretary determines that a public hearing is in the public interest or if a written meritorious objection to the application is received by **July 28**. A public hearing request shall be deemed meritorious if it exhibits a familiarity with the application and provides a reasoned statement of the action's probable impact. For additional information, visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3337&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

**Connections Community Support Programs Inc.** has applied to construct a standard capping-fill gravity on-site wastewater treatment and disposal system. The system has been designed to accommodate 880 gallons per day of wastewater. The system will service a group home consisting of 8 residents and 4 staff members. The property is located at 994 Blackbird Landing Road, Townsend, DE, 19734, New Castle County, tax parcel # 15-011.00-060. A public hearing on the above application will NOT be held unless our agency Secretary determines that a public hearing is in the public interest or if

a written meritorious objection to the application is received by **August 1**. A public hearing request shall be deemed meritorious if it exhibits a familiarity with the application and provides a reasoned statement of the action's probable impact. For additional information, visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3340&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

### **Non-Hazardous Liquid Waste Transporters Permit**

**Sawyers Sanitation Service, Inc.** has applied to the Ground Water Discharges Section for a renewal of Non-Hazardous Liquid Waste Transporters Permit DE WH-028 which allows for the transport of septage; holding tank waste; grease trap waste and/or cooking oil waste, to be disposed of at the Kent County Sewer System and the New Castle County Sewer System. A public hearing on the above application will NOT be held unless our agency Secretary determines that a public hearing is in the public interest or if a written meritorious objection to the application is received by **August 1**. A public hearing request shall be deemed meritorious if it exhibits a familiarity with the application and provides a reasoned statement of the action's probable impact. For additional information, visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3340&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

**DIVISION OF WATER - WATER SUPPLY** - The Division of Water hereby gives notice that the following well permit application has been received. For additional information concerning the applications below, please contact Allison Diggins/Water Supply Section - 89 Kings Highway, Dover, DE 19901; or, by phone at (302) 739-9945.

### **Dewatering Permits**

**Townsend, JG JR & Co** proposes a dewatering project to install a gravity sewer main. The proposed system consists of 150 well points, 18 feet below grade, with 1.5 inch diameter casing. The duration of this project is 180 days and water discharge location will be storm water trench. The site is located on the south side of Cedar Grove Road, Rehoboth Beach, Sussex County. The requested capacity of this system is 1,080,000 gallons per day. A public hearing on the above application will NOT be held unless our agency Secretary determines that a public hearing is in the public interest or if a written meritorious objection to the application is received by **August 1**. A public hearing request shall be deemed meritorious if it exhibits a familiarity with the application and provides a reasoned statement of the action's probably impact. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3338&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

**DIVISION OF WATER - WETLANDS AND SUBAQUEOUS LANDS SECTION** – The Division of Water hereby gives notice that the applications below are available for inspection or copies may be obtained by contacting: Gayle Calder, Wetlands and Subaqueous Lands Section, 89 Kings Highway, Dover – 19901, or by calling (302) 739-9943. A public hearing on the applications below will NOT be held unless our agency Secretary determines that a public hearing is in the public interest, or if a written meritorious objection to the application is received by **August 2**. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3335&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

### **Subaqueous Lands Permit and Water Quality Application**

W & D Cropper Family -To hydraulic maintenance dredge 6,875± cubic yards of material to a depth of -4' MLW in Pepper Creek at Gulls Way Campground Marina adjacent to Gulls Way Drive and to dispose of the dredged material via a pipeline to an existing disposal site located west of Shell Road, Dagsboro, Sussex County

### **Subaqueous Lands Lease Supplemental Application**

Kristine Baker-To install two boat lifts with 4 associated pilings each and remove 5 stand-alone pilings in Burton Prong at 6 Waterside Drive, Harbeson, Sussex County

Paul Downes-To install a 9.5 by 12 foot long floating dock connecting to a previously authorized structure and to remove two PWC lifts and a boat lift at 149 Riverview Drive in Dagsboro, Sussex County

Barbara Neuse-To construct a 5 by 10 foot long dock extension and install two PWC lifts with one associated piling each in the Indian River Bay at 39014 Bayfront Drive, Quillens Point, Ocean View, Sussex County

Bruce C. Reynolds Living Trust and Brooks E. Reynolds, Jr. Living Trust-To construct a 5 by 43 foot long pier extension and to relocate a boatlift in the Indian River at 32476 River Road, Millsboro, Sussex County

### **Subaqueous Lands Permit Application**

New Castle Conservation District-Place rock culvert outlet protection and stabilize eroded stream banks with 85 linear feet of riprap in Middle Run at the Estates of Corner Ketch near 33 Meadowbrook Lane, Newark, New Castle County

City of Newark-Install a new sanitary sewer main under an unnamed tributary to Cool Run near the intersection of Ashley Road and Courtney Street, Newark, New Castle County

DNREC, Div. of Parks and Recreation-Replace the Farm Lane bridge and construct bridge abutments for Paper Mill Bridge in and adjacent to Red Clay Creek and construct a box culvert and a bridge in and over the Mill Race at the Auburn Heights Preserve on and adjacent to Farm Lane and Bengel Road, Yorklyn, New Castle County

Mark Gaskin-To install a 5 by 30 foot long floating pier and a 5 by 20 foot long floating dock in Williams Pond at Lot 13 Pine Cove Drive, Seaford, Sussex County

### **Subaqueous Lands Permit and Marina Permit Application**

Bay Colony Community Yacht Club-To install a 4 by 35 foot long courtesy pier, a 6 by 30 foot long courtesy dock adjacent to an existing boat ramp and to hydraulic dredge 3,870± c.y. and to store the spoils in geotubes on site off of Quail Lane/Holly Tree Lane in Dagsboro, Sussex County

## **CONTACT INFORMATION**

### **24-Hour Environmental Report and Spill Notification Line - 1-800-662-8802**

Aboveground Storage Tanks - 302-395-2500

Air Quality - New Castle Office - 302-323-4542

Air Quality – Kent & Sussex – 302-739-9402

Asbestos New Castle - 302-323-4542

Asbestos Kent & Sussex - 302-739-9402  
Biosolids Permits - 302-739-9946  
Boiler Safety - 302-395-2500  
Brownfields - 302-395-2600  
Community Ombudsman - 302-739-9040  
Community Services - 302-739-9959  
Delaware Estuary Program - 302-739-9283 (Delaware Coastal Management Program)  
Division of Air Quality Director's Office - 302-739-9402  
Division of Energy & Climate - 302-735-3480  
Division of Waste and Hazardous Substances Director's Office - 302-739-9400  
Division of Water Information - 302-739-9950  
Dock/Dredging/Bulkheads/Rip-Rap/Wetlands & Subaqueous Lands - 302-739-9943  
Emergency Prevention and Response - 302-739-9404  
Environmental Crimes Unit - 302-739-9401 or 1-800-662-8802  
Environmental Laboratory - 302-739-9942  
Hazardous Waste - 302-739-9403  
Hazardous Chemical and Toxic Release Inventories – 302-739-9404  
Industrial Stormwater Permits - 302-739-9946  
Loans & Grants for Wastewater and Septic's (Environmental Finance) - 302-739-9941  
Medical Waste - 302-739-9403  
Non-Hazardous Liquid Waste Transporters - 302-739-9948  
On-site Wastewater Licensing Program - 302-739-9948  
Open Burning - 302-739-9402  
Outreach Ombudsman - 302-395-2600  
Recycling - 302-739-9403  
Septic System Permits - Large Systems (Community & I/A) Statewide - 302-739-9948  
Septic System Permits - Small Systems for Kent & New Castle Counties - 302-739-9947  
Septic System Permits - Small Systems for Sussex Co. & Holding Tank Compli. Program - 302-856-4561  
Site Investigation & Restoration Section (Superfund/Brownfields) - 302-395-2600  
Small Business Ombudsman - 302-739-9909  
Solid Waste - 302-739-9403  
Source Water Protection - 302-739-9945  
Surface Water Discharge Permits (NPDES) - 302-739-9946  
Underground Injection Control & Spray Irrigation - 302-739-9948  
Underground Storage Tanks - 302-395-2500  
Wastewater Collection, Conveyance and/or Treatment Facility Construction Permits - 302-739-9946  
Wastewater Treatment Facility Operators - 302-739-9946  
Water Allocation Permits - 302-739-9945  
Water Testing - Drinking Water (Division of Public Health) - 302-741-8630  
Water Supply - 302-739-9945  
Well Driller's License - 302-739-9944  
Well Permits & Licensing - 302-739-9944  
Wells - 302-739-9944  
Wetlands and Subaqueous Lands Section - 302-739-9943