

The biweekly E-News Update features current information on the Divisions of Air Quality (DAQ), Waste and Hazardous Substances (WHS), and Water regarding public meetings, workshops, hearings, and regulatory documents available for public comment, as well as general news updates. For those of you who are receiving the E-News Update for the first time, the subscription is FREE!

Please sign up at: <http://www.dnrec.delaware.gov/Pages/DNRECLists.aspx> under "Division of Waste & Hazardous Substances Lists." There is no form to fill out; it's done in three clicks!

Suggestions? Additions? Please call Stacy Jones at 302-739-9400, or send an email to Stacy.Jones@state.de.us

Published by the Divisions of Air Quality, Waste and Hazardous Substances and Water.5

Visit us at: www.awm.delaware.gov

SECRETARY'S ORDERS

[Secretary's Order No. 2016-W-0033](#)

RE: Approving Final Regulations to Amend 7 DE Admin. Code §7301: Regulations Governing the Construction and Use of Wells

UPCOMING AIR, WASTE, & WATER-RELATED HEARINGS, MEETINGS, & EVENTS

PUBLIC WORKSHOP ON THE MIDDLETOWN TECHNOLOGY CENTER'S (MTC'S) FEDERALLY ENFORCEABLE CONSTRUCTION PERMIT APPLICATION – will take place on **August 31** from 6pm to 9pm at Appoquinimink Library, 651 N Broad Street, Middletown, DE 19706. The purpose of this workshop is to provide information on the proposed project and describe DAQ's federally enforceable permitting process. Following the workshop, DAQ will proceed with scheduling a public hearing at a subsequent date to receive comments on the application and draft permit. For additional information on this workshop, please contact Penny Gentry at 302-739-9402; or visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3357&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

BOARD OF CERTIFICATION FOR WASTEWATER OPERATORS MONTHLY MEETING – This is a regular monthly meeting of the Board of Certification for Wastewater Operators. Meeting will take place on **September 6** from 9am to 11am at the Richardson and Robbins Building, Conference Room B172: 89 Kings Highway, Dover, DE, 19901. For additional information contact Faye Wheeler at (302) 739-9946, or visit: <https://egov.delaware.gov/pmc/Event/Details/32999>

PROPOSED UNIVERSAL RECYCLING REGULATIONS PUBLIC WORKSHOPS - The purposes of the proposed regulations are to ensure: that collection services for recyclable materials are consistent with the law; the collected recyclable materials are not landfilled or incinerated; the recyclable materials are properly processed and enter the marketplace; recycling in Delaware can be effectively measured; and that waste diversion is maximized through the reduction of solid waste deposited in our landfills.

Three workshops will be held on:

September 6 from 3:00p.m – 4:30p.m at The Bear Library, 101 Governor's Place, Bear, DE. 19701

September 7 from 3:00p.m – 4:30p.m at DNREC Lewes Field Office, 901 Pilottown Road, Lewes DE. 19958

September 14 from 3:00p.m – 4:30p.m at DNREC, 89 Kings Highway SW, Dover, DE. 19901.

For more information please contact Don Long at DNREC, 89 Kings Highway SW, Dover, DE. 19901, or 302-739-9403 ext.8, or email

Donald.long@state.de.us or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3368&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeId=0x010034FD6D348B0CF04392485E93FC15AB3A>

ON-SITE SYSTEMS ADVISORY BOARD MEETING – will be held on **September 7** from 9:15am to 11:30am at the Richardson and Robbins Building, Conference Room B228: 89 Kings Highway, Dover, DE, 19901. For additional information, contact Dryden 302-739-9948 or visit: <https://egov.delaware.gov/pmc/Event/Details/38580>

RECYCLING PUBLIC ADVISORY COUNCIL – will discuss recycling issues for the State of Delaware on **September 21** from 1pm to 3pm. This meeting will take place at DNREC Lewes Field Office, 901 Pilottown Rd. Lewes, De.19958. For additional information contact Jackie Howard at 302-739-9403; or visit: <https://egov.delaware.gov/pmc/Event/Details/38456>

WATER SUPPLY COORDINATING COUNCIL MEETING rescheduled to **September 29** from 10am to 12pm at the Kent County Administration Complex, Conference Room 220, 555 Bay Road, Dover, DE, 19901. For additional information contact Kimberly Burris at (302) 739-9945; or visit: <https://egov.delaware.gov/pmc/Event/Details/38371>

OPT-IN! THE DELAWARE DIVISION OF AIR QUALITY (DAQ) is committed to working with citizens to continuously optimize Delaware’s air quality and protect public health, welfare, and the environment. To determine that the DAQ is meeting the air quality needs of the citizens across the state, we encourage you to participate in our opt-in list. In the future you will receive surveys that will allow us to analyze our performance. You can access the opt-in list by clicking: https://survey.co1.qualtrics.com/jfe/form/SV_1RGZGUYt8fSuqkB

AIR QUALITY PERMITTING PROGRAM – Notice has been given that the facilities listed below have submitted applications for air quality management permits. The applications, the “draft/proposed” permits, all materials that the applicant has submitted (other than those granted confidential treatment under DNREC rules), and a copy of summary of other materials, if any, considered in preparing the “draft/proposed” permit, may be inspected at the offices of the Division of Air Quality, 100 W. Water Street, Suite 6A, Dover, 19904. **All comments and public hearing requests** should be mailed to the following address: DIVISION OF AIR QUALITY, 100 W. Water Street, Suite 6A, Dover, 19904. To submit comments, for additional information, or for an appointment to inspect the application, please contact Penny Gentry at (302) 739-9402.

NOTICE HAS BEEN GIVEN THAT TECHMER ENGINEERED SOLUTIONS, LLC requests a permit to construct and operate ten (10) extruder machines to manufacture uniform, compounded, engineering plastic resin pellets at 1600 Johnson Way, New Castle. All ten (10) extruder machines, associated adsorption filters and two (2) dust collectors will be permitted to emit 1.4 ton/year of VOCs and 0.01 ton/year of PM. Permit APC-2017/0008. A public hearing concerning the above application will NOT be held unless our agency Secretary determines that a hearing is in the public interest or if a written meritorious request for a hearing is received on or before **August 29**. A request for a public hearing shall be deemed meritorious if it exhibits a familiarity with the application and provides a reasoned statement of the permit’s probable impact. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3367&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notic>

[es%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A](http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=0x010034FD6D348B0CF04392485E93FC15AB3A)

NOTICE HAS BEEN GIVEN THAT DOVER AIR FORCE BASE requests permission for the operation of one (1) emergency generator, rated 500 kW kW (775 HP) at the intersection of Route 113 and Route 10 in Dover, Kent County, Delaware. The engine used in this generator set complies with U.S. EPA regulations under the provisions of 40 CFR 89, Non-Road Tier 2 emissions limits. Permit # APC-2016/0148-CONSTRUCTION (NSPS)(MACT). A public hearing concerning the above application will NOT be held unless our agency Secretary determines that a hearing is in the public interest or if a written meritorious request for a hearing is received on or before **August 29**. A request for a public hearing shall be deemed meritorious if it exhibits a familiarity with the application and provides a reasoned statement of the permit's probable impact. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3369&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTICE HAS BEEN GIVEN THAT ROYAL FARMS/TWO FARMS INC., requests a construction permit to remove, and cease operation of, the catalytic oxidizer (CatOx) in the existing soil vapor extraction (SVE) remediation system at the Royal Farms #109 located at 18657 Sussex Highway in Bridgeville, Sussex County. The SVE remediation system, without the CatOx, has a potential to emit, and will be permitted for, 1 lb/hr and 4.38 tons per year of Volatile Organic Compounds (VOCs) by Permit: APC-2017/0002-Construction. A public hearing concerning the above application will NOT be held unless our agency Secretary determines that a hearing is in the public interest or if a written meritorious request for a hearing is received on or before **September 5**. A request for a public hearing shall be deemed meritorious if it exhibits a familiarity with the application and provides a reasoned statement of the permit's probable impact. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3372&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

WHS - SITE INVESTIGATION AND RESTORATION SECTION (SIRS) is responsible for the identification, evaluation and remediation of sites in Delaware that have had past releases of hazardous substances. The section manages the contaminated sites under three major programs in accordance with the Hazardous Substance Cleanup Act (HSCA). The three programs are the **Brownfields Development Program, the Voluntary Cleanup Program (VCP) and the HSCA Enforcement Program** (for sites requiring enforcement action).

The Brownfields Development Program encourages the cleanup and redevelopment of vacant, abandoned or underutilized properties, which may be contaminated. A party seeking to develop such a property negotiates with SIRS for a **Brownfields Development Agreement (BDA)** to perform an investigation and, if necessary, a remedial action or remedy, for the purpose of addressing the risks posed by past releases of hazardous substances at these sites. However, a BDA is only available to parties that are not current site owners. The **Voluntary Cleanup Program (VCP) Agreement** is available to site owners, who want to clean up their sites and are already liable as a potentially responsible party for the site.

NOTIFICATION OF NEGOTIATIONS AND PUBLIC COMMENT FOR A BROWNFIELDS DEVELOPMENT AGREEMENT FOR THE 735 B SOUTH MARKET STREET (DE-1632) -DNREC's Site Investigation and Restoration Section (DNREC-SIRS) negotiated a BDA with Nenagh Properties, LLC regarding the 735 B South Market

Street Site (Site), located at 735 B South Market Street in Wilmington. Identified by New Castle County as tax parcel number 10-001.00-002, the 2.11 acre Site may have had a release of hazardous substances as a result of historic fill and slag from the former Claymont Steel facility. Please submit written comments to the DNREC-SIRS Project Manager, Eileen Capitoli at DNREC-SIRS, 391 Lukens Drive, New Castle, DE 19720. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3374&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAIItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

DIVISION OF WATER - GROUND WATER DISCHARGES -The Division of Water hereby gives notice that the applications below are available for inspection or copies may be obtained by contacting: Kathleen Saunders, Ground Water Discharges, 89 Kings Highway, Dover 19901, or by calling (302) 739-9948.

Non-Hazardous Liquid Waste Transporters Permit

Willey & Co., Inc. has applied to the Ground Water Discharges Section for a Non-Hazardous Liquid Waste Transporters Permit to transport septage and holding tank waste to be disposed of at the City of Seaford, Town of Laurel Wastewater Treatment Facility and Sussex County Sewer System. A public hearing concerning the above application will NOT be held unless our agency Secretary determines that a hearing is in the public interest or if a written meritorious request for a hearing is received on or before **September 1**. A request for a public hearing shall be deemed meritorious if it exhibits a familiarity with the application and provides a reasoned statement of the permit's probable impact. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3370&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAIItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

Non-Hazardous Liquid Waste Transporters Permit Renewal

Clean Delaware LLC has applied to the Groundwater Discharges Section for renewal of Non-Hazardous Liquid Waste Transporters Permit DE WH-013. This permit allows the transport of non-hazardous liquid waste; septage, holding tank waste, grease trap waste and/or cooking oil waste, portable toilet waste, municipal or industrial biosolids, and sludge from package treatment plants. This waste is disposed of through the following means. Septage and holding tank waste: Sussex County Sewer System; Clean Delaware Facility, Milton; and Kent County Sewer System. Grease trap waste and portable toilet waste: Kent County Sewer System. For stabilized biosolids generated in the treatment of wastewater in Delaware; and lime stabilized septage, holding tank waste and other minor wastewater treatment residuals treated under State Permit LTS 4002/96S and Agricultural Utilization (AGU) Permit 1202-03-S (and subsequent amendments): The Milton Farm Site (tax parcels 2-35-14.00-1.00; 2-35-14.00-2.00; 2-35-14.00-3.00; 2-35-14.00-60.00); The Harbeson site (tax parcel 2-35-30.00-62.00); and The Ellendale site (tax parcel 2-35-6.00-12.00). Class B sanitary sludges generated by the following facilities, in accordance with AGU 1202-03-S (and subsequent amendments): Allen Harim Foods, LLC Harbeson Plant; Perdue Georgetown Sludge; Town of Bridgeville; Town of Lewes; Town of Milton; and Town of Selbyville. Non-sanitary wastes generated by the following facilities, in accordance with AGU 1202-03-S (and subsequent amendments), Dogfish Head Craft Brewery – brewery wastewater; Eastern Shore Poultry Products – food from processed grease; Iron Sludge from various water treatment plants; J.G. Townsend, Inc. – vegetable processing wastewater; Perdue Farms, Georgetown – dewatered sludge cake; RAPA Scrapple, Inc. – grease by-products; Restaurant grease trap waste (contains no sanitary waste); and Roos Foods, Inc. – dairy waste. Transport of non-sanitary waste (brewery wastewater) generated by Dogfish Head Craft Brewery, in accordance with Dogfish Head Craft Brewery's AGU 1406-S-05 (and subsequent amendments), Payton Farm (tax parcel 2-35-19.00-10); Baker Farm (tax parcel 2-35-19.00-22.00); Burton Farm (tax parcel 2-35-19.00-4.00); Sequoia Farm (tax parcel 2-35-13.00-

3.02); and Spicer Farm (tax parcel 2-30-27.00-70.00). A public hearing concerning the above application will NOT be held unless our agency Secretary determines that a hearing is in the public interest or if a written meritorious request for a hearing is received on or before **September 5**. A request for a public hearing shall be deemed meritorious if it exhibits a familiarity with the application and provides a reasoned statement of the permit's probable impact. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3375&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

DIVISION OF WATER - SURFACE WATER DISCHARGES – The Division of Water hereby gives notice that the following permit application has been received.

LC Homes/The Estates of Saint Annes of Wilmington, to construct one (1) pump station with wet well six (6) feet in diameter, duplex submersible pumps, piping, controls and accessories and approximately two thousand six hundred and fifty eight linear feet (2,658 LF) of four inch (4") force main to serve the Estates at St. Annes, a subdivision located in the Town of Middletown, Pencader Hundred, New Castle County, Delaware. The pump station will be constructed west of the intersection of Saint Annes Boulevard and Tory Street and the force main will run in a northerly direction along the shoulder of Saint Annes Boulevard, Middletown, New Castle County. A public hearing concerning the above application will NOT be held unless our agency Secretary determines that a hearing is in the public interest or if a written meritorious request for a hearing is received on or before **August 31**. A request for a public hearing shall be deemed meritorious if it exhibits a familiarity with the application and provides a reasoned statement of the permit's probable impact. For additional information or to inspect the applications below contact, Dr. Davison Mwale (PhD), 5E Reed Street, Suite 200, Dover, DE 19901, (302) 739-9941. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3365&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

The Town of Laurel has applied for reissuance of its NPDES Permit No. DE0020125 (State Number WPCC 3165F/74) permit to discharge effluent from its Wastewater Treatment Facilities located at 10012 Clearwater Lane in Laurel, Sussex County, Delaware. The facility is a municipal wastewater treatment plant (WWTP) that receives wastewater from the Town's collection system. The facility has single discharge (Outfall 001) of treated wastewater to an unnamed tributary of Broad Creek, which is a tributary of the Nanticoke River located at Latitude 38° 32' 42" N, Longitude 75° 34' 18" W. Wastewater treatment is provided by mechanical bar screen, grit chamber, BNR (Biological Nutrient Removal) basin with integral clarifiers and anaerobic tank, sand filtration, UV disinfection and post aeration. Waste sludge is stored in an on-site sludge lagoon and periodically removed and dewatered by a belt press and taken to a sanitary landfill. A public hearing concerning the above application will NOT be held unless our agency Secretary determines that a hearing is in the public interest or if a written meritorious request for a hearing is received on or before **September 9**. A request for a public hearing shall be deemed meritorious if it exhibits a familiarity with the application and provides a reasoned statement of the permit's probable impact. For additional information Division of Water, Surface Water Discharges Section, 89 Kings Highway, Dover, Delaware 19901 (302) 739-9946 visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3356&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

DIVISION OF WATER - WATER SUPPLY - The Division of Water hereby gives notice that the following well permit application has been received. For additional information concerning the applications below, please contact Allison Diggins/Water Supply Section - 89 Kings Highway, Dover, DE 19901; or, by phone at (302) 739-9945. A public hearing on the applications below will NOT be held unless our agency

Secretary determines that a public hearing is in the public interest or if a written meritorious objection to the application is received by **August 29**. A public hearing request shall be deemed meritorious if it exhibits a familiarity with the application and provides a reasoned statement of the action's probably impact. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3366&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

Formal Variance

Henry Fortney, representing **Hartly Methodist Church**, has applied for a Formal Variance under Section 11.00 of The Regulations Governing the Construction and use of Wells to construct a Public well to serve the facility. The property is located at 85 Main Street, Hartly, DE 19968. Tax map parcel WD-010-063.15-01-15.00.

Desai Jigneshkumar, representing **Townsend Liquors**, has applied for a Formal Variance under Section 11.00 of The Regulations Governing the Construction and Use of Wells to construct a Miscellaneous Public well to serve the facility. The property is located at 5988 Summit Bridge Road, Townsend, DE 19734. Tax map parcel 25-002.00-096.

DIVISION OF WATER - WETLANDS AND SUBAQUEOUS LANDS SECTION – The Division of Water hereby gives notice that the applications below are available for inspection or copies may be obtained by contacting: Gayle Calder, Wetlands and Subaqueous Lands Section, 89 Kings Highway, Dover – 19901, or by calling (302) 739-9943. A public hearing on the applications below will NOT be held unless our agency Secretary determines that a public hearing is in the public interest, or if a written meritorious objection to the application is received by **August 30**. For additional information on the items submitted below visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3362&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTICE IS HEREBY GIVEN THAT THE DIVISION OF WATER, DEPARTMENT OF NATURAL RESOURCES AND ENVIRONMENTAL CONTROL WILL BEGIN TO CHARGE \$85.00 PER ADVERTISED APPLICATION TO COVER THE COSTS ASSOCIATED WITH PUBLIC NOTICES RELATED TO WETLAND PERMITS, SUBAQUEOUS LANDS PERMITS, MARINA PERMITS, PROPOSED MAP CHANGES AND WATER QUALITY CERTIFICATIONS. This cost is based on the average cost of an advertisement for the above activities “in a daily newspaper of statewide circulation and in a newspaper of general circulation in the county in which the activity is proposed.” The average cost will be recalculated no more frequently than on an annual basis to reflect current advertisement rates. There are no changes in the permit fees associated with each application, however the applicants shall submit a separate check in the amount of \$85 with their application in addition to any required application fee. Please note that the authority to require compensation for the advertising cost under Title 7 Del. Code, §6004, §6607, and §7211 has been in place for decades, with the most recent update occurring on July 1, 2003. The Wetlands and Subaqueous Lands Section had refrained from exercising its authority to levy this charge as long as possible, but is doing so, effective September 1, 2016, in response to escalating costs. All checks shall be made payable to the “State of Delaware” and shall be directed to: Wetlands and Subaqueous Lands Section, Department of Natural Resources and Environmental Control, 89 Kings Highway Dover, DE 19901.

Subaqueous Lands Permit and Water Quality Application

Division of Watershed Stewardship-To remove existing low-level outlet pipe and replace it with a two-cell box culvert containing a weir and slide gate, to place 33 cubic yards of fill for the

replacement of the concrete slope adjacent to the spillway and replacement of the boat ramp, and to remove deteriorated concrete slope adjacent to boat ramp entirely in Craigs Mill Pond at Craigs Mill Road in Seaford, Sussex County, DE.

Subaqueous Lands Lease, Permit and Marina Permit Application

Hanna Holding LP-To reauthorize and existing Marina including the repair of a 5 by 196 foot long dock, a 4 by 22 foot long pier, an 8 by 78 foot long dock, (8) 2 by 8 foot long finger piers, 12 free standing pilings, a 3 by 68 foot long dock, and (4) 2 by 14 foot long finger piers in public subaqueous lands, the repair of (19) 3 by 20 foot long finger piers, 12 free standing pilings, 13 boat lifts with associated pilings, (21) 5 by 12 foot long floating PWC docks, a 20 by 20 foot long concrete boat ramp in private subaqueous lands, and authorize to mechanically maintenance dredge 350 cubic yards of material in Fenwick ditch and a marina basin at 39084 Harpoon Road, Fenwick Island, Sussex County, DE, and transport of the dredge material via dump truck to disposal site in Berlin, MD.

Subaqueous Lands Permit Application

Ronald Gay-To install a 4 by 25 foot long pier and a 5 by 20 foot long dock in Betts Pond at 121 Millers Run, Millsboro, Sussex County, DE

Isabelle Himes-To construct a 4 x 20 foot long pier and 5 x 20 foot long dock in Williams Pond at 142 Hollyoak Drive, Seaford, Sussex County, DE.

Subaqueous Lands Permit and Wetlands Application

U.S. Fish & Wildlife Service-To repair flap gates on three existing water control structures and install temporary coffer dams at each site (3). To install 6 cubic yards of riprap near an existing structure outlet. To maintenance dredge 1,937± cubic yards of material to a depth of -2.5' MLW from two impounded areas in the Bombay Hook National Wildlife Refuge at 2591 Whitehall Neck Rd, Smyrna, Kent County, DE and to transport the dredge material via dump trucks to a former agricultural field located 1.8 miles northeast of the Sheariness Pool structure along Dutch Neck Rd.

Subaqueous Lands Lease Application

City of Milford-To construct a 6 x 24 foot long pier and install a 4 x 30 foot long gangway, 8 x 16 foot long floating dock and 8 x 12 foot long kayak launch in the Mispillion River at 200 NE Front Street, Milford, Kent County, DE

EMPLOYEE UPDATES

Effective **August 8**, John Rebar joined the MS4/Stormwater Discharge Permits Team as an Environmental Program Manager I with the Division of Water, Surface Water Section. **Welcome!**

Effective **August 15**, George Mwangi joined the MS4/Stormwater Discharge Permits Team as an Environmental Engineer III with the Division of Water, Surface Water Section. **Welcome!**

Effective **August 22**, Nina Dietrich transferred to the TANK Management Section. Before joining DNREC, Nina worked at the DuPont Experimental Station for several years and has been most recently been working in the Solid and Hazardous Waste Section. **Congrats!**

CONTACT INFORMATION

24-Hour Environmental Report and Spill Notification Line - 1-800-662-8802
Aboveground Storage Tanks - 302-395-2500

Air Quality - New Castle Office - 302-323-4542
Air Quality – Kent & Sussex – 302-739-9402
Asbestos New Castle - 302-323-4542
Asbestos Kent & Sussex - 302-739-9402
Biosolids Permits - 302-739-9946
Boiler Safety - 302-395-2500
Brownfields - 302-395-2600
Community Ombudsman - 302-739-9040
Community Services - 302-739-9959
Delaware Estuary Program - 302-739-9283 (Delaware Coastal Management Program)
Division of Air Quality Director's Office - 302-739-9402
Division of Energy & Climate - 302-735-3480
Division of Waste and Hazardous Substances Director's Office - 302-739-9400
Division of Water Information - 302-739-9950
Dock/Dredging/Bulkheads/Rip-Rap/Wetlands & Subaqueous Lands - 302-739-9943
Emergency Prevention and Response - 302-739-9404
Environmental Crimes Unit - 302-739-9401 or 1-800-662-8802
Environmental Laboratory - 302-739-9942
Hazardous Waste - 302-739-9403
Hazardous Chemical and Toxic Release Inventories – 302-739-9404
Industrial Stormwater Permits - 302-739-9946
Loans & Grants for Wastewater and Septic's (Environmental Finance) - 302-739-9941
Medical Waste - 302-739-9403
Non-Hazardous Liquid Waste Transporters - 302-739-9948
On-site Wastewater Licensing Program - 302-739-9948
Open Burning - 302-739-9402
Outreach Ombudsman - 302-395-2600
Recycling - 302-739-9403
Septic System Permits - Large Systems (Community & I/A) Statewide - 302-739-9948
Septic System Permits - Small Systems for Kent & New Castle Counties - 302-739-9947
Septic System Permits - Small Systems for Sussex Co. & Holding Tank Compli. Program - 302-856-4561
Site Investigation & Restoration Section (Superfund/Brownfields) - 302-395-2600
Small Business Ombudsman - 302-739-9909
Solid Waste - 302-739-9403
Source Water Protection - 302-739-9945
Surface Water Discharge Permits (NPDES) - 302-739-9946
Underground Injection Control & Spray Irrigation - 302-739-9948
Underground Storage Tanks - 302-395-2500
Wastewater Collection, Conveyance and/or Treatment Facility Construction Permits - 302-739-9946
Wastewater Treatment Facility Operators - 302-739-9946
Water Allocation Permits - 302-739-9945
Water Testing - Drinking Water (Division of Public Health) - 302-741-8630
Water Supply - 302-739-9945
Well Driller's License - 302-739-9944
Well Permits & Licensing - 302-739-9944
Wells - 302-739-9944
Wetlands and Subaqueous Lands Section - 302-739-9943