

The biweekly E-News Update features current information on the Divisions of Air Quality (DAQ), Waste and Hazardous Substances (WHS), and Water regarding public meetings, workshops, hearings, and regulatory documents available for public comment, as well as general news updates. For those of you who are receiving the E-News Update for the first time, the subscription is FREE!

Please sign up at: <http://www.delaware.gov/Pages/Lists.aspx> under "Division of Waste & Hazardous Substances Lists." There is no form to fill out; it's done in three clicks!

Suggestions? Additions? Please call Stacy Jones at 302-739-9400, or send an email to [Stacy.Jones@state.de.us](mailto:Stacy.Jones@state.de.us)

Published by Divisions of Air Quality, Waste and Hazardous Substances and Water.

Visit us at: [www.awm.delaware.gov](http://www.awm.delaware.gov)

## **SECRETARY ORDER**

[Secretary's Order No. 2015-A-0029](#)

RE: Notice of Administrative Penalty Assessment and Secretary's Order Pursuant to 7 Del. C. § 6005 Issued to Delaware State University for violation of state air regulations and the university's permit

[Secretary's Order No. 2015-A-0031](#)

RE: Notice of Administrative Penalty Assessment and Secretary's Order Pursuant to 7 Del. C. § 6005 for unpermitted activities issued to Schiff Farms, Inc., Harrington

## **UPCOMING AIR, WASTE, & WATER-RELATED HEARINGS, MEETINGS, & EVENTS**

**ON-SITE SYSTEMS ADVISORY BOARD (OSSAB) REPRESENTATIVE INTEREST** - The Ground Water Discharges Section (GWDS) is soliciting those Class F Liquid Waste Haulers interested in applying for consideration to become a member of the On-Site Systems Advisory Board (OSSAB) representing your peers. If you'd like to apply for the Class F Liquid Waste Hauler representative on the OSSAB, please submit a completed application and an updated resume by **August 31** to: GWDS /OSSAB Licensing Coordinator - Dawn Dryden, 89 Kings Highway, Dover, DE 19901. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2805&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

**ON-SITE SYSTEMS ADVISORY BOARD**- Meeting will take place on **September 2** from 9:15 am to 11:30 am in Rm B228 at the Richardson and Robbins Building-89 Kings Highway, Dover, DE, 19901. Contact Dawn Dryden 302-739-9948 for additional information or visit:

<https://egov.delaware.gov/pmc/Event/Details/29983>

**BOARD OF CERTIFICATION FOR WASTEWATER OPERATORS MONTHLY MEETING** – Will be held on **September 2** from 9am to 11 am in conference room B136 at the Richardson and Robbins Building, 89 Kings Highway Dover, DE, 19901. For additional information contact Faye Myers at (302) 739-9946; or visit: <https://egov.delaware.gov/pmc/Event/Details/29802>

### **PUBLIC HEARING ON THE INDUSTRIAL WASTE LANDFILL PERMIT RENEWAL APPLICATION FILED BY THE DELAWARE RECYCLABLE PRODUCTS**

– The renewal application request to continue accepting construction and demolition (dry) solid waste from commercial waste haulers for disposal. The DRPI permit renewal application includes a modification to reduce the footprint on the southeast corner of Cell 6-2 to provide space for the construction of a park for the surrounding Minquadale community. A public hearing will be held at 6 pm on **September 9** at Minquadale Fire Company's meeting hall located at 129 E. Hazeldell Avenue, New Castle, Delaware. For additional information, please contact Ting Guo,

WHS/SHWMS, 89 Kings Highway, Dover, DE 19901, 302-739-9403; or visit:  
<https://egov.delaware.gov/pmc/Event/Details/30045>

**HSCA ADVISORY COMMITTEE (FORMERLY BROWNFIELDS ADVISORY COMMITTEE) –**  
The Committee will hold a public meeting on **September 10** from 9am to 12:30pm at the DNREC Lukens Field Office, 391 Lukens Drive, New Castle, DE 19720. For additional information, please contact Christina Wirtz at (302) 395-2600 or visit:  
<https://egov.delaware.gov/pmc/Event/Details/27640>

**TANK MANAGEMENT SECTION PUBLIC WORKSHOPS CONCERNING UST CLEANUP LIABILITY-** The Tank Management Section has prepared a [fact sheet for owners and operators of UST facilities](#) that explains the upcoming changes to liability associated with the cleanup of a release from an underground storage tank. Click [here](#) for the factsheet. The Tank Management Section will conduct workshops for the regulated community on Monday, Sept. 21, at 10 a.m. at DNREC offices located at 391 Lukens Drive, New Castle, DE 19720, and on Tuesday, **Sept. 29** at 10 a.m. at DNREC's R&R Building, 89 Kings Highway, Dover, DE 19901, to explain changes that were made to the State's Underground Storage Tank law, as well as [draft amendments to the UST regulations](#) that also pertain to cleanup liability. The [draft amendments](#) can be found at [this link](#). For additional information, please contact Alex Rittberg at (302)395-2500 or visit:  
<https://egov.delaware.gov/pmc/Event/Details/30033>

**AIR QUALITY PERMITTING PROGRAM –** Notice has been given that the facilities listed below have submitted applications for air quality management permits. The applications, the “draft/proposed” permits, all materials that the applicant has submitted (other than those granted confidential treatment under DNREC rules), and a copy of summary of other materials, if any, considered in preparing the “draft/proposed” permit, may be inspected at the offices of the Division of Air Quality, 655 S. Bay Road, Dover and 715 Grantham Lane, New Castle. **All comments and public hearing requests** should be mailed to the following address: DIVISION OF AIR QUALITY, 655 S. Bay Road, Suite 5 N, Dover, DE 19901. To submit comments, for additional information, or for an appointment to inspect the application, please contact Laura Bogus or Penny Gentry at (302) 739-9402.

**NOTICE IS HEREBY GIVEN THAT DUPONT STINE-HASKELL RESEARCH CENTER** having a facility at 1090 Elkton Road in Newark has submitted a request for permit renewal pursuant to 7 DE Admin. Code 1130, Section 7 for operating Permit: AQM-003/00279 (Renewal 2) (Revision 2). Based on the data and certifications contained in the application, the Division of Air Quality concludes that the applicant meets all applicable requirements promulgated by the Environmental Protection Agency (EPA) and the Department of Natural Resources and Environmental Control (DNREC). Therefore a “draft/proposed” permit renewal has been prepared. This “draft/proposed” permit renewal deletes three emission units that have been removed from service, converts one emission unit to an insignificant activity because of emission reductions, and provides regulatory updates. The “draft/proposed” permit renewal is being submitted to EPA for concurrent processing. If there are no significant comments, the “draft/proposed” permit renewal will be issued as a final permit after expiration of the EPA review period. A public hearing concerning the permitting action will not be held our agency Secretary receives a request for such hearing by **August 25**. A request for a hearing shall be in writing and must show a familiarity with the application and a reasoned statement of the permit renewal's probable impact. For additional information visit:  
<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2849&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

**NOTICE HAS BEEN GIVEN THAT AMERESCO DELAWARE ENERGY, LLC AND THE DELAWARE SOLID WASTE AUTHORITY** have requested a permit to install a one Megawatt General Electric Jenbacher Model JGS 320 GS-L.L landfill gas generator at

their facility located on 1107 Willow Grove Road in Sandtown, Delaware. This landfill gas generator will be a replacement for Landfill Gas Generator #2 currently located at the facility. The generator emissions will remain unchanged and the unit will be permitted to emit 8.5 tons per year (tpy) NO<sub>x</sub>, 42.4 tpy CO, 2.3 tpy PM, 4.94 tpy SO<sub>2</sub>, 3.4 tpy NMOC, and 2.9 tpy HAPS by Permit# APC-2016/0012-C. A public hearing on any of the above applications will not be held unless our agency Secretary receives a request for a hearing regarding that application by **August 31**. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2878&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

**NOTICE HAS BEEN GIVEN THAT DELAWARE CITY REFINING COMPANY LLC (DCRC)** requests amendments to existing permits for the following 5 processes: Cracked Naphtha Hydrotreater Unit APC-1998/0523-O-A2, Hydrodesulfurizer Train 1 APC-1981/0873-O-A1, Aromatics Unit APC-1981/0833-O-A1, Marine Vapor Recovery System APC-1995/0471-C/O-A4 and the Product Tank Farm APC-1980/0868-C/O-A4. These changes will allow the refinery to produce gasoline that is compliant with the Tier 3 gasoline standards of 10 ppmw of sulfur by January 1, 2017 at the Delaware City Refinery located at 4550 Wrangle Hill Road, DE City, DE 19706. This Tier 3 Project application does not seek increases in the emission limits of the existing permits. Rather it will utilize existing equipment to further desulfurize light straight run gasoline, light coker gasoline and other intermediate gasoline blending streams. A public hearing on any of the above applications will not be held unless our agency Secretary receives a request for a hearing regarding that application by **August 31**. For additional information visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2877&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

**NOTICE IS HEREBY GIVEN THAT DELAWARE SOLID WASTE AUTHORITY (DSWA) – CHERRY ISLAND LANDFILL** has submitted an application, pursuant to 7 DE Admin. Code 1102, Section 2.1, 11.2.9, and 12.3 for the construction of one (1) 4500 SCFM Perennial Energy, Inc. landfill gas fired flare at 1706 E. 12th Street in Wilmington. DSWA requests a limit for NO<sub>x</sub> and SO<sub>2</sub>. These limits are necessary to restrict DSWA Cherry Island Landfill's potential to emit air pollutants, and the limit will be enforceable by the EPA and the state. Total estimated emissions from the facility are 23.9 tons per year NO<sub>x</sub>, 58.5 tons per year SO<sub>2</sub>, 79.6 tons per year CO, 2.1 tons per year NMOC, 6.6 tons per year PM, and 0.08 ton per year HAPs. A public hearing concerning the permitting action will not be held unless our agency receives a request for such hearing by **September 1**. A request for a hearing shall be in writing and must show a familiarity with the application and a reasoned statement of the permit's probable impact. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2861&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

**NOTICE IS HEREBY GIVEN THAT AMTRAK – WILMINGTON MAINTENANCE FACILITY**, requests permission to operate the Ventilation System to control particulate emissions from an existing Roadway Equipment Spray paint Operation at their 4001 Vandever Avenue, Wilmington, New Castle County facility. The ventilation system will be permitted to emit 11.03 tons per year of VOCs and 1.84 tons per year of HAPs by Permit# APC-2001/0316-C/O (Amendment 1). A public hearing will not be held unless our agency Secretary receives a request for a hearing regarding that application by **September 7**. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2889&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

**NOTICE IS HEREBY GIVEN THAT EDGEMOOR MATERIALS, INC. HAVING A FACILITY AT 1230 RAILCAR AVENUE, WILMINGTON,** has requested a federally enforceable 7 DE Admin. Code 1102 construction permit (Permit: APC-2015/0078-CONSTRUCTION (NSPS) (FE)) for a portable crushing and screening plant. Upon completion of construction, the Department will incorporate the operating conditions and limits of the 7 DE Admin. Code 1102 Construction permit into the facility's existing Synthetic Minor permit (Permit: APC-1987/0060-OPERATION (Amendment 7) (NSPS) (SM)) via an Administrative Amendment. A public hearing will not be held unless our agency Secretary receives a request for a hearing regarding that application by **September 8**. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2870&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

**NOTICE IS HEREBY GIVEN THAT ALLEN HARIM FOODS, LLC,** has submitted an application, pursuant to 7 DE Admin. Code 1102, Section 2.1, 11.2.9, and 12.3 for an amendment to include a 30 MMBTU/hr natural gas fired hot water heater at 18752 Harbeson Road, Harbeson, Delaware. Allen Harim Foods, LLC is proposing limits of 0.5 weight percent for No. 6 fuel oil sulfur content and 11,520 gallons No. 6 fuel oil in any rolling twelve month period. These limits are necessary to restrict Allen Harim Foods, LLC potential to emit air pollutants, and the limit is enforceable by the EPA and the state. Total estimated emissions (Potential To Emit) from the facility are 62.8 TPY NOx, 2.41 TPY VOC, 22.67 TPY CO, 9.20 TPY PM, 7.99 TPY PM10, 83.68 TPY SO2, and 41,739 TPY CO2. A public hearing will not be held unless our agency Secretary receives a request for a hearing regarding that application by **September 22**. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2892&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

**NOTICE HAS BEEN GIVEN THAT MILFORD GRAIN COMPANY,** requests a permit to operate one (1) Zimmerman Model 3026T grain tower dryer at their 6789 Shawnee Road, Milford facility in Sussex County. The grain dryer has the potential to emit 81.96 TPY of Particulate Matter (PM), 20.24 TPY of PM10, 3.46 TPY of PM2.5, 19 TPY of Nitrogen Oxides (NOX), 10.96 TPY of Carbon Monoxide (CO), and 1.17 TPY of Volatile Organic Compounds (VOCs). Under Permit: APC-2015/0116-CONSTRUCTION/OPERATION, the grain dryer will be permitted to emit 2.81 TPY of PM, 0.69 TPY of PM10, 0.12 TPY of PM2.5, 0.65 TPY of NOX, 0.38 TPY of CO, and 0.04 TPY of VOCs. A public hearing will not be held unless our agency Secretary receives a request for a hearing regarding that application by **September 25**. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2869&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

**The Brownfields Development Program** encourages the cleanup and redevelopment of vacant, abandoned or underutilized properties, which may be contaminated. A party seeking to develop such a property negotiates with SIRS for a **Brownfields Development Agreement (BDA)** to perform an investigation and, if necessary, a remedial action or remedy, for the purpose of

addressing the risks posed by past releases of hazardous substances at these sites. However, a BDA is only available to parties that are not current site owners. The **Voluntary Cleanup Program (VCP) Agreement** is available to site owners, who want to clean up their sites and are already liable as a potentially responsible party for the site.

**NOTIFICATION OF NEGOTIATIONS CONCERNING A VOLUNTARY CLEANUP PROGRAM AGREEMENT FOR THE DEERFIELD SUBSTATION SITE (DE-1616)** Our agency is negotiating a VCP Agreement with Bank of America regarding the Deerfield Substation Site located at 655 Paper Mill Road in Newark, Delaware 19711. The approximately 2 acre Site (of a 60.86 acre parcel) is identified on the maps of New Castle County as tax parcel number 08-046.00-008 and may have had a release of hazardous substances at the Site. This notification expires **August 31**. For additional information, please contact the project officer, Morgan Price (302) 395-2600; or visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2871&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

**NOTIFICATION OF PUBLIC COMMENT FOR A BROWNFIELDS DEVELOPMENT AGREEMENT FOR THE WILMINGTON UNIVERSITY-BRANDYWINE CAMPUS SITE (DE-1612)** The Site Investigation and Restoration Section (DNREC-SIRS) negotiated a BDA with Wilmington University, Inc. regarding the Wilmington University-Brandywine Campus (Site), located at 5014 Concord Pike in Wilmington. Identified on the tax maps of New Castle County as a portion of tax parcel number 06-019.00-004, the 1.16 acre Site may have had a release of hazardous substances as a result of past use as a location of buried demolition debris. The public comment period began on August 16 and will on **September 8**. Please submit written comments to the SIRS Project Manager, Meghan Crystall at SIRS, 391 Lukens Drive, New Castle, DE 19720. For additional information visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2879&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

**NOTIFICATION OF PUBLIC COMMENT FOR A BROWNFIELDS DEVELOPMENT AGREEMENT FOR THE FORMER DELMAR NEWS SITE (DE-1615)** The Site Investigation and Restoration Section (DNREC-SIRS) negotiated a BDA with Nine Twenty, LLC regarding the Former Delmar News Site (Site), located at 809 Taylor Street in Wilmington. Identified on the tax maps of New Castle County as tax parcel numbers 26-044.10-304, 26-044.10-478 and 479, the 0.22 acre Site may have had a release of hazardous substances as a result of a leaking underground or aboveground storage tank as well as historic fill. The public comment period began August 24 and will close at the end on **September 14**. Please submit written comments to the SIRS Project Manager, Morgan Price at SIRS, 391 Lukens Drive, New Castle, DE 19720; or visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2890&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

**The Proposed and Final Plans of Remedial Action** listed below outline site cleanup activities and covenants and are available online at: <http://www.dnrec.delaware.gov/whs/awm/SIRB/Pages/SIRBPlans.aspx> under "Announcements." For site-specific information, please see DNREC's Environmental Navigator at <http://www.nav.dnrec.delaware.gov/DEN3>

**FINAL PLAN OF REMEDIAL ACTION FOR THE HAMILTON PARK/PYLES LANE SITE (OPERABLE UNITS-16, 17, 18, 19, and OU-20) (DE-1284)**- The Department has adopted a plan regarding the clean-up of Operable Units 16, 17, 18, 19, and 20 of the Hamilton Park/Pyles Lane Site located in New Castle. The plan includes the removal of soil within the top two feet below ground surface (bgs) in select areas. The Site is a residential neighborhood. Our agency issued public notice of the Proposed Plan for Operable Units 16, 17, 18, 19, and 20 of the Hamilton Park/Pyles Lane Site on July 22. There were no comments or questions from the public regarding the Proposed Plan. The public has until **September 1** to appeal this Final Plan. For additional information, please contact Lindsay Hall, Project Manager, or Robert Newsome, Public Information Officer, at (302) 395-2600; or visit:  
<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2874&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

**PROPOSED PLAN OF REMEDIAL ACTION FOR THE FORMER MODERN EQUIPMENT SITE, DE-1557** -The Department invites public comment on a proposal to clean up a portion of the Former Modern Equipment Site in Wilmington. The Site will be used for commercial use and potentially leased to a construction company. The comment period ends on **September 8**. For additional information, please contact Kristen Thornton, Project Manager, or Robert Newsome, Public Information Officer, at (302)395-2600; or visit:  
<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2885&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

**FINAL PLAN OF REMEDIAL ACTION FOR THE 2712-2714 KIRKWOOD HIGHWAY SITE (DE-1584)** -The Department has adopted a plan regarding the clean-up of the 2712-2714 Kirkwood Highway Site located in Wilmington. The remedy includes an Environmental Covenant which restricts the use of contaminated groundwater. The Site will be used by Squinktinite for office space and product sale activities. Our agency issued public notice of the Proposed Plan for the 2712-2714 Kirkwood Highway Site on July 5. There were no comments or questions from the public regarding the Proposed Plan. The public has until **September 8** to appeal this Final Plan. For additional information, please contact Kathryn Durant, Project Manager, or Robert Newsome, Public Information Officer, at (302) 395-2600; or visit:  
<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2884&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

**PROPOSED PLAN OF REMEDIAL ACTION FOR THE OYSTER HOUSE VILLAGE**-The Department invites public comment on a proposal to clean up the Oyster House Village Site, located in Rehoboth, DE. The Developer plans to develop the Site with residential town houses. The development plan calls for the construction of several clusters of town home buildings built on pilings, and a centralized pool area and common area. The comment period ends on **September 8**. For additional information, please contact Krystal A. Stanley, Project Manager, or Robert Newsome, Public Information Officer, at (302)395-2600; or visit:  
<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2883&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

**AMENDED PROPOSED PLAN OF REMEDIAL ACTION FOR THE HARRY WOOD LANDFILL OU-2 (DE-0016)**The Department invites public comment on a proposal to clean up the Harry Wood Landfill OU-2 site in New Castle. The comment period ends on **September 14**. For additional information, please contact Robert M. Schulte, Project Manager, or Robert Newsome, Public Information Officer, at (302)395-2600; or visit:  
<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2886&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

**DIVISION OF WATER - SURFACE WATER DISCHARGES** – The Division of Water hereby gives notice that the following permit application has been received. For additional information or to inspect the applications below contact, Surface Water Discharges Section - Division of Water, 89 Kings Highway, Dover, DE 19901, (302) 739-9946.

**Agricultural Utilization Permit**

Request for Renewal - State Permit Number AGU 1005-K-03 issued to Hollis Warren, Inc.: Hollis Warren, Inc. has requested renewal of their existing agricultural utilization (AGU) permit, State Permit Number AGU 1005-K-03. The Hollis Warren agricultural utilization site is located on the south side of State Road 10 approximately 4 miles southwest of Woodside. The current AGU permit authorizes land application of septage that has undergone a process to significantly reduce pathogens (lime stabilization) by Hollis Warren, Inc., onto approved farmland owned by Hollis Warren, Inc. Stabilized septage solids are applied by subsurface injection and stabilized liquid septage is applied by spray irrigation. The existing permit also authorizes the land treatment of grease trap waste. Septage and grease trap waste are required to be delivered to the site in accordance with a valid Delaware Waste Transporters Permit. All wastes materials are required to be land applied at agronomic rates. The Department's Guidance and Regulations Governing the Land Treatment of Wastes, Part III, B., Regulations Governing the Land Treatment of Sludges and Sludge Products and Part V, Regulation Governing Land Treatment of Waste Products, allows for such activity pending public notice. A public hearing on the above application will NOT be held unless our agency Secretary determines that a public hearing is in the public interest or if a written meritorious objection to the application is received by **September 11**. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2868&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAIItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

**DIVISION OF WATER - Ground Water Discharges** -The Division of Water hereby gives notice that the applications below are available for inspection or copies may be obtained by contacting: Kathleen Saunders, Ground Water Discharges, 89 Kings Highway, Dover – 19901, or by calling (302) 739-9948.

**Spray Irrigation Permit**

Sussex County Council has applied to the Ground Water Discharges Section for a construction permit and an amendment to State of Delaware Spray Irrigation Operation Permit LTS 5004-90-12; DEN 359141-05. The construction permit and amendment would allow for the modification of the Inland Bays Wastewater Treatment Facility to include solids dewatering improvements. State of Delaware Spray Irrigation Operation Permit LTS 5004-90-12 currently authorizes the operation and maintenance of the facility known as the Inland Bays Wastewater Treatment Facility located on the north side of County Road 306, between County Road 307 and 303, Sussex County, Delaware (Sussex County Tax Map Parcel Number 2-34-22-14) to collect and treat domestic wastewater from the Long Neck Sanitary Sewer District (LNSSD), the Oak Orchard Sanitary Sewer District (OOSD), and the Angola Sanitary Sewer District (ANSSD) and to spray irrigate the treated wastewater on spray fields located both north and south of Country Road 306, west of County Road 307, east of County Road 303, and north of County Road 297, Sussex County Delaware. A public hearing on the application below will not be held unless our agency Secretary determines that a public hearing is in the public interest, or if a written meritorious objection to the application is received by **August 31**. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2881&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAIItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

**Non-Hazardous Liquid Waste Transporters Permit**

Service Energy LLC, t/a Bruce K. Ney & Son, aka B&M Septic Services has applied to the Ground Water Discharges Section for a renewal of Non-Hazardous Liquid Waste Transporters Permit DE WH-089 which allows for the transport of septage, holding tank waste, grease trap

waste and/or cooking oil waste, to be disposed of at the Kent County Sewer System and Clean Delaware's Treatment Facility, Milton. A public hearing on the application below will not be held unless our agency Secretary determines that a public hearing is in the public interest, or if a written meritorious objection to the application is received by **August 27**. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2875&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

The Good Shepherd Septic Service, Inc. has applied to the Ground Water Discharges Section for a Non-Hazardous Liquid Waste Transporters Permit to transport portable toilet waste to be disposed of at the New Castle County Sewer System. A public hearing on the application below will not be held unless our agency Secretary determines that a public hearing is in the public interest, or if a written meritorious objection to the application is received by **September 7**. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2893&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

Peninsula Oil Company, Inc. has applied to the Ground Water Discharges Section for an amendment to their Non-Hazardous Liquid Waste Transporters Permit to allow for the transport of portable toilet waste to be disposed of at the Kent County Wastewater Treatment Facility. A public hearing on the application below will not be held unless our agency Secretary determines that a public hearing is in the public interest, or if a written meritorious objection to the application is received by **September 7**. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2893&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

**DIVISION OF WATER - WATER SUPPLY** - The Division of Water hereby gives notice that the following well permit application has been received. For additional information concerning the applications below, please contact Allison Diggins/Water Supply Section - 89 Kings Highway, Dover, DE 19901; or, by phone at (302) 739-9945.

#### **Allocation Permits**

The Wilmington Country Club has requested a modification to their existing golf course allocation. One well has been added to their irrigation operations which are located northwest of Wilmington in New Castle County. The requested daily withdrawal is 3,312,000 gallons per day. A public hearing on the above application will not be held unless our agency Secretary determines that a public hearing is in the public interest or if a written meritorious objection to the application is received by **September 7**. A public hearing request shall be deemed meritorious if it exhibits a familiarity with the application and provides a reasoned statement of the action's probable impact. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2894&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

**DIVISION OF WATER - WETLANDS AND SUBAQUEOUS LANDS SECTION** – The Division of Water hereby gives notice that the applications below are available for inspection or copies may be obtained by contacting: Gayle Calder, Wetlands and Subaqueous Lands Section, 89 Kings Highway, Dover – 19901, or by calling (302) 739-9943. A public hearing on the applications below will NOT be held unless our

agency Secretary determines that a public hearing is in the public interest, or if a written meritorious objection to the application is received by **September 1**. For additional information visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2896&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

#### **Subaqueous Lands Permit Applications**

Diamond State Port - To construct 4 new stormwater headwalls and to relocate one storm water outfall, by excavating 25 cubic yards of material and placing 265 square feet of riprap in a tributary of the Christina River, and in the Christina River near its confluence with the Delaware River, at the Port of Wilmington, 1 Hausel Road, Wilmington, DE

Timothy R. Motter - To install a 5 x 11 foot floating personal watercraft platform in an artificial lagoon adjacent to the Little Assawoman Bay at 603 Glenn Avenue, Fenwick Island, Sussex County, DE

Brendy & Robert Esmond and John & Barbara Wilson - To install a 5'6" x 13'2" floating personal watercraft platform in an artificial lagoon adjacent to the Little Assawoman Bay at 25 West South Carolina Avenue, Fenwick Island, Sussex County, DE

#### **Subaqueous Lands Water Quality Application**

Delaware River & Bay Authority - To install a 4 x 28 foot long gangway, a 8 x 180 foot long floating dock, and 11 13-inch diameter concreted filled composite piles consisting of 8 cubic yards of concrete fill in the Delaware Bay, at the Lewes Ferry Terminal, 43 Cape Henlopen Drive, Lewes, Sussex County, DE

#### **Wetlands Application**

Pepco Holdings, Inc. - To temporarily impact 9,360 square feet of State-regulated wetlands near the Delaware River for installation of a utility wire and a fiber line at the Red Lion substation, River Road north of Delaware City, in New Castle County, DE

### **EMPLOYEE UPDATES**

Effective **August 24**, Ross Elliott is a new hire working with the Corrective Action Group in Tank Management Section as a Hydrologist II.

Effective **September 8**, Debra Nielson from the Division of Waste and Hazardous Substances is the new TRI Coordinator in the Emergency Planning & Community Right-to-Know Act (EPCRA) reporting group.

### **CONTACT INFORMATION**

#### **24-Hour Report and Spill Notification Line - 1-800-662-8802**

Aboveground Storage Tanks - 302-395-2500

Air Quality - New Castle Office - 302-323-4542

Air Quality – Kent & Sussex – 302-739-9402

Asbestos New Castle - 302-323-4542

Asbestos Kent & Sussex - 302-739-9402

Biosolids Permits - 302-739-9946

Boiler Safety - 302-395-2500

Brownfields - 302-395-2600

Delaware Estuary Program - 302-739-9283 (Delaware Coastal Management Program)

Division of Air Quality Director's Office - 302-739-9402

Division of Waste and Hazardous Substances Director's Office - 302-739-9400

Division of Water Information - 302-739-9950

Dock/Dredging/Bulkheads/Rip-Rap/Wetlands & Subaqueous Lands - 302-739-9943

Emergency Prevention and Response - 302-739-9404  
Environmental Crimes Unit - 302-739-9401 or 1-800-662-8802  
Environmental Laboratory - 302-739-9942  
Hazardous Waste - 302-739-9403  
Industrial Stormwater Permits - 302-739-9946  
Loans & Grants for Wastewater and Septic's (Financial Assistance Branch) - 302-739-9941  
Medical Waste - 302-739-9403  
Non-Hazardous Liquid Waste Transporters - 302-739-9948  
On-site Wastewater Licensing Program - 302-739-9948  
Open Burning - 302-739-9402  
Outreach Ombudsman - 302-395-2600  
Recycling - 302-739-9403  
Septic System Permits - Large Systems (Community & I/A) Statewide - 302-739-9948  
Septic System Permits - Small Systems for Kent & New Castle Counties - 302-739-9947  
Septic System Permits - Small Systems for Sussex County & Holding Tank Compliance Program - 302-856-4561  
Site Investigation & Restoration Section (Superfund/Brownfields) - 302-395-2600  
Solid Waste - 302-739-9403  
Source Water Protection - 302-739-9945  
Surface Water Discharge Permits (NPDES) - 302-739-9946  
Underground Injection Control & Spray Irrigation - 302-739-9948  
Underground Storage Tanks - 302-395-2500  
Wastewater Collection, Conveyance and/or Treatment Facility Construction Permits - 302-739-9946  
Wastewater Treatment Facility Operators - 302-739-9946  
Water Allocation Permits - 302-739-9945  
Water Testing - Drinking Water (Division of Public Health) - 302-741-8630  
Water Supply - 302-739-9945  
Well Driller's License - 302-739-9944  
Well Permits & Licensing - 302-739-9944  
Wells - 302-739-9944  
Wetlands and Subaqueous Lands Section - 302-739-9943