

The biweekly E-News Update features current information on the Divisions of Air Quality (DAQ), Waste and Hazardous Substances (WHS), and Water regarding public meetings, workshops, hearings, and regulatory documents available for public comment, as well as general news updates. For those of you who are receiving the E-News Update for the first time, the subscription is FREE!

Please sign up at: <http://www.dnrec.delaware.gov/Pages/DNRECLists.aspx> under "Division of Waste & Hazardous Substances Lists." There is no form to fill out; it's done in three clicks! Suggestions? Additions? Please call Kathy Nedelka at 302-739-9400, or send an email to [katherine.nedelka@state.de.us](mailto:katherine.nedelka@state.de.us)

Published by the Divisions of Air Quality, Waste and Hazardous Substances and Water.  
Visit us at: [www.awm.delaware.gov](http://www.awm.delaware.gov)

## SECRETARY'S ORDERS

### Secretary's Order No. 2016-WH-0030

RE: Approving Final Regulations to Amend 7 DE Admin. Code 1301: Regulations Governing Solid Waste, to wit: Scrap Tire Facility Management Provisions

## UPCOMING AIR, WASTE, & WATER-RELATED HEARINGS, MEETINGS, & EVENTS

**WATER INFRASTRUCTURE ADVISORY COUNCIL** – will discuss Clean Water, Drinking Water, and Storm water Issues on **September 21** from 9:00 AM to 12:00 PM. This meeting will take place at Kent County Administrative Complex Room 220 555 S. Bay Road Dover, DE, 19901. For additional information contact Laura Rafferty 302-739-9941; or visit: <https://egov.delaware.gov/pmc/Event/Details/38571>

**RECYCLING PUBLIC ADVISORY COUNCIL** – will discuss recycling issues for the State of Delaware on **September 21** from 1pm to 3pm. This meeting will take place at DNREC Lewes Field Office, 901 Pilottown Rd. Lewes, De.19958. For additional information contact Jackie Howard at 302-739-9403; or visit: <https://egov.delaware.gov/pmc/Event/Details/38456>

**WATER SUPPLY COORDINATING COUNCIL MEETING** rescheduled to **September 29** from 10am to 12pm at the Kent County Administration Complex, Conference Room 220, 555 Bay Road, Dover, DE, 19901. For additional information contact Kimberly Burris at (302) 739-9945; or visit: <https://egov.delaware.gov/pmc/Event/Details/38371>

**BOARD OF CERTIFICATION FOR WASTEWATER OPERATORS MONTHLY MEETING** – This is a regular monthly meeting of the Board of Certification for Wastewater Operators. Meeting will take place on **October 4** from 9am to 11am at the Richardson and Robbins Building, Conference Room B172: 89 Kings Highway, Dover, DE, 19901. For additional information contact Faye Wheeler at (302) 739-9946, or visit: <https://egov.delaware.gov/pmc/Event/Details/33000>

**ON-SITE SYSTEMS ADVISORY BOARD MEETING** – will be held on **October 5** from 9:15am to 11:30am at the Richardson and Robbins Building, Conference Room B228: 89 Kings Highway, Dover, DE, 19901. For additional information, contact Dawn Dryden 302-739-9948 or visit: <https://egov.delaware.gov/pmc/Event/Details/38730>

**PUBLIC WORKSHOPS FOR PROPOSED CHANGES TO THE DELAWARE AIR REGULATIONS AND DELAWARE'S STATE IMPLEMENTATION PLAN (SIP)** - The department will conduct two (2) public hearings on proposed amendments to Delaware air regulations and Delaware's State Implementation Plan (SIP). The hearings will address amendments to 7 DE Admin. Code 1125 regarding the calculation of greenhouse gas (GHG) emissions and to 7 DE

Admin. Codes 1104, 1105, 1124 and 1142 to satisfy US EPA requirements related to air emissions during equipment start-up and shutdown as required by EPA's SIP Call (80 FR 33840). The hearings will be held on **October 25** beginning at 6 p.m. at the State Street Commons Training Room, 100 W. Water Street, Suite 6A, Dover. The first of the hearing will begin at 6 p.m., followed by the second hearing. For additional information on the two hearings, please contact David Fees at (302) 739-9402; or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3415&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

**PUBLIC WORKSHOP NOTICE** – The Department is holding three (3) community outreach meetings to provide an opportunity to share information with you on climate change, the Federal Clean Power Plan and how Delaware plans to comply, as well as how to take advantage of grants and other programs offered by the Division of Energy & Climate.

Three workshops will be held on:

**September 27** (4:30pm-7:30pm): Millsboro Senior Center, 214 Irons Ave. Millsboro, DE 19966

**September 28** (4:30pm-7:30pm): City of Dover Library, 35 E. Lockerman St. Dover, DE 19901

**September 29** (4:30pm-7:30pm): Bellevue Community Center, 500 Duncan Rd. Wilmington, DE 19809

For more information please contact Valerie Gray, DNREC at 302-739-9402 or email [valerie.gray@state.de.us](mailto:valerie.gray@state.de.us) or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3413&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

**OPT-IN! THE DELAWARE DIVISION OF AIR QUALITY (DAQ)** is committed to working with citizens to continuously optimize Delaware's air quality and protect public health, welfare, and the environment. To determine that the DAQ is meeting the air quality needs of the citizens across the state, we encourage you to participate in our opt-in list. In the future you will receive surveys that will allow us to analyze our performance. You can access the opt-in list by clicking: [https://survey.co1.qualtrics.com/jfe/form/SV\\_1RGZGUYt8fSuqkB](https://survey.co1.qualtrics.com/jfe/form/SV_1RGZGUYt8fSuqkB)

**AIR QUALITY PERMITTING PROGRAM** – Notice has been given that the facilities listed below have submitted applications for air quality management permits. The applications, the “draft/proposed” permits, all materials that the applicant has submitted (other than those granted confidential treatment under DNREC rules), and a copy of summary of other materials, if any, considered in preparing the “draft/proposed” permit, may be inspected at the offices of the Division of Air Quality, 100 W. Water Street, Suite 6A, Dover, 19904. **All comments and public hearing requests** should be mailed to the following address: DIVISION OF AIR QUALITY, 100 W. Water Street, Suite 6A, Dover, 19904. To submit comments, for additional information, or for an appointment to inspect the application, please contact Penny Gentry at (302) 739-9402.

**Proximity Malt, LLC** has requested a modification to an existing permit application (Permit: APC-2016/0063-CONSTRUCTION) to increase permitted emissions from the modification of an existing grain elevator into a malting facility at their 33222 Bi-State Boulevard, Laurel location. Requested permitted emissions are 20.5 TPY of PM10, 10.2 TPY of PM2.5, 6.6 TPY of NOX, 3.4 TPY of SO2, 28.1 TPY of CO, and 11.3 TPY of VOCs. This requested change represents an increase of 2.65 TPY of PM10, 1.68 TPY

of PM2.5, 2.48 TPY of NOX, 1.17 TPY of SO2, 6.44 TPY of CO, and 0.47 TPY of VOCs from the original application and public notice (February 24, 2016). A public hearing concerning the permitting action will not be held unless the agency Secretary receives a request for such hearing by **October 4**. A request for a hearing shall be in writing and must show a familiarity with the permit and a reasoned statement of the permit's probable impact. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3411&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

**Hercules LLC** has submitted an application for the operation of a spray drying process consisting of two (2) PSD-1 Spray Dryers, one (1) SD Micro Spray Dryer and one (1) MP1 Fluid Bed located at 500 Hercules Road in Wilmington. Permit: APC-2017/0044-OPERATION (VOC RACT)(SM) Total estimated emissions from the process are 2.5 tons per year of VOCs, 3.1 tons per year of HAPs, and 2.9 tons per year of Acetone. A public hearing concerning the permitting action will not be held unless the agency Secretary receives a request for such hearing by **October 4**. A request for a hearing shall be in writing and must show a familiarity with the permit and a reasoned statement of the permit's probable impact. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3398&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

**GE Aviation – Newark**, requests a construction permit to construct a central vacuum system at their 400 Bellevue Road, Newark facility. The central vacuum system will be used by plant personnel for general cleaning and will be permitted to emit 0.002 lb. /hr. and 0.009 ton per year of particulate matter (PM10) by Permit: APC-2017/0049-CONSTRUCTION. A public hearing concerning the permitting action will not be held unless the agency Secretary receives a request for such hearing by **October 4**. A request for a hearing shall be in writing and must show a familiarity with the permit and a reasoned statement of the permit's probable impact. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3412&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

**FMC Health and Nutrition** - 1301 Ogletown Road, Newark has requested a federally enforceable 7 DE Admin. Code 1102 construction permit (APC-2017/0009 – CONSTRUCTION (FE)) for a new baghouse to replace the existing EP-124 baghouse of CMC Conveying System #1, which is nearing the end of its life. The new baghouse will be permitted to emit 0.25 ton of particulate matter (PM10) per year. Upon completion of construction, the Department will incorporate the operating conditions and limits of the 7 DE Admin. Code 1102 Construction permit into the facility's existing Title V (Permit: AQM-003/00051 (Renewal 3) (Revision 4)) via an Administrative Amendment. A public hearing concerning the permitting action will not be held unless the agency Secretary receives a request for such hearing by **October 18**. A request for a hearing shall be in writing and must show a familiarity with the permit and a reasoned statement of the permit's probable impact. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3410&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

**WHS - SITE INVESTIGATION AND RESTORATION SECTION (SIRS)** is responsible for the identification, evaluation and remediation of sites in Delaware that have had past releases of hazardous substances. The section manages the contaminated sites under three major programs in accordance with the Hazardous Substance Cleanup Act (HSCA). The three programs are the **Brownfields Development Program, the Voluntary Cleanup Program (VCP) and the HSCA Enforcement Program** (for sites requiring enforcement action).

**The Brownfields Development Program** encourages the cleanup and redevelopment of vacant, abandoned or underutilized properties, which may be contaminated. A party seeking to develop such a property negotiates with SIRS for a **Brownfields Development Agreement (BDA)** to perform an investigation and, if necessary, a remedial action or remedy, for the purpose of addressing the risks posed by past releases of hazardous substances at these sites. However, a BDA is only available to parties that are not current site owners. The **Voluntary Cleanup Program (VCP) Agreement** is available to site owners, who want to clean up their sites and are already liable as a potentially responsible party for the site.

**NOTIFICATION OF NEGOTIATIONS FOR A BROWNFIELD DEVELOPMENT AGREEMENT FOR THE JACKSON PIT SITE (DE-0149)** SIRS is negotiating a new BDA with Mid-Atlantic Community Partners regarding the Jackson Pit Site located at 19000 Block of Beaver Sam Road in Lewes, Identified by Sussex County as tax parcel numbers 3-34.600-504.02, -504.03, -504.06 and -504.07, the 18.33 acre Site may have had a release of hazardous substances as a result of past use as a landfill. The public comment period began September 11 and will close on **October 3**. Please submit written comments to the SIRS Project Manager, Lindsay Hall at (302) 395-2600; or visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3404&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

**The Proposed and Final Plans of Remedial Action** listed below outline site cleanup activities and covenants and are available online at: <http://www.dnrec.delaware.gov/whs/awm/SIRB/Pages/SIRBPlans.aspx> under "Announcements." For site-specific information, please see DNREC's Environmental Navigator at: <http://www.nav.dnrec.delaware.gov/DEN3>

**FINAL PLAN OF REMEDIAL ACTION FOR THE AMTRAK MAINTENANCE FACILITY OU-2 (DE-0170) WRECK TRACK REMOVAL** The Department has adopted a plan regarding the clean-up of Operable Unit 2 of the Amtrak Maintenance Facility Site located in Wilmington. The remedy will consist of compliance with a TSCA approved self-implementing plan under 40 CFR 761.61(a) for disposition of PCB contaminated soils above a concentration of 25 parts per million. As a result, other HSCA related compounds in soil within the Wreck Track project footprint will be removed from the property for disposal at a permitted facility. DNREC issued public notice of the Proposed Plan for Operable Unit 2, the Wreck Track Removal Area, on July 31. There were no comments or questions from the public regarding the Proposed Plan. The public may appeal this Final Plan until **September 20**. For additional information, please contact John Cargill, Project Manager, at (302) 395-2600; or visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3391&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

**FINAL PLAN OF REMEDIAL ACTION FOR THE PROCINO PLATING SITE (DE-0344) -** The Department has adopted a plan regarding the clean-up the Procino Plating Site located at 901 Market Street in Blades. Chromium detected in groundwater beneath the Site must be remediated to below federal drinking water standards. DNREC issued public

notice of the Proposed Plan for the Procino Plating Site on July 24. There were no comments or questions from the public regarding the Proposed Plan. The public may appeal this Final Plan until **September 20**. For additional information contact John G. Cargill, Project Manager, at (302) 395-2600; or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3392&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

**PROPOSED PLAN OF REMEDIAL ACTION for the Riverwalk at THE Deemers Beach Site (DE-1324)**

The Department invites public comment on a proposal to clean up the Riverwalk at Deemers Beach Site located at 314 Bay West Boulevard and 465 Marina Lane, in New Castle. Contaminants of concern (COCs) at the Site include volatile and semi-volatile organic compounds, and metals which were detected in soil, groundwater, surface water, and sediment above DNREC screening levels. The comment period ends on **October 3**. For additional information, please contact Robert C. Asreen, Jr., Project Manager at (302)395-2600; or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3403&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

**FINAL PLAN OF REMEDIAL ACTION FOR THE 20618 North DuPont Boulevard SITE (DE-1601).**

The Department has adopted a plan regarding the clean-up of 20618 North DuPont Boulevard Site in Georgetown. The remedy will consist of an Environmental Covenant restricting groundwater withdrawal and land disturbing activities. The 11.35-acre Site consists of four tax parcels. Past site usage includes agricultural, residential and a commercial gasoline service station. DNREC issued public notice of the Proposed Plan for 20618 North DuPont Boulevard Site on August 22. There were no comments or questions from the public regarding the Proposed Plan. The public may appeal this Final Plan until **October 3**. For additional information, please contact Wendy March, Project Manager, at (302)395-2600; or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3402&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

**PROPOSED PLAN OF REMEDIAL ACTION FOR THE Amtrak Former Fueling Facility OU-4 (DE-0266) Locomotive Track 1 Replacement.**

The Department invites public comment on a proposal to clean up a portion of the Amtrak Former Fueling Facility, Amtrak Wilmington Shops, in Wilmington. The 0.15-acre Site is an area of railroad track that will be replaced. All excavated soils will be transported to a permitted soil disposal facility. The comment period ends on **October 3**. For additional information, please contact John Cargill, Project Manager, at (302)395-2600; or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3401&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

**PROPOSED PLAN OF REMEDIAL ACTION FOR 1215 Philadelphia Pike (DE-1621)**

The Department invites public comment on a proposal to clean up for the 1215 Philadelphia Pike Site located at 1215 Philadelphia Pike in Wilmington. The approximately 0.86-acre Site consists of a single story office building, greenhouse, and partially paved parking lot in a mixed residential/commercial area. The comment period ends on **October 3**. For additional information, please contact Patrick Boettcher, Project Manager, at (302)395-2600; or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3406&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

#### **PROPOSED PLAN OF REMEDIAL ACTION FOR 3006 Lancaster Ave Site**

**Wilmington (DE-1568).** The Department invites public comment on a proposed plan for the 3006 Lancaster Ave Site located in Wilmington. The conceptual development plan for the site includes a commercial function based around automotive servicing and repair. The comment period ends on **October 10**. For additional information, please contact Meghan Crystall, Project Manager at (302) 395-2600; or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3419&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

#### **PROPOSED PLAN OF REMEDIAL ACTION FOR FORMER PLAYTEX PROPERTY DOVER (DE-1552).**

The Department invites public comment on a proposal to address site conditions at the Former Playtex Property Site located at 519 East Division Street, Dover. The 9.3-acre Site consists of one large main building and pavement with some open grassy land in a mixed residential/commercial area. The comment period ends on **October 10**. For additional information, please contact Rick Galloway, Project Manager at (302) 395-2600; or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3417&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

**DIVISION OF WATER - GROUND WATER DISCHARGES -DIVISION OF WATER - GROUND WATER DISCHARGES** -The Division of Water hereby gives notice that the applications below are available for inspection or copies may be obtained by contacting: Kathleen Saunders, Ground Water Discharges, 89 Kings Highway, Dover 19901, or by calling (302) 739-9948.

#### **Non-Hazardous Liquid Waste Transporters Permit**

**Johnson's Sewer And Drain Contractors Inc.** T/A Roto-Rooter Sewer Drain Service has applied to the Groundwater Discharges Section for an amendment to their Non-Hazardous Liquid Waste Transporters Permit WH-079 to include the City of Seaford Sewer System and the Town of Laurel Sewer System as disposal facilities. A public hearing on the above application will NOT be held unless the Secretary of DNREC determines that a public hearing is in the public interest or if a written meritorious objection to the application is received by **September 22**. A public hearing request shall be deemed meritorious if it exhibits a familiarity with the application and provides a reasoned statement of the action's probable impact. For more information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3397&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

#### **Non-Hazardous Liquid Waste Transporters Permit Renewal**

**Chapel Green HOA** has submitted a renewal application for an operation permit for an on-site wastewater treatment and disposal system for the Chapel Green development. The system has been designed to accommodate 72,720 gallons per day of wastewater. The site is located at 104 Ancient Oak Court, Sussex County, tax parcel # 2-34-11.00-000.00. A public hearing on the above application will NOT be held unless the Secretary of DNREC determines that a public hearing is in the public interest or if a written meritorious objection to the application is received by **September 22**. A public hearing request shall be deemed meritorious if it exhibits a familiarity

with the application and provides a reasoned statement of the action's probable impact. For more information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3397&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

### **On-Site Wastewater Treatment and Disposal System**

**Intervet America, Inc.** has submitted a construction application for an on-site wastewater treatment and disposal system. The system has been designed to accommodate 1,000 gallons per day of wastewater. The site is located at 1 Merck Drive, Sussex County, tax parcel # 3-33-3.00-027.00. A public hearing on the above application will NOT be held unless the Secretary of DNREC determines that a public hearing is in the public interest or if a written meritorious objection to the application is received by **September 26**. A public hearing request shall be deemed meritorious if it exhibits a familiarity with the application and provides a reasoned statement of the action's probable impact. For more information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3405&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

**DIVISION OF WATER - SURFACE WATER DISCHARGES** – The Division of Water hereby gives notice that the following permit applications have been received.

**John R. Stinson & Sons, Inc.** submitted a request to the Department of Natural Resources and Environmental Control to construct one (1) new aboveground storage tank (AST) for the storage of storm water runoff from composting activities from their facility located at 670 McGovern Road in Hockessin. A public hearing concerning the above application will NOT be held unless the Secretary of DNREC determines that a hearing is in the public interest or if a written meritorious request for a hearing is received by **September 21**. A request for a public hearing shall be deemed meritorious if it exhibits a familiarity with the application and provides a reasoned statement of the permit's probable impact. Questions regarding the application and plans for the above are available for inspection by contacting: Brian Churchill Surface Water Discharges Section, Delaware Division of Water 89 Kings Highway Dover, DE 19901, (302) 739-9946; or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3400&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

**Lewes Board of Public Works**, located in Lewes, Sussex County submitted a request to Department of Natural Resources and Environmental Control to construct Savannah Place Sanitary Sewer System. The system includes a 10,500 gpd (design) pump station, 590 LF of 2.5" PVC force main, 2,498 LF of 8" PVC gravity sewer, 1,034 LF of 6" PVC sewer laterals, 3,645 LF of 4" PVC sewer laterals and 15 manholes and associated appurtenances. The sanitary sewer flow will enter the Lewes Board of Public Works wastewater collection system for eventual treatment at the Howard Seymour Water Reclamation Plant. A public hearing concerning the above application will NOT be held unless the Secretary of DNREC determines that a hearing is in the public interest or if a written meritorious request for a hearing is received on or before **September 22**. A request for a public hearing shall be deemed meritorious if it exhibits a familiarity with the application and provides a reasoned statement of the permit's probable impact. Questions regarding the applications and plans for the above are available for inspection by contacting: Greg Pope, P.E. Environmental Finance, Office of the Secretary 5E Reed Street, Suite 200 Dover, DE 19901 (302) 739-9941; or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3399&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

**Sea Watch International, Ltd.** submitted a request to the Department of Natural Resources and Environmental Control requesting the reissuance of their previous distribution and marketing permit for the agricultural utilization of clam waste (clam bellies). Clam waste is generated in the processing of clams at the Sea Watch International, Ltd. Milford location. Upon permit reissuance, various agricultural farms located throughout Kent and Sussex County may be utilized for the agricultural utilization of clam waste. Clam waste will be monitored for nutrient content and various other parameters and will be applied to meet crop nutrient needs in accordance with a nutrient management plan. Clam waste is required to be incorporated into the soil by the end of the working day. Setbacks will be required for residences, public roads, drinking water wells, and various other receptors. Part V of the Department's Guidance and Regulations Governing the Land Treatment of Wastes allows for such activity pending public notice. A public hearing on the above application will NOT be held unless our agency determines that a public hearing is in the public interest or if a written meritorious objection to the application is received by **September 23**. A public hearing request shall be deemed meritorious if it exhibits a familiarity with the application and provides a reasoned statement of the action's probable impact. For copies of the permit above or additional information contact, Brian Churchill, Surface Water Discharges Section, 89 Kings Highway, Dover, DE 19901, (302) 739-9946; or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3376&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

#### **NPDES Permits**

**Kent County Department of Public Works** has applied for reissuance of its NPDES Permit No. DE0020338 (State Number WPCC 3082G/74) to discharge treated wastewater from the Kent County Regional Wastewater Treatment Plant located at 139 Milford Neck Road, Milford, Kent County. The facility is a regional wastewater treatment plant (WWTP) that services the domestic, commercial, and industrial users in Kent County, southern portions of New Castle County, and portions of Sussex County in and near Milford. The facility has a single discharge (Outfall 001) to The Gut, a Tributary of the Murderkill River. The facility has no Combined Sewer Overflows (CSO's). Wastewater treatment includes fine screening, grit removal, influent sampling for process control, extended aeration with rolling oxic and anoxic zones for BNR, ferric chloride addition for phosphorous reduction, secondary clarification with six (6) clarifiers available, sand filter, ultra violet (UV) disinfection with twelve (12) UV channels available, effluent metering and monitoring. Waste sludge is dewatered via belt filter press, lime stabilized, and dried on site prior to transportation off site to be land applied on local farms. A public hearing on the above application will NOT be held unless our agency Secretary receives a request by **September 30** or the Secretary determines that a public hearing is in the public interest. A request for a hearing shall be in writing and shall state the nature of the issues to be raised at the hearing. It must also show familiarity with the proposal and a reasoned statement of the permit's probable impact. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3390&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

**New Castle County Department of Special Services** has applied for reissuance of its NPDES Permit No. 0021539 (State Number WPCC 3078F/74) to discharge treated wastewater from the Port Penn Sanitary Treatment Plant (STP) located on Fishers Wharf Road off of Route 9 in Port Penn, New Castle County. The facility is a publicly-owned treatment works that treats sanitary sewerage from residential areas. The facility has a single discharge (Outfall 001) to the Delaware River. The facility has no Combined Sewer Overflows (CSO's). Wastewater treatment consists of screening/comminutor, extended aeration process, and chlorination. Waste sludge from the treatment operation is sent to the City of Wilmington Wastewater Treatment Plant for ultimate disposal. A public hearing on the above application will NOT be held unless our agency Secretary

receives a request by **September 30** or the Secretary determines that a public hearing is in the public interest. A request for a hearing shall be in writing and shall state the nature of the issues to be raised at the hearing. It must also show familiarity with the proposal and a reasoned statement of the permit's probable impact. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3390&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

**Chemours Company, F.C., L.L.C. Edge Moor Facility** has applied for reissuance of its NPDES Permit No. DE 0000051 (State Permit No. WPCC 3193D/76) to discharge noncontact cooling water, treated process waste water, and storm water to the Delaware River and storm water to Shellpot Creek. Their facility is located at 104 Hay Road, Edge Moor and formerly produced titanium dioxide, ferric chloride, and titanium tetrachloride, but the site has shut down and is undergoing site clean-up. The site is currently closed and does not generate sludge from wastewater treatment processes. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3390&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

**WX Delaware Real Estate Holding Company LLC** has applied for reissuance of its NPDES Permit No. DE0000523 (State Permit No. WPCC 3058E/76) to discharge storm water and ground water to the Little Mill Creek, a tributary of the Christiana River. Their facility is located at 801 Boxwood Road in Wilmington. The site was formerly owned by the General Motors Corporation, and assembled passenger vehicles but ceased production in July, 2009. The site is currently closed and does not generate sludge from wastewater treatment processes. A public hearing on the above application will NOT be held unless our agency Secretary receives a request by **September 30** or the Secretary determines that a public hearing is in the public interest. A request for a hearing shall be in writing and shall state the nature of the issues to be raised at the hearing. It must also show familiarity with the proposal and a reasoned statement of the permit's probable impact. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3390&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

**DIVISION OF WATER - WATER SUPPLY** - The Division of Water hereby gives notice that the following Well permit application has been received. For additional information concerning the applications below, please contact Allison Diggins/Water Supply Section - 89 Kings Highway, Dover, DE 19901; or, by phone at (302) 739-9945.

#### **Allocation Permits**

Paul Schreppler has requested an irrigation allocation for his farming operations. He has one surface intake located northeast of Harrington in Kent County. The requested daily withdrawal is 720,000 gallons per day. A public hearing will NOT be held unless our agency Secretary determines that a public hearing is in the public interest, or if a written meritorious objection to the application is received by **October 11**. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3420&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

#### **EMPLOYEE NEWS**

Effective **September 19**, Morgan McGee-Solomon has accepted the position of Environmental Scientist I with the Division of Waste and Hazardous Substances. **Welcome!**

#### **CONTACT INFORMATION**

**24-Hour Environmental Report and Spill Notification Line - 1-800-662-8802**

Aboveground Storage Tanks - 302-395-2500  
Air Quality - New Castle Office - 302-323-4542  
Air Quality – Kent & Sussex – 302-739-9402  
Asbestos New Castle - 302-323-4542  
Asbestos Kent & Sussex - 302-739-9402  
Biosolids Permits - 302-739-9946  
Boiler Safety - 302-395-2500  
Brownfields - 302-395-2600  
Community Ombudsman - 302-739-9040  
Community Services - 302-739-9959  
Delaware Estuary Program - 302-739-9283 (Delaware Coastal Management Program)  
Division of Air Quality Director's Office - 302-739-9402  
Division of Energy & Climate - 302-735-3480  
Division of Waste and Hazardous Substances Director's Office - 302-739-9400  
Division of Water Information - 302-739-9950  
Dock/Dredging/Bulkheads/Rip-Rap/Wetlands & Subaqueous Lands - 302-739-9943  
Emergency Prevention and Response - 302-739-9404  
Environmental Crimes Unit - 302-739-9401 or 1-800-662-8802  
Environmental Laboratory - 302-739-9942  
Hazardous Waste - 302-739-9403  
Hazardous Chemical and Toxic Release Inventories – 302-739-9404  
Industrial Stormwater Permits - 302-739-9946  
Loans & Grants for Wastewater and Septic's (Environmental Finance) - 302-739-9941  
Medical Waste - 302-739-9403  
Non-Hazardous Liquid Waste Transporters - 302-739-9948  
On-site Wastewater Licensing Program - 302-739-9948  
Open Burning - 302-739-9402  
Outreach Ombudsman - 302-395-2600  
Recycling - 302-739-9403  
Septic System Permits - Large Systems (Community & I/A) Statewide - 302-739-9948  
Septic System Permits - Small Systems for Kent & New Castle Counties - 302-739-9947  
Septic System Permits - Small Systems for Sussex Co. & Holding Tank Compli. Program - 302-856-4561  
Site Investigation & Restoration Section (Superfund/Brownfields) - 302-395-2600  
Small Business Ombudsman - 302-739-9909  
Solid Waste - 302-739-9403  
Source Water Protection - 302-739-9945  
Surface Water Discharge Permits (NPDES) - 302-739-9946  
Underground Injection Control & Spray Irrigation - 302-739-9948  
Underground Storage Tanks - 302-395-2500  
Wastewater Collection, Conveyance and/or Treatment Facility Construction Permits - 302-739-9946  
Wastewater Treatment Facility Operators - 302-739-9946  
Water Allocation Permits - 302-739-9945  
Water Testing - Drinking Water (Division of Public Health) - 302-741-8630  
Water Supply - 302-739-9945  
Well Driller's License - 302-739-9944  
Well Permits & Licensing - 302-739-9944  
Wells - 302-739-9944  
Wetlands and Subaqueous Lands Section - 302-739-9943