

The biweekly E-News Update features current information on the Divisions of Air Quality (DAQ), Waste and Hazardous Substances (WHS), and Water regarding public meetings, workshops, hearings, and regulatory documents available for public comment, as well as general news updates. For those of you who are receiving the E-News Update for the first time, the subscription is FREE!

Please sign up at: <http://www.delaware.gov/Pages/Lists.aspx> under "Division of Waste & Hazardous Substances Lists." There is no form to fill out; it's done in three clicks!

Suggestions? Additions? Please call Stacy Jones at 302-739-9400, or send an email to Stacy.Jones@state.de.us

Published by Divisions of Air Quality, Waste and Hazardous Substances and Water.

Visit us at: www.awm.delaware.gov

SECRETARY ORDER

Secretary's Order No. 2015-CZ-0034

RE: Application of Praxair, Inc. for a Coastal Zone Act Permit for Manufacturing Carbon Dioxide and Nitrogen at 4550 Wrangle Hill Road, New Castle, New Castle County (CZA Project No. 420P)

Secretary's Order No. 2015-A-0035

RE: Approving Final Regulations to Amend 7 DE Admin. Code §1138, Emission Standards for Hazardous Air Pollutants for Source Categories, Section 6: Chromium Electroplating and Anodizing Tanks

UPCOMING AIR, WASTE, & WATER-RELATED HEARINGS, MEETINGS, & EVENTS

TANK MANAGEMENT SECTION PUBLIC WORKSHOPS CONCERNING UST

CLEANUP LIABILITY- The Tank Management Section has prepared a [fact sheet for owners and operators of UST facilities](#) that explains the upcoming changes to liability associated with the cleanup of a release from an underground storage tank. Click [here](#) for the factsheet. The Tank Management Section will conduct workshops for the regulated community on Monday, Sept. 21, at 10 a.m. at DNREC offices located at 391 Lukens Drive, New Castle, DE 19720, and on Tuesday, **Sept. 29** at 10 a.m. at DNREC's R&R Building, 89 Kings Highway, Dover, DE 19901, to explain changes that were made to the State's Underground Storage Tank law, as well as [draft amendments to the UST regulations](#) that also pertain to cleanup liability. The [draft amendments](#) can be found at [this link](#). For additional information, please contact Alex Rittberg at (302)395-2500 or visit: <https://egov.delaware.gov/pmc/Event/Details/30033>

PROPOSED HAZARDOUS WASTE REGULATORY AMENDMENTS HEARING

CANCELLED – Amendments withdrawn, public hearing cancelled for **September 30** at 6pm at 89 Kings Highway, Richardson and Robbins Building - Dover, DE, 19901, Kent County For additional information contact Tara Grazier at (302)-739-9403; or visit: <https://egov.delaware.gov/pmc/Event/Details/30163>

BOARD OF CERTIFICATION FOR WASTEWATER OPERATORS MONTHLY

MEETING – Will be held on **October 5** from 9am to 11 am in conference room B136 at the Richardson and Robbins Building, 89 Kings Highway Dover, DE, 19901. For additional information contact Faye Myers at (302) 739-9946; or visit: <https://egov.delaware.gov/pmc/Event/Details/30140>

WATER SUPPLY COORDINATING COUNCIL MEETING - The Council will hold a meeting on **October 7** from 10am to 12pm at the Kent County Administration Complex,

Conference Room 220, 555 Bay Road, Dover, DE, 19901. Dover, DE 19901. For additional information, please contact Kimberly Burris at (302) 739-9945; or visit: <https://egov.delaware.gov/pmc/Event/Details/29924>

SURFACE WATER DISCHARGES SECTION PUBLIC MEETING IN CONJUNCTION WITH KENT COUNTY LEVY COURT - will take place on **October 15**, at 6 PM at the Lake Forest East Elementary School, located at 124 West Front Street, Frederica, Delaware 19946. This informative meeting will discuss the proposal to add additional land for the agricultural utilization of biosolids to the list of farms that the County currently has permitted to apply biosolids onto. Currently the County has an agricultural utilization permit for agricultural utilization of biosolids, onto lands known as the West Farm, Kent County Sludge Farm, Nyle Calloway Farm, Blessing Farm, and the Goldinger Farm. For more information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2910&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

AIR QUALITY PERMITTING PROGRAM – Notice has been given that the facilities listed below have submitted applications for air quality management permits. The applications, the “draft/proposed” permits, all materials that the applicant has submitted (other than those granted confidential treatment under DNREC rules), and a copy of summary of other materials, if any, considered in preparing the “draft/proposed” permit, may be inspected at the offices of the Division of Air Quality, 655 S. Bay Road, Dover and 715 Grantham Lane, New Castle. **All comments and public hearing requests** should be mailed to the following address: DIVISION OF AIR QUALITY, 655 S. Bay Road, Suite 5 N, Dover, DE 19901. To submit comments, for additional information, or for an appointment to inspect the application, please contact Laura Bogus or Penny Gentry at (302) 739-9402.

NOTICE HAS BEEN GIVEN THAT MILFORD GRAIN COMPANY, requests a permit to operate one (1) Zimmerman Model 3026T grain tower dryer at their 6789 Shawnee Road, Milford facility in Sussex County. The grain dryer has the potential to emit 81.96 TPY of Particulate Matter (PM), 20.24 TPY of PM10, 3.46 TPY of PM2.5, 19 TPY of Nitrogen Oxides (NOX), 10.96 TPY of Carbon Monoxide (CO), and 1.17 TPY of Volatile Organic Compounds (VOCs). Under Permit: APC-2015/0116-CONSTRUCTION/OPERATION, the grain dryer will be permitted to emit 2.81 TPY of PM, 0.69 TPY of PM10, 0.12 TPY of PM2.5, 0.65 TPY of NOX, 0.38 TPY of CO, and 0.04 TPY of VOCs. A public hearing will not be held unless our agency Secretary receives a request for a hearing regarding that application by **September 25**. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2869&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTICE HAS BEEN GIVEN THAT JP MORGAN CHASE, requests a construction/operation permit to replace an existing 500kW emergency generator with one (1) new emergency generator, rated 1500 kW at their 880 Powder Mill Road, Wilmington and County of New Castle facility. The engine (2206 BHP) used in this generator set complies with U. S. EPA regulations under the provisions of 40 CFR 89, Non-Road Tier II emissions limits. Permit # APC-2016/0022- CONSTRUCTION /OPERATION (NSPS) (MNSR). A public hearing will not be held unless our agency Secretary receives a request for a hearing regarding that application by **September 28**. For additional information or for an appointment to review the application, please contact Laura Bogus at (302) 739 9402; or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2915&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

[es%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A](http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2914&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A)

NOTICE HAS BEEN GIVEN THAT PRAXAIR INC., requests a Construction permit to construct a CO2 Purification and Liquefaction Plant at their 4550 Wrangle Hill Road, Delaware City, Delaware facility. The CO2 Purification and Liquefaction Plant will be permitted to emit the following: Volatile Organic Compounds (VOC's) – 0.6 pounds per hour and 2.63 tons per twelve (12) month rolling period. Nitrogen Oxide (NOX) – 0.04 pounds per hour and 0.16 tons per twelve (12) month rolling period. Carbon Monoxide (CO) - 4.58 pounds per hour and 20.1 tons per twelve (12) month rolling period. Hazardous Air Pollutants (HAPS) 0.57 pounds per hour and 2.48 tons per twelve (12) month rolling period. Hydrogen 95.6 tons per twelve (12) month rolling period. Methane/Ethane – 17.5 pounds per hour and 76.5 tons per twelve (12) month rolling period. Ammonia 0.6 pounds per hour and 2.6 tons per twelve (12) month rolling period. Methanol 0.56 pounds per hour and 2.47 tons per twelve (12) month rolling period. Hydrogen Sulfide 0.06 pounds per hour and 0.01 tons per twelve (12) month rolling period. Carbon Dioxide 25,000 tons per twelve (12) month rolling period by Permit: APC-2015/0119-CONSTRUCTION. A public hearing will not be held unless our agency Secretary receives a request for a hearing by **September 28**. For additional information or for an appointment to review the application, please contact Laura Bogus at (302) 739 9402; or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2914&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTICE HAS BEEN GIVEN THAT BASF CORPORATION having a facility at 205 South James Street, Newport, New Castle County, has requested a 7 DE Admin. Code 1102 construction permit to include isopropyl alcohol as a solvent in their Metasheen Stripping Process. The construction permit will allow the facility to use isopropyl alcohol in addition to their current solvent. Emissions from isopropyl alcohol will be limited to 0.008 lb. /hr. and 0.183 tons per year by Permit: APC-2007/0122-CONSTRUCTION (VOC RACT) (PTE) (Amendment 4). Total VOC emissions from the process will remain unchanged. A public hearing will not be held unless our agency Secretary receives a request for a hearing by **September 28**. For additional information or for an appointment to review the application, please contact Laura Bogus at (302) 739 9402; or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2913&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTICE IS HEREBY GIVEN THAT CRODA, INC. HAVING A FACILITY AT 315 CHERRY LANE IN NEW CASTLE, has requested a federally enforceable 7 DE Admin. Code 1102 construction permit (APC-2015/0113-CONSTRUCTION (FE)) for a Three Stage Hybrid Ejector/Liquid Ring Vacuum Pump. The equipment will be used to provide vacuum and to control emissions from the associated tank. The existing emissions limitations for the process will remain the same. Upon completion of construction, the Department will incorporate the operating conditions and limits of the 7 DE Admin. Code 1102 Construction permit into the facility's existing Title V permit (AQM-003/00058-R3) via an Administrative Amendment. A public hearing will not be held unless our agency Secretary receives a request for a hearing regarding that application by **October 6**. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2904&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

The Brownfields Development Program encourages the cleanup and redevelopment of vacant, abandoned or underutilized properties, which may be contaminated. A party seeking to develop such a property negotiates with SIRS for a **Brownfields Development Agreement (BDA)** to perform an investigation and, if necessary, a remedial action or remedy, for the purpose of addressing the risks posed by past releases of hazardous substances at these sites. However, a BDA is only available to parties that are not current site owners. The **Voluntary Cleanup Program (VCP) Agreement** is available to site owners, who want to clean up their sites and are already liable as a potentially responsible party for the site.

NOTIFICATION OF NEGOTIATIONS FOR A BROWNFIELDS DEVELOPMENT

AGREEMENT FOR THE HARPER THEIL SITE (DE-0197) The Site Investigation and Restoration Section (SIRS) is negotiating a BDA with The Market at Miller Road, LLC regarding the Harper Thiel Site, located at 3101 and 3102 Miller Road in Wilmington. Known by New Castle County as tax parcel numbers 26-008.20-001 and 26-008.20-021, the 2.3 acre Site had a release of hazardous substances due to the past industrial use as an electroplating facility for chromium, nickel, cadmium and copper. This notice expires **September 28**. To learn more about this Site by contacting Kristen Thornton (302) 395-2600; or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2908&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTIFICATION OF PUBLIC COMMENT FOR A BROWNFIELDS DEVELOPMENT

AGREEMENT FOR THE FORMER A-1 AUTO PARTS SITE (DE-1172) The Site Investigation and Restoration Section (SIRS) negotiated a BDA with Baul's Towing and Services, LLC regarding the Former A-1 Auto Parts Site (Site), located at 410 Garasches Lane in Wilmington. Identified on the tax maps of New Castle County as tax parcel numbers 26-057.00-010 and 10-001.00-022, the 2.1 acre Site has had a release of hazardous substances as a result of use as a salvage yard.

The public comment period began on September 21 and will close at the end of the business day on **October 12**. Please submit written comments to the SIRS Project Manager, Karissa Hendershot at DNREC-SIRS, 391 Lukens Drive, New Castle, DE 19720; or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2920&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

The Proposed and Final Plans of Remedial Action listed below outline site cleanup activities and covenants and are available online at:

<http://www.dnrec.delaware.gov/whs/awm/SIRB/Pages/SIRBPlans.aspx> under "Announcements." For site-specific information, please see DNREC's Environmental Navigator at <http://www.nav.dnrec.delaware.gov/DEN3>

PROPOSED PLAN OF REMEDIAL ACTION FOR THE 4001 NEW CASTLE AVENUE SITE -

The Department invites public comment on a proposal to clean up a portion of the 4001 New Castle Avenue Site in Wilmington. The Site will be used for commercial use for automobile repair and sales. The comment period ends on **September 28**. For additional information contact Kristen Thornton, Project Manager, or Robert Newsome, Public Information Officer, at (302)395-2600; or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2906&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

PROPOSED PLAN OF REMEDIAL ACTION FOR THE FORMER WINGS TO GO SITE (DE-1513) - The Department invites public comment on a proposal to clean up the Former Wings to Go Site located at 525 & 527 North Scott Street and 1802 & 1804 West 6th Street in Wilmington. The 0.2-acre Site consists of a vacant lot. The Site soil is contaminated with metals and volatile organic compounds related to the Site's historical use. The comment period ends on **October 2**. For additional information, please contact Morgan Price, Project Manager, or Robert Newsome, Public Information Officer, at (302) 395-2600; or visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2916&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

DIVISION OF WATER - SURFACE WATER DISCHARGES – The Division of Water hereby gives notice that the following permit application has been received. For additional information or to inspect the applications below contact, Surface Water Discharges Section - Division of Water, 89 Kings Highway, Dover, DE 19901, (302) 739-9946.

NPDES PERMITS

THE CITY OF SEAFORD HAS APPLIED FOR REISSUANCE OF ITS NPDES PERMIT NO. DE0020265 (STATE NUMBER WPCC 3161F/74) permit to discharge effluent from its Wastewater Treatment Facilities located at 403 Nanticoke Avenue in Seaford, Sussex County to the Nanticoke River. The City of Seaford composts its sludge, producing a Class A Exceptional Quality (EQ) compost product that may be distributed under its Distribution & Marketing permit No. DM 1104-S-03 to individuals or commercial entities for use in agricultural and horticultural applications as a soil amendment.

INVISTA S.A.R.L. HAS APPLIED FOR RE-ISSUANCE OF ITS NPDES PERMIT NO. DE 0000035 (STATE PERMIT NUMBER WPCC 3223E/74) to discharge contact and non-contact cooling water, treated process and sanitary waste water, and storm water from its nylon production facility located at 25876 DuPont Road in Seaford, Sussex County to the Nanticoke River. This facility manufactures Nylon 6, 6 Staple fiber. Industrial and domestic wastewater from the facility flows into their on-site wastewater treatment plan. Wastewater treatment includes equalization, activated sludge biological oxidation, clarification, disinfection, and tertiary filtration. Waste sludge collected on-site is removed periodically by a local sludge hauler for off-site disposal.

ALLEN HARIM FOODS, LLC HAS APPLIED FOR RE-ISSUANCE OF ITS NPDES PERMIT NO. DE 0000299 (STATE NUMBER WPCC 3131F/76) to discharge treated process water, domestic waste water, and storm water from its facility located at 18752 Harbeson Road in Harbeson, Sussex County, Delaware to Beaverdam Creek which discharges to the Broadkill River. This facility is a poultry processing plant which involves the transportation of live birds from the poultry farms, slaughtering, defeathering, eviscerating, chilling, packing, and the shipping of poultry meat to the distributors. The industrial and domestic wastewater from the poultry plant flows into their sanitary treatment plant (STP). The STP consists of primary screening, dissolved air flotation, biological nutrient removal (anoxic basins followed by aerobic basins), secondary clarifiers, chlorination, and dechlorination. Process related storm water is collected in sumps with pumping of first flush to the STP. Sludge treatment consists of aerobic digestion, dewatering by filter press and land application.

Based on a preliminary staff review and application of lawful standards and regulations, the Department proposes to re-issue the above NPDES permits, subject to certain effluent limitations and conditions. The proposed determinations are tentative. Persons wishing to comment upon or object to the proposed determinations are invited to submit same in writing to the Surface Water Discharges Section of the Division of Water, at the address listed above. All comments received prior to said date will be considered in the formulation of final determinations regarding this application. A public hearing on the above will NOT be held unless our agency Secretary

receives a request by **September 25** or if our Secretary determines that a public hearing is in the public interest. A request for a hearing shall be in writing and shall state the nature of the issues to be raised at the hearing. It must also show familiarity with the proposal and a reasoned statement of the permit's probable impact. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2891&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTICE IS HEREBY GIVEN THAT A PERMIT APPLICATION HAS BEEN RECEIVED FROM SUSSEX COUNTY AND SEASIDE COMMUNITIES, RDC, LLC,

to construct approximately 4,445 linear feet of 8" gravity sewer, one pump station with dual FLYGT pumps, associated piping, valves, controls and related facilities, and 6,700 linear feet of 6" force main, to serve the proposed Saddle Ridge residential subdivision, to be located on the northwest side of John J. Williams Highway (DE Route 24, Sussex County Road 24), approximately 2,600 feet from Mulberry Knoll Road (Sussex County Road 284) and 900 feet from Tanglewood Drive, near Midway, Sussex County. A public hearing will NOT be held unless our agency Secretary determines that a hearing is in the public interest or if a written meritorious request for a hearing is received on or before **October 1**. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2917&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

DIVISION OF WATER - Ground Water Discharges -The Division of Water hereby gives notice that the applications below are available for inspection or copies may be obtained by contacting: Kathleen Saunders, Ground Water Discharges, 89 Kings Highway, Dover – 19901, or by calling (302) 739-9948.

ARTESIAN WASTEWATER MANAGEMENT INC. has submitted a renewal application for an on-site wastewater treatment and disposal system for the Stonewater Creek Regional Wastewater Treatment Plant and Disposal System. The system has been designed to accommodate 225,000 gallons per day of wastewater. The site is located at 24199 Indian Mission Road, Sussex County, tax parcel # 2-34-16.00-19.00. A public hearing will NOT be held unless our agency Secretary determines that a public hearing is in the public interest, or if a written meritorious objection to the application is received by **October 1**. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2918&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

DIVISION OF WATER - WATER SUPPLY - The Division of Water hereby gives notice that the following well permit application has been received. For additional information concerning the applications below, please contact Allison Diggins/Water Supply Section - 89 Kings Highway, Dover, DE 19901; or, by phone at (302) 739-9945.

Well Permits

Croda, Inc. has requested to modify their existing allocated use from industrial to remediation. Four remediation wells have been constructed and four industrial wells have been reclassified to remedial use, all of which are located at the Atlas Point Facility in New Castle, New Castle County. The requested maximum daily withdrawal of the modification is 1,536,480 gallons per day. A public hearing will NOT be held unless our agency Secretary determines that a public hearing is in the public interest or if a written meritorious objection to the application is received by **October 4**. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2925&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

Tom Knopp has requested an irrigation allocation for his farming operations. He has one well located southwest of Bridgeville in Sussex County. The requested daily withdrawal is 576,000 gallons per day. A public hearing will NOT be held unless our agency Secretary determines that a public hearing is in the public interest or if a written meritorious objection to the application is received by **October 4**. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2925&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

DIVISION OF WATER - WETLANDS AND SUBAQUEOUS LANDS SECTION – The Division of Water hereby gives notice that the applications below are available for inspection or copies may be obtained by contacting: Gayle Calder, Wetlands and Subaqueous Lands Section, 89 Kings Highway, Dover – 19901, or by calling (302) 739-9943. A public hearing on the applications below will NOT be held unless our agency Secretary determines that a public hearing is in the public interest, or if a written meritorious objection to the application is received by **September 29**. For additional information visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2909&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

Subaqueous Lands Lease Renewal Application

Vonda Armstrong (234-24.00-60.00) to maintain a pier 6 by 22 feet, a dock 6 by 30 feet and a boat ramp 13 by 14 feet, in Guinea Creek at 9 Creek Drive, Winding Creek Village, Millsboro

Subaqueous Lands Permit Application

Ashland Properties (1-17-01800-01-0500-00001, 1-17-01913-02-0300-00001) To install 117 linear feet of 42 inch reinforced concrete pipe and rip-rap outlet protection in a tax ditch draining to Lake Como to access the Ashland Subdivision, 700 block of Sunnyside Road, Smyrna, Kent County

National Railroad Passenger Corporation - Amtrak (2603700007) To authorized 802 cubic yards of sediment amendment mixes, earthen fill, and a topsoil cap to treat contaminated ditch sediments, to install a sheet pile wall and four 18 inch culvert pipes to divert water in a drainage ditch connecting to the Brandywine Creek at 4001 Vandever Avenue, Wilmington, New Castle County

Deborah Hillenburg (3-31-6.00-18.00) To install a 4 by 10 foot long pier and a 5 by 20 foot long dock, to remove 120 linear feet of bulkhead and to install 120 linear feet of bio-logs and 2.4 cubic yards of rip-rap to create a living shoreline in Williams Pond at 9135 Middleford Road, Seaford, Sussex County

Mark Gaskin (3-31-5.00-85.01) To install 80 linear feet of a rip-rap revetment in Williams Pond at Lot 13 Pine Cove Drive, Pine Cove, Seaford, Sussex County

Dennis Kline (1-33-19.00-266.00) To install a 5 by 5 foot long handicap accessible pier in an unnamed lake at 23084 Lakewood Circle, Lakewood Estates, Millsboro, Sussex County

Eastern States Development – (13-007.10-077) To construct a 6-foot by 3-foot by 72-foot long culvert and to place fill in 523 square feet of Crystal Run for a road crossing at 669 Old Summit Bridge Road, Middletown, New Castle County

DE Division of Fish & Wildlife (8-01-11517-02-6400-00001, 8-01-11517-02-6500-00001) To install four (4) pilings in the Murderkill River to support a new boat lift at the US Coast Guard Auxiliary property at 122 Murderkill Avenue, Bowers Beach, Frederica, Kent County

Subaqueous Lands Permit and Water Quality Application

DeIDOT (2-30-17.00-220.00) Replace two 18 inch HDPE culvert pipes with a 73-foot single span structure on concrete abutments at Bridge 3-822 and temporarily impact 2252 ft. 2 of State-regulated wetlands for a bypass roadway in and along Old Slaughter Creek at 28582 Prime Hook Road, Milton, Sussex County

Subaqueous Lands Lease Application

John H. Parker, Sr. (2-34-32.00-110.00) Construct 50 feet of rip-rap revetment and a 4 foot by 160 foot pier, with a 6 foot by 25 foot dock with a boat lift in the Indian River at Penrose Lane, Millsboro, Sussex County

EMPLOYEE UPDATES

On **September 21**, Andrew Martin joined the Division of Waste and Hazardous Substances, Solid and Hazardous Waste Management Section, Generator, Transporter and Program Development Branch as an Engineer II.

CONTACT INFORMATION

24-Hour Report and Spill Notification Line - 1-800-662-8802

Aboveground Storage Tanks - 302-395-2500

Air Quality - New Castle Office - 302-323-4542

Air Quality – Kent & Sussex – 302-739-9402

Asbestos New Castle - 302-323-4542

Asbestos Kent & Sussex - 302-739-9402

Biosolids Permits - 302-739-9946

Boiler Safety - 302-395-2500

Brownfields - 302-395-2600

Delaware Estuary Program - 302-739-9283 (Delaware Coastal Management Program)

Division of Air Quality Director's Office - 302-739-9402

Division of Waste and Hazardous Substances Director's Office - 302-739-9400

Division of Water Information - 302-739-9950

Dock/Dredging/Bulkheads/Rip-Rap/Wetlands & Subaqueous Lands - 302-739-9943

Emergency Prevention and Response - 302-739-9404

Environmental Crimes Unit - 302-739-9401 or 1-800-662-8802

Environmental Laboratory - 302-739-9942

Hazardous Waste - 302-739-9403

Industrial Stormwater Permits - 302-739-9946

Loans & Grants for Wastewater and Septic's (Financial Assistance Branch) - 302-739-9941

Medical Waste - 302-739-9403

Non-Hazardous Liquid Waste Transporters - 302-739-9948

On-site Wastewater Licensing Program - 302-739-9948

Open Burning - 302-739-9402

Outreach Ombudsman - 302-395-2600

Recycling - 302-739-9403

Septic System Permits - Large Systems (Community & I/A) Statewide - 302-739-9948

Septic System Permits - Small Systems for Kent & New Castle Counties - 302-739-9947

Septic System Permits - Small Systems for Sussex County & Holding Tank Compliance Program - 302-856-4561

Site Investigation & Restoration Section (Superfund/Brownfields) - 302-395-2600

Solid Waste - 302-739-9403

Source Water Protection - 302-739-9945

Surface Water Discharge Permits (NPDES) - 302-739-9946

Underground Injection Control & Spray Irrigation - 302-739-9948
Underground Storage Tanks - 302-395-2500
Wastewater Collection, Conveyance and/or Treatment Facility Construction Permits - 302-739-9946
Wastewater Treatment Facility Operators - 302-739-9946
Water Allocation Permits - 302-739-9945
Water Testing - Drinking Water (Division of Public Health) - 302-741-8630
Water Supply - 302-739-9945
Well Driller's License - 302-739-9944
Well Permits & Licensing - 302-739-9944
Wells - 302-739-9944
Wetlands and Subaqueous Lands Section - 302-739-9943