

The biweekly E-News Update features current information on the Divisions of Air Quality (DAQ), Waste and Hazardous Substances (WHS), and Water regarding public meetings, workshops, hearings, and regulatory documents available for public comment, as well as general news updates. For those of you who are receiving the E-News Update for the first time, the subscription is FREE!

Please sign up at: <http://www.delaware.gov/Pages/Lists.aspx> under "Division of Waste & Hazardous Substances Lists." There is no form to fill out; it's done in three clicks!

Suggestions? Additions? Please call Stacy Jones at 302-739-9400, or send an email to [Stacy.Jones@state.de.us](mailto:Stacy.Jones@state.de.us)

Published by Divisions of Air Quality, Waste and Hazardous Substances and Water.

Visit us at: [www.awm.delaware.gov](http://www.awm.delaware.gov)

## **SECRETARY ORDER**

[Secretary's Order No. 2015-A-0030](#)

RE: Approving Amendment to Section 36 "Stage II Vapor Recovery" in Regulation 1124 "Control of Volatile Organic Compound Emissions" of Regulations Governing the Control of Air Pollution, 7 DE Admin. Code 1124

## **UPCOMING AIR, WASTE, & WATER-RELATED HEARINGS, MEETINGS, & EVENTS**

**PUBLIC HEARING ON THE INDUSTRIAL WASTE LANDFILL PERMIT RENEWAL APPLICATION FILED BY THE DELAWARE RECYCLABLE PRODUCTS** – The renewal application request to continue accepting construction and demolition (dry) solid waste from commercial waste haulers for disposal. The DRPI permit renewal application includes a modification to reduce the footprint on the southeast corner of Cell 6-2 to provide space for the construction of a park for the surrounding Minquadale community. A public hearing will be held at 6 pm on **September 9** at Minquadale Fire Company's meeting hall located at 129 E. Hazeldell Avenue, New Castle, Delaware. For additional information, please contact Ting Guo, WHS/SHWMS, 89 Kings Highway, Dover, DE 19901, 302-739-9403; or visit: <https://egov.delaware.gov/pmc/Event/Details/30045>

**HSCA ADVISORY COMMITTEE (FORMERLY BROWNFIELDS ADVISORY COMMITTEE)** – The Committee will hold a public meeting on **September 10** from 9am to 12:30pm at the DNREC Lukens Field Office, 391 Lukens Drive, New Castle, DE 19720. For additional information, please contact Christina Wirtz at (302) 395-2600 or visit: <https://egov.delaware.gov/pmc/Event/Details/27640>

**TANK MANAGEMENT SECTION PUBLIC WORKSHOPS CONCERNING UST CLEANUP LIABILITY**- The Tank Management Section has prepared a [fact sheet for owners and operators of UST facilities](#) that explains the upcoming changes to liability associated with the cleanup of a release from an underground storage tank. Click [here](#) for the fact sheet. The Tank Management Section will conduct workshops to explain changes that were made to the State's Underground Storage Tank law, as well as [draft amendments to the UST regulations](#) that also pertain to cleanup liability. The workshops for the regulated community will be held on:

- Monday, **Sept. 21**, at 10 a.m. at DNREC offices located at 391 Lukens Drive, New Castle, DE 19720; and,
- Tuesday, **Sept. 29** at 10 a.m. at DNREC's R&R Building, 89 Kings Highway, Dover, DE 19901.

The [draft amendments](#) can be found at [this link](#). For additional information, please contact Alex Rittberg at (302)395-2500 or visit:

<https://egov.delaware.gov/pmc/Event/Details/30033> for the **Sept. 21** workshop; and <https://egov.delaware.gov/pmc/Event/Details/30034> for the **Sept. 29** workshop.

**WATER SUPPLY COORDINATING COUNCIL MEETING** - The Council will hold a meeting on **October 7** from 10am to 12pm at the Kent County Administration Complex, Conference Room 220, 555 Bay Road, Dover, DE, 19901. Dover, DE 19901. For additional information, please contact Kimberly Burris at (302) 739-9945; or visit: <https://egov.delaware.gov/pmc/Event/Details/29924>

**AIR QUALITY PERMITTING PROGRAM** – Notice has been given that the facilities listed below have submitted applications for air quality management permits. The applications, the “draft/proposed” permits, all materials that the applicant has submitted (other than those granted confidential treatment under DNREC rules), and a copy of summary of other materials, if any, considered in preparing the “draft/proposed” permit, may be inspected at the offices of the Division of Air Quality, 655 S. Bay Road, Dover and 715 Grantham Lane, New Castle. **All comments and public hearing requests** should be mailed to the following address: DIVISION OF AIR QUALITY, 655 S. Bay Road, Suite 5 N, Dover, DE 19901. To submit comments, for additional information, or for an appointment to inspect the application, please contact Laura Bogus or Penny Gentry at (302) 739-9402.

**NOTICE HAS BEEN GIVEN THAT DOVER AIR FORCE BASE** requests permission for the operation of one (1) emergency generator, rated 800 kW kW (1085 HP) at the intersection of Route 113 and Route 10 in Dover, Kent County, Delaware. The engine used in this generator set complies with U.S. EPA regulations under the provisions of 40 CFR 89, Non-Road Tier 2 emissions limits. Permit # APC-2015/0085-CONSTRUCTION (NSPS) (MACT). A public hearing will not be held unless our agency Secretary receives a request for a hearing regarding that application by **September 14**. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2898&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

**NOTICE HAS BEEN GIVEN THAT SUPERIOR CONTRACTOR SERVICES INC.,** requests a permit amendment to operate their jaw crusher, impact crusher, and other permitted equipment at 34805 Church Lane, Long Neck, Sussex County, Delaware. Permitted emissions from the portable crushing equipment will remain unchanged by Permit# APC-2015/0047-OPERATION (Amendment 4). A public hearing will not be held unless our agency Secretary receives a request for a hearing regarding that application by **September 14**. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2897&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

**NOTICE IS HEREBY GIVEN THAT ALLEN HARIM FOODS, LLC,** has submitted an application, pursuant to 7 DE Admin. Code 1102, Section 2.1, 11.2.9, and 12.3 for an amendment to include a 30 MMBTU/hr natural gas fired hot water heater at 18752 Harbeson Road, Harbeson, Delaware. Allen Harim Foods, LLC is proposing limits of 0.5 weight percent for No. 6 fuel oil sulfur content and 11,520 gallons No. 6 fuel oil in any rolling twelve month period. These limits are necessary to restrict Allen Harim Foods, LLC potential to emit air pollutants, and the limit is enforceable by the EPA and the state. Total estimated emissions (Potential To Emit) from the facility are 62.8 TPY NO<sub>x</sub>, 2.41 TPY VOC, 22.67 TPY CO, 9.20 TPY PM, 7.99 TPY PM<sub>10</sub>, 83.68 TPY SO<sub>2</sub>, and 41,739 TPY CO<sub>2</sub>. A public hearing will not be held unless our agency Secretary receives a request for a hearing regarding that application by **September 22**. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2892&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

**NOTICE HAS BEEN GIVEN THAT MILFORD GRAIN COMPANY**, requests a permit to operate one (1) Zimmerman Model 3026T grain tower dryer at their 6789 Shawnee Road, Milford facility in Sussex County. The grain dryer has the potential to emit 81.96 TPY of Particulate Matter (PM), 20.24 TPY of PM10, 3.46 TPY of PM2.5, 19 TPY of Nitrogen Oxides (NOX), 10.96 TPY of Carbon Monoxide (CO), and 1.17 TPY of Volatile Organic Compounds (VOCs). Under Permit: APC-2015/0116-CONSTRUCTION/OPERATION, the grain dryer will be permitted to emit 2.81 TPY of PM, 0.69 TPY of PM10, 0.12 TPY of PM2.5, 0.65 TPY of NOX, 0.38 TPY of CO, and 0.04 TPY of VOCs. A public hearing will not be held unless our agency Secretary receives a request for a hearing regarding that application by **September 25**. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2869&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

**NOTICE IS HEREBY GIVEN THAT CRODA, INC. HAVING A FACILITY AT 315 CHERRY LANE IN NEW CASTLE**, has requested a federally enforceable 7 DE Admin. Code 1102 construction permit (APC-2015/0113-CONSTRUCTION (FE)) for a Three Stage Hybrid Ejector/Liquid Ring Vacuum Pump. The equipment will be used to provide vacuum and to control emissions from the associated tank. The existing emissions limitations for the process will remain the same. Upon completion of construction, the Department will incorporate the operating conditions and limits of the 7 DE Admin. Code 1102 Construction permit into the facility's existing Title V permit (AQM-003/00058-R3) via an Administrative Amendment. A public hearing will not be held unless our agency Secretary receives a request for a hearing regarding that application by **October 6**. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2904&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

**The Brownfields Development Program** encourages the cleanup and redevelopment of vacant, abandoned or underutilized properties, which may be contaminated. A party seeking to develop such a property negotiates with SIRS for a **Brownfields Development Agreement (BDA)** to perform an investigation and, if necessary, a remedial action or remedy, for the purpose of addressing the risks posed by past releases of hazardous substances at these sites. However, a BDA is only available to parties that are not current site owners. The **Voluntary Cleanup Program (VCP) Agreement** is available to site owners, who want to clean up their sites and are already liable as a potentially responsible party for the site.

**NOTIFICATION OF PUBLIC COMMENT FOR A BROWNFIELDS DEVELOPMENT AGREEMENT FOR THE FORMER DELMAR NEWS SITE (DE-1615)** The Site Investigation and Restoration Section (DNREC-SIRS) negotiated a BDA with Nine Twenty, LLC regarding the Former Delmar News Site (Site), located at 809 Taylor Street in Wilmington. Identified on the tax maps of New Castle County as tax parcel numbers 26-044.10-304, 26-044.10-478 and 479, the 0.22 acre Site may have had a release of hazardous substances as a result of a leaking underground or aboveground storage tank as well as historic fill. The public comment period began August 24 and will close at the end on **September 14**. Please submit written comments to the SIRS Project Manager, Morgan Price at SIRS, 391 Lukens Drive, New Castle, DE 19720; or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2890&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

**NOTIFICATION OF NEGOTIATIONS FOR A BROWNFIELDS DEVELOPMENT AGREEMENT FOR THE HARPER THEIL SITE (DE-0197)**

The Site Investigation and Restoration Section (SIRS) is negotiating a BDA with The Market at Miller Road, LLC regarding the Harper Thiel Site, located at 3101 and 3102 Miller Road in Wilmington. Known by New Castle County as tax parcel numbers 26-008.20-001 and 26-008.20-021, the 2.3 acre Site had a release of hazardous substances due to the past industrial use as an electroplating facility for chromium, nickel, cadmium and copper. To learn more about this Site by contacting Kristen Thornton (302) 395-2600; or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2908&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

**The Proposed and Final Plans of Remedial Action** listed below outline site cleanup activities and covenants and are available online at:

<http://www.dnrec.delaware.gov/whs/awm/SIRB/Pages/SIRBPlans.aspx> under

“Announcements.” For site-specific information, please see DNREC’s Environmental Navigator at <http://www.nav.dnrec.delaware.gov/DEN3>

**AMENDED PROPOSED PLAN OF REMEDIAL ACTION FOR THE HARRY WOOD LANDFILL OU-2 (DE-0016)**

The Department invites public comment on a proposal to clean up the Harry Wood Landfill OU-2 site in New Castle. The comment period ends on **September 14**. For additional information, please contact Robert M. Schulte, Project Manager, or Robert Newsome, Public Information Officer, at (302)395-2600; or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2886&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

**PROPOSED PLAN OF REMEDIAL ACTION FOR THE 4001 NEW CASTLE AVENUE SITE -**

The Department invites public comment on a proposal to clean up a portion of the 4001 New Castle Avenue Site in Wilmington. The Site will be used for commercial use for automobile repair and sales. The comment period ends on **September 28**. For additional information contact Kristen Thornton, Project Manager, or Robert Newsome, Public Information Officer, at (302)395-2600; or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2906&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

**DIVISION OF WATER - SURFACE WATER DISCHARGES** – The Division of Water hereby gives notice that the following permit application has been received. For additional information or to inspect the applications below contact, Surface Water Discharges Section - Division of Water, 89 Kings Highway, Dover, DE 19901, (302) 739-9946.

**Wastewater Facilities Construction Permit Application**

**NOTICE IS HEREBY GIVEN THAT A PERMIT APPLICATION HAS BEEN RECEIVED FROM KENT COUNTY** to construct approximately 4,900 linear feet of 8” gravity sewer, interconnecting manholes, one pump station with dual submersible non-clog pumps, valves, piping, controls, generator, and related facilities, and approximately 1,350 linear feet of 4” PVC force main, to eliminate 29 septic systems and prevent 9 new septic systems from being constructed, to be generally located along and parallel to Bay Road (aka DuPont Boulevard, U.S. Route 113, DE

Route 1, County Road 8), south from the Tub Mill Pond Road (County Road 119) and Milford Neck Road (County Road 120) intersection, south of Frederica, north of Milford in Kent County. This notice ends **September 10**. To review application and plans or if you need additional information contact Molly Mackil at (302) 739-9946; or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2888&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

**NOTICE IS HEREBY GIVEN THAT A PERMIT APPLICATION HAS BEEN RECEIVED FROM ALLEN HARIM FOODS, LLC**, located on DE Route 5 (Sussex County Road 22), Harbeson, Sussex County, Delaware, to construct Phase 1 improvements to and an expansion of its Wastewater Treatment Facility, including two (2) new Raw Wastewater Pumps; one (1) new Flow Equalization Basin; two (2) new Recycle Pressurization Pumps; three (3) new HP motors; two (2) new Effluent Pumps; one (1) new jet aeration header, jet recirculation pump and air supply blower; one (1) new Final Clarifier; a new ultraviolet (UV) final effluent disinfection system with a new concrete tank, UV banks and controls; and modifications to the existing Return Activated Sludge (RAS)/Waste Activated Sludge (WAS) Pump Station. A public hearing concerning the above application will NOT be held unless our agency Secretary determines that a hearing is in the public interest or if a written meritorious request for a hearing is received on or before September 17. If you're interested in reviewing application and plans or need additional information contact Molly Mackil at (302) 739-9946; or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2901&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

#### **Agricultural Utilization Permit**

**REQUEST FOR RENEWAL - STATE PERMIT NUMBER AGU 1005-K-03 ISSUED TO HOLLIS WARREN, INC.:** **HOLLIS WARREN, INC.** has requested renewal of their existing agricultural utilization (AGU) permit, State Permit Number AGU 1005-K-03. The Hollis Warren agricultural utilization site is located on the south side of State Road 10 approximately 4 miles southwest of Woodside. The current AGU permit authorizes land application of septage that has undergone a process to significantly reduce pathogens (lime stabilization) by Hollis Warren, Inc., onto approved farmland owned by Hollis Warren, Inc. Stabilized septage solids are applied by subsurface injection and stabilized liquid septage is applied by spray irrigation. The existing permit also authorizes the land treatment of grease trap waste. Septage and grease trap waste are required to be delivered to the site in accordance with a valid Delaware Waste Transporters Permit. All wastes materials are required to be land applied at agronomic rates. The Department's Guidance and Regulations Governing the Land Treatment of Wastes, Part III, B., Regulations Governing the Land Treatment of Sludges and Sludge Products and Part V, Regulation Governing Land Treatment of Waste Products, allows for such activity pending public notice. A public hearing on the above application will NOT be held unless our agency Secretary determines that a public hearing is in the public interest or if a written meritorious objection to the application is received by **September 11**. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2868&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

#### **NPDES Permits**

**THE CITY OF SEAFORD HAS APPLIED FOR REISSUANCE OF ITS NPDES PERMIT NO. DE0020265 (STATE NUMBER WPCC 3161F/74)** permit to discharge effluent from its Wastewater Treatment Facilities located at 403 Nanticoke Avenue in Seaford, Sussex County, Delaware to the Nanticoke River. The City of Seaford composts its sludge, producing a Class A Exceptional Quality (EQ) compost product that may be distributed under its Distribution &

Marketing permit No. DM 1104-S-03 to individuals or commercial entities for use in agricultural and horticultural applications as a soil amendment.

**INVISTA S.A.R.L. HAS APPLIED FOR RE-ISSUANCE OF ITS NPDES PERMIT NO. DE 000035 (STATE PERMIT NUMBER WPCC 3223E/74)** to discharge contact and non-contact cooling water, treated process and sanitary waste water, and storm water from its nylon production facility located at 25876 DuPont Road in Seaford, Sussex County, Delaware to the Nanticoke River. This facility manufactures Nylon 6, 6 Staple fiber. Industrial and domestic wastewater from the facility flows into their on-site wastewater treatment plan. Wastewater treatment includes equalization, activated sludge biological oxidation, clarification, disinfection, and tertiary filtration. Waste sludge collected on-site is removed periodically by a local sludge hauler for off-site disposal.

**Allen Harim Foods, LLC has applied for re-issuance of its NPDES Permit No. DE 0000299 (State Number WPCC 3131F/76)** to discharge treated process water, domestic waste water, and storm water from its facility located at 18752 Harbeson Road in Harbeson, Sussex County, Delaware to Beaverdam Creek which discharges to the Broadkill River. This facility is a poultry processing plant which involves the transportation of live birds from the poultry farms, slaughtering, defeathering, eviscerating, chilling, packing, and the shipping of poultry meat to the distributors. The industrial and domestic wastewater from the poultry plant flows into their sanitary treatment plant (STP). The STP consists of primary screening, dissolved air flotation, biological nutrient removal (anoxic basins followed by aerobic basins), secondary clarifiers, chlorination, and dechlorination. Process related storm water is collected in sumps with pumping of first flush to the STP. Sludge treatment consists of aerobic digestion, dewatering by filter press and land application.

Based on a preliminary staff review and application of lawful standards and regulations, the Department proposes to re-issue the above NPDES permits, subject to certain effluent limitations and conditions. The proposed determinations are tentative. Persons wishing to comment upon or object to the proposed determinations are invited to submit same in writing to the Surface Water Discharges Section of the Division of Water, at the address listed above. All comments received prior to said date will be considered in the formulation of final determinations regarding this application. A public hearing on the above will NOT be held unless our agency Secretary receives a request by **September 25** or if our agency Secretary determines that a public hearing is in the public interest. A request for a hearing shall be in writing and shall state the nature of the issues to be raised at the hearing. It must also show familiarity with the proposal and a reasoned statement of the permit's probable impact. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2891&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

**DIVISION OF WATER - Ground Water Discharges** -The Division of Water hereby gives notice that the applications below are available for inspection or copies may be obtained by contacting: Kathleen Saunders, Ground Water Discharges, 89 Kings Highway, Dover – 19901, or by calling (302) 739-9948.

#### **On-Site Wastewater Treatment and Disposal System Permit**

William & Betty Chambers have applied for a permit to construct a replacement on-site wastewater treatment and disposal system on their property located on the west side of US Rt. 13 (Sussex Highway) ~500' south of Rt 18 (Cannon Road) near Bridgeville, DE, Sussex County, Tax Map # 3-31-2.00-65.06 The system will serve an existing truck garage with a projected daily flow of 640 gallons. A public hearing will NOT be held unless our agency Secretary determines that a public hearing is in the public interest, or if a written meritorious objection to the application is received by **September 14**. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2899&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

**DIVISION OF WATER - WATER SUPPLY** - The Division of Water hereby gives notice that the following well permit application has been received. For additional information concerning the applications below, please contact Allison Diggins/Water Supply Section - 89 Kings Highway, Dover, DE 19901; or, by phone at (302) 739-9945.

#### **Well Permits**

Michael McCabe proposes to construct an irrigation well, located 960 feet north of Nine Foot Road, in Dagsboro, Sussex County. The well is proposed to be 100 feet deep and 12 inches in diameter. The desired capacity of this well is 1000 gpm. A public hearing will NOT be held unless our agency Secretary determines that a public hearing is in the public interest, or if a written meritorious objection to the application is received by **September 14**. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2900&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

Howard Webb proposes to construct an irrigation well, located 705 feet east of Bucks Road, in Milford, Sussex County. The well is proposed to be 85 feet deep and 12 inches in diameter. The desired capacity of this well is 800 gpm. A public hearing will NOT be held unless our agency Secretary determines that a public hearing is in the public interest, or if a written meritorious objection to the application is received by **September 21**. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2905&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

#### **Formal Variance**

Kenneth Stevens, representing Treasure Beach RV Park and Campground, has applied for a Formal Variance under Section 11.00 of The Regulations Governing the Construction and Use of Wells to construct a Public well to serve the facility. The property is located at 37232 Lighthouse Road Selbyville, DE 19975. Tax map parcel 5-33-20.00-10.00. A public hearing will NOT be held unless our agency Secretary determines that a public hearing is in the public interest, or if a written meritorious objection to the application is received by **September 21**. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2905&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

**DIVISION OF WATER - WETLANDS AND SUBAQUEOUS LANDS SECTION** – The Division of Water hereby gives notice that the applications below are available for inspection or copies may be obtained by contacting: Gayle Calder, Wetlands and Subaqueous Lands Section, 89 Kings Highway, Dover – 19901, or by calling (302) 739-9943. A public hearing on the applications below will NOT be held unless our agency Secretary determines that a public hearing is in the public interest, or if a written meritorious objection to the application is received by **September 15**. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2895&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

#### **Subaqueous Lands Lease Supplemental Application**

Jerome Schiavino (1-34-23.16-175.00) To install a 5 by 12 foot long linear dock extension and a

boat lift with (4) associated pilings connecting to a previously authorized 5 by 24 foot long pier adjacent to Lighthouse Cove at 59 Madison Avenue, Fenwick Island, Sussex County.

Kevin Brafman (3-34-19.00-281.01) To install (2) PWC lifts each with one associated piling connecting to a previously authorized structure in the Rehoboth Bay at 171 East Side Drive, Rehoboth Beach Yacht and Country Club, Rehoboth Beach, Sussex County.

### **Subaqueous Lands Lease Renewal**

Robert & Mary Lou Burkhart (Parcel# 134-8.00-140.01) To maintain a 5 x 97 foot long pier and authorize a boat lift with 2 associated pilings in Whites Creek at 37763 Lagoon Lane, Ocean View, Sussex County.

### **Map Change**

Map Change to Delaware Tidal Wetland Map – To revise Delaware State Wetland Map DNR-070 by removing the marsh designation from approximately 10,047 square feet of land adjacent to Love Creek at 34822 Boathouse Lane, Lewes, Sussex County

### **Subaqueous Lands Permit and Water Quality Application**

Charles Turner (2-34-12.00-83.00) To authorize 159 linear feet of rip-rap and (3) 4 by 4 foot long piers connecting to an approved dock, to install up to 680 linear feet of gabion baskets, to complete mechanical maintenance dredging by removing 400 cubic yards of material and placing 250 cubic yards of material landward of the gabion baskets to promote wetland growth, to place 150 cubic yards of the material in an upland site adjacent to the lagoon near the mouth of Love Creek at 34822 Boathouse Lane, Lewes, Sussex County.

University of Delaware College of Earth, Ocean, and Environment Harbor (3-35-4.00-13.01) to complete hydraulic maintenance dredging of 42,600 cubic yards of material adjacent to the Lewes and Rehoboth Canal at 700 Pilottown Road, Lewes, Sussex County, DE and to pump the spoils via pipeline to an existing upland confined disposal area located off Park Road, Lewes, Sussex County.

## **CONTACT INFORMATION**

### **24-Hour Report and Spill Notification Line - 1-800-662-8802**

Aboveground Storage Tanks - 302-395-2500

Air Quality - New Castle Office - 302-323-4542

Air Quality – Kent & Sussex – 302-739-9402

Asbestos New Castle - 302-323-4542

Asbestos Kent & Sussex - 302-739-9402

Biosolids Permits - 302-739-9946

Boiler Safety - 302-395-2500

Brownfields - 302-395-2600

Delaware Estuary Program - 302-739-9283 (Delaware Coastal Management Program)

Division of Air Quality Director's Office - 302-739-9402

Division of Waste and Hazardous Substances Director's Office - 302-739-9400

Division of Water Information - 302-739-9950

Dock/Dredging/Bulkheads/Rip-Rap/Wetlands & Subaqueous Lands - 302-739-9943

Emergency Prevention and Response - 302-739-9404

Environmental Crimes Unit - 302-739-9401 or 1-800-662-8802

Environmental Laboratory - 302-739-9942

Hazardous Waste - 302-739-9403

Industrial Stormwater Permits - 302-739-9946

Loans & Grants for Wastewater and Septic's (Financial Assistance Branch) - 302-739-9941

Medical Waste - 302-739-9403  
Non-Hazardous Liquid Waste Transporters - 302-739-9948  
On-site Wastewater Licensing Program - 302-739-9948  
Open Burning - 302-739-9402  
Outreach Ombudsman - 302-395-2600  
Recycling - 302-739-9403  
Septic System Permits - Large Systems (Community & I/A) Statewide - 302-739-9948  
Septic System Permits - Small Systems for Kent & New Castle Counties - 302-739-9947  
Septic System Permits - Small Systems for Sussex County & Holding Tank Compliance Program - 302-856-4561  
Site Investigation & Restoration Section (Superfund/Brownfields) - 302-395-2600  
Solid Waste - 302-739-9403  
Source Water Protection - 302-739-9945  
Surface Water Discharge Permits (NPDES) - 302-739-9946  
Underground Injection Control & Spray Irrigation - 302-739-9948  
Underground Storage Tanks - 302-395-2500  
Wastewater Collection, Conveyance and/or Treatment Facility Construction Permits - 302-739-9946  
Wastewater Treatment Facility Operators - 302-739-9946  
Water Allocation Permits - 302-739-9945  
Water Testing - Drinking Water (Division of Public Health) - 302-741-8630  
Water Supply - 302-739-9945  
Well Driller's License - 302-739-9944  
Well Permits & Licensing - 302-739-9944  
Wells - 302-739-9944  
Wetlands and Subaqueous Lands Section - 302-739-9943