

PLEASE NOTE:

UPCOMING AIR, WASTE, & WATER-RELATED HEARINGS, MEETINGS, & EVENTS

GigaBiter, LLC Application for Recycling permit

The Department of Natural Resources and Environmental Control (“DNREC”) has received a permit application from GigaBiter, LLC for operating a mobile electronic destruction vehicle. The applicant seeks to degauss or shred electronic equipment inside a vehicle at the customer’s site for the purpose of recycling the collected material. The complete application and other supporting documents are available for review during business hours at the DNREC’s Solid & Hazardous Waste Management Section office at 89 Kings Highway in Dover and at the DNREC offices at 391 Lukens Drive in New Castle. A public hearing concerning the permit request for a recycling facility will NOT be held unless the Secretary receives a request for such a hearing by **November 14**. A request for a hearing shall be in writing and must show a familiarity with the application and a reasoned statement of the approval’s probable impact. To submit comments, please contact Mindy Anthony, 89 Kings Highway, Dover, DE 19901, 302-739-9403 ext. 8, email mindy.anthony@state.de.us. For more information visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3496&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

Composting Permit Application: Mt. Cuba Center

The Department of Natural Resources and Environmental Control (“DNREC”) has received a permit application from Mt. Cuba Center for a composting facility to be located at 3120 Barley Mill Road in Hockessin. The applicant seeks to construct and operate a yard waste composting facility which would produce compost from on-site generated wood waste, wood chips, brush, and green yard waste and on- and off-site generated leaves. The complete application and other supporting documents are available for review during business hours at the DNREC’s Solid & Hazardous Waste Management Section office at 89 Kings Highway in Dover and at the Hockessin Library at 1023 Valley Road in Hockessin. A public hearing concerning the permit request for a composting facility will NOT be held unless the Secretary receives a request for such a hearing by **November 14**. A request for a hearing shall be in writing and must show a familiarity with the application and a reasoned statement of the approval’s probable impact. To submit comments, please contact Mindy Anthony, 89 Kings Highway, Dover, DE 19901, 302-739-9403 ext. 8, email mindy.anthony@state.de.us. For more information visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3497&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NEWS FROM DNREC’S OFFICE OF ENVIRONMENTAL PROTECTION, 11/01/16

The biweekly E-News Update features current information on the Divisions of Air Quality (DAQ), Waste and Hazardous Substances (WHS), and Water regarding public meetings, workshops, hearings, and regulatory documents available for public comment, as well as general news updates. For those of you who are receiving the E-News Update for the first time, the subscription is FREE!

Please sign up at: <http://www.dnrec.delaware.gov/Pages/DNRECLists.aspx> under “Division of Waste & Hazardous Substances Lists.” There is no form to fill out; it’s done in three clicks!

Suggestions? Additions? Please call Kathy Nedelka at 302-739-9400, or send an email to katherine.nedelka@state.de.us

Published by the Divisions of Air Quality, Waste and Hazardous Substances and Water.

Visit us at: www.awm.delaware.gov

SECRETARY’S ORDERS

[Secretary's Order No. 2016-W-0042](#)

RE: FINAL EXEMPT ORDER 7 DE Admin. Code §7301: Regulations Governing the Construction and Use of Wells. Under the authority vested in the Secretary of the Department of Natural Resources and Environmental Control pursuant to 29 Del.C. §10113(b)(4), DNREC has revised Section 7301 of Title 7 of the Delaware Administrative Code to correct the technical errors found after the final adoption of this regulation (as set forth previously in Secretary's Order No. 2016-W-0033) Hearing officer's report included

[Secretary's Order No. 2016-A-0037](#)

RE: Approving Final Regulations to Amend 7 DE Admin. Code §1101, Definitions and Administrative Principles, Section 2.0: Definitions. Hearing officer's report included

[Secretary's Order No. 2016-CZ-0043](#)

RE: Ultrachem, Inc.'s Application for a Coastal Zone Act Permit to Expand Manufacturing of Synthetic Lubricants at 900 Centerpoint Boulevard, New Castle, New Castle County (CZA Permit No. 426P). Hearing officer's report and technical response memorandum included

UPCOMING AIR, WASTE, & WATER-RELATED HEARINGS, MEETINGS, & EVENTS

BOARD OF CERTIFICATION FOR WASTEWATER OPERATORS MONTHLY MEETING –

Meeting scheduled for ~~November 1~~ has been **CANCELLED**. For more information visit:

<https://egov.delaware.gov/pmc/Event/Details/33001>

WATER WELL LICENSING BOARD MEETING – The purpose of this meeting is to review and approve well driller/pump installer applications. Meeting will take place on **November 1** from 9:30am to 11:30am at DNREC Conference Room B172, 89 Kings Highway, Richardson and Robbins Building Dover, DE, 19901. For additional information contact Lori Foraker at 302-739-9944 or visit:

<https://egov.delaware.gov/pmc/Event/Details/39239>

SOURCE WATER PROTECTION CITIZEN TECHNICAL ADVISORY COMMITTEE MEETING -

The Committee will hold a meeting on **November 2** from 9am to 12pm at the Kent County Administration Complex, Conference Rooms 220,555 Bay Road, Dover, DE, 19901. Dover, DE 19901. For additional information, please contact Kimberly Burris at 302-739-9945; or visit:

<https://egov.delaware.gov/pmc/Event/Details/30826>

ON-SITE SYSTEMS ADVISORY BOARD MEETING -The meeting will be held on **November 2** from 9:15 am to 11:30 am at the Richardson and Robbins Building, Conference Room B228: 89 Kings Highway, Dover, DE, 19901. For additional information, contact Dawn Dryden 302-739-9948; or visit:

<https://egov.delaware.gov/pmc/Event/Details/39034>

BOILER SAFETY COUNCIL MEETING -The purpose of this meeting is to review and discuss proposed changes to Boiler Safety Regulations. Meeting will be take place on **November 7** from 10am to 12pm at DNREC Lukens Drive Offices, Conference Room A: 391 Lukens Dr., New Castle, DE, 19720. For additional information contact Alex Rittberg at 302-395-2500; or visit:

<https://egov.delaware.gov/pmc/Event/Details/39032>

TWO PUBLIC HEARINGS ON PROPOSED CHANGES TO DELAWARE AIR REGULATIONS and (SIP) -The department has extended the deadline date to submit comments on the hearings held October 25 that addressed amendments to 7 DE Admin. Code 1125 regarding the

calculation of greenhouse gas (GHG) emissions and to 7 DE Admin. Codes 1104, 1105, 1124 and 1142 to satisfy US EPA requirements related to air emissions during equipment start-up and shutdown as required by EPA's SIP Call (80 FR 33840). Interested parties may submit written comments to the Division of Air Quality, 100 W. Water Street, Suite 6A, Dover, Delaware 19901, until **November 9**. For additional information contact Dave Fees at 302-739-9946; or visit:

<https://egov.delaware.gov/pmc/Event/Details/39266>

PUBLIC HEARING ON PROPOSED UNIVERSAL RECYCLING REGULATIONS (Modified) -

The purpose of the hearing is regarding proposed Universal Recycling Regulations. Meeting will take place **November 21** from 4pm to 7pm. The meeting will be held at DNREC Auditorium, 89 Kings Highway, Richardson and Robbins Building Dover, DE, 19901, Kent County. For additional information please contact Don Long @ (302)739-9403 (x8) or donald.long@state.de.us; or visit: <https://egov.delaware.gov/pmc/Event/Details/39297>

NOTICE OF PUBLIC HEARING JOHNSON CONTROLS BATTERY GROUP, INC-

The Department will conduct a public hearing on the Regulation 1102 Natural Minor permit application submitted by Johnson Controls Battery Group, Inc. for the installation of Chemsets and an expansion of its Facility at 700 North Broad Street, Middletown. This consists of constructing eight curing and drying ovens (Chemsets), four Sovema Lead Oxide Mills, a pellet caster feeding all Sovema Lead Oxide Mills, construction of nine new silos for lead oxide storage, relocation of two existing silos and weigh hoppers emissions to new baghouses, two new surge hoppers, two new screening towers, a central vacuum system with a dedicated baghouse, relocation of two existing pasting lines, addition of two new pasting lines, relocation of the existing strip caster and trim dry oven to a common baghouse, and relocation of the North and South Barton melting pots to new baghouses. The public hearing will be held in the auditorium of Appoquinimink High School, 1080 Bunker Hill Road, Middletown on November 30 at 6:00 pm. For additional information or for an appointment to inspect the application, please contact Angela Marconi or Chavis Bianco in the New Castle Office at (302) 323-4542. Public comments may be presented orally or in written form at the public hearing, and written comments may be submitted in advance without attending the public hearing, if received prior to the hearing. Persons who want to speak at the public hearing are encouraged to register in advance, no later than **November 29**, and this registration will be used to determine the order of speakers at the public hearing. Registration should be sent by email to: Robert.Haynes@state.de.us , or USPS to DIVISION OF AIR QUALITY, State Street Commons, 100 W. Water Street, SUITE 6A Dover, DE 19904, (302) 739-9402. For more information please visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3490&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

PUBLIC WORKSHOP FOR Applications Submitted by the City of Rehoboth Beach for Authority to Construct and Operate Wastewater Treatment Plant Improvements, Including an Atlantic Ocean Outfall, and Notice of a Public Workshop and a Public Hearing –

The department provides public notice of a workshop and a hearing, which allows the public opportunity to participate in the Department's consideration of the above applications. The informal public workshop will be at the time and location set forth below: WORKSHOP 6 p.m. October 19, Rehoboth Beach Volunteer Fire Department, 219 Rehoboth Avenue, Rehoboth Beach 19971. The public workshop will include presentations from the Applicant and the department staff. The public may review the applications and other documents, and ask questions to assist in the understanding of the applications. NOTE: The Public Workshop will NOT be part of the Department's official record for the final decisions. The Department also will hold a public hearing before DNREC presiding hearing officer Robert P. Haynes, Esq. at 6 p.m., November 15, Rehoboth Elementary School, 500 Stockley Street, Rehoboth Beach 19971. The public hearing will receive comments from public speakers with priority given to preregistered speakers followed by speakers who sign up at the public hearing. To preregister to speak at the public hearing, please contact DNREC by e-mail or first class mail no later than **November 11** at: E-mail: Rehoboth_Wastewater_Comments@state.de.us , USPS Mail: John Schneider, DNREC State Street Commons, 100 W. Water St. - Suite 10B, Dover, DE 19904. As the department anticipates a large number of speakers, it accordingly will impose a 5-minute time limit on each speaker. If you are unable or choose not to attend the public hearing, you may submit written comments in advance that will be part of the record. Written comments should be

sent to the above contact addresses, preferably by e-mail. The public comment period for written comments will commence on **October 15** and end **December 2**. For more information please visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3445&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

HSCA ADVISORY COMMITTEE (FORMERLY BROWNFIELDS ADVISORY COMMITTEE) –

The Committee will hold a public meeting to review, provide guidance and input for DNREC's cleanup programs related to the Hazardous Substance Cleanup Act (HSCA). This meeting will take place on **December 1** from 9:00am to 12:00pm at the DNREC Lukens Drive Field Office, 391 Lukens Drive, New Castle, DE, 19720, New Castle County. For additional information, please contact Christina Wirtz at (302) 395-2600 or visit:

<https://egov.delaware.gov/pmc/Event/Details/39373>

BOARD OF CERTIFICATION FOR WASTEWATER OPERATORS MONTHLY MEETING – This

is a regular monthly meeting of the Board of Certification for Wastewater Operators. Meeting will take place on **December 6** from 9am to 11am at the Richardson and Robbins Building, Conference Room B172: 89 Kings Highway, Dover, DE, 19901. For additional information contact Faye Wheeler at (302) 739-9946, or visit:

<https://egov.delaware.gov/pmc/Event/Details/33002>

WATER SUPPLY COORDINATING COUNCIL MEETING - The Council will hold a meeting on **January 26, 2017** from 10am to 12pm at the Kent County Administration Complex, Conference Room 220, 555 Bay Road, Dover, DE, 19901. Dover, DE 19901. For additional information, please contact Kimberly Burriss at (302) 739-9945; or visit:

<https://egov.delaware.gov/pmc/Event/Details/39268>

OPT-IN! THE DELAWARE DIVISION OF AIR QUALITY (DAQ) is committed to working with citizens to continuously optimize Delaware's air quality and protect public health, welfare, and the environment. To determine that the DAQ is meeting the air quality needs of the citizens across the state, we encourage you to participate in our opt-in list. In the future you will receive surveys that will allow us to analyze our performance. You can access the opt-in list by clicking:

https://survey.co1.qualtrics.com/jfe/form/SV_1RGZGUYt8fSuqkB

AIR QUALITY PERMITTING PROGRAM – Notice has been given that the facilities listed below have submitted applications for air quality management permits. The applications, the "draft/proposed" permits, all materials that the applicant has submitted (other than those granted confidential treatment under DNREC rules), and a copy of summary of other materials, if any, considered in preparing the "draft/proposed" permit, may be inspected at the offices of the Division of Air Quality, 100 W. Water Street, Suite 6A, Dover, 19904. **All comments and public hearing requests** should be mailed to the following address: DIVISION OF AIR QUALITY, 100 W. Water Street, Suite 6A, Dover, 19904. To submit comments, for additional information, or for an appointment to inspect the application, please contact Penny Gentry at (302) 739-9402.

NOTICE HAS BEEN GIVEN THAT Mountaire Farms of Delaware, Inc., requests an amendment to their permit to operate the Front Dryer, Emission Unit 6, on natural gas only, with increased throughput and hours of operation at their 29106 John J. Williams Hwy, Millsboro, Sussex County, facility. The Front Dryer will be permitted to emit 0.03 TPY SO₂, 0.55 TPY TOC, 4.99 TPY NO_x, 4.2 TPY CO, and 2.98 TPY PM₁₀ by Permit# APC-2008/0160-OPERATION (Amendment 3)(MNSR). Emissions have decreased 0.41 TPY SO₂, increased 0.11 TPY TOC, increased 0.09 TPY NO_x, increased 0.9 TPY CO, and increased 0.58 TPY PM₁₀. Mountaire Farms of Delaware, Inc., requests an amendment to their permit to operate the Back Dryer, Emission Unit 7, on natural gas only, with increased throughput and hours of operation at their 29106 John J. Williams Hwy, Millsboro, Sussex County, facility. The Back Dryer will be permitted to emit 0.03 TPY SO₂, 0.55 TPY TOC, 4.99 TPY NO_x, 4.2 TPY CO, and 9.9 TPY PM₁₀ by

Permit# APC-2006/0174-OPERATION (Amendment 3)(MNSR). Emissions have decreased 0.38 TPY SO₂, increased 0.20 TPY TOC, increased 1.09 TPY NO_x, increased 1.5 TPY CO, and increased 4.7 TPY PM₁₀. A public hearing on any of the above applications will NOT be held unless the Secretary receives a request for a hearing regarding that application by **November 7**. A request for a hearing shall be in writing. The request must also show a familiarity with the application and a reasoned statement of the permit's probable impact. For more information visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3476&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTICE HAS BEEN GIVEN THAT Siemens Healthcare Diagnostics-Glasgow has submitted an application, pursuant to 7 DE Admin. Code 1102, Section 2.1, 11.2.9, and 12.3 for an amendment to Permit: APC-1983/0397-OPERATION (Amendment 6) (SM). This amendment will include a 5.99 MMBTU/hr boiler, fueled by natural gas and No. 2 fuel, at 500 GBC Drive, Newark, New Castle County. Siemens Healthcare Diagnostics requests a limit for the hours of operation (8,712 hours for natural gas) for the new boiler. These limits are necessary to restrict the company's potential to emit air pollutants, and the limit will be enforceable by the EPA and the state. Total permitted emissions from the facility are 22.31 TPY NO_x, 4.72 TPY VOC, 13.24 TPY CO, 3.62 TPY PM₁₀, and 21.47 TPY SO_x. The application, the "draft" permit (APC-1983/0397-OPERATION (Amendment 7) (SM)). A public hearing concerning the permitting action will not be held unless the Secretary receives a request for such hearing by **November 8**. A request for a hearing shall be in writing and must show a familiarity with the application and a reasoned statement of the permit's probable impact. For more information visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3452&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTICE HAS BEEN GIVEN THAT MAGCO, Incorporated has submitted an application, pursuant to 7 DE Admin. Code 1102, Section 2.1, 11.2.9, and 12.3 for an amendment to their existing Synthetic Minor Permit for the construction of Alternative Salt Processing Equipment (Ag Salt Processing) which consists of the addition of a feed hopper, a conveyor, an enclosed bucket elevator, an enclosed Steadman "V-Slam" (Model VS-68) Vertical Shaft Impact Crusher, an enclosed screw conveyor, and a second enclosed bucket elevator at their facility located at 341 Pigeon Point Road, New Castle. MAGCO, Incorporated does not request any additional limits other than those already imposed by their existing Synthetic Minor Operating Permit. The current limits are necessary to restrict MAGCO, Incorporated's potential to emit air pollutants, and the limit will be enforceable by the EPA and the state. Total estimated emissions with the addition of this new Ag Salt Processing Line will not increase above the current existing permitted emission levels from the facility which are 12.27 TPY of PM, 0.27 TPY of PM_{2.5}, 3.72 TPY of NO_x, 6.31 TPY of CO, 0.0126 TPY of SO₂ and 380 lbs./year of VOC. A public hearing concerning the permitting action will not be held unless the Secretary receives a request for such hearing by **November 8**. A request for a hearing shall be in writing and must show a familiarity with the application and a reasoned statement of the permit's probable impact. For more information visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3451&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTICE IS HEREBY GIVEN that Dover Air Force Base located at Route 113 and Route 10, Dover, has submitted a request for a permit renewal pursuant to 7 DE Admin. Code 1130, Section 7 for operating permit: AQM-001/00001. Based on the data and certifications contained in the application, the Division of Air Quality concludes that the applicant meets all applicable requirements promulgated by the Environmental Protection Agency (EPA) and the Department of Natural Resources and Environmental Control (DNREC). Therefore a "draft/proposed" permit renewal has been prepared. This draft/proposed" permit renewal will allow the Dover Air Force Base to operate equipment associated with Air Base activities including the maintenance, repair and support of long-range military transport aircraft. A public hearing concerning the permitting

action will not be held unless the Secretary receives a request for such hearing by **November 15**. A request for a hearing shall be in writing and must show a familiarity with the application and a reasoned statement of the permit renewal's probable impact. For more information visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3469&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTICE IS HEREBY GIVEN that Prince Minerals, Inc. has submitted an application, pursuant to 7 DE Admin. Code 1102, Section 2.1, 11.2.9, and 12.3, for an amendment to cancel the existing 35" Mill Unit and use existing equipment for a new Silica Loading Line, increase in production rate and operation hours for Auxiliary Raymond Unit (EU07) and Pyrite Process Line (EU20) at 301 Pigeon Point Road, New Castle. Prince Minerals, Inc. requests a limit for reduction in Particulate matter (PM10) emission levels. The limits are necessary to restrict Prince Minerals, Inc. potential to emit air pollutants, and the limit will be enforceable by the EPA and the state. There will be no increase in the plant wide particulate matter (PM10) emission levels. A public hearing concerning the permitting action will not be held unless the Secretary receives a request for such hearing by **November 15**. A request for a hearing shall be in writing and must show a familiarity with the application and a reasoned statement of the permit's probable impact. For more information visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3466&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTICE IS HEREBY GIVEN that Aearo Technologies LLC located at 650 Dawson Drive, Newark has submitted a request for a permit renewal pursuant to 7 DE Admin. Code 1130, Section 7 for operating permit: AQM-003/00073 Renewal (3) (Rev. 1). Based on the data and certifications contained in the application, the Division of Air Quality concludes that the applicant meets all applicable requirements promulgated by the Environmental Protection Agency (EPA) and the Department of Natural Resources and Environmental Control (DNREC). Therefore a "draft/proposed" permit renewal has been prepared. This "draft/proposed" permit renewal removes the Organic Chemical Mixing Room and Cold Solvent Degreaser, and corrects the contents and capacities of five storage tanks. A public hearing concerning the permitting action will not be held unless the Secretary receives a request for such hearing by **November 29**. A request for a hearing shall be in writing and must show a familiarity with the application and a reasoned statement of the permit renewal's probable impact. For more information visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3468&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

WHS - SITE INVESTIGATION AND RESTORATION SECTION (SIRS) is responsible for the identification, evaluation and remediation of sites in Delaware that have had past releases of hazardous substances. The section manages the contaminated sites under three major programs in accordance with the Hazardous Substance Cleanup Act (HSCA). The three programs are the **Brownfields Development Program, the Voluntary Cleanup Program (VCP) and the HSCA Enforcement Program** (for sites requiring enforcement action).

The Brownfields Development Program encourages the cleanup and redevelopment of vacant, abandoned or underutilized properties, which may be contaminated. A party seeking to develop such a property negotiates with SIRS for a **Brownfields Development Agreement (BDA)** to perform an investigation and, if necessary, a remedial action or remedy, for the purpose of addressing the risks posed by past releases of hazardous substances at these sites. However, a BDA is only available to parties that are not current site owners. The **Voluntary Cleanup Program (VCP) Agreement** is available to site owners who want to clean up their sites and are already liable as a potentially responsible party for the site.

NOTIFICATION OF PUBLIC COMMENT FOR A BROWNFIELDS DEVELOPMENT AGREEMENT FOR THE FORMER SHUSTERS AUTO SALVAGE SITE (DE-1178).

Site Investigation and Restoration Section (SIRS) negotiated a BDA with the Riverfront Development Corporation of Delaware regarding the Former Shusters Auto Salvage Site located at 601 and 603 South Market Street in Wilmington. Identified by New Castle County as tax parcel numbers 26-057.00-001 and 26-057.00-048, the 5.89 acre Site had a release of hazardous substances as a result of past use as an auto salvage yard. The public comment period begins on Monday, October 24 and ends **November 14**. Please submit written comments to the SIRS Project Manager, Meghan Crystall at DNREC-SIRS, 391 Lukens Drive, New Castle, DE 19720; or visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3475&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTIFICATION OF NEGOTIATIONS FOR A BROWNFIELDS DEVELOPMENT AGREEMENT FOR THE Uniqema/Cherry Utility Corridor Site (DE-1638).

Site Investigation and Restoration Section (SIRS) is negotiating a BDA with BMR-1000 Uniqema Boulevard LLC regarding the Uniqema/Cherry Utility Corridor Site located at 900 Uniqema Boulevard in New Castle. Identified by New Castle County as tax parcel number 10-015.00-021, the 2.06 acre Site had a release of hazardous substances as a result of heavy industrial use, including proximity to the Croda Atlas Point Site (DE-0049). The public comment period ends **November 15**. For more information contact the SIRS Project Manager, Wendy March at (302) 395-2600; or visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3484&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTICE OF A SIGNING OF A SECOND AMENDMENT TO THE CONSENT DECREE FOR THE SUSSEX LUMBER SITE (DE-0118).

The Site Investigation and Restoration Section (SIRS), on behalf of the Department of Natural Resources and Environmental Control, (DNREC) is requesting public comment regarding the Second Amendment to the Consent Decree (2nd Consent Decree) for the Sussex Lumber Site (Site). This Second Amendment to the Consent Decree ("Decree") is entered into voluntarily by the Delaware Department of Natural Resources and Environmental Control ("DNREC" or "Department") and the Vessels Company. DNREC proposes to enter into this 2nd Consent Decree with the Respondents under the authority of the Hazardous Substance Cleanup Act (HSCA), 7 Del. C. § 9107 (b). The 2nd Consent Decree concerns redefining the Site boundaries to reflect the division of the Site into separate operational units (OUs) in order to complete the remedial actions required by the Final Plan of Remedial Action for the Site. Operable Unit 1 (OU-1) consists of .28 acres +/- and Operable Unit 2 (OU-2) consist of 6.72 acres +/-, the combined acreage of which is surrounded by a fifty foot (50') buffer extending from the perimeter of OU-1 and OU-2 as further described in the survey attached to the 2nd Consent Decree. Pursuant to 7 Del. C. § 9112, the public may request a public hearing regarding the Consent Decree. The public comment period will begin on **October 31** and will end on **November 21**. For more information SIRS' project officer, Wendy March at (302) 395-2600; or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3493&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

The Proposed and Final Plans of Remedial Action listed below outline site cleanup activities and covenants and are available online at:

<http://www.dnrec.delaware.gov/whs/awm/SIRB/Pages/SIRBPlans.aspx> under "Announcements." For site-specific information, please see DNREC's Environmental Navigator at:

<http://www.nav.dnrec.delaware.gov/DEN3>

FINAL PLAN OF REMEDIAL ACTION FOR THE 3006 Lancaster Ave Site (DE-1568).

The Department has adopted a plan regarding the clean-up of the 3006 Lancaster Ave Site located in Wilmington. The Site appears has been used for stone cutting and sand

blasting of grave headstones and monuments, offices and storage. DNREC issued public notice of the Proposed Plan for 3006 Lancaster Ave Site on September 18. There were no comments or questions from the public regarding the Proposed Plan. The public may appeal this Final Plan until **November 7**. For additional information, please contact Meghan Crystall, Project Manager, at (302) 395-2600; or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3464&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

PROPOSED PLAN OF REMEDIAL ACTION FOR THE CASPER'S AUTO PARTS SITE (DE-1185).

The Department invites public comment on a proposal to clean up Casper's Auto Parts Site located at 741 South Market Street in Wilmington. The 3.70-acre Site is currently operating as an automotive salvage and storage yard and consists primarily of a mixture of concrete, pavement, and compacted soil and gravel with minimal areas of vegetation along the Site perimeter. The comment period ends on **November 7**. For additional information, please contact Morgan McGee-Solomon, Project Officer at (302)395-2600; or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3463&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

AMENDED FINAL PLAN OF REMEDIAL ACTION for the Lewes Coal Gas site (DE-0190).

The Department has adopted a revised plan regarding the clean-up of the Lewes Coal Gas Site located on Kings Highway in Lewes. The existing cap over contaminated soil will be restored after construction. Under the original Final Plan of Remedial Action, the Site would have been maintained as an empty lot. DNREC issued public notice of the Amended Proposed Plan for the Lewes Coal Gas Site on September 26. There were no comments or questions from the public regarding the Amended Proposed Plan during the public comment period. The public may appeal this Final Plan until **November 13**. For additional information, please contact Stephen F. Johnson, Project Manager at (302) 395-2600; or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3480&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

PROPOSED PLAN OF REMEDIAL ACTION FOR THE FORMER PENNY HILL MOBIL SITE (DE-1596).

The Department invites public comment on a proposal to clean up the Former Penny Hill Mobil Site located at 2509 Philadelphia Pike, near Claymont. The soil and groundwater of the approximately 0.35 acre site, have been impacted by historic uses and are contaminated with gasoline related compounds. The site will be used for commercial purposes. The comment period ends on **November 14**. For additional information, please contact Kristen Thornton, Project Manager, at (302)395-2600; or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3474&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

FINAL PLAN OF REMEDIAL ACTION FOR 510 A Street (DE-1626). The Department has adopted a plan regarding the clean-up of the 510 A Street Site located in Wilmington. The use of the property will be restricted to non-residential uses, groundwater will be prohibited from use, and the site will be capped with at least one foot of clean fill or impervious material. Furthermore, digging will be prohibited without notice and asbestos will be abated. The Site is currently owned by Urie Real Estate, LLC and will be used for commercial purposes. DNREC issued public notice

of the Proposed Plan for the 510 A Street Site on September 28. There were no comments or questions from the public regarding the Proposed Plan. The public may appeal this Final Plan until **November 14**. For additional information, please contact Patrick Boettcher, Project Manager, at (302) 395-2600; or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3473&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

FINAL PLAN OF REMEDIAL ACTION for the 3022-3028 New Castle Avenue Operable Unit 3 (OU-3) Site (DE-1577). The Department has adopted a plan regarding the clean-up of Operable Unit 3 (OU-3) of the 3022-3028 New Castle Avenue Site located in New Castle. The remedy includes capping the site and recording an Environmental Covenant that restricts the use of the property to non-residential and restricts the use of contaminated groundwater. DNREC issued public notice of the Proposed Plan for OU-3 of the 3022-3028 New Castle Avenue Site on September 25. There were no comments or questions from the public regarding the Proposed Plan. The public may appeal this Final Plan until **November 16**. For additional information, please contact Kathryn Durant, Project Manager, at (302) 395-2600; or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3486&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

FINAL PLAN OF REMEDIAL ACTION for the Christina River Bridge and Approaches Site (DE-0334). The Department has adopted a plan regarding the clean-up of the Christina River Bridge and Approaches Site (DE-0334) located in Wilmington. The selected remedy for the Site includes capping the Site with at least one foot of clean fill or impervious material, a Contaminated Material Management Plan, a Long Term Stewardship Plan, and an Environmental Covenant. DNREC issued public notice of the Proposed Plan for Christina River Bridge and Approaches Site on September 25. There were no comments or questions from the public regarding the Proposed Plan. The public may appeal this Final Plan until **November 16**. For additional information, please contact Robert C. Asreen, Jr., Project Manager at (302) 395-2600; or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3485&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

FINAL PLAN OF REMEDIAL ACTION LAUREL GRAIN 2 SITE (DE-1625). The Department has adopted a plan regarding the clean-up of the Laurel Grain 2 Site located at 33222 Bi-State Blvd, in Laurel, Delaware. The remedy will consist of the placement of an environmental covenant restricting future use to commercial use only, compliance with a site specific, DNREC-approved Contaminated Materials Management Plan, and a Long Term Stewardship Plan to monitor the groundwater. DNREC issued public notice of the Proposed Plan for the Laurel Grain 2 Site on October 2. There were no comments or questions from the public regarding the Proposed Plan. The public may appeal this Final Plan until **November 21**. For additional information, please contact Kristen Thornton, Project Manager, at (302) 395-2600; or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3488&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

PROPOSED PLAN OF REMEDIAL ACTION FOR THE Possum Park Mall Dry Cleaner Site (DE-1629). The Department invites public comment on a proposal to address the former site of a dry cleaning operation located in the Possum Park Mall at 700 Capitol

Trail, Newark. There are no risks to human health or the environment warranting further action under current conditions. An environmental covenant will be recorded on the deed of the property to prevent future installation of water supply wells. The comment period ends on **November 24**. For additional information, please contact Stephen Johnson, at (302) 395-2600; or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3481&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

SOLID AND HAZARDOUS WASTE MANAGEMENT SECTION - The Solid and Hazardous Waste Management Section (SHWMS) hereby gives notice that a permit application has been received from the following companies to transport regulated RCRA hazardous and/or non-hazardous solid wastes in, out of, or through the State of Delaware. The applications are available for review by appointment during business hours at our agency Solid & Hazardous Waste Management Section office at 89 Kings Highway, Dover and also at our Lukens Drive office at 391 Lukens Drive in Wilmington.

NOTICE IS HEREBY GIVEN OF THE INTENT TO CONTINUE POST-CLOSURE CARE OF THE NEW BRINE SLUDGE LANDFILL UNDER THE DELAWARE REGULATIONS GOVERNING HAZARDOUS WASTE.

Pursuant to 7 Del. C., Chapters 60 and 63, Delaware's Regulations Governing Hazardous Waste (DRGHW), the Delaware Department of Natural Resources and Environmental Control (DNREC), Solid & Hazardous Waste Management Section (SHWMS) has made a preliminary decision to issue a hazardous waste Post-Closure Permit to Occidental Chemical Corporation, located at 1657 River Road in New Castle. The current Post-Closure Permit has expired, and, as required under the DRGHW, Occidental Chemical Corporation submitted an application to renew their post-closure permit entitled, Notification for Post-Closure Permit Renewal — Post-Closure Permit No. HW15A2 dated August 14, 2014. The Occidental Chemical Corporation's Delaware City Plant is located approximately three miles northwest of Delaware City off River Road (State Route 9). The facility began operation in 1965 and ownership was transferred to Occidental in 1986. The plant was an inorganic chemical manufacturing facility, until processing operations ceased in 2007. The New Brine Sludge Landfill is located in the southeast corner of the plant property. Closure of the landfill was public-noticed and approved pursuant to the DRGHW, and the work was overseen by DNREC. Closure consisted of capping each landfill cell. The closure certification report dated November 1992, as amended, was approved by DNREC on April 5, 1993. DNREC subsequently issued Post-Closure Permit No. HW04A09 on September 1, 1994, and Post-Closure Permit No. HW15A2 on February 18, 2005. Post-closure care consists of inspections, maintenance activities, and groundwater monitoring. These activities include inspecting the security measures (e.g. fencing), the cover integrity, the leachate collection and monitoring system, the monitoring-well system, and evidence of erosion. Groundwater monitoring will be conducted pursuant to the DRGHW and the Permit, but may also eventually be included under EPA's Corrective Action Long-Term Monitoring Program for the entire site. Persons wishing to comment upon the draft permit application are invited to submit written comments. Comments must be sent to DNREC, RE: DED003913266, File 16, at the address listed at the beginning of this notice. A public hearing may be held if the Department receives a meritorious request for a hearing prior to the **November 23** deadline, or if the Secretary deems it to be in the best interest of the State to do so. For additional information or to schedule an appointment to review this material, call Lawrence D. Matson of the Solid & Hazardous Waste Management Section at (302) 739-9403; or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3459&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

DIVISION OF WATER - GROUND WATER DISCHARGES -The Division of Water hereby gives notice that the applications below are available for inspection or copies may be obtained by contacting: Kathleen Saunders, Ground Water Discharges, 89 Kings Highway, Dover 19901, or by calling (302) 739-9948.

On-Site Wastewater Treatment and Disposal System

Delaware Solid Waste Authority has applied for an authorization to connect to existing on-site wastewater treatment and disposal system. The system has been designed to accommodate 640 gallons per day of wastewater. The system will service seven employees at the Sandtown Landfill. The property is located at 1093 Willow Grove Rd, Felton, DE 19943. Tax Map No. NM 116.00-01-16.00. A public hearing will NOT be held unless our agency Secretary determines that a hearing is in the public interest, or if a written meritorious request for a hearing is received by **November 7**. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3479&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

Artesian Wastewater Management, Inc. has submitted an extension request for a construction permit for an on-site wastewater treatment and disposal system for the Beaver Creek development. The system has been designed to accommodate 300,000 gallons per day of wastewater. The site is located at 26233 Maple Lane, Sussex County, tax parcel # 2-35-30.00-24.00 & 32.00. A public hearing will NOT be held unless our agency Secretary determines that a hearing is in the public interest, or if a written meritorious request for a hearing is received by **November 7**. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3479&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

Rehoboth Bay Conservancy, LLC has submitted renewal application for an operation permit for an on-site wastewater treatment and disposal system for the West Bay Community. The system has been designed to accommodate 92,520 gallons per day of wastewater. The site is located at Camp Arrowhead Road, Sussex County, tax parcel # 2-34-18.00-26.00. A public hearing on the above application will NOT be held unless the Secretary determines that a public hearing is in the public interest or if a written meritorious objection to the application is received by **November 14**. A public hearing request shall be deemed meritorious if it exhibits a familiarity with the application and provides a reasoned statement of the action's probable impact. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3492&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

Non-Hazardous Liquid Waste Transporters Permit

Country Living Mobile Court, Inc. has applied to the Groundwater Discharges Section for a renewal of Non-Hazardous Liquid Waste Transporters Permit DE WH-041 which allows for the transport of septage to be disposed of at the Sussex County Sewer System. A public hearing will NOT be held unless our agency Secretary determines that a hearing is in the public interest, or if a written meritorious request for a hearing is received by **November 7**. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3479&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

Spray Irrigation Permit

The Town of Georgetown has applied to the Ground Water Discharges Section for reissuance of Spray Irrigation State Permit LTS 5014-91-09; DEN Number 359297-07. The permit authorizes the operation and maintenance of the Town of Georgetown Wastewater Reclamation Facility. The Town of Georgetown Wastewater Reclamation Facility treats and spray irrigates domestic wastewater collected from the Town of Georgetown. The facility is located on County Road 318, south of the Eli Walls Ditch and north of Gills Branch, Sussex County, Delaware. The treated domestic wastewater is currently applied to 504 acres located in Sussex County, Delaware on

parcels 133-2.00-55.10, 133-3.00-8.10, 133-3.00-3.00, 133-3.00-4.00, 133-3.00-3.00, 133-7.00-1.00, 133-7.00-12.10, 133-7.00-4.00, and 135-24.00-1.00. A public hearing will NOT be held unless our agency Secretary determines that a hearing is in the public interest, or if a written meritorious request for a hearing is received by **November 7**. For additional information visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3479&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

DIVISION OF WATER - SURFACE WATER DISCHARGES – The Division of Water hereby gives notice that the following permit applications have been received.

Wastewater Facilities Construction Permit Application

The City of Rehoboth Beach proposes to construct a 3.5 million gallon per day pump station at the WWTP, an 11,300 linear foot 24-inch diameter force main, and a 6,000-linear-foot, 24-inch ocean outfall pipe with a diffuser assembly. The public hearing will receive comments from public speakers with priority given to preregistered speakers followed by speakers who sign up at the public hearing. To preregister to speak at the public hearing, please contact DNREC by e-mail or first class mail no later than **November 11** at: Email:

Rehoboth_Wastewater_Comments@state.de.us; USPS Mail: John Schneider, DNREC State Street Commons, 100 W. Water St. - Suite 10B, Dover, DE 19904. As DNREC anticipates a large number of speakers, the Department accordingly will impose a 5-minute time limit on each speaker. If you are unable or choose not to attend the public hearing, you may submit written comments in advance that will be part of the record. Written comments should be sent to the above contact addresses, preferably by e-mail. The public comment period for written comments will commence on **October 15** and end **December 2**. For more information visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3445&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

Sussex County Engineering Department, located in Georgetown, Sussex County to construct the North Expansion of the Angola Neck Sanitary Sewer District collection and conveyance system. The system includes a 0.554 MGD (design) Pump Station; 15, 937 LF of 8" PVC, 295 LF of 10" PVC and 2,280 LF of 6" PVC gravity sewer; and 11,503 LF of 8" PVC force main. The force main will discharge to the existing Angola Neck Sanitary Sewer District and eventually treated at the Inland Bays Regional Wastewater Facility. Questions regarding the applications and plans for the above are available for inspection by contacting: Greg Pope, P.E. Environmental Finance, Office of the Secretary 5 E. Reed Street, Suite 200 Dover, DE 19901, (302) 739-9941. A public hearing concerning the above application will NOT be held unless the Secretary determines that a hearing is in the public interest or if a written meritorious request for a hearing is received on or before **November 7**. A request for a public hearing shall be deemed meritorious if it exhibits a familiarity with the application and provides a reasoned statement of the permit's probable impact. For more information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3482&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

Blue Hen Apt, LLC, plans to construct 192 apartments as part of the Blue Hen Apartments Phase 2 project located southwest of the intersection of Blue Hen Blvd. and Haslet St. in Dover, Delaware. The project includes 2,826 linear feet of 8 inch diameter gravity sanitary sewer and the replacement of submersible pumps in the existing phase 1 sanitary sewer pump station. This upgraded pump station will handle the additional phase 2 flow. Questions regarding the applications and plans for the above are available for inspection by contacting: Keith Kooker, P.E. Environmental Finance, Office of the Secretary 5E Reed Street, Suite 200, Dover, DE 19901 (302) 739-9941. A public hearing concerning the above application will NOT be held unless the Secretary determines that a hearing is in the public interest or if a written meritorious request for a

hearing is received on or before **November 9**. A request for a public hearing shall be deemed meritorious if it exhibits a familiarity with the application and provides a reasoned statement of the permit's probable impact. For more information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3487&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

Alpaco V, LLC, located in Georgetown, Sussex County, Delaware, to construct a pump station with dual Flygt submersible pumps, associated piping, valves and controls, 1,300 LF of 4" force main, 7,262 LF of 8" gravity sewer, 33 manholes, laterals and related facilities within the Deerbrook residential subdivision, located 950 linear feet west of DE Route 24 (John J Williams Hwy) and SCR 299 (Autumn Road) intersection, Indian River Hundred, Long Neck, Sussex County, Delaware. The force main will run east along SCR 299 and discharge into a manhole just before DE route 24. A public hearing concerning the above application will NOT be held unless the Secretary determines that a hearing is in the public interest or if a written meritorious request for a hearing is received on or before **November 9**. A request for a public hearing shall be deemed meritorious if it exhibits a familiarity with the application and provides a reasoned statement of the permit's probable impact. For more information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3483&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NPDES Permits

City of Rehoboth Beach seeks to renew and amend its NPDES Permit No. DE0020028 (State Number WPCC 3084E/74), which authorizes the discharge of treated effluent from its WWTP. The WWTP receives wastewater from Rehoboth Beach and neighboring areas including North Shores, Henlopen Acres, and the Dewey Beach Sanitary District and currently discharges treated effluent into the Lewes-Rehoboth (L-R) Canal located at Latitude 38°42'36.0"N, Longitude 75°05'34.0"W (Outfall 001), which will remain in use for Phase 1 of the permit. Phase 2 of the permit will commence when Ocean Outfall (Outfall 002) is completed for discharge into the Atlantic Ocean at Latitude 38° 43.787' N, Longitude 75° 03.505' W approximately one mile offshore of Deauville Beach. Wastewater treatment for Phase 1 is provided by bar screens, a grit collector, emergency off-line diversion tanks, two total barrier oxidation ditches, chemical addition for phosphorus removal, two secondary clarifiers, two microscreens, chlorination and de-chlorination tanks, and post aeration. Wastewater treatment for Phase 2 is provided by bar screens, a grit collector, emergency off-line diversion tanks, two total barrier oxidation ditches, chemical addition for phosphorus removal, two secondary clarifiers, filtration, chlorination and de-chlorination tanks, effluent pumping, and flow metering. Waste sludge is aerobically digested, thickened, and land applied as a liquid or dewatered by a belt press and taken to a sanitary landfill. As required by its NPDES Regulations, the Department is preparing a draft NPDES permit as a tentative decision and a Fact Sheet that explains its decision. The Department may revise its tentative decision in its final decision based on the record, including public comments. A public hearing is scheduled for 6 p.m. **November 15** at the Rehoboth Elementary School, 500 Stockley Street, Rehoboth Beach, Delaware 19971. For more information please visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3445&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

DIVISION OF WATER - WATER SUPPLY - The Division of Water hereby gives notice that the following Well permit application has been received. For additional information concerning the applications below, please contact Allison Diggins/Water Supply Section - 89 Kings Highway, Dover, DE 19901; or by phone at (302)739-9945.

Allocation Permits

Cheng Xin Farm has requested an irrigation allocation for their farming operations. They have one well located south of Greenwood in Sussex County. The requested daily withdrawal is 288,000 gallons per day. A public hearing on the above applications will NOT be held unless the Secretary determines that a public hearing is in the public interest or if a written meritorious objection to the application is received by **November 7**. A public hearing request shall be deemed meritorious if it exhibits a familiarity with the application and provides a reasoned statement of the action's probably impact. For more information please visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3477&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAIItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

Fifer Orchards, Inc. has requested a modification to their existing irrigation allocation. Two wells have been added to their farming operations which are located west of Wyoming in Kent County. The requested maximum daily withdrawal of the modification is 1,440,000 gallons per day. A public hearing on the above applications will NOT be held unless the Secretary determines that a public hearing is in the public interest or if a written meritorious objection to the application is received by **November 14**. A public hearing request shall be deemed meritorious if it exhibits a familiarity with the application and provides a reasoned statement of the action's probably impact. For more information please visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3491&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAIItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

Alternate Method of Compliance

Joshua Silicato representing Pom Run LLC has applied for an Alternate Method of Compliance under Section 12.0 of The Regulations Governing the Construction and Use of Wells to construct a Public well to serve multiple dwellings. The property is located at 10 Council Drive, Clayton DE, 19938. Tax map parcel DC-00-009.19-01-05.00. A public hearing on the above applications will NOT be held unless the Secretary determines that a public hearing is in the public interest or if a written meritorious objection to the application is received by **November 14**. A public hearing request shall be deemed meritorious if it exhibits a familiarity with the application and provides a reasoned statement of the action's probably impact. For more information please visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3491&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAIItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

Justin Konesey representing Brass Sales Co., Inc. has applied for an Alternate Method of Compliance under Section 12.0 of The Regulations Governing the Construction and Use of Wells to construct a Public well to serve the facility. The property is located at 8092 South DuPont Highway, Felton DE 19943. Tax map parcel NM-00-120.00-01-14.00. A public hearing on the above applications will NOT be held unless the Secretary determines that a public hearing is in the public interest or if a written meritorious objection to the application is received by **November 14**. A public hearing request shall be deemed meritorious if it exhibits a familiarity with the application and provides a reasoned statement of the action's probably impact. For more information please visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3491&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAIItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

DIVISION OF WATER - WETLANDS AND SUBAQUEOUS LANDS SECTION – The Division of Water hereby gives notice that the applications below are available for inspection or copies may be obtained by contacting: Gayle Calder, Wetlands and Subaqueous Lands Section, 89 Kings Highway, Dover – 19901, or by calling (302) 739-9943. A public hearing on the applications below will NOT be held unless our agency Secretary determines that a public hearing is in the public interest, or if a written meritorious

objection to the application is received by **November 8**. For additional information on the items submitted below visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3470&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAIItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

Subaqueous Lands Permit Application

City of Newark (1801300148) - To replace an 8 inch diameter sanitary sewer pipe with a 12 inch diameter by 35 foot long pipe encased in concrete in Bogy Run approximately 500 feet east of North College Avenue off of Ray Drive, University of Delaware, Newark, New Castle County

Delaware City Refinery – (200900001 and 2200300001) – To construct a 31 foot long, 3 foot wide walkway, and a 16 inch diameter fish return outfall pipe, with 8 pilings in Dragon Run. This structure is part of the fish return structure from the refinery's cooling water intake system, which discharges up to 4 million gallons of water daily into Dragon Run, at the Delaware City Refinery, east of Route 9, Delaware City

Subaqueous Lands Lease and Wetlands Application

MD1 Investment Group, LLC (233-5.00-22.00, Lot A-6) To construct a 4 by 50 foot long wetland walkway, a 6 by 200 foot long fixed pier, a 4 by 12 foot long gangway, a 6 by 5 foot long floating dock, a 6 by 60 foot long floating dock, two 3 by 16 floating finger piers, two 6 by 20 foot long floating kayak docks with access ladders and 6 stand-alone pilings in the Indian River located adjacent to Mountain Laurel Drive, Dagsboro, Sussex County

Subaqueous Lands Lease Application

Sherri Perzinski (5-33-20.18-184.00) - To construct a 6 by 30 foot long linear dock and a boatlift with 4 associated piling in the Assawoman Bay at 39182 Garfield Avenue, Edgewater Acres, Selbyville, Sussex County

Bret Shue (5-33-19.12-68.00) – To install a 4 by 7 foot long dock connecting to a previously grandfathered structure in Roy Creek at 37619 Pine Road, Keenwik on the Bay, Selbyville, Sussex County

Louis and Michele Marchese (134-23.16-174.00) To remove the existing pier and boat lift and construct a 6 by 35 foot long pier, two boat lifts with 4 associated pilings each, a swivel lift, a davit lift and repair and replace 50 linear feet of bulkhead in Lighthouse Cove located at 55 Madison Avenue, Fenwick Island, Sussex County

The City of Rehoboth Beach proposes to use public subaqueous lands to construct and operate an Ocean Outfall by installing a 24-inch diameter by 6,000-foot long buried beginning at the Deauville Beach parking area near the intersection of Henlopen Avenue and Duneway Drive in Rehoboth Beach, eastward into the Atlantic Ocean. The pipe would be installed using a combination of horizontal directional drill and excavate and backfill methods. A 24-inch diameter by 150-foot long diffuser pipe assembly would be attached to the east terminus of the pipe at an approximate water depth of 40 feet. A public hearing concerning the above application will be held by our agency at 6 p.m. **November 15** at the Rehoboth Elementary School 500 Stockley Street Rehoboth Beach, Delaware 19971. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3445&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAIItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

Subaqueous Lands Lease Supplemental Application

David Lee Cropper (233-7.00-51.00) -To install a 2-piling boatlift in Pepper Creek at 31201 Helms Landing Road in Dagsboro, Sussex County.

William Pfaff (3-34-18.00-221.00) -To install a 6 by 12 foot long floating dock and a PWC lift to a previously authorized structure in Love Creek at 305 Tanglewood Drive, Briarwood Estates, Lewes, Sussex County.

Subaqueous Water Quality Application

The City of Rehoboth Beach Water Quality Certification is required for the dredging associated with the United States Army Corps of Engineers permitting for the Ocean Outfall. The public hearing will receive comments from public speakers with priority given to preregistered speakers followed by speakers who sign up at the public hearing. To preregister to speak at the public hearing, please contact DNREC by e-mail or first class mail no later than **November 11** at: Email: Rehoboth_Wastewater_Comments@state.de.us; USPS Mail: John Schneider, DNREC State Street Commons, 100 W. Water St. - Suite 10B, Dover, DE 19904. As DNREC anticipates a large number of speakers, the Department accordingly will impose a 5-minute time limit on each speaker. If you are unable or choose not to attend the public hearing, you may submit written comments in advance that will be part of the record. Written comments should be sent to the above contact addresses, preferably by e-mail. The public comment period for written comments will commence on **October 15** and end **December 2**. For more information visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=3445&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAIItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

EMPLOYEE NEWS

Effective **October 30**, Brian Lance Caulk has accepted the position of Environmental Scientist III with the Division of Waste and Hazardous Substances, Solid and Hazardous Waste Section.
Welcome!

CONTACT INFORMATION

24-Hour Environmental Report and Spill Notification Line - 1-800-662-8802

Aboveground Storage Tanks - 302-395-2500
Air Quality - New Castle Office - 302-323-4542
Air Quality – Kent & Sussex – 302-739-9402
Asbestos New Castle - 302-323-4542
Asbestos Kent & Sussex - 302-739-9402
Biosolids Permits - 302-739-9946
Boiler Safety - 302-395-2500
Brownfields - 302-395-2600
Community Ombudsman - 302-739-9040
Community Services - 302-739-9959
Delaware Estuary Program - 302-739-9283 (Delaware Coastal Management Program)
Division of Air Quality Director's Office - 302-739-9402
Division of Energy & Climate - 302-735-3480
Division of Waste and Hazardous Substances Director's Office - 302-739-9400
Division of Water Information - 302-739-9950
Dock/Dredging/Bulkheads/Rip-Rap/Wetlands & Subaqueous Lands - 302-739-9943
Emergency Prevention and Response - 302-739-9404
Environmental Crimes Unit - 302-739-9401 or 1-800-662-8802
Environmental Laboratory - 302-739-9942
Hazardous Waste - 302-739-9403
Hazardous Chemical and Toxic Release Inventories – 302-739-9404
Industrial Stormwater Permits - 302-739-9946

Loans & Grants for Wastewater and Septic's (Environmental Finance) - 302-739-9941
Medical Waste - 302-739-9403
Non-Hazardous Liquid Waste Transporters - 302-739-9948
On-site Wastewater Licensing Program - 302-739-9948
Open Burning - 302-739-9402
Outreach Ombudsman - 302-395-2600
Recycling - 302-739-9403
Septic System Permits - Large Systems (Community & I/A) Statewide - 302-739-9948
Septic System Permits - Small Systems for Kent & New Castle Counties - 302-739-9947
Septic System Permits - Small Systems for Sussex Co. & Holding Tank Compli. Program - 302-856-4561
Site Investigation & Restoration Section (Superfund/Brownfields) - 302-395-2600
Small Business Ombudsman - 302-739-9909
Solid Waste - 302-739-9403
Source Water Protection - 302-739-9945
Surface Water Discharge Permits (NPDES) - 302-739-9946
Underground Injection Control & Spray Irrigation - 302-739-9948
Underground Storage Tanks - 302-395-2500
Wastewater Collection, Conveyance and/or Treatment Facility Construction Permits - 302-739-9946
Wastewater Treatment Facility Operators - 302-739-9946
Water Allocation Permits - 302-739-9945
Water Testing - Drinking Water (Division of Public Health) - 302-741-8630
Water Supply - 302-739-9945
Well Driller's License - 302-739-9944
Well Permits & Licensing - 302-739-9944
Wells - 302-739-9944
Wetlands and Subaqueous Lands Section - 302-739-9943