

The biweekly E-News Update features current information on the Divisions of Air Quality, Waste and Hazardous Substances, and Water regarding public meetings, workshops, hearings, and regulatory documents available for public comment, as well as general news updates. For those of you who are receiving the E-News Update for the first time, the subscription is FREE! Please sign up at the following link under the Divisions of Air Quality and Waste and Hazardous Substances at:

<http://www.delaware.gov/Pages/Lists.aspx>

There is no form to fill out; it's done in three clicks! Suggestions? Additions? Please call Stacy Jones at 302-739-9400, or send an email to Stacy.Jones@state.de.us

Published by Divisions of Air Quality, Waste and Hazardous Substances, and Water.

Visit us at: www.awm.delaware.gov

UPCOMING AIR, WASTE, & WATER-RELATED HEARINGS, MEETINGS, & EVENTS

SOLID WASTE PUBLIC HEARING AND HAZARDOUS WASTE PUBLIC HEARING regarding proposed solid waste amendments will start at 6:00 PM on **February 26** in the Richardson and Robbins Auditorium at 89 Kings Highway, Dover, DE. The public hearing regarding proposed hazardous waste amendments will be immediately thereafter. A presentation will be given by DNREC; public comments are welcome afterwards. For additional information, please contact Bethany Fiske at (302)-739-9403; or visit: <http://egov.delaware.gov/pmc/Event/Details/26536>

Board of Certification Meeting – The March Meeting for Wastewater Operators will take place from 9:00-11:00am on **March 4** in Room B136 at the Richardson and Robbins Building, 89 Kings Highway, Dover, DE, 19901 in Kent County. For additional information, please contact Jennifer Zambri at (302) 739-9946, or visit: <https://egov.delaware.gov/pmc/Event/Details/25628>

On-Site Systems Advisory Board Meeting – The monthly meeting will take place from 9:15-11:30am on **March 4** in Room B228 at the Richardson and Robbins Building, 89 Kings Highway, Dover, DE, 19901 in Kent County. For additional information, please contact Dawn Dryden at (302) 739-9948 or visit: <https://egov.delaware.gov/pmc/Event/Details/26654>

HSCA ADVISORY COMMITTEE (FORMERLY BROWNFIELDS ADVISORY COMMITTEE) will hold a public meeting on **March 5** from 9:30am-12:30pm at the Dover Public Library, Conference Room B, 35 Loockerman Plaza, Dover, DE 19901. For additional information, please contact Christina Wirtz at (302) 395-2600 or visit: <http://egov.delaware.gov/pmc/Event/Details/26356>

DRAFT AST REGULATIONS PUBLIC WORKSHOPS – DNREC's Tank Management Section will hold three (3) public workshops regarding the proposed changes to the Delaware AST Regulations. The same information will be presented at all of the workshops. For more information, please contact Tara Chambers at (302) 395-2500.

- **The 1st workshop** will take place at 10am on **March 10** at the Lukens Drive Field Office located at 391 Lukens Drive New Castle, DE, 19720 in New Castle County. For additional information, please visit: <https://egov.delaware.gov/pmc/Event/Details/26498>
- **The 2nd workshop** will take place at 6pm on **March 12** in the auditorium at the Richardson and Robbins Building located at 89 Kings Highway in Kent County. For additional information, please visit: <https://egov.delaware.gov/pmc/Event/Details/26474>
- **The 3rd workshop** will take place at 10am on **March 17** at the Lewes Field Office located at 901 Pilottown Rd. Lewes, DE, 19958 in Sussex County. For additional information, please visit: <https://egov.delaware.gov/pmc/Event/Details/26475>

PUBLIC HEARING TO HEAR PUBLIC COMMENTS ON DELAWARE CITY REFINERY AND POWER PLANT applications and draft permit for the issuance of the National Pollutant Discharge Elimination System (NPDES) permit. The public hearing will begin at 6:00pm on **March 24** in the auditorium of the Gunning Bedford Middle School, 801 Cox Neck Road in New

Castle. For additional information, please contact the Surface Water Discharges Section at (302)739-9946; or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2629&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

Note: DNREC will also conduct a public hearing on **March 18** for the **Application for a Coastal Zone Act Permit** received from Delaware City Refining Company LLC. The applicant is seeking a Coastal Zone permit to construct and operate new hydrogen production equipment to enable the Refinery to enhance clean fuel production as part of its low sulfur fuels project. This public hearing at the DNREC office building at 391 Lukens Drive, New Castle, beginning at 6:00pm. For more information, please contact Kevin Coyle at (302) 739-9071, or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2632&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

DELAWARE REGULATIONS GOVERNING THE CONSTRUCTION AND USE OF WELLS WORKSHOP

to inform the public of the history of current regulations governing well construction and use of wells and changes to the regulations. The workshop will begin at 6:00pm on **March 26** at the DNREC Auditorium located in the Richardson and Robbins Building at 89 Kings Highway, Dover, DE, 19901 in Kent County. For additional information, please contact Kimberly Burris at (302) 739-9945; or visit:

<https://egov.delaware.gov/pmc/Event/Details/26800>

WATER SUPPLY COORDINATING COUNCIL MEETING - The Council will hold a meeting on **April 29** from 10am to 12pm at the Kent County Administration Complex, Conference Room 220, 555 Bay Road, Dover, DE, 19901. Dover, DE 19901. For additional information, please contact Kimberly Burris at (302) 739-9945; or visit:

<http://egov.delaware.gov/pmc/Event/Details/26468>

SOURCE WATER PROTECTION CITIZEN TECHNICAL ADVISORY COMMITTEE MEETING -

The Committee will hold a meeting on **May 6** from 9am to 12pm at the Kent County Administration Complex, Conference Rooms 220 A&B, 555 Bay Road, Dover, DE, 19901. Dover, DE 19901. For additional information, please contact Kimberly Burris at (302) 739-9945; or visit:

<http://egov.delaware.gov/pmc/Event/Details/25727>

DOCUMENTS AVAILABLE FOR PUBLIC COMMENT OR APPEAL

AIR QUALITY PERMITTING PROGRAM – Notice has been given that the facilities listed below have submitted applications for air quality management permits. The applications, the “draft/proposed” permits, all materials that the applicant has submitted (other than those granted confidential treatment under rules), and a copy of summary of other materials, if any, considered in preparing the “draft/proposed” permit, may be inspected at the offices of the Division of Air Quality, 655 S. Bay Road, Dover and 715 Grantham Lane, New Castle. Requests for hearings shall be in writing and must show a familiarity with the application and a reasoned statement of the permit renewal’s probable impact. To submit comments, for additional information or for an appointment to inspect the application, please contact Laura Bogus at the Dover Office at (302) 739-9402. All comments and public hearing requests should be mailed to the following address: DIVISION OF AIR QUALITY, 655 S. Bay Road, Suite 5 N, Dover, DE 19901.

NOTICE HAS BEEN GIVEN THAT DELAWARE HOSPITAL FOR THE CHRONICALLY ILL- has requested a federally enforceable permit (APC-2015/0062-CONSTRUCTION (FE)) to install one emergency generator, rated 450 kW (603.45 HP) at 100 Sunnyside Blvd, Kent County, Delaware. The engine used in this generator set complies with USEPA regulations under the provisions of 40 CFR 89, Non-Road Tier 3 emissions limits. A public hearing on the above application will NOT be held unless the DNREC Secretary receives a request for a hearing regarding that application by **February 27**. For additional information, please visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2610&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTICE IS HEREBY GIVEN THAT NORAMCO HAVING A FACILITY AT 500 SWEDES LANDING ROAD in Wilmington, has submitted a request for a significant permit modification pursuant to 7 DE Admin. Code 1130, Section 7 for operating permit: AQM-003/00324. Based on the data and certifications contained in the application, the Division of Air Quality concludes that the applicant meets all applicable requirements promulgated by the USEPA and DNREC. Therefore, a “draft/proposed” significant permit modification has been prepared. A public hearing concerning the permitting action will NOT be held unless the DNREC Secretary receives a request for such hearing within thirty (30) days from the date of this notice, ending **March 3**. For additional information, please visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2615&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTICE IS HEREBY GIVEN THAT DUPONT EXPERIMENTAL STATION HAVING A FACILITY AT 200 POWDER MILL ROAD WILMINGTON, DELAWARE has submitted a request for a significant permit modification pursuant to 7 DE Admin. Code 1130, Section 7 for operating Permit: AQM-003/00011-Renewal 2-Revision 1. Based on the data and certifications contained in the application, the Division of Air Quality concludes that the applicant meets all applicable requirements promulgated by the USEPA and DNREC. Therefore a “draft/proposed” significant permit modification has been prepared. A public hearing concerning the permitting action will NOT be held unless the DNREC Secretary receives a request for such hearing by **March 10**. For additional information, please visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2622&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

The Brownfields Development Program encourages the cleanup and redevelopment of vacant, abandoned or underutilized properties, which may be contaminated. A party seeking to develop such a property negotiates with SIRS for a **Brownfields Development Agreement (BDA)** to perform an investigation and, if necessary, a remedial action or remedy, for the purpose of addressing the risks posed by past releases of hazardous substances at these sites. However, a BDA is only available to parties that are not current site owners. The **Voluntary Cleanup Program (VCP) Agreement** is available to site owners, who want to clean up their sites and are already liable as a potentially responsible party for the site. Proposed and Final Plans of Remedial Action are available online at:

<http://www.dnrec.delaware.gov/whs/awm/SIRB/Pages/SIRBPlans.aspx> under “Announcements.”

For site-specific information, please see DNREC’s Environmental Navigator at

<http://www.nav.dnrec.delaware.gov/DEN3>

NOTIFICATION OF PUBLIC COMMENT FOR A BROWNFIELDS DEVELOPMENT AGREEMENT FOR THE HESSLER PROPERTY SITE (DE-1203) - Site Investigation and Restoration Section (SIRS) negotiated a BDA with Cornerstone West Community Development Center regarding the Hessler Property Site located at 401 Garasches Lane and 610 South Market Street in Wilmington. Identified on the New Castle County tax maps as tax parcel numbers 26-057.00-011 and 26-057.00-005, the 8.75 acre Site may have had a release of hazardous substances as a result of past use as the location that contained historic fill. The public comment period ends **March 2**. Please submit your written comments to SIRS Project Manager, Larry Jones at SIRS, 391 Lukens Drive, New Castle, DE 19720. For additional information, please visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2623&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

AMENDED PROPOSED PLAN OF REMEDIAL ACTION FOR THE FORMER HOLLY OAK SUBSTATION (DE-1200)

The Department invites public comment on a proposal to clean up the Former Holly Oak Substation located at the northeast corner of Delaware Avenue and Governor Printz Boulevard in the Holly Oak section south of Claymont, Delaware. The 0.38-acre Site consists of a fenced lot with an open parking area in a residential area. The Site subsurface soil is contaminated with poly-nuclear hydrocarbon (PAHs) from former petroleum underground storage tanks (USTs) related to the Site's former use as a substation. The comment period ends on **March 16**. For additional information, please contact Rick Galloway, Project Manager, or Robert Newsome, Public Information Officer, at (302) 395-2600, or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2631&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

DIVISION OF WATER - WATER SUPPLY - The Division of Water hereby gives notice that the following well permit application has been received. A public hearing on the applications below will NOT be held unless our agency Secretary determines that a public hearing is in the public interest or if a written meritorious objection to the application is received by **March 2**. Please contact Allison Diggins at (302) 739-9945 or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2628&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

Water Allocation

The City of Dover has applied for a modification of its public water allocation which serves approximately 38,000 people in Kent County. The request is for the replacement of one well, and modification of the withdrawals in the 21-well system. The proposed allocation is 11,043,000 gallons per day, 258 million gallons (MG) per month, and 2.252 billion gallons (BG) per year.

Well Permit

MMW Investments proposes to construct an irrigation well, located 1,596 feet east of Hollyville Road south of Harmons Hill Road, 4.7 miles northeast of Millsboro, Sussex County. The well is proposed to be 100 feet deep and withdraw 1,000 gallons per minute.
DNREC – Water Supply

DIVISION OF WATER - WETLANDS AND SUBAQUEOUS LANDS SECTION – The Division of Water hereby gives notice that the applications below are available for inspection or copies may be obtained by contacting: Gayle Calder, Wetlands and Subaqueous Lands Section, 89 Kings Highway, Dover – 19901, or by calling (302) 739-9943. A public hearing on the applications below will NOT be held unless the DNREC Secretary determines that a public hearing is in the public interest, or if a written meritorious objection to the application is received by **March 3**. For additional information, please visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2626&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

Subaqueous Lands Lease Application

Doug and Tracy Morris (TM 3-31-6.00-383.00) To construct a 6 by 26 foot dock and 4 pilings for a boat lift attached to the end of a 6 by 28 foot grandfathered pier on the Nanticoke River at 9834 North Shore Drive, Seaford in Sussex County

David Jump (Tax Parcel#134-8-154.01) To construct a 4 by 140 foot pier, a 6 by 30 foot dock and two pilings for a boatlift in White's Creek at 30321 Jump Lane, Ocean View in Sussex County

David Cohen (Tax Parcel #331-6-376.01) To construct a 4 by 28 foot pier, 5 by 24 foot dock, an 8 by 12 foot floating kayak/canoe launch platform and 100 l.f. of rip rap bank stabilization in the Nanticoke River at Lot #28 adjacent to 9768 North Shore Drive and 24487 Lighthouse Point, North Shores, Seaford in Sussex County

Susan Knutson (3-31-6.00-162.00) To construct a 5 by 10 foot long pier, a 6 by 30 foot long dock, a mooring piling, and to install 220 linear feet of shoreline stabilization consisting of rip-rap and vegetative stabilization in Gravelly Creek at 24041 Snug Harbor Circle, Seaford in Sussex County

Harold Shaffner (Tax Parcel #134-8436) To install 8 pilings for two boatlifts and utilize an existing 10 by 14 foot floating PWC platform attached to an existing dock and pier in Spring Gut at 37341 Pettinaro Drive, Bethany Bay, Ocean View in Sussex County

Subaqueous Lands Permit Application

Chris Roe and Karen Bloch (TM-0702840020) To reconstruct 100 linear feet of boulder toe bank protection and a series of rock vanes in an unnamed tributary to Little Mill Creek at 108 Lands End Road, Wilmington in New Castle County

Gary Whelan (3-34-19.00-321.00) To install a 4 by 30 foot long pier, a 6 by 30 foot long dock, and a boat lift with 2 associated pilings in Bald Eagle Canal at 99 Blackpool Road, Rehoboth Beach Yacht and Country Club, Rehoboth Beach in Sussex County

Delaware Division of Fish and Wildlife (165.00-01-04.00) To complete 10 exploratory borings in subaqueous lands with a diameter of 8 inches and a depth of 25 feet adjacent to the rock jetty in the Mispillion Harbor, Milford in Sussex County

Subaqueous Lands Lease and Wetlands Application

Carol Palmer (Tax Parcel #233-7-194) To construct a 3 by 20 foot walkway over State-regulated tidal wetlands, a 4 by 120 foot pier, a 6 by 30 foot dock with two pilings for a boatlift and three mooring pilings and a kayak/canoe ramp with access steps in Pepper Creek at 601 Cherry Drive, Dagsboro in Sussex County

Subaqueous Lands Wetlands Application

Parkway Gravel, Inc. (Tax Parcel # 2101600003) To install a 10.3 foot wide by 6.9 foot tall by 81 foot long steel arch culvert in an existing causeway within State-regulated wetlands at 01 Aster Blvd., Riverbend at Old New Castle in New Castle County

Delmarva Power and Light Company – (Tax Parcel No. 2-00-10600-01-2401-00001) – to construct 6 utility poles permanently impacting 170 square feet and temporarily impacting 121,755 square feet of State regulated wetlands adjacent to the St. Jones River located in a right of way at the St. Jones Reserve, south of Kitts Hummock Road in Dover

Delaware Division of Fish and Wildlife (079.00-01-63.00 and 106.00-01-23.01) To complete 35 wetland exploratory borings with a diameter of 8 inches and a depth of 25 feet within the Little Creek and Ted Harvey Wildlife Area impoundments in Little Creek, Kent County

Subaqueous Lands Lease Supplemental Application

Earl Stoltzfus – (Tax Parcel. No: 2-34-18.00-141) – to construct a 10 by 12 foot boat lift at an existing 30 by 4 foot pier and 6 by 30 foot dock in the Rehoboth Bay at 22597 Bay View Circle, Lewes in Sussex County

HKS4, LLC (233-7.00-206.00) To install a boat lift with 4 associated pilings in slip 50 of a current marina in Peppers Creek near 219 Marina Road, The Marina at Pepper Creek, Dagsboro in Sussex County

A public hearing on the applications below will NOT be held unless the DNREC Secretary determines that a public hearing is in the public interest, or if a written meritorious objection to the application is received by **March 17**. For additional information, please visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2635&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAIItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

Subaqueous Lands Lease Application

Donald Reid (Tax Parcel #334-13-1305) To install a new 4 by 6 foot pier, 6 by 40 foot fixed dock with a boatlift and PWC lift, a 6 by 15 foot floating dock and 25 linear feet of rip-rap in the Lewes and Rehoboth Canal at 46 Eleanor Lee Lane East, Canal Corkran, Rehoboth Beach, Sussex County, DE

Gills Neck Realty (Tax Parcel #335-9-1) To install a boatlift with four pilings, a 3 by 16 foot gangway and a 6 by 30 foot floating dock adjacent to an existing dock in the Lewes and Rehoboth Canal at 15841 Gills Neck Road, Lewes, Sussex County, DE

Subaqueous Lands Permit Application

Mark Clavier (3-34-19.00-919.00) To remove a structure and install a 5 by 28 foot long pier, a 6 by 25 foot long dock, and a boat lift with 4 pilings in Bald Eagle Canal at Lot 23, Block 7 Kings Bridge Road, Rehoboth Beach Yacht and Country Club, Rehoboth Beach, Sussex County, DE

John Elliott (5-33-12.16-78.00) To install an elevator style boat lift and a single piling PWC lift in an artificial lagoon at 36971 Mallard Drive, Swann Keys, Selbyville, Sussex County, DE

Subaqueous Lands Permit and Wetlands Application

Delaware Department of Transportation - (DeIDOT right of way - east of Tax Parcel 5-16-16300-01-0100-00001) To widen a road from one to two lanes, to include filling and grading 4,110 square feet and temporarily impacting 1,020 square feet of State-regulated wetlands and to extend a culvert by 8 feet in a tributary to Swan Creek at an extension to Carpenters Pit Road, located immediately south of New Wharf Road and Big Stone Beach Road in Milford, Kent County, DE

Subaqueous Lands Water Quality Application

Delaware River & Bay Authority (TM n/a) To install a bridge protection system, consisting of eight 80 foot diameter steel sheet pile cells in the Delaware River at the Delaware Memorial Bridge, New Castle County, DE

DIVISION OF WATER - Ground Water Discharges - On-Site Wastewater Treatment and Disposal System Permits - The Division of Water hereby gives notice that the applications below are available for inspection or copies may be obtained by contacting: Kathleen Saunders, Ground Water Discharges, 89 Kings Highway, Dover – 19901, or by calling (302) 739-9948.

Connection Community Church Inc. has submitted an application for a construction permit for an on-site wastewater treatment and disposal system for the Connection Community Church. The system has been designed to accommodate 1,750 gallons per day of wastewater. The site is located at 4744 Summit Bridge Road, New Castle County, tax parcel # 13-12.00-053. A public hearing on the application will NOT be held unless the Secretary of DNREC determines that a public hearing is in the public interest or if a written meritorious objection to the application is received by **March 9**. A public hearing request shall be deemed meritorious if it exhibits a familiarity with the application and provides a reasoned statement of the action's probable impact. <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2633&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAIItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

EMPLOYEE UPDATE

Effective **February 23**, Heather Blisard started as an Administrative Specialist I with the Solid and Hazardous Waste Management Section (SHWMS). She'll be working with the Generator, Transporter, and Program Development Branch within the SHWMS.

Effective **March 1**, Marla Chase, Administrative Specialist I with Surface Water Section will be retiring.

CONTACT INFORMATION

24-Hour Report and Spill Notification Line - 1-800-662-8802

Aboveground Storage Tanks - 302-395-2500
Air Quality - New Castle Office - 302-323-4542
Air Quality – Kent & Sussex – 302-739-9402
Asbestos New Castle - 302-323-4542
Asbestos Kent & Sussex - 302-739-9402
Biosolids Permits - 302-739-9946
Boiler Safety - 302-744-2735
Brownfields - 302-395-2600
Delaware Estuary Program - 302-739-9283 (Delaware Coastal Management Program)
Division of Air Quality Director's Office - 302-739-9402
Division of Waste and Hazardous Substances Director's Office - 302-739-9400
Division of Water Information - 302-739-9950
Dock/Dredging/Bulkheads/Rip-Rap/Wetlands & Subaqueous Lands - 302-739-9943
Emergency Prevention and Response - 302-739-9404
Environmental Crimes Unit - 302-739-9401 or 1-800-662-8802
Environmental Laboratory - 302-739-9942
Hazardous Waste - 302-739-9403
Industrial Stormwater Permits - 302-739-9946
Loans & Grants for Wastewater and Septic's (Financial Assistance Branch) - 302-739-9941
Medical Waste - 302-739-9403
Non-Hazardous Liquid Waste Transporters - 302-739-9948
On-site Wastewater Licensing Program - 302-739-9948
Open Burning - 302-739-9402
Outreach Ombudsman - 302-395-2600
Recycling - 302-739-9403
Septic System Permits - Large Systems (Community & I/A) Statewide - 302-739-9948
Septic System Permits - Small Systems for Kent & New Castle Counties - 302-739-9947
Septic System Permits - Small Systems for Sussex County & Holding Tank Compliance Program
302-856-4561
Site Investigation & Restoration Section (Superfund/Brownfields) - 302-395-2600
Solid Waste - 302-739-9403
Source Water Protection - 302-739-9945
Surface Water Discharge Permits (NPDES) - 302-739-9946
Underground Injection Control & Spray Irrigation - 302-739-9948
Underground Storage Tanks - 302-395-2500
Wastewater Collection, Conveyance and/or Treatment Facility Construction Permits - 302-739-9946
Wastewater Treatment Facility Operators - 302-739-9946
Water Allocation Permits - 302-739-9945
Water Testing - Drinking Water (Division of Public Health) - 302-741-8630
Water Supply - 302-739-9945
Well Driller's License - 302-739-9944
Well Permits & Licensing - 302-739-9944
Wells - 302-739-9944
Wetlands and Subaqueous Lands Section - 302-739-9943