

The biweekly E-News Update features current information on the Divisions of Air Quality (DAQ), Waste and Hazardous Substances (WHS), and Water regarding public meetings, workshops, hearings, and regulatory documents available for public comment, as well as general news updates.

Suggestions? Additions? Please call Caroline Miller Horton at 302-739-9400, or send an email to

[caroline.miller-horton@state.de.us](mailto:caroline.miller-horton@state.de.us)

Published by the Divisions of Air Quality, Waste and Hazardous Substances, and Water.

Visit us at: [www.awm.delaware.gov](http://www.awm.delaware.gov)

## **UPCOMING AIR, WASTE, & WATER-RELATED HEARINGS, MEETINGS, & EVENTS**

### **On-Site Systems Advisory Board**

DNREC Division of Water / Water / Natural Resources and Environmental Control  
Monthly Meeting, **October 03 at 09:15 AM**, Richardson & Robbins Building, 89 Kings Hwy,  
Dover DE 19901. Contact [dawn.dryden@state.de.us](mailto:dawn.dryden@state.de.us), 302-739-9948 or visit:

<https://publicmeetings.delaware.gov/Meeting/56844>

### **Water Well Licensing Board**

DNREC Division of Water / Water / Natural Resources and Environmental Control  
Board Meeting, **October 09 at 09:30 AM**, Richardson & Robbins Building, 89 Kings Hwy  
Dover DE 19901. Contact [sarah.silvers@state.de.us](mailto:sarah.silvers@state.de.us), 302-739-9944 or

visit: <https://publicmeetings.delaware.gov/Meeting/56817>

### **LEGAL NOTICE**

Notice is hereby given that the Delaware Department of Natural Resources and Environmental Control has received a meritorious request for a Public Hearing, in regards to a transporter permit application submitted by Blessings Greenhouse & Compost, dated August 7, 2018.

Pursuant to 7 Delaware Code, Chapter 60, Section 6004, the Department of Natural Resources and Environmental Control will conduct a public hearing concerning a transporter permit application. The Public Hearing will take place on Tuesday, **October 9 at 6:00 PM** at the Indian River Civic Center, also known as Millsboro Senior Center located at 214 Irons Avenue, Millsboro, DE 19966.

The Department solicits the views of interested parties with respect to this hearing. Statements and testimony may be presented orally or in written form at the hearing. Written statements may be electronically mailed directly to [Tara.Grazier@state.de.us](mailto:Tara.Grazier@state.de.us) or via mail to Tara Grazier, Senior Environmental Compliance Specialist, Department of Natural Resources and Environmental Control, Office of the Secretary, 89 Kings Highway, Dover, DE 19901.

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=4398&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeId=0x010034FD6D348B0CF04392485E93FC15AB3A>

### **LEGAL NOTICE - PUBLIC COMMENT SESSION**

The Department of Natural Resources and Environmental Control (DNREC) will hold a comment session on October 11, 2018 to allow Delawareans to voice their views on the EPA's proposal to REPLACE the Clean Power Plan with the Affordable Clean Energy (ACE) rule.

As the lowest lying state in the nation, Delaware is witnessing first-hand the impacts of climate change. Delaware and the nation will be impacted by EPA's action or inaction. EPA has thus far intends to hold a single public hearing in Chicago, IL on October 1, 2018. We are holding this session in response to EPA's refusal to provide a venue to accommodate Delawareans and others along the east coast to voice their opinions. These comments will be submitted in the form of a transcript on behalf of the participants to EPA's federal docket EPA-HQ-OAR-2017-0355.

Public comment session: DNREC will host the sessions for the public to take comments on EPA's proposed repeal and replacement of the Clean Power Plan as follows:

The comment sessions will be held on Thursday **October 11 beginning at 4:00 PM** at the Chase Center on the Riverfront, Wilmington, DE.

Affordable Clean Energy Rule Information: On August 21, 2018, the EPA proposed the Affordable Clean Energy (ACE) rule which would establish emission guidelines for states to develop plans to address greenhouse gas emissions from existing coal-fired power plants. You can learn more about the details at EPA's website (<https://www.epa.gov/stationary-sources-air-pollution/proposal-affordable-clean-energy-ace-rule>), where they have posted the proposed rule, technical analyses, and other supporting information.

**How to participate in the session:** We anticipate limiting each speaker to five minutes but may adjust the time depending on the number of people who register to speak. Please register no later than **October 9** to reserve your time to speak, by sending an email to: [valerie.gray@state.de.us](mailto:valerie.gray@state.de.us). Note: DNREC is gathering comments from the public in order to submit to EPA on their proposed replacement of the Clean Power Plan.

Submit comments directly to U.S.EPA on the proposal to replace the Clean Power Plan with the weaker -- Affordable Clean Energy Rule:

<https://www.regulations.gov/document?D=EPA-HQ-OAR-2017-0355-21117> .

THIS IS THE ONLY TIME THIS NOTICE WILL APPEAR

For more information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=4403&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

### **Water Supply Coordinating Council**

DNREC Division of Water / Water / Natural Resources and Environmental Control  
Quarterly Meeting, **October 18 at 10:00 AM**, Kent County Administration Building  
555 S Bay Rd, Dover DE 19901. Contact [kimberly.burris@state.de.us](mailto:kimberly.burris@state.de.us), 302-739-9945. You may also visit: <https://publicmeetings.delaware.gov/Meeting/60066>

### **Public Workshop on Draft Delaware Regulations Governing Hazardous Substance Cleanup DNREC Division of Waste and Hazardous Substances / Waste and Hazardous Substances / Natural Resources and Environmental Control**

The Department is holding two public workshops to accept comments and questions on the Draft Delaware Regulations Governing Hazardous Substance Cleanup (the Regulations).

**October 18 at 6:00 PM**, Department of Natural Resources & Environmental Control, 391 Lukens Dr, New Castle DE 19720. Contact [Jill.Hall@state.de.us](mailto:Jill.Hall@state.de.us), 302-395-2600 or visit: <https://publicmeetings.delaware.gov/Meeting/60652>

### **Public Workshop on Draft Delaware Regulations Governing Hazardous Substance Cleanup DNREC Division of Waste and Hazardous Substances / Waste and Hazardous Substances / Natural Resources and Environmental Control**

The Department is holding two public workshops to accept comments and questions on the Draft Delaware Regulations Governing Hazardous Substance Cleanup (the Regulations).

**October 23 at 10:00 AM**, Shoreline & Waterway Management, 901 Pilottown Rd, Lewes DE 19958. Contact [Jill.Hill@state.de.us](mailto:Jill.Hill@state.de.us) , 302-395-2600 or visit: <https://publicmeetings.delaware.gov/Meeting/60653>

### **Board of Certification for Wastewater Operators Monthly Meeting**

DNREC Division of Water / Water / Natural Resources and Environmental Control  
Regular Monthly Meeting of the Board of Certification for Wastewater Operators.

**November 05 at 09:00 AM**, Richardson & Robbins Building, 89 Kings Hwy, Dover DE 19901. Contact: [faye.wheeler@state.de.us](mailto:faye.wheeler@state.de.us), 302-739-9946 or visit <https://publicmeetings.delaware.gov/Meeting/50824>

## **DIVISION OF AIR QUALITY**

**OPT-IN!** THE DELAWARE DIVISION OF AIR QUALITY (DAQ) is committed to working with citizens to continuously optimize Delaware's air quality and protect public health, welfare, and the environment. To determine that the DAQ is meeting the air quality needs of the citizens across

the state, we encourage you to participate in our opt-in list. In the future you will receive surveys that will allow us to analyze our performance. You can access the opt-in list by clicking: [https://survey.co1.qualtrics.com/jfe/form/SV\\_1RGZGUY18fSuqkB](https://survey.co1.qualtrics.com/jfe/form/SV_1RGZGUY18fSuqkB)

**AIR QUALITY PERMITTING PROGRAM** – Notice has been given that the facilities listed below have submitted applications for air quality management permits. The applications, the “draft/proposed” permits, all materials that the applicant has submitted (other than those granted confidential treatment under DNREC rules), and a copy of summary of other materials, if any, considered in preparing the “draft/proposed” permit, may be inspected at the offices of the Division of Air Quality, 100 W. Water Street, Suite 6A, Dover, 19904. **All comments and public hearing requests** should be mailed to the following address: DIVISION OF AIR QUALITY, 100 W. Water Street, Suite 6A, Dover 19904. To submit comments, for additional information, or for an appointment to inspect the application, please contact Tracy Mattson at (302) 739-9402.

#### **Title V Permit Renewal Application**

Notice is hereby given that HandyTube Corporation having a facility at 124 Vepco Boulevard, Camden, Delaware, has submitted a request for permit renewal pursuant to 7 DE Admin. Code 1130, Section 7 for operating permit: AQM-001/00099. Based on the data and certifications contained in the application, the Division of Air Quality concludes that the applicant meets all applicable requirements promulgated by the Environmental Protection Agency (EPA) and the Department of Natural Resources and Environmental Control (DNREC). Therefore a “draft/proposed” permit renewal has been prepared. This “draft/proposed” permit renewal has only administrative changes.

The application, the “draft/proposed” permit renewal, (AQM-001/00099 (Renewal 4), all materials that the applicant has submitted (other than those granted confidential treatment under DNREC rules), and a copy of summary of other materials, if any, considered in preparing the “draft/proposed” permit renewal may be inspected at the offices of the Division of Air Quality, State Street Commons, 100 W. Water Street, Suite 6A, Dover, Delaware and 715 Grantham Lane, New Castle, Delaware. To submit comments, for additional information or for an appointment to inspect the application, please contact Tracy Mattson at the Dover Office at 739-9402.

The “draft/proposed” permit renewal is being submitted to EPA for concurrent processing. If there are no significant comments, the “draft/proposed” permit renewal will be issued as a final permit after expiration of the EPA review period.

A public hearing concerning the permitting action will not be held unless the Secretary of the Department of Natural Resources and Environmental Control receives a request for such hearing within thirty (30) days from the date of this notice, ending **October 2**. A request for a hearing shall be in writing and must show a familiarity with the application and a reasoned statement of the permit renewal’s probable impact.

DIVISION OF AIR QUALITY, STATE STREET COMMONS, 100 W. WATER STREET, SUITE 6A DOVER, DE 19904, (302) 739-9402. For more information

visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=4370&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTy peId=0x010034FD6D348B0CF04392485E93FC15AB3A>

#### **LEGAL NOTICE - TITLE V SYNTHETIC MINOR PERMIT APPLICATIONS**

Notice is hereby given that Allan Myers Delaware, Inc. has submitted an application, pursuant to 7 DE Admin. Code 1102, Section 2.1, 11.2.9, and 12.3 for construction of a portable Recycled Asphalt Pavement (RAP) sizing plant at 1230 Railcar Avenue, Wilmington, Delaware. The plant consists of the following diesel engine powered portable equipment: a 73 HP (Tier 3) stacker conveyor, a 350 HP (Tier 4) impact crusher and a 110 HP (Tier 4) screener with associated transfer conveyors.

Allan Myers Delaware, Inc. requests limits for operating hours and fuel usage. These limits are necessary to restrict Allan Myers Delaware, Inc.’s potential to emit air pollutants, and the limits will be enforceable by the EPA and state. Total estimated emissions from the RAP sizing plant are 0.25 ton per year (TPY) of Nitrogen Oxides (NOX), 1.05 TPY of Carbon Monoxide (CO), 0.05 TPY of Non-Methane

Hydrocarbons (NMHC), 0.002 TPY of Sulfur Dioxide (SO<sub>2</sub>), 4.34 TPY of Particulate Matter (PM), and 1.60 TPY of Particulate Matter (PM<sub>10</sub>).

Allan Myers Delaware, Inc. operates three facilities under permits: (APC-2016/0026-OPERATION (NSPS)(SM)) Wilmington, (APC-2012/0154-OPERATION (NSPS) (MNSR)(SM)) Dover and (APC-1997/0494-OPERATION (MNSR)(NSPS)(SM)) Georgetown. Operational limits for the portable equipment will be applied at each location as well as across all sites.

The application, the "draft" permit (APC-2018/0032-CONSTRUCTION (NSPS)(FE)), all materials that the applicant has submitted (other than those granted confidential treatment under DNREC rules), and a copy or summary of other materials, if any, considered in preparing the "draft" permit may be inspected at the office of the Division of Air Quality, State Street Commons, 100 W. Water Street, Suite 6A, Dover, DE 19904. To submit comments, for additional information or for an appointment to inspect the public file, please contact Tracy Mattson in the Dover office at (302) 739-9402.

A public hearing concerning the permitting action will not be held unless the Secretary of the Department of Natural Resources and Environmental Control receives a request for such hearing within thirty (30) days from the date of this notice, ending **October 2**. A request for a hearing shall be in writing and must show a familiarity with the application and a reasoned statement of the permit's probable impact.

DIVISION OF AIR QUALITY, STATE STREET COMMONS, 100 W. WATER STREET, SUITE 6A, DOVER, DE 19904, (302) 739-9402. You may also

visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=4367&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTy peId=0x010034FD6D348B0CF04392485E93FC15AB3A>

#### **Title V Permit Renewal Applications**

Notice is hereby given that 1007 Market Condominium Association having a facility at 1007 North Market Street, in Wilmington, Delaware, has submitted a request for permit renewal pursuant to 7 DE Admin. Code 1130, Section 7 (AQM-003/00049(Renewal 4)). Based on the data and certifications contained in the application, the Division of Air Quality concludes that the applicant meets all applicable requirements promulgated by the Environmental Protection Agency (EPA) and the Department of Natural Resources and Environmental Control (DNREC). Therefore a "draft/proposed" permit renewal has been prepared. This "draft/proposed" permit renewal updates applicable requirements. The application, the "draft/proposed" permit renewal (AQM-003/00049(Renewal 4)) all materials that the applicant has submitted (other than those granted confidential treatment under DNREC rules), and a copy of summary of other materials, if any, considered in preparing the "draft/proposed" permit renewal may be inspected at the offices of the Division of Air Quality, State Street Commons, 100 W. Water Street, Suite 6A, Dover, Delaware and 715 Grantham Lane, New Castle, Delaware. To submit comments, for additional information or for an appointment to inspect the application, please contact Tracy Mattson at the Dover Office at 739-9402.

The "draft/proposed" permit renewal is being submitted to EPA for concurrent processing. If there are no significant comments, the "draft/proposed" permit renewal will be issued as a final permit after expiration of the EPA review period.

A public hearing concerning the permitting action will not be held unless the Secretary of the Department of Natural Resources and Environmental Control receives a request for such hearing within thirty (30) days from the date of this notice, ending **October 16**. A request for a hearing shall be in writing and must show a familiarity with the application and a reasoned statement of the permit renewal's probable impact.

DIVISION OF AIR QUALITY, STATE STREET COMMONS 100 W. Water Street, SUITE 6A DOVER, DE 19904, (302) 739-9402. For more information

visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=4389&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTy peId=0x010034FD6D348B0CF04392485E93FC15AB3A>

## **LEGAL NOTICE - TITLE V SYNTHETIC MINOR PERMIT APPLICATIONS**

Notice is hereby given that Delaware Health and Social Services, Herman Holloway Campus (DHSS) has submitted an application, pursuant to 7 DE Admin. Code 1102, Section 2.1, 11.2.9, and 12.3 for a construction permit at 1901 N. DuPont Highway, New Castle, Delaware. The permit will consolidate previously issued permit terms and conditions and requirements for various emission units into a facility-wide permit.

DHSS requests a limit for fuel usage. These limits are necessary to restrict DHSS potential to emit air pollutants, and the limit will be enforceable by the EPA and the state. Total estimated emissions from the facility are: 14.50 tons/year of NO<sub>x</sub>, 11.84 tons/year of CO, 1.12 tons/year of PM, 1.55 tons/year of VOCs, and 0.15 tons/year of SO<sub>2</sub>.

The application, the "draft" permit: APC-2019/0003-CONSTRUCTION (NSPS) (SM), all materials that the applicant has submitted (other than those granted confidential treatment under DNREC rules), and a copy or summary of other materials, if any, considered in preparing the "draft" permit may be inspected at the office of the Division of Air Quality, State Street Commons, 100 W. Water Street, Suite 6A, Dover, DE 19904. To submit comments, for additional information or for an appointment to inspect the public file, please contact Tracy Mattson in the Dover office at (302) 739-9402.

A public hearing concerning the permitting action will not be held unless the Secretary of the Department of Natural Resources and Environmental Control receives a request for such hearing within thirty (30) days from the date of this notice, ending **October 16**. A request for a hearing shall be in writing and must show a familiarity with the application and a reasoned statement of the permit's probable impact.

Division of Air Quality, State Street Commons, 100 W. Water Street, Suite 6A, Dover, DE 19904 (302) 739-9402. You may also

visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=4387&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeId=0x010034FD6D348B0CF04392485E93FC15AB3A>

## **LEGAL NOTICE - 7 DE Admin. Code 1102 NATURAL MINOR PERMIT APPLICATIONS**

Notice has been given that:

AstraZeneca Pharmaceuticals, LLC-Fairfax, requests a permit amendment to reclassify the facility from a Synthetic Minor to a Natural Minor to operate one (1) existing 505 kW Detroit Model 500DS-4 Emergency Generator at their 1800 Concord Pike, Wilmington, New Castle County facility. Permitted emissions for the emergency generator will remain unchanged at 4.16 TPY of NO<sub>x</sub>, 1.11 TPY of CO, 0.13 TPY of PM<sub>10</sub>, 0.002 TPY of SO<sub>x</sub>, and 0.12 TPY of VOC by Permit# APC-2014/0045-OPERATION(Amendment 02)(GACT).

The application for this permit may be reviewed at the offices of the Division of Air Quality, State Street Commons, 100 W. Water Street, Suite 6A, Dover, Delaware or 715 Grantham Lane, New Castle, Delaware. For additional information or for an appointment to review the application, please contact Tracy Mattson at (302) 739-9402.

A public hearing on any of the above applications will NOT be held unless the Secretary of DNREC receives a request for a hearing regarding that application within 15 days from the date of this notice, ending **October 8**. A request for a hearing shall be in writing. The request must also show a familiarity with the application and a reasoned statement of the permit's probable impact. All comments and public hearing requests should be mailed to the following address: DIVISION OF AIR QUALITY, STATE STREET COMMONS, 100 W. WATER STREET, SUITE 6A, DOVER, DE 19904, (302) 739-9402. You may also

visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=4400&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeId=0x010034FD6D348B0CF04392485E93FC15AB3A>

## **DIVISION OF WASTE AND HAZARDOUS SUBSTANCES**

**SITE INVESTIGATION AND RESTORATION SECTION (SIRS)** is responsible for the identification, evaluation, and remediation of sites in Delaware that have had past releases of hazardous substances. The section manages the contaminated sites under three major programs in accordance with the Hazardous Substance Cleanup Act (HSCA). The three programs are the **Brownfields Development**



**Program, the Voluntary Cleanup Program (VCP), and the HSCA Enforcement Program** (for sites requiring enforcement action).

**The Brownfields Development Program** encourages the cleanup and redevelopment of either the entire property, the expansion of the property, or the reuse of the property which may be hindered by the reasonable held belief that the property may be contaminated. A party seeking to develop such a property negotiates with SIRS for a **Brownfields Development Agreement (BDA)** to perform an investigation and, if necessary, a remedy, for the purpose of addressing the risks posed by past releases of hazardous substances at these sites. However, a BDA is only available to parties that are not current owners or operators of the site. The **Voluntary Cleanup Program (VCP) Agreement** is available to site owners who want to clean up their sites and are already liable as a potentially responsible party for the site.

#### **NOTIFICATION OF NEGOTIATIONS FOR A BROWNFIELDS DEVELOPMENT AGREEMENT FOR CITISTEEL, AREA A, (DE-0046)**

Pursuant to the Hazardous Substance Cleanup Act (HSCA), 7 Del. C. Chapter 91, §9126, the Department of Natural Resources and Environmental Control (DNREC) is required to issue a public notice within twenty days after entering into negotiations for a Brownfields Development Agreement (BDA). A BDA is an agreement between DNREC and a Brownfields developer with respect to a Certified Brownfield Site that sets forth a scope of work and schedule of remedial activities during the development of the Site.

DNREC's Site Investigation and Restoration Section (DNREC-SIRS) is negotiating a BDA with the Delaware Department of Transportation regarding the CitiSteel, Area B Site (Site), located at 4001 Philadelphia Pike in Wilmington, Delaware. Identified by New Castle County as tax parcel number 06-059.00-165 the Site may have had a release of hazardous substances as a result of historical activities on site. For more information, please see DNREC's navigator at:

<http://www.nav.dnrec.delaware.gov/DEN3>.

Learn more about this Site and other Brownfields sites by accessing DNREC-SIRS' web page at <http://www.awm.delaware.gov/SIRB/Pages/Brownfields.aspx> or by contacting the DNREC-SIRS Project Manager, John Cargill at (302) 395-2600 or John.Cargill @state.de.us. You may also visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=4375&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeId=0x010034FD6D348B0CF04392485E93FC15AB3A>

#### **NOTIFICATION OF PUBLIC COMMENT FOR A BROWNFIELD DEVELOPMENT AGREEMENT FOR THE LIDL GROCERY STORE SITE (DE-1643)**

Pursuant to the Hazardous Substance Cleanup Act (HSCA), 7 Del. C. Chapter 91, §9126, the Department of Natural Resources and Environmental Control (DNREC) is required to issue a public notice within twenty days after entering into negotiations for a Brownfield Development Agreement (BDA). A BDA is an agreement between DNREC and a Brownfield developer with respect to a Certified Brownfield Site that sets forth a scope of work and schedule of remedial activities during the development of the Site.

DNREC's Site Investigation and Restoration Section (DNREC-SIRS) negotiated a BDA with Lidl US, LLC regarding the Lidl Grocery Store Site (Site) located at 122 North DuPont Road in Dover. The 7.23 acre Site is comprised of six (6) parcels identified on the tax maps of Kent County as parcel numbers 2-05-06818-01-2000-00 through 2-05-06818-01-2500-00. The Site may have had a release of hazardous substances as a result of past use as a gas station and dry cleaner. For more information, please see DNREC's navigator at:

<http://www.nav.dnrec.delaware.gov/DEN3>.

The public comment period begins on Monday, October 1 and will close at the end of the business day (4:30 p.m.) on Monday, **October 22**. Please submit written comments to the DNREC-SIRS Project Manager, Rick Galloway at DNREC-SIRS, 391 Lukens Drive, New Castle, DE 19720. A copy of the BDA is available at the office of DNREC – SIRS or by accessing the DNREC-SIRS' site files database.

Learn more about this Site and other Brownfields sites by accessing DNREC-SIRS' web page at

<http://www.awm.delaware.gov/SIRB/Pages/Brownfields.aspx> or by contacting the DNREC-SIRS Project Manager, Rick Galloway at (302) 395-2600 or rick.galloway @state.de.us.

**The Proposed and Final Plans of Remedial Action** listed below outline site cleanup activities and covenants and are available online at:

<http://www.dnrec.delaware.gov/whs/awm/SIRB/Pages/SIRBPlans.aspx> under “Announcements.” For site-specific information, please see DNREC’s Environmental Navigator at:

<http://www.nav.dnrec.delaware.gov/DEN3>

**LEGAL NOTICE - PROPOSED PLAN OF REMEDIAL ACTION FOR THE HAMILTON PARK/PYLES LANE SITE – OPERABLE UNITS 32 and 33 (DE-1284)**

The Department invites public comment on a proposal to cleanup Operable Units (OUs) –32 and 33 of the Hamilton Park/Pyles Lane Site, a residential neighborhood located in New Castle. Fill material placed before the houses were constructed, as well as remnants of foundry operations previously located in the rear of the neighborhood, are the likely sources of elevated metals and polycyclic aromatic hydrocarbons (PAHs) detected within the top 0 to 2 feet below ground surface (bgs). The plan includes the removal of soil within the top two feet bgs in select areas within each operable unit.

Details of the Proposed Plan are available at the office of DNREC-SIRS (391 Lukens Drive, New Castle, DE, 19720) or online at: <http://www.nav.dnrec.delaware.gov/DEN3/>

The comment period ends on **October 2**. For additional information, please contact Lindsay Hall, Project Manager, or at (302) 395-2600 or via e-mail at [Lindsay.Hall@state.de.us](mailto:Lindsay.Hall@state.de.us). You may also visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=4386&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeId=0x010034FD6D348B0CF04392485E93FC15AB3A>

**LEGAL NOTICE - PROPOSED PLAN OF REMEDIAL ACTION FOR THE 504 KIRKWOOD HIGHWAY SITE (DE-1661)**

The Department invites public comment on a proposal to clean up the 504 Kirkwood Highway Site located in Elsmere, Delaware. The Site was used previously as an auto filling station, an auto parts supply company, and a used car lot. The Proposed Plan requires recording an Environmental Covenant to: restrict the property to commercial uses, to prevent the withdrawal of groundwater; and the submittal of a DNREC-approved Contaminated Materials Management Plan. Details of the Proposed Plan are available at the office of DNREC-SIRS (391 Lukens Drive, New Castle, DE, 19720), or online at <http://www.nav.dnrec.delaware.gov/DEN3/>

The comment period ends on **October 9**. For additional information, please contact Kristen Thornton, Project Manager, at (302)395-2600 or email at [Kristen.thornton@state.de.us](mailto:Kristen.thornton@state.de.us). For more information

visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=4392&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeId=0x010034FD6D348B0CF04392485E93FC15AB3A>

**LEGAL NOTICE - PROPOSED PLAN OF REMEDIAL ACTION FOR THE CitiSteel (Former EVRAZ-Claymont Steel) Operable Unit #3 (DE-0046)**

The Department invites public comment on a proposal to clean up Operable Unit #3 of the CitiSteel (Former EVRAZ-Claymont Steel) Site located at 4001 Philadelphia Pike in Claymont, Delaware. The 85-acre Operable Unit was the former steel production area(s) of the site, and is located on both sides on Philadelphia Pike. Site soils need to be kept from the adjacent Naamans Creek and areas surrounding the creek during redevelopment activities to protect identified Key Wildlife Habitat. Additionally, future uses of the site will be restricted to non-residential uses, and groundwater use will be restricted at the site.

Details of the Proposed Plan are available at the office of DNREC-SIRS (391 Lukens Drive, New Castle, DE, 19720), or online at: <http://www.nav.dnrec.delaware.gov/DEN3/>

The comment period ends on **October 9**. For additional information, please contact John G. Cargill, Project Manager, at (302)395-2600, or via email to [John.Cargill@state.de.us](mailto:John.Cargill@state.de.us). You may also

visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=4396&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeId=0x010034FD6D348B0CF04392485E93FC15AB3A>

<http://www.dnrec.delaware.gov/Lists/Public%2520Notices%2FAllItems%2Easpx&ContentTypeId=0x010034FD6D348B0CF04392485E93FC15AB3A>

**LEGAL NOTICE - PROPOSED PLAN OF REMEDIAL ACTION FOR THE 600 A Street Site (DE-1383)**

The Department invites public comment on a proposal to clean-up the 600 A Street Site located in Wilmington. The Site, once used as a fuel oil supply company and more recently as an automobile salvage operation, it is contaminated with compounds associated with petroleum and metals. To address contamination, a cap must be installed to limit exposure to surface soil and restrictions on digging and the use of groundwater, as well as restricting the property to non-residential use.

Details of the Proposed Plan are available at the office of DNREC-SIRS (391 Lukens Drive, New Castle, DE, 19720 or online at: <http://www.nav.dnrec.delaware.gov/DEN3/>

The comment period ends on **October 9**. For additional information, please contact Patrick Boettcher, Project Manager at (302) 395-2600 or via email at [Patrick.Boettcher@state.de.us](mailto:Patrick.Boettcher@state.de.us).

For more information

visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=4394&Source=http%3A%2F%2Fwww.dnrec.delaware.gov/Lists/Public%2520Notices%2FAllItems%2Easpx&ContentTypeId=0x010034FD6D348B0CF04392485E93FC15AB3A>

**LEGAL NOTICE - PROPOSED PLAN OF REMEDIAL ACTION FOR THE 3604 DOWNING DRIVE SITE (DE-1670)**

The Department invites public comment on a proposal to clean-up the 3604 Downing Drive Site located in Wilmington. The Site, once used as a historic landfill and as part of a city water/wastewater treatment facility requires an Environmental Covenant restricting the use of the Site to non-residential and limiting groundwater withdrawal. The plan also requires vapor mitigation control systems any planned buildings at the Site.

Details of the Proposed Plan are available at the office of DNREC-SIRS (391 Lukens Drive, New Castle, DE, 19720), or online at: <http://www.nav.dnrec.delaware.gov/DEN3/>

The comment period ends on **October 9**. For additional information, please contact Eileen Capitoli, Project Manager at (302) 395-2600 or via email at [eileen.capitoli@state.de.us](mailto:eileen.capitoli@state.de.us). You may also

visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=4393&Source=http%3A%2F%2Fwww.dnrec.delaware.gov/Lists/Public%2520Notices%2FAllItems%2Easpx&ContentTypeId=0x010034FD6D348B0CF04392485E93FC15AB3A>

**LEGAL NOTICE - SECOND AMENDED PROPOSED PLAN OF REMEDIAL ACTION FOR THE HUDSON PIT SITE (DE-0107)**

The Department invites public comment on a proposal to clean-up the Hudson Pit Site located in Lewes. The 2015 Proposed Plan for the Site required excavation and disposal of arsenic impacted soil, capping of subsurface oil sands, excavation of buried organic debris and biodegradable waste, monitoring of groundwater, recording an environmental covenant, and completion and implementation of a Contaminated Materials Management Plan and Long Term Stewardship Plan. This Second Amended Proposed Plan better defines the area of arsenic impacted soil that needs to be excavated and disposed of.

Details of the Amended Proposed Plan are available at the office of DNREC-SIRS (391 Lukens Drive, New Castle, DE, 19720) and at 21309 Berlin Road, Suite 2, Georgetown, DE 19947 or online at: <http://www.nav.dnrec.delaware.gov/DEN3/>

The comment period ends on **October 15**. For additional information, please contact Christina Wirtz, Project Manager at (302) 395-2600 or via email at [Christina.wirtz@state.de.us](mailto:Christina.wirtz@state.de.us). You may also

visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=4402&Source=http%3A%2F%2Fwww.dnrec.delaware.gov/Lists/Public%2520Notices%2FAllItems%2Easpx&ContentTypeId=0x010034FD6D348B0CF04392485E93FC15AB3A>

**LEGAL NOTICE - FINAL PLAN OF REMEDIAL ACTION FOR THE FORMER BOB'S SPEED SHOP SITE (DE-1654)**

The Department has adopted a plan regarding the clean-up of the Former Bob's Speed Shop Site



located in Laurel, DE. The Site, once used as an automotive repair shop/store and mobile home sales business, required groundwater monitoring and restricting the use of groundwater at the Site.

DNREC issued public notice of the Proposed Plan for the Former Bob's Speed Shop Site on August 26, 2018. There were no comments or questions from the public regarding the Proposed Plan. Details of the Final Plan are available at the office of DNREC-SIRS (391 Lukens Drive, New Castle, DE, 19720), or 21309 Berlin Road, Suite 2, Georgetown, DE 19947 or online at: <http://www.nav.dnrec.delaware.gov/DEN3/> For additional information, please contact Stephanie Gordon, Project Manager at (302) 395-2600 or via email at [stephanie.gordon@state.de.us](mailto:stephanie.gordon@state.de.us).

For more information

visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=4399&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeId=0x010034FD6D348B0CF04392485E93FC15AB3A>

### **LEGAL NOTICE - AMENDED FINAL PLAN OF REMEDIAL ACTION FOR THE Amer Industrial TECHNOLOGIES OU-2 (de-1268)**

The Department has adopted a plan regarding the clean-up of the Amer Industrial Technologies Operable Unit 2 (OU-2) located at 100 Amer Road, Fox Point Industrial Park in Wilmington, Delaware. The remedy consists of: 1) an environmental covenant restricting land use to commercial, limiting groundwater withdrawal, compliance with a contaminated material management plan (CMMP), compliance with the Long-Term Stewardship (LTS) Plan; 2) a CMMP for new construction or soil disturbing activities; 3) Excavate lead in Lead Area 1, consolidate and cap Lead Area 2; 4) Cap soil in Lead Area 3; and 5) Develop a DNREC approved LTS Plan to monitor the groundwater and cap.

DNREC issued a public notice of the Amended Proposed Plan for the Amer Industrial Technologies OU-2 Site on August 29, 2018. There were no comments or questions from the public regarding the Amended Proposed Plan. Details of the Amended Final Plan are available at the DNREC office located at 391 Lukens Drive, New Castle, DE 19720 or online at:

<http://www.nav.dnrec.delaware.gov/DEN3/>. For additional information, please contact Rick Galloway, Project Manager, at (302)395-2600 or [rick.galloway@state.de.us](mailto:rick.galloway@state.de.us). You may also visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=4407&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeId=0x010034FD6D348B0CF04392485E93FC15AB3A>

## **DIVISION OF WATER – GROUNDWATER DISCHARGES SECTION**

### **LEGAL NOTICE - FORMAL WAIVER**

Mr. Nick Ganc, Owner, Watercraft, LLC, is seeking a Formal Waiver for Watercraft, LLC, to install Demand Initiated Regeneration (DIR) water softeners which discharge regenerative waters directly into a conventional on-site wastewater treatment and disposal system pursuant to 7 Del. Admin. C. §7101 - 5.6.2 of the Regulations Governing the Design, Installation, and Operation of On-Site Wastewater Treatment and Disposal Systems. The request includes documentation that the homeowner and Watercraft, LLC, must sign, agree to, notarize, and have recorded in the respective County Recorder of Deeds for each system installed.

The above mentioned applications may be inspected by contacting:

Kathleen Saunders, Groundwater Discharges, 89 Kings Highway, Dover, DE 19901, [Kathleen.Saunders@state.de.us](mailto:Kathleen.Saunders@state.de.us), (302) 739-9948.

A public hearing on the above applications will NOT be held unless the Secretary of DNREC determines that a public hearing is in the public interest or if a written meritorious objection to the application is received within 15 days from this notice. A public hearing request shall be deemed meritorious if it exhibits a familiarity with the application and provides a reasoned statement of the action's probable impact. For more information

visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=4405&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeId=0x010034FD6D348B0CF04392485E93FC15AB3A>

**DIVISION OF WATER - WATER SUPPLY** - The Division of Water hereby gives notice that the following Well permit application has been received. For additional information concerning the applications below, please contact Water Supply Section - 89 Kings Highway, Dover, 19901; email [Water.Allocation@state.de.us](mailto:Water.Allocation@state.de.us); or by phone at (302)739-9945.

**LEGAL NOTICE - Allocation Permits**

Farmington Volunteer Fire Company has requested a commercial allocation for one proposed well. The requested daily withdrawal for the well is 720,000 gallons per day. The well will be located within the town limits of Farmington in Kent County, near the intersection of Main St. and Broad St. Tax Map Parcel MN-06-193.12-01-30.00.000.

Sussex Sports Center Foundation, Inc. has requested an irrigation allocation for two proposed wells. The requested daily withdrawal for the wells is 720,000 gallons per day. The wells will be located within the town limits of Georgetown, near the intersection of Sandhill Rd. Clark Dr. and Tax Map Parcel 1-35-15.00-0026.00. Water Supply Section, 89 Kings Highway, Dover, DE 19901 (302) 739-9945, [Water.Allocation@state.de.us](mailto:Water.Allocation@state.de.us)

A public hearing on the above applications will NOT be held unless the Secretary of DNREC determines that a public hearing is in the public interest or if a written meritorious objection to the application is received within 15 days from this notice. A public hearing request shall be deemed meritorious if it exhibits a familiarity with the application and provides a reasoned statement of the action's probable impact. For more information

visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=4377&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeId=0x010034FD6D348B0CF04392485E93FC15AB3A>

**LEGAL NOTICE - Allocation Permits**

Wayne Hendricks has requested an irrigation allocation for one proposed replacement and three existing irrigation wells. The requested daily withdrawal for the wells is 2,016,000 gallons per day. The wells are located west of Harrington in Kent County, near the intersection of Bullock and Brownsville Rd. Tax Map Parcel MN00-167.00-01-31.00

Wayne Hendricks has requested an irrigation allocation for four existing irrigation wells. The requested daily withdrawal for the wells is 1,512,000 gallons per day. The wells are located west of Harrington in Kent County, near the intersection of Vernon and Cattail Branch Rd. Tax Map Parcel MN00-185.00-01-36.00

Wayne Hendricks has requested an irrigation allocation for two existing irrigation wells. The requested daily withdrawal for the wells is 864,000 gallons per day. The wells are located west of Harrington in Kent County, near the intersection of Ingram Branch and Brownsville Rd. Tax Map Parcel MN00-167.00-01-29.00

Water Supply Section, 89 Kings Highway, Dover, DE 19901, (302) 739-9945, [Water.Allocation@state.de.us](mailto:Water.Allocation@state.de.us)

A public hearing on the above applications will NOT be held unless the Secretary of DNREC determines that a public hearing is in the public interest or if a written meritorious objection to the application is received within 15 days from this notice. A public hearing request shall be deemed meritorious if it exhibits a familiarity with the application and provides a reasoned statement of the action's probable impact. For more information

visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=4377&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeId=0x010034FD6D348B0CF04392485E93FC15AB3A>

**LEGAL NOTICE - Allocation Permits**

K Hovnanians Four Season at Belle Terre, LLC has requested an irrigation allocation for one proposed agricultural well. The maximum daily withdrawal for the well is 187,200 gallons per day. The well is located south of Lewes in Sussex County, near the intersection of Dorman Farm Ln and Mulberry Knoll Rd. Tax Map Parcel 3-34-12.00-0017.00.

Water Supply Section, 89 Kings Highway, Dover, DE 19901, (302) 739-9945, [Water.Allocation@state.de.us](mailto:Water.Allocation@state.de.us)

A public hearing on the above applications will NOT be held unless the Secretary of DNREC determines that a public hearing is in the public interest or if a written meritorious objection to the

application is received within 15 days from this notice. A public hearing request shall be deemed meritorious if it exhibits a familiarity with the application and provides a reasoned statement of the action's probable impact. For more information

visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=4409&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

**DIVISION OF WATER - SURFACE WATER DISCHARGES** – The Division of Water hereby gives notice that the following permit applications have been received.

**LEGAL NOTICE - DNREC – Division of Water, Surface Water Discharges Section**

Wastewater Facilities Construction Permit Application

The Delaware Department of Natural Resources and Environmental Control, Division of Water, hereby gives notice that a permit application has been received from:

Burton's Pond, LLC proposes to construct a sanitary sewer duplex submersible pump station, approximately one thousand six hundred and twenty-eight linear feet (1,628 LF) of four (4) inch diameter force main to serve two hundred and sixty-five (265) single family homes, one hundred (100) townhouses and two (2) pool houses in the Walden I and II subdivisions located on all sides of the intersection of the John J. Williams Highway (Rt. 24) and Hollymount Road near Angola in Sussex County, Delaware.

Questions regarding the applications and plans for the above are available for inspection by contacting:

Keith Kooker, P.E., Environmental Finance, Office of the Secretary, Enterprise Business Park 97 Commerce Way, Suite 106, Dover, DE 19904, (302) 739-9941.

A public hearing concerning the above application will NOT be held unless the Secretary of DNREC determines that a hearing is in the public interest or if a written meritorious request for a hearing is received on or before **October 10**. A request for a public hearing shall be deemed meritorious if it exhibits a familiarity with the application and provides a reasoned statement of the permit's probable impact. For more information

visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=4406&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

**LEGAL NOTICE - DNREC – Division of Water, Surface Water Discharges Section  
NPDES Permits**

The Department of Natural Resources and Environmental Control, Division of Water, hereby gives notice that City of Seaford has requested to modify its National Pollutant Discharge System (NPDES) Permit No. DE 0020265 (State Number WPCC 3161F/74) to discharge effluent from its Wastewater Treatment Facility located at 403 Nanticoke Avenue in Seaford, Sussex County, Delaware to the Nanticoke River. The current permit includes a compliance schedule to meet final copper, nitrogen, and phosphorus limits. However, based on the development of the western Sussex County regional sewer district and the adoption of the new freshwater standard for copper, the current compliance schedule needs to be modified and the current copper limits need to be revised. All other current effluent limitations, operational, monitoring, and reporting conditions remain the same.

Based on a preliminary staff review and application of lawful standards and regulations, the Department proposes to modify this permit, subject to certain effluent limitations and conditions. The proposed determinations are tentative. Persons wishing to comment upon or object to the proposed determinations are invited to submit same in writing to the Surface Water Discharges Section of the Division of Water, at the address listed below, no later than 30 days from this notice. All comments received prior to said date will be considered in the formulation of final determinations regarding this permit.

A public hearing on the above will NOT be held unless the Secretary of DNREC receives a request by 4:30 pm on October 26, 2018, or if the Secretary determines that a public hearing is in the public interest. A request for a hearing shall be in writing and shall state the nature of the issues to be raised at the hearing. It must also show familiarity with the proposal and a reasoned statement of the permit's probable impact.

The applications, fact sheets, and permits are available for inspection or copies may be obtained by contacting: Division of Water, Surface Water Discharges Section, 89 Kings Highway, Dover, Delaware 19901, (302) 739-9946. For more information

visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=4404&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

## **DIVISION OF WATER - WETLANDS SECTIONS**

### **Subaqueous Lands Lease Supplemental**

The Retreat at Love Creek Homeowners Association, Inc-To install a 4 by 5 foot long kayak launch connecting to an existing 8 by 20 foot long community structure in Love Creek at the terminus of Cardiff Circle, The Retreat at Love Creek, Lewes, Sussex County, DE

### **Subaqueous Lands Permit Application**

Robert M. Reed-To remove an existing dock and to install a 3 by 15 foot long gangway connecting to a 4 by 4 foot long floating pier and a 6 by 30 foot long floating dock in the Lewes and Rehoboth Canal at 57 Tidewaters Road, Henlopen Acres, Sussex County, DE

Diane Stetina-To construct 120 linear feet of riprap revetment at 109 Pinewater Drive, Pinewater Farms, Harbeson, Sussex County, DE

### **Subaqueous Lands Wetlands Application**

Harbor Road Realty, LLC Nichols-To repair by replace a 3 by 98 foot long wetland walkway and a 6 by 15 foot long dock and to temporarily impact 640 square feet of state-regulated wetlands in the Lewes and Rehoboth Canal at 7 Harbor Road, North Shores, Rehoboth Beach, Sussex County, DE

DNREC, Division of Parks and Recreation-To install a 5 by 565 foot long wetland walkway and a 5 by 20 foot long portion of an observation platform in State-regulated wetlands in order to create a formal loop to link the Seahawk Trail at Holts Landing State Park west of Holts Landing Road, Dagsboro, Sussex County, DE

### **Subaqueous Lands Permit and Water Quality Application**

Sargio Corporation-To mechanically maintenance dredge 3,500 cubic yards of material to a depth of -4 feet below MLW in the marina basin and to a depth of -6 feet below MLW in the access channel and to dispose of the dredged material at an adjacent upland lot within the community at Bay Vista Marina located at the terminus of Basin Street in Rehoboth Beach, Sussex County, DE

Oceanport Industries LLC-To maintenance dredge to a depth of 32 feet below mean low water, removing up to 25,000 cubic yards of sediment in the Delaware River, located at 6200 Philadelphia Pike, Claymont, New Castle County, Delaware, and to dispose of the sediment at Weeks Marine, White's Basin disposal facility in Logan Township, Gloucester County, NJ

### **State-regulated Wetlands Map Change**

H. Drexel and Beverly Harrington-To request a change of State wetlands map DNR-87 to reclassify approximately 14,342 ft<sup>2</sup> of State-Regulated Wetlands delineated as Marsh (M) to reflect the current conditions of uplands (O, Other) and to reclassify approximately 1,606 ft<sup>2</sup> of delineated uplands (O, Other) to reflect the current conditions of Marsh (M) located adjacent to Riverside Park Marina at 909 Pilottown Road, Lewes, Sussex County, DE

These Documents/Applications above are available for review by contacting: Gayle Calder, Wetlands and Subaqueous Lands Section, 89 Kings Highway, Dover, DE 19901 (302) 739-9943, FAX (302) 739-6304. You may also

visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=4391&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

## **CONTACT INFORMATION**

### **24-Hour Environmental Report and Spill Notification Line - 1-800-662-8802**

Aboveground Storage Tanks - 302-395-2500

Air Quality - New Castle Office - 302-323-4542

Air Quality – Kent & Sussex – 302-739-9402

Asbestos New Castle - 302-323-4542

Asbestos Kent & Sussex - 302-739-9402

Biosolids Permits - 302-739-9946  
Boiler Safety - 302-395-2500  
Brownfields - 302-395-2600  
Community Ombudsman - 302-739-9040  
Community Services - 302-739-9959  
Delaware Estuary Program - 302-739-9283 (Delaware Coastal Management Program)  
Division of Air Quality Director's Office - 302-739-9402  
Division of Energy & Climate - 302-735-3480  
Division of Waste and Hazardous Substances Director's Office - 302-739-9400  
Division of Water Information - 302-739-9950  
Dock/Dredging/Bulkheads/Rip-Rap/Wetlands & Subaqueous Lands - 302-739-9943  
Emergency Prevention and Response - 302-739-9404  
Environmental Crimes Unit - 302-739-9401 or 1-800-662-8802  
Environmental Laboratory - 302-739-9942  
Hazardous Waste - 302-739-9403  
Hazardous Chemical and Toxic Release Inventories – 302-739-9404  
Industrial Stormwater Permits - 302-739-9946  
Loans & Grants for Wastewater and Septic's (Environmental Finance) - 302-739-9941  
Medical Waste - 302-739-9403  
Non-Hazardous Liquid Waste Transporters - 302-739-9948  
On-site Wastewater Licensing Program - 302-739-9948  
Open Burning - 302-739-9402  
Outreach Ombudsman - 302-395-2600  
Recycling - 302-739-9403  
Septic System Permits - Large Systems (Community & I/A) Statewide - 302-739-9948  
Septic System Permits - Small Systems for Kent & New Castle Counties - 302-739-9947  
Septic System Permits - Small Systems for Sussex Co. & Holding Tank Compli. Program - 302-856-4561  
Site Investigation & Restoration Section (Superfund/Brownfields) - 302-395-2600  
Small Business Ombudsman - 302-739-9069  
Solid Waste - 302-739-9403  
Source Water Protection - 302-739-9945  
Surface Water Discharge Permits (NPDES) - 302-739-9946  
Underground Injection Control & Spray Irrigation - 302-739-9948  
Underground Storage Tanks - 302-395-2500  
Wastewater Collection, Conveyance, and/or Treatment Facility Construction Permits - 302-739-9946  
Wastewater Treatment Facility Operators - 302-739-9946  
Water Allocation Permits - 302-739-9945  
Water Testing - Drinking Water (Division of Public Health) - 302-741-8630  
Water Supply - 302-739-9945  
Well Driller's License - 302-739-9944  
Well Permits & Licensing - 302-739-9944  
Wells - 302-739-9944  
Wetlands and Subaqueous Lands Section - 302-739-9943