

APPENDIX J

Non-Point Source Best Management Practices and Efficiencies currently used in Scenario Builder
Values in parentheses are in progress of official approval

Agriculture BMPs	How Credited	TN Reduction Efficiency	TP Reduction Efficiency	SED Reduction Efficiency	
Nutrient Management	Landuse Change	N/A	N/A	N/A	
Forest Buffers (varies by region; see Appendix 2)	Efficiency, Landuse Change	19-65%	30-45%	40-60%	
Wetland Restoration (varies by region; see Appendix 2)	Efficiency	7-25%	12-50%	4-15%	
Land Retirement	Landuse Change	N/A	N/A	N/A	
Grass Buffers (varies by region; see Appendix 2)	Efficiency, Landuse Change	13-46%	30-45%	40-60%	
Non-Urban Stream Restoration	Mass reduction/length	0.02 lb/ft	0.003 lb/ft	2 lb/ft	
Tree Planting	Landuse Change	N/A	N/A	N/A	
Carbon Sequestration/Alternative Crops	Landuse Change	N/A	N/A	N/A	
Conservation Tillage	Landuse Change	N/A	N/A	N/A	
Continuous No-Till (varies by region; see Appendix 2)	Efficiency	(10-15%)	(20-40%)	(70%)	
Enhanced Nutrient Management	Efficiency	(7%)	(N/A)	(N/A)	
Decision Agriculture	Efficiency	(4%)	(N/A)	(N/A)	
Conservation Plans	High-till	Efficiency	8%	15%	25%
	Low-till	Efficiency	3%	5%	8%
	All hay	Efficiency	3%	5%	8%
	Pasture	Efficiency	5%	10%	14%
Cover Crops (see Appendix 1)	Efficiency	Varies	Varies	Varies	
Commodity Cover Crops (see Appendix 2)	Efficiency	Varies	Varies	Varies	
Stream Access Control with Fencing	Landuse Change	N/A	N/A	N/A	
Alternative Watering Facility	Efficiency	5%	8%	10%	
Prescribed Grazing/PIRG	Efficiency	9%	24%	30%	
Horse Pasture Management	Efficiency	N/A	20%	40%	
Animal Waste Management Livestock	Efficiency	75%	75%	N/A	
Animal Waste Management Poultry	Efficiency	75%	75%	N/A	
Barnyard Runoff Control	Efficiency	20%	20%	40%	
Loafing Lot Management	Efficiency	20%	20%	40%	
Mortality Composters	Efficiency	40%	10%	N/A	
Water Control Structures	Efficiency	33%	N/A	N/A	
Poultry Phytase	Application Reduction	N/A	N/A	N/A	
Swine Phytase	Application Reduction	N/A	N/A	N/A	

Dairy Precision Feeding and Forage Management	Application Reduction	N/A	N/A	N/A
Poultry Litter Transport	Application Reduction	N/A	N/A	N/A
Ammonia Emissions Reduction (interim)	Application Reduction	15-60%	N/A	N/A
Poultry Litter Injection (interim)	Efficiency	25%	0%	0%
Liquid Manure Injection (interim)	Efficiency	25%	0%	0%
Phosphorus Sorbing Materials in Ditches (interim)	Efficiency	40%	0%	0%
Resource BMPs	How Credited	TN Reduction Efficiency	TP Reduction Efficiency	SED Reduction Efficiency
Forest Harvesting Practices	Efficiency	50%	60%	60%
Dirt & Gravel Road Erosion & Sediment Control – Driving Surface Aggregate + Raising the Roadbed	Mass reduction/length	0	0	2.96lb/ft
Dirt & Gravel Road Erosion & Sediment Control – with outlets	Mass reduction/length	0	0	3.6lb/ft
Dirt & Gravel Road Erosion & Sediment Control – outlets only	Mass reduction/length	0	0	1.76lb/ft
Urban BMPs	How Credited	TN Reduction Efficiency	TP Reduction Efficiency	SED Reduction Efficiency
Forest Conservation	Landuse Change	N/A	N/A	N/A
Urban Growth Reduction	Landuse Change	N/A	N/A	N/A
Impervious Urban Surface Reduction	Landuse Change	N/A	N/A	N/A
Forest Buffers	Efficiency, Landuse Change	25%	50%	50%
Tree Planting	Landuse Change	N/A	N/A	N/A
Abandoned Mine Reclamation	Landuse Change	N/A	N/A	N/A
Wet Ponds and Wetlands	Efficiency	20%	45%	60%
Dry Detention Ponds and Hydrodynamic Structures	Efficiency	5%	10%	10%
Dry Extended Detention Ponds	Efficiency	20%	20%	60%
Infiltration Practices w/o Sand, Veg.	Efficiency	80%	85%	95%
Infiltration Practices w/ Sand, Veg.	Efficiency	85%	85%	95%
Filtering Practices	Efficiency	40%	60%	80%
Erosion and Sediment Control	Efficiency	25%	40%	40%
Nutrient Management	Efficiency	17%	22%	N/A
Street Sweeping	Efficiency	3%	3%	9%
Urban Stream Restoration	Load reduction/length	0.02lb/ft	0.003lb/ft	2lb/ft
Septic Connections	Systems Change	N/A	N/A	N/A

Septic Denitrification		Efficiency	50%	N/A	N/A
Septic Pumping		Efficiency	5%	N/A	N/A
Bioretention	C/D soils, underdrain	Efficiency	25%	45%	55%
	A/B soils, underdrain	Efficiency	70%	75%	80%
	A/B soils, no underdrain	Efficiency	80%	85%	90%
Vegetated Open Channels	C/D soils, no underdrain	Efficiency	10%	10%	50%
	A/B soils, no underdrain	Efficiency	45%	45%	70%
Bioswale		Efficiency	70%	75%	80%
Permeable Pavement w/o Sand, Veg.	C/D soils, underdrain	Efficiency	10%	20%	55%
	A/B soils, underdrain	Efficiency	45%	50%	70%
	A/B soils, no underdrain	Efficiency	75%	80%	85%
Permeable Pavement w/ Sand, Veg.	C/D soils, underdrain	Efficiency	20%	20%	55%
	A/B soils, underdrain	Efficiency	50%	50%	70%
	A/B soils, no underdrain	Efficiency	80%	80%	85%

Appendix 2 BMPs	Hydrogeomorphic Region(s)	TN Reduction Efficiency	TP Reduction Efficiency	SED Reduction Efficiency
Forest Buffers	Appalachian Plateau Siliciclastic Non-Tidal	54%	42%	56%
	Blue Ridge Non-Tidal; Mesozoic Lowlands Non-Tidal; Valley and Ridge Carbonate Non-Tidal	34%	30%	40%
	Coastal Plain Dissected Uplands Non-Tidal	65%	42%	56%
	Coastal Plain Dissected Uplands Tidal; Coastal Plain Lowlands Tidal; Coastal Plain Uplands Tidal; Piedmont Crystalline Tidal	19%	45%	60%
	Coastal Plain Lowlands Non-Tidal	56%	39%	52%
	Piedmont Crystalline Non-Tidal	56%	42%	56%
	Coastal Plain Uplands Non-Tidal	31%	45%	60%
	Piedmont Carbonate Non-Tidal	46%	36%	48%
Grass Buffers	Valley and Ridge Siliciclastic Non-Tidal	46%	39%	52%
	Appalachian Plateau Siliciclastic Non-Tidal	38%	42%	56%
	Blue Ridge Non-Tidal; Mesozoic Lowlands Non-Tidal; Valley and Ridge Carbonate Non-Tidal	24%	30%	40%
	Coastal Plain Dissected Uplands Non-Tidal	46%	42%	56%
	Coastal Plain Dissected Uplands Tidal; Coastal Plain Lowlands Tidal; Coastal Plain Uplands Tidal; Piedmont Crystalline Tidal	13%	45%	60%

	Coastal Plain Lowlands Non-Tidal	39%	39%	52%
	Piedmont Crystalline Non-Tidal	39%	42%	56%
	Coastal Plain Uplands Non-Tidal	21%	45%	60%
	Piedmont Carbonate Non-Tidal	32%	36%	48%
	Valley and Ridge Siliciclastic Non-Tidal	32%	39%	52%
Wetland Restoration (Ag & Urban)	Appalachian Plateau Siliciclastic Non-Tidal	7%	12%	4%
	Coastal Plain Dissected Uplands Non-Tidal; Coastal Plain Dissected Uplands Tidal; Coastal Plain Lowlands Tidal; Coastal Plain Uplands Tidal; Coastal Plain Lowlands Non-Tidal; Coastal Plain Uplands Non-Tidal	25%	50%	15%
	Blue Ridge Non-Tidal; Mesozoic Lowlands Non-Tidal; Valley and Ridge Carbonate Non-Tidal; Piedmont Crystalline Tidal; Piedmont Crystalline Non-Tidal; Piedmont Carbonate Non-Tidal; Valley and Ridge Siliciclastic Non-Tidal	14%	26%	8%
Continuous No-till	Coastal Plain Dissected Uplands Non-Tidal; Coastal Plain Dissected Uplands Tidal; Coastal Plain Lowlands Tidal; Coastal Plain Uplands Tidal; Coastal Plain Lowlands Non-Tidal; Coastal Plain Uplands Non-Tidal	10%	20%	70%
	Appalachian Plateau Siliciclastic Non-Tidal; Blue Ridge Non-Tidal; Mesozoic Lowlands Non-Tidal; Valley and Ridge Carbonate Non-Tidal; Piedmont Crystalline Tidal; Piedmont Crystalline Non-Tidal; Piedmont Carbonate Non-Tidal; Valley and Ridge Siliciclastic Non-Tidal	15%	40%	70%
Cover Crop Early Drilled Rye (Low-till gets only TN efficiency)	Coastal Plain/Piedmont Crystalline/Karst Settings*	45%	15%	20%
	Mesozoic Lowlands/Valley and Ridge Siliciclastic**	34%	15%	20%
Cover Crop Early Other Rye (Low-till gets only TN efficiency)	Coastal Plain/Piedmont Crystalline/Karst Settings*	38%	15%	20%
	Mesozoic Lowlands/Valley and Ridge Siliciclastic**	29%	15%	20%
Cover Crop Early Aerial Soy Rye (Low-till gets only TN efficiency)	Coastal Plain/Piedmont Crystalline/Karst Settings*	31%	15%	20%
	Mesozoic Lowlands/Valley and Ridge Siliciclastic**	24%	15%	20%
Cover Crop Early Aerial Corn Rye (Low-till gets only TN efficiency)	Coastal Plain/Piedmont Crystalline/Karst Settings*	18%	15%	20%
	Mesozoic Lowlands/Valley and Ridge Siliciclastic**	14%	15%	20%
Cover Crop	Coastal Plain/Piedmont Crystalline/Karst Settings*	41%	7%	10%

Standard Drilled Rye (Low-till gets only TN efficiency)	Mesozoic Lowlands/Valley and Ridge Siliciclastic**	31%	7%	10%
Cover Crop Standard Other Rye (Low-till gets only TN efficiency)	Coastal Plain/Piedmont Crystalline/Karst Settings*	35%	7%	10%
	Mesozoic Lowlands/Valley and Ridge Siliciclastic**	27%	7%	10%
Cover Crop Late Drilled Rye (Low-till gets only TN efficiency)	Coastal Plain/Piedmont Crystalline/Karst Settings*	19%	N/A	N/A
	Mesozoic Lowlands/Valley and Ridge Siliciclastic**	15%	N/A	N/A
Cover Crop Late Other Rye (Low-till gets only TN efficiency)	Coastal Plain/Piedmont Crystalline/Karst Settings*	16%	N/A	N/A
	Mesozoic Lowlands/Valley and Ridge Siliciclastic**	12%	N/A	N/A
Cover Crop Early Drilled Wheat (Low-till gets only TN efficiency)	Coastal Plain/Piedmont Crystalline/Karst Settings*	31%	15%	20%
	Mesozoic Lowlands/Valley and Ridge Siliciclastic**	24%	15%	20%
Cover Crop Early Other Wheat (Low-till gets only TN efficiency)	Coastal Plain/Piedmont Crystalline/Karst Settings*	27%	15%	20%
	Mesozoic Lowlands/Valley and Ridge Siliciclastic**	20%	15%	20%
Cover Crop Early Aerial Soy Wheat (Low-till gets only TN efficiency)	Coastal Plain/Piedmont Crystalline/Karst Settings*	22%	15%	20%
	Mesozoic Lowlands/Valley and Ridge Siliciclastic**	17%	15%	20%
Cover Crop Early Aerial Corn Wheat (Low-till gets only TN efficiency)	Coastal Plain/Piedmont Crystalline/Karst Settings*	12%	15%	20%
	Mesozoic Lowlands/Valley and Ridge Siliciclastic**	10%	15%	20%
Cover Crop Standard Drilled Wheat (Low-till gets only TN)	Coastal Plain/Piedmont Crystalline/Karst Settings*	29%	7%	10%
	Mesozoic Lowlands/Valley and Ridge Siliciclastic**	22%	7%	10%

efficiency)				
Cover Crop Standard Other Wheat (Low-till gets only TN efficiency)	Coastal Plain/Piedmont Crystalline/Karst Settings*	24%	7%	10%
	Mesozoic Lowlands/Valley and Ridge Siliciclastic**	18%	7%	10%
Cover Crop Late Drilled Wheat (Low-till gets only TN efficiency)	Coastal Plain/Piedmont Crystalline/Karst Settings*	13%	N/A	N/A
	Mesozoic Lowlands/Valley and Ridge Siliciclastic**	10%	N/A	N/A
Cover Crop Late Other Wheat (Low-till gets only TN efficiency)	Coastal Plain/Piedmont Crystalline/Karst Settings*	11%	N/A	N/A
	Mesozoic Lowlands/Valley and Ridge Siliciclastic**	9%	N/A	N/A
Cover Crop Early Drilled Barley (Low-till gets only TN efficiency)	Coastal Plain/Piedmont Crystalline/Karst Settings*	38%	20%	20%
	Mesozoic Lowlands/Valley and Ridge Siliciclastic**	29%	20%	20%
Cover Crop Early Other Barley (Low-till gets only TN efficiency)	Coastal Plain/Piedmont Crystalline/Karst Settings*	32%	15%	20%
	Mesozoic Lowlands/Valley and Ridge Siliciclastic**	25%	15%	20%
Cover Crop Early Aerial Soy Barley (Low-till gets only TN efficiency)	Coastal Plain/Piedmont Crystalline/Karst Settings*	27%	15%	20%
	Mesozoic Lowlands/Valley and Ridge Siliciclastic**	20%	15%	20%
Cover Crop Early Aerial Corn Barley (Low-till gets only TN efficiency)	Coastal Plain/Piedmont Crystalline/Karst Settings*	15%	15%	20%
	Mesozoic Lowlands/Valley and Ridge Siliciclastic**	12%	15%	20%
Cover Crop Standard Drilled Barley (Low-till gets only TN efficiency)	Coastal Plain/Piedmont Crystalline/Karst Settings*	29%	7%	10%
	Mesozoic Lowlands/Valley and Ridge Siliciclastic**	22%	7%	10%

Cover Crop Standard Other Barley (Low-till gets only TN efficiency)	Coastal Plain/Piedmont Crystalline/Karst Settings*	24%	7%	10%
	Mesozoic Lowlands/Valley and Ridge Siliciclastic**	19%	7%	10%
Commodity Cover Crop Early Drill Wheat	Coastal Plain/Piedmont Crystalline/Karst Settings*	17%	(N/A)	(N/A)
	Mesozoic Lowlands/Valley and Ridge Siliciclastic**	15%	(N/A)	(N/A)
Commodity Cover Crop Early Other Wheat	Coastal Plain/Piedmont Crystalline/Karst Settings*	12%	(N/A)	(N/A)
	Mesozoic Lowlands/Valley and Ridge Siliciclastic**	7%	(N/A)	(N/A)
Commodity Cover Crop Early Aerial Soy Wheat	Coastal Plain/Piedmont Crystalline/Karst Settings*	15%	(N/A)	(N/A)
	Mesozoic Lowlands/Valley and Ridge Siliciclastic**	12%	(N/A)	(N/A)
Commodity Cover Crop Early Aerial Corn Wheat	Coastal Plain/Piedmont Crystalline/Karst Settings*	7%	(N/A)	(N/A)
	Mesozoic Lowlands/Valley and Ridge Siliciclastic**	6%	(N/A)	(N/A)
Commodity Cover Crop Standard Drill Wheat	Coastal Plain/Piedmont Crystalline/Karst Settings*	15%	(N/A)	(N/A)
	Mesozoic Lowlands/Valley and Ridge Siliciclastic**	11%	(N/A)	(N/A)
Commodity Cover Crop Standard Other Wheat	Coastal Plain/Piedmont Crystalline/Karst Settings*	12%	(N/A)	(N/A)
	Mesozoic Lowlands/Valley and Ridge Siliciclastic**	7%	(N/A)	(N/A)
Commodity Cover Crop Late Drill Wheat	Coastal Plain/Piedmont Crystalline/Karst Settings*	7%	(N/A)	(N/A)
	Mesozoic Lowlands/Valley and Ridge Siliciclastic**	6%	(N/A)	(N/A)
Commodity Cover Crop Late Other Wheat	Coastal Plain/Piedmont Crystalline/Karst Settings*	13%	(N/A)	(N/A)
	Mesozoic Lowlands/Valley and Ridge Siliciclastic**	11%	(N/A)	(N/A)
Commodity Cover Crop Early Drill Barley	Coastal Plain/Piedmont Crystalline/Karst Settings*	9%	(N/A)	(N/A)
	Mesozoic Lowlands/Valley and Ridge Siliciclastic**	6%	(N/A)	(N/A)

Commodity Cover Crop Early Aerial Soy Barley	Coastal Plain/Piedmont Crystalline/Karst Settings*	6%	(N/A)	(N/A)
	Mesozoic Lowlands/Valley and Ridge Siliciclastic**	5%	(N/A)	(N/A)
Commodity Cover Crop Early Aerial Corn Barley	Coastal Plain/Piedmont Crystalline/Karst Settings*	13%	(N/A)	(N/A)
	Mesozoic Lowlands/Valley and Ridge Siliciclastic**	11%	(N/A)	(N/A)
Commodity Cover Crop Standard Drill Barley	Coastal Plain/Piedmont Crystalline/Karst Settings*	15%	(N/A)	(N/A)
	Mesozoic Lowlands/Valley and Ridge Siliciclastic**	11%	(N/A)	(N/A)
Commodity Cover Crop Standard Other Barley	Coastal Plain/Piedmont Crystalline/Karst Settings*	12%	(N/A)	(N/A)
	Mesozoic Lowlands/Valley and Ridge Siliciclastic**	10%	(N/A)	(N/A)
Commodity Cover Crop Standard Other Rye	Coastal Plain/Piedmont Crystalline/Karst Settings*	18%	(N/A)	(N/A)
	Mesozoic Lowlands/Valley and Ridge Siliciclastic**	14%	(N/A)	(N/A)
Commodity Cover Crop Early Other Barley	Coastal Plain/Piedmont Crystalline/Karst Settings*	15%	(N/A)	(N/A)
	Mesozoic Lowlands/Valley and Ridge Siliciclastic**	11%	(N/A)	(N/A)

*Coastal Plain Dissected Uplands Non-Tidal; Coastal Plain Dissected Uplands Tidal; Coastal Plain Lowlands Tidal; Coastal Plain Uplands Tidal; Coastal Plain Lowlands Non-Tidal; Coastal Plain Uplands Non-Tidal; Valley and Ridge Carbonate Non-Tidal; Piedmont Carbonate Non-Tidal

** Appalachian Plateau Siliciclastic Non-Tidal; Mesozoic Lowlands Non-Tidal; Piedmont Crystalline Tidal; Piedmont Crystalline Non-Tidal; Valley and Ridge Siliciclastic Non-Tidal; Blue Ridge Non-Tidal