STORET Results Metadata Report

Result Report Name:SDR20100512_171427.txt
Date:05/12/2010

Organization Summary

Organization:21DELAWQ_WQX Delaware Department Of Natural Resources And Environmental Control
Type:

Description: Division of Water Resources Environmental Laboratory Section

Parent Organization:

Electronic Addresses:
Internet http://www.dnrec.delaware.gov/

Office 302-739-9942

----------End of Organization Summary----------

Cooperating Organization Summary

Organization:21DELAWQ_WQX Delaware Department Of Natural Resources And Environmental Control

---

----------End of Cooperating Organization Summary----------

Project Summary

Organization:21DELAWQ_WQX Delaware Department Of Natural Resources And Environmental Control

Project: DE-ASWQMP Delaware Ambient Statewide Surface Water Quality Monitoring Program
Start Date: Planned Duration:Unknown
Purpose:
Study Area:
Project Design:
Obtain Plan:
Quality Assurance:

Quality Objectives:
Assigned Stations
Station ID Station Name

Project: DE-CBNONTIDAL Chesapeake Bay Nontidal Water Quality Network Base Flow
Start Date: Planned Duration:Unknown
Purpose:
Study Area:
Project Design:
Obtain Plan:
Quality Assurance:
Quality Objectives:
Assigned Stations
Station ID Station Name

Project: DE-CBNONTIDALSTORM Chesapeake Bay Nontidal Water Quality Network Storm Flow
Start Date: Planned Duration:Unknown
Purpose:
Study Area:
Project Design:
Obtain Plan:
Quality Assurance:
Quality Objectives:
Assigned Stations
Station ID Station Name

----------End of Project Summary----------

Program Summary

Organization:21DELAWQ_WQX Delaware Department Of Natural Resources And Environmental Control

---

----------End of Program Summary----------

Sample Collection/Creation Procedure Summary

Organization:21DELAWQ_WQX Delaware Department Of Natural Resources And Environmental Control
ProcedureID:SPM-HDPE-H2SO4-6degC
Procedure Name:Sample Preparation For Characteristics Preserved With Sulfuric Acid
Gear Group Name:Water Sampler
Description:
Citation:

ProcedureID:SPM-WinklerDO
Procedure Name:Sample Preparation For Winkler DO

Gear Group Name:Water Sampler
Description:
Citation:

ProcedureID:SPM-HDPE-AmbientTemp
Procedure Name:Sample Preparation For Suspended Sediment Concentration
Gear Group Name:Water Sampler
Description:
Citation:

ProcedureID:SPM-WinklerDO
Procedure Name:Sample Preparation For Winkler DO
Gear Group Name:Water Sampler
Description:
Citation:

ProcedureID:SPM-Filter-Frozen
Procedure Name:Sample Preparation For Chlorophyll Characteristic
Gear Group Name:Water Sampler
Description:The sample is filtered and the filter is stored frozen
Citation:

ProcedureID:DH81 Sampler
Procedure Name:Grab Sample Collected With A DH-81 Depth-Integrating Vertical Sampler
Gear Group Name:Water Sampler
Description:
Citation:

ProcedureID:DH81 Sampler
Procedure Name:Grab Sample Collected With A DH-81 Depth-Integrating Vertical Sampler
Gear Group Name:Water Sampler
Description:
Citation:

ProcedureID:Stainless Bucket
Procedure Name:Grab Sample Collected With A Stainless Bucket
Gear Group Name:Water Sampler
Description:
Citation:

ProcedureID:DH81 Sampler
Procedure Name:Grab Sample Collected With A DH-81 Depth-Integrating Vertical Sampler
Gear Group Name:Water Sampler
Description:
Citation:

ProcedureID:Stainless Bucket
Procedure Name:Grab Sample Collected With A Stainless Bucket
Gear Group Name:Water Sampler
Description:
Citation:

ProcedureID:SPM-HDPE-H2SO4-6degC
Procedure Name:Sample Preparation For Characteristics Preserved With Sulfuric Acid

Gear Group Name:Water Sampler
Description:
Citation:

ProcedureID:SPM-HDPE-HCL-6degC
Procedure Name:Sample Preparation For Characteristics Preserved With Hydrochloric Acid
Gear Group Name:Water Sampler
Description:
Citation:

ProcedureID:SPM-HDPE-HCL-6degC
Procedure Name:Sample Preparation For Characteristics Preserved With Hydrochloric Acid
Gear Group Name:Water Sampler
Description:
Citation:

ProcedureID:SPM-HDPE-6degC
Procedure Name:Sample Preparation For Characteristics Without Chemical Preservation
Gear Group Name:Water Sampler
Description:
Citation:

ProcedureID:SPM-PP-Na2S2O3-Ice
Procedure Name:Sample Preparation For Bacteria Characteristics
Gear Group Name:Water Sampler
Description:
Citation:

ProcedureID:SPM-HDPE-6degC
Procedure Name:Sample Preparation For Characteristics Without Chemical Preservation
Gear Group Name:Water Sampler
Description:
Citation:

ProcedureID:Water Bottle
Procedure Name:Grab Sample Collected With A Water Bottle
Gear Group Name:Water Sampler
Description:
Citation:

ProcedureID:SPM-Filter-Frozen
Procedure Name:Sample Preparation For Chlorophyll Characteristic
Gear Group Name:Water Sampler
Description:The sample is filtered and the filter is stored frozen
Citation:

ProcedureID:SPM-PP-Na2S2O3-Ice
Procedure Name:Sample Preparation For Bacteria Characteristics
Gear Group Name:Water Sampler
Description:
Citation:

ProcedureID:SPM-HDPE-HNO3-6degC
Procedure Name:Sample Preparation For Characteristics Preserved With Nitric Acid

Gear Group Name:Water Sampler
Description:
Citation:

ProcedureID:Stainless Bucket
Procedure Name:Grab Sample Collected With A Stainless Bucket
Gear Group Name:Water Sampler
Description:
Citation:

ProcedureID:Stainless Bucket
Procedure Name:Grab Sample Collected With A Stainless Bucket
Gear Group Name:Water Sampler
Description:
Citation:

ProcedureID:Stainless Bucket
Procedure Name:Grab Sample Collected With A Stainless Bucket
Gear Group Name:Water Sampler
Description:
Citation:

ProcedureID:DH81 Sampler
Procedure Name:Grab Sample Collected With A DH-81 Depth-Integrating Vertical Sampler
Gear Group Name:Water Sampler
Description:
Citation:

ProcedureID:DH81 Sampler
Procedure Name:Grab Sample Collected With A DH-81 Depth-Integrating Vertical Sampler
Gear Group Name:Water Sampler
Description:
Citation:

ProcedureID:DH81 Sampler
Procedure Name:Grab Sample Collected With A DH-81 Depth-Integrating Vertical Sampler
Gear Group Name:Water Sampler
Description:
Citation:

ProcedureID:DH81 Sampler
Procedure Name:Grab Sample Collected With A DH-81 Depth-Integrating Vertical Sampler
Gear Group Name:Water Sampler
Description:
Citation:

ProcedureID:Stainless Bucket
Procedure Name:Grab Sample Collected With A Stainless Bucket
Gear Group Name:Water Sampler
Description:
Citation:

ProcedureID:Stainless Bucket
Procedure Name:Grab Sample Collected With A Stainless Bucket

Gear Group Name:Water Sampler
Description:
Citation:

----------End of Sample Collection/Creation Summary----------

Sample Gear And Equipment Configuration Summary

Organization:21DELAWQ_WQX Delaware Department Of Natural Resources And Environmental Control
Gear Group Name: Water Sampler
Field Gear ID:
Gear Name: Water Bottle
Config ID:
Config Name:
Specification:

Gear Group Name: Water Sampler
Field Gear ID:
Gear Name: Water Sampler (Other)
Config ID:
Config Name:
Specification:

Gear Group Name: Water Sampler
Field Gear ID:
Gear Name: Bucket
Config ID:
Config Name:
Specification:

----------End of Sample Gear And Equipment Configuration Summary----------

Sample Preservation And Handling Profile Summary

Organization:21DELAWQ_WQX Delaware Department Of Natural Resources And Environmental Control
Sample ID:
Sample Name:
Container Type: Polypropylene Bottle
Container Color: Translucent
Container Size:
Container Unit:
Temperature Preservation: Wet Ice (4 deg C)
Chemical/Preservation: Sample is stored with ice, usually in a cooler.

Sample ID:
Sample Name:
Container Type: HDPE Bottle
Container Color: Translucent
Container Size:
Container Unit:
Temperature Preservation: None
Chemical/Preservation: No physical preservation employed.

Sample ID:
Sample Name:
Container Type: HDPE Bottle
Container Color: Translucent
Container Size:
Container Unit:
Temperature Preservation: Frozen (-20 deg C)
Chemical/Preservation: Sample is stored in the freezer portion of a refrigerator.

Sample ID:
Sample Name:
Container Type: HDPE Bottle
Container Color: Translucent
Container Size:
Container Unit:
Temperature Preservation: Refrigerated (4 deg C)
Chemical/Preservation: Sample is placed in a refrigerator and stored there.

Sample ID:
Sample Name:
Container Type: Polypropylene Bottle
Container Color: Translucent
Container Size:
Container Unit:
Temperature Preservation: Wet Ice (4 deg C)
Chemical/Preservation: Sample is stored with ice, usually in a cooler.

Sample ID:
Sample Name:
Container Type: BOD Bottle
Container Color: Clear
Container Size:
Container Unit:
Temperature Preservation:
Chemical/Preservation:

Sample ID:
Sample Name:
Container Type: BOD Bottle
Container Color: Clear
Container Size:
Container Unit:
Temperature Preservation:
Chemical/Preservation:

Sample ID:
Sample Name:
Container Type: HDPE Bottle
Container Color: Translucent
Container Size:
Container Unit:
Temperature Preservation: Refrigerated (4 deg C)
Chemical/Preservation: Sample is placed in a refrigerator and stored there.

Sample ID:
Sample Name:
Container Type: HDPE Bottle
Container Color: Translucent
Container Size:
Container Unit:
Temperature Preservation: Frozen (-20 deg C)
Chemical/Preservation: Sample is stored in the freezer portion of a refrigerator.

----------End of Sample Preservation Summary----------

Laboratory Summary
_____

Organization:21DELAWQ_WQX Delaware Department Of Natural Resources And Environmental Control

/Envirocorp Labs
Electronic Addresses:

/Kentucky Water Science Center Sediment Laboratory, USGS
Electronic Addresses:

/EnviroCorp
Electronic Addresses:

/STL Edison
Electronic Addresses:

/Delaware DNREC Environmental Laboratory
Electronic Addresses:

----------End of Laboratory Summary----------

Analytical Procedure And Equipment Detail Summary
_____

Organization:21DELAWQ_WQX Delaware Department Of Natural Resources And Environmental Control
Procedure Source: 21DELAWQ_WQX
Procedure ID: YSI 6-Series
Procedure Name: YSI 6-Series Multi-Parameter Sonde
Citation:
Equipment:
Comparable National Procedure ID: 21DELAWQ_WQXYSI 6-Series

Procedure Source: USEPA
Procedure ID: 310.1
Procedure Name: Alkalinity by Titration
Citation:
Equipment:
Comparable National Procedure ID: USEPA310.1

Procedure Source: USEPA
Procedure ID: 130.2
Procedure Name: Total Hardness
Citation:
Equipment:
Comparable National Procedure ID: USEPA130.2

Procedure Source: 21DELAWQ_WQX
Procedure ID: 365.1_ELS_PP
Procedure Name: Particulate Phosphorus by Colorimetry
Citation:
Equipment:
Comparable National Procedure ID: 21DELAWQ_WQX365.1_ELS_PP

Procedure Source: USEPA
Procedure ID: 365.1
Procedure Name: Phosphorus by Colorimetry
Citation:
Equipment:
Comparable National Procedure ID: USEPA365.1

Procedure Source: 21DELAWQ_WQX
Procedure ID: 370.1_ELS
Procedure Name: Silica by HACH DR4000
Citation:
Equipment:
Comparable National Procedure ID: 21DELAWQ_WQX370.1_ELS

Procedure Source: 21DELAWQ_WQX
Procedure ID: Sontek Flowtrack
Procedure Name: SonTek FlowTracker Handheld ADV
Citation:
Equipment:
Comparable National Procedure ID: 21DELAWQ_WQXSontek Flowtrack

Procedure Source: APHA
Procedure ID: 4500-P-J
Procedure Name: Persulfate Method for Simultaneous Determination of Total Nitrogen and Total Phosphorus

Citation:
Equipment:
Comparable National Procedure ID: APHA4500-P-J

Procedure Source: APHA
Procedure ID: 9230-C
Procedure Name: Fecal Streptococcus and Enterococcus Groups, Membrane Filter Techniques
Citation:
Equipment:
Comparable National Procedure ID: APHA9230-C

Procedure Source: USEPA
Procedure ID: 353.2
Procedure Name: Nitrate-Nitrite Nitrogen by Colorimetry
Citation:
Equipment:
Comparable National Procedure ID: USEPA353.2

Procedure Source: USEPA
Procedure ID: 445
Procedure Name: In-Vitro Determination of Chlorophyll
Citation:
Equipment:
Comparable National Procedure ID: USEPA445

Procedure Source: 21DELAWQ_WQX
Procedure ID: 117A_ELS
Procedure Name: APHA 13th Edition of Standard Methods 117 A. Hexavalent Chromium
Citation:
Equipment:
Comparable National Procedure ID: 21DELAWQ_WQX117A_ELS

Procedure Source: APHA_SM20ED
Procedure ID: 4500-N-C
Procedure Name: Persulfate Method for Total Nitrogen
Citation:
Equipment:
Comparable National Procedure ID: APHA_SM20ED4500-N-C

Procedure Source: 21DELAWQ_WQX
Procedure ID: ON-CALC_ELS
Procedure Name: Calculation of Organic Nitrogen As N
Citation:
Equipment:
Comparable National Procedure ID: 21DELAWQ_WQXON-CALC_ELS

Procedure Source: APHA
Procedure ID: 2320
Procedure Name: Alkalinity in Water by Titration
Citation:
Equipment:
Comparable National Procedure ID: APHA2320

Procedure Source: USEPA

Procedure ID: 180.1
Procedure Name: Turbidity by Nephelometry
Citation:
Equipment:
Comparable National Procedure ID: USEPA180.1

Procedure Source: USEPA
Procedure ID: 350.1
Procedure Name: Ammonia Nitrogen by Colorimetry
Citation:
Equipment:
Comparable National Procedure ID: USEPA350.1

Procedure Source: USEPA
Procedure ID: 354.1
Procedure Name: Nitrite Nitrogen by Spectophotometry
Citation:
Equipment:
Comparable National Procedure ID: USEPA354.1

Procedure Source: APHA
Procedure ID: 4500-CL-(E)
Procedure Name: Chloride in Water by Colorimetry- Automated Ferricyanide Method
Citation:
Equipment:
Comparable National Procedure ID: APHA4500-CL-(E)

Procedure Source: APHA_SM20ED
Procedure ID: 5310-B
Procedure Name: Total Organic Carbon by High-Temperature Combustion Method
Citation:
Equipment:
Comparable National Procedure ID: APHA_SM20ED5310-B

Procedure Source: USEPA
Procedure ID: 160.2
Procedure Name: Non-Filterable Residue - TSS
Citation:
Equipment:
Comparable National Procedure ID: USEPA160.2

Procedure Source: APHA_SM20ED
Procedure ID: 2340-C
Procedure Name: Hardness in Water by EDTA Titration
Citation:
Equipment:
Comparable National Procedure ID: APHA_SM20ED2340-C

Procedure Source: APHA
Procedure ID: 5310-B
Procedure Name: Total Organic Carbon by Combustion-Infrared Method
Citation:
Equipment:
Comparable National Procedure ID: APHA5310-B

Procedure Source: APHA_SM20ED
Procedure ID: 4500-SIO2-C
Procedure Name: Silica Molybdosilicate Method
Citation:
Equipment:
Comparable National Procedure ID: APHA_SM20ED4500-SIO2-C

Procedure Source: USEPA
Procedure ID: 325.2
Procedure Name: Chloride by Colorimetric Analysis II
Citation:
Equipment:
Comparable National Procedure ID: USEPA325.2

Procedure Source: USEPA
Procedure ID: 415.1
Procedure Name: Total Organic Carbon by Combustion
Citation:
Equipment:
Comparable National Procedure ID: USEPA415.1

Procedure Source: 21DELAWQ_WQX
Procedure ID: 365.1_ELS
Procedure Name: Persulfate Method for Total Phosphorus
Citation:
Equipment:
Comparable National Procedure ID: 21DELAWQ_WQX365.1_ELS

Procedure Source: USEPA
Procedure ID: 170.1
Procedure Name: Temperature
Citation:
Equipment:
Comparable National Procedure ID: USEPA170.1

Procedure Source: 21DELAWQ_WQX
Procedure ID: EPA/620/R-01/003-SD
Procedure Name: EPA/620/R-01/003 Secchi Depth
Citation:
Equipment:
Comparable National Procedure ID: 21DELAWQ_WQXEPA/620/R-01/003-SD

Procedure Source: APHA
Procedure ID: 10200-H
Procedure Name: Chlorophyll a-b-c Determination
Citation:
Equipment:
Comparable National Procedure ID: APHA10200-H

Procedure Source: USEPA
Procedure ID: 351.2
Procedure Name: Total Kjeldahl Nitrogen by Colorimetry
Citation:

Equipment:
Comparable National Procedure ID: USEPA351.2

Procedure Source: APHA
Procedure ID: 2550
Procedure Name: Temperature of Water by Thermometer
Citation:
Equipment:
Comparable National Procedure ID: APHA2550

Procedure Source: ASTM
Procedure ID: D3977
Procedure Name: Suspended-Sediment in Water
Citation:
Equipment:
Comparable National Procedure ID: ASTMD3977

Procedure Source: 21DELAWQ_WQX
Procedure ID: 200.7_ELS
Procedure Name: Inductively Coupled Plasma - Atomic Emission Spectrometry (ICP-AES)
Citation:
Equipment:
Comparable National Procedure ID: 21DELAWQ_WQX200.7_ELS

Procedure Source: IDEXX
Procedure ID: Enterolert2000
Procedure Name: Enterolert Test Kit Procedure
Citation:
Equipment:
Comparable National Procedure ID: IDEXXEnterolert2000

Procedure Source: APHA
Procedure ID: 5210-B
Procedure Name: 5-Day Biochemical Oxygen Demand
Citation:
Equipment:
Comparable National Procedure ID: APHA5210-B

Procedure Source: USEPA
Procedure ID: 360.2
Procedure Name: Dissolved Oxygen by Winkler Technique
Citation:
Equipment:
Comparable National Procedure ID: USEPA360.2

Procedure Source: USEPA
Procedure ID: 440(W)
Procedure Name: Determination of Carbon and Nitrogen
Citation:
Equipment:
Comparable National Procedure ID: USEPA440(W)

Procedure Source: USEPA
Procedure ID: 365.4

Procedure Name: Total Phosphorus After Block Digestion
Citation:
Equipment:
Comparable National Procedure ID: USEPA365.4

Procedure Source: APHA
Procedure ID: 2540-D
Procedure Name: Total Suspended Solids in Water
Citation:
Equipment:
Comparable National Procedure ID: APHA2540-D

----------End of Analytical Procedure Summary----------

Lab Sample Preparation Procedure Summary

Organization:21DELAWQ_WQX Delaware Department Of Natural Resources And Environmental Control

---

----------End of Lab Sample Preparation Procedure Summary----------

Bibliographic Citation Summary

Organization:21DELAWQ_WQX Delaware Department Of Natural Resources And Environmental Control

---

----------End of Bibliographic Citation Summary----------

Org Name	Delaware Department Of Natural Resources And Environmental Control
Station ID	402011
State	DELAWARE
County	SUSSEX
HUC	2040303
Generated HUC	2040303
Station Latitude	38.716357
Station Longitude	-75.074977
Station Horizontal Datum	NAD83

Activity ID	Activity Start	Date	Activity Sta	Activity Me	Activity Ty	Activity Ca	Activity De	Activity De	Characteristic Name	Sample Fraction	Value Type	Statistic Type	Result Valu	Result Value as Text	Units	Analytical Proc ID
98021790-SMP-Water	6/23/1998 9:47	6/23/1998	EDT	Water	Sample-Rc	Sample-Routine			Carbonaceous biochemical oxygen demand, standard conditions	Total	Actual		Final	2.84	mg/l	APHA 5210-B
98021790-SMP-Water	6/23/1998 9:47	6/23/1998	EDT	Water	Sample-Rc	Sample-Routine			Chloride	Total	Actual		Final	16383.5	mg/l	USEPA 325.2
98021790-SMP-Water	6/23/1998 9:47	6/23/1998	EDT	Water	Sample-Rc	Sample-Routine			Chlorophyll a		Actual		Final	5	ug/l	APHA 10200-H
98021790-SMP-Water	6/23/1998 9:47	6/23/1998	EDT	Water	Sample-Rc	Sample-Routine			Copper	Total	Estimated		Final	2.42	ug/l	21DELAWQ_WQX 200.7_ELS
98021790-SMP-Water	6/23/1998 9:47	6/23/1998	EDT	Water	Sample-Rc	Sample-Routine			Dissolved oxygen (DO)		Actual		Final	5.3	mg/l	USEPA 360.2
98021790-SMP-Water	6/23/1998 9:47	6/23/1998	EDT	Water	Sample-Rc	Sample-Routine			Hardness, Ca, Mg		Actual		Final	4620	mg/l CaCO3	USEPA 130.2
98021790-SMP-Water	6/23/1998 9:47	6/23/1998	EDT	Water	Sample-Rc	Sample-Routine			Iron	Total	Estimated		Final	72.3	ug/l	21DELAWQ_WQX 200.7_ELS
98021790-SMP-Water	6/23/1998 9:47	6/23/1998	EDT	Water	Sample-Rc	Sample-Routine			Kjeldahl nitrogen	Total	Actual		Final	0.14	mg/l	USEPA 351.2
98021790-SMP-Water	6/23/1998 9:47	6/23/1998	EDT	Water	Sample-Rc	Sample-Routine			Ammonia-nitrogen as N	Total	Actual		Final	0.033	mg/l	USEPA 350.1
98021790-SMP-Water	6/23/1998 9:47	6/23/1998	EDT	Water	Sample-Rc	Sample-Routine			Organic carbon	Dissolved	Actual		Final	6	mg/l	USEPA 415.1
98021790-SMP-Water	6/23/1998 9:47	6/23/1998	EDT	Water	Sample-Rc	Sample-Routine			Organic carbon	Total	Actual		Final	3	mg/l	USEPA 415.1
98021790-SMP-Water	6/23/1998 9:47	6/23/1998	EDT	Water	Sample-Rc	Sample-Routine			Calcium carbonate as CaCO3	Total	Actual		Final	112	mg/l	USEPA 310.1
98021790-SMP-Water	6/23/1998 9:47	6/23/1998	EDT	Water	Sample-Rc	Sample-Routine			Aluminum	Total	Estimated		Final	52.7	ug/l	21DELAWQ_WQX 200.7_ELS
98021790-SMP-Water	6/23/1998 9:47	6/23/1998	EDT	Water	Sample-Rc	Sample-Routine			Phosphate-phosphorus as P	Total	Actual		Final	0.218	mg/l	USEPA 365.4
98021790-SMP-Water	6/23/1998 9:47	6/23/1998	EDT	Water	Sample-Rc	Sample-Routine			Orthophosphate as P	Dissolved	Actual		Final	0.26	mg/l	USEPA 365.1
98021790-SMP-Water	6/23/1998 9:47	6/23/1998	EDT	Water	Sample-Rc	Sample-Routine			Total suspended solids		Actual		Final	35	mg/l	USEPA 160.2
98021790-SMP-Water	6/23/1998 9:47	6/23/1998	EDT	Water	Sample-Rc	Sample-Routine			Zinc	Total	Estimated		Final	5.68	ug/l	21DELAWQ_WQX 200.7_ELS
98021790-SMP-Water	6/23/1998 9:47	6/23/1998	EDT	Water	Sample-Rc	Sample-Routine			Cadmium	Total	Actual		Final	Not Detected		21DELAWQ_WQX 200.7_ELS
98021790-SMP-Water	6/23/1998 9:47	6/23/1998	EDT	Water	Sample-Rc	Sample-Routine			Carbonaceous biochemical oxygen demand, standard conditions	Total	Actual		Final	Not Detected		APHA 5210-B
98021790-SMP-Water	6/23/1998 9:47	6/23/1998	EDT	Water	Sample-Rc	Sample-Routine			Chromium(VI)	Dissolved	Actual		Final	Not Detected		21DELAWQ_WQX 117A_ELS
98021790-SMP-Water	6/23/1998 9:47	6/23/1998	EDT	Water	Sample-Rc	Sample-Routine			Enterococcus		Actual		Final	Not Detected		APHA 9230-C
98021790-SMP-Water	6/23/1998 9:47	6/23/1998	EDT	Water	Sample-Rc	Sample-Routine			Lead	Total	Actual		Final	Not Detected		21DELAWQ_WQX 200.7_ELS
98021790-SMP-Water	6/23/1998 9:47	6/23/1998	EDT	Water	Sample-Rc	Sample-Routine			Inorganic nitrogen (nitrate and nitrite) as N	Total	Actual		Final	Not Detected		USEPA 353.2
98021790-SMP-Water	6/23/1998 9:47	6/23/1998	EDT	Water	Sample-Rc	Sample-Routine			Pheophytin a	Filterable	Actual		Final	Not Detected		APHA 10200-H
98021790-SMP-Water	6/23/1998 9:47	6/23/1998	EDT	Water	Sample-Rc	Sample-Routine			Turbidity		Actual		Final	Not Detected		USEPA 180.1
98021790-FMO-Air	6/23/1998 9:47	6/23/1998	EDT	Air	Field Msr/(	Field Msr/Obs			Temperature, air		Actual		Final	20	deg C	USEPA 170.1
98021790-FMO-Water	6/23/1998 9:47	6/23/1998	EDT	Water	Field Msr/(	Field Msr/Obs			Depth, Secchi disk depth		Actual		Final	40	in	21DELAWQ_WQX EPA/620/R-01/003-SD
98021790-FMO-Water	6/23/1998 9:47	6/23/1998	EDT	Water	Field Msr/(	Field Msr/Obs			Dissolved oxygen (DO)		Actual		Final	7.39	mg/l	21DELAWQ_WQX YSI 6-Series
98021790-FMO-Water	6/23/1998 9:47	6/23/1998	EDT	Water	Field Msr/(	Field Msr/Obs			pH		Actual		Final	7.4	None	21DELAWQ_WQX YSI 6-Series
98021790-FMO-Water	6/23/1998 9:47	6/23/1998	EDT	Water	Field Msr/(	Field Msr/Obs			Salinity		Actual		Final	27.2	ppt	21DELAWQ_WQX YSI 6-Series
98021790-FMO-Water	6/23/1998 9:47	6/23/1998	EDT	Water	Field Msr/(	Field Msr/Obs			Specific conductance		Actual		Final	42260	uS/cm	21DELAWQ_WQX YSI 6-Series
98021790-FMO-Water	6/23/1998 9:47	6/23/1998	EDT	Water	Field Msr/(	Field Msr/Obs			Temperature, water		Actual		Final	20	deg C	21DELAWQ_WQX YSI 6-Series
98028600-FMO-Air	7/17/1998 9:01	7/17/1998	EDT	Air	Field Msr/(	Field Msr/Obs			Temperature, air		Actual		Final	22	deg C	USEPA 170.1
98028600-SMP-Water	7/17/1998 9:01	7/17/1998	EDT	Water	Sample-Rc	Sample-Routine			Organic carbon	Dissolved	Actual		Final	7	mg/l	USEPA 415.1
98028600-SMP-Water	7/17/1998 9:01	7/17/1998	EDT	Water	Sample-Rc	Sample-Routine			Organic carbon	Total	Actual		Final	4	mg/l	USEPA 415.1
98028600-SMP-Water	7/17/1998 9:01	7/17/1998	EDT	Water	Sample-Rc	Sample-Routine			Pheophytin a	Filterable	Actual		Final	9	ug/l	APHA 10200-H
98028600-SMP-Water	7/17/1998 9:01	7/17/1998	EDT	Water	Sample-Rc	Sample-Routine			Phosphate-phosphorus as P	Total	Actual		Final	0.178	mg/l	USEPA 365.4
98028600-SMP-Water	7/17/1998 9:01	7/17/1998	EDT	Water	Sample-Rc	Sample-Routine			Orthophosphate as P	Dissolved	Actual		Final	0.126	mg/l	USEPA 365.1
98028600-SMP-Water	7/17/1998 9:01	7/17/1998	EDT	Water	Sample-Rc	Sample-Routine			Total suspended solids		Actual		Final	58	mg/l	USEPA 160.2
98028600-SMP-Water	7/17/1998 9:01	7/17/1998	EDT	Water	Sample-Rc	Sample-Routine			Turbidity		Actual		Final	17	NTU	USEPA 180.1
98028600-SMP-Water	7/17/1998 9:01	7/17/1998	EDT	Water	Sample-Rc	Sample-Routine			Enterococcus		Actual		Final	Not Detected		APHA 9230-C
98028600-SMP-Water	7/17/1998 9:01	7/17/1998	EDT	Water	Sample-Rc	Sample-Routine			Inorganic nitrogen (nitrate and nitrite) as N	Total	Actual		Final	Not Detected		USEPA 353.2
98028600-SMP-Water	7/17/1998 9:01	7/17/1998	EDT	Water	Sample-Rc	Sample-Routine			Calcium carbonate as CaCO3	Total	Actual		Final	103	mg/l	USEPA 310.1
98028600-SMP-Water	7/17/1998 9:01	7/17/1998	EDT	Water	Sample-Rc	Sample-Routine			Carbonaceous biochemical oxygen demand, standard conditions	Total	Actual		Final	4.56	mg/l	APHA 5210-B
98028600-SMP-Water	7/17/1998 9:01	7/17/1998	EDT	Water	Sample-Rc	Sample-Routine			Carbonaceous biochemical oxygen demand, standard conditions	Total	Actual		Final	6.78	mg/l	APHA 5210-B
98028600-SMP-Water	7/17/1998 9:01	7/17/1998	EDT	Water	Sample-Rc	Sample-Routine			Chloride	Total	Actual		Final	17715	mg/l	USEPA 325.2
98028600-SMP-Water	7/17/1998 9:01	7/17/1998	EDT	Water	Sample-Rc	Sample-Routine			Chlorophyll a		Actual		Final	8	ug/l	APHA 10200-H
98028600-SMP-Water	7/17/1998 9:01	7/17/1998	EDT	Water	Sample-Rc	Sample-Routine			Dissolved oxygen (DO)		Actual		Final	3	mg/l	USEPA 360.2
98028600-SMP-Water	7/17/1998 9:01	7/17/1998	EDT	Water	Sample-Rc	Sample-Routine			Hardness, Ca, Mg		Actual		Final	5570	mg/l CaCO3	USEPA 130.2
98028600-SMP-Water	7/17/1998 9:01	7/17/1998	EDT	Water	Sample-Rc	Sample-Routine			Kjeldahl nitrogen	Total	Actual		Final	0.317	mg/l	USEPA 351.2
98028600-SMP-Water	7/17/1998 9:01	7/17/1998	EDT	Water	Sample-Rc	Sample-Routine			Ammonia-nitrogen as N	Total	Actual		Final	0.118	mg/l	USEPA 350.1
98028600-FMO-Water	7/17/1998 9:01	7/17/1998	EDT	Water	Field Msr/(	Field Msr/Obs			Specific conductance		Actual		Final	42240	uS/cm	21DELAWQ_WQX YSI 6-Series
98028600-FMO-Water	7/17/1998 9:01	7/17/1998	EDT	Water	Field Msr/(	Field Msr/Obs			Temperature, water		Actual		Final	22.4	deg C	21DELAWQ_WQX YSI 6-Series
98028600-FMO-Water	7/17/1998 9:01	7/17/1998	EDT	Water	Field Msr/(	Field Msr/Obs			Depth, Secchi disk depth		Actual		Final	21	in	21DELAWQ_WQX EPA/620/R-01/003-SD
98028600-FMO-Water	7/17/1998 9:01	7/17/1998	EDT	Water	Field Msr/(	Field Msr/Obs			Dissolved oxygen (DO)		Actual		Final	7.11	mg/l	21DELAWQ_WQX YSI 6-Series
98028600-FMO-Water	7/17/1998 9:01	7/17/1998	EDT	Water	Field Msr/(	Field Msr/Obs			pH		Actual		Final	7.4	None	21DELAWQ_WQX YSI 6-Series
98028600-FMO-Water	7/17/1998 9:01	7/17/1998	EDT	Water	Field Msr/(	Field Msr/Obs			Salinity		Actual		Final	27.2	ppt	21DELAWQ_WQX YSI 6-Series
98041230-SMP-Water	9/10/1998 11:01	9/10/1998	EDT	Water	Sample-Rc	Sample-Routine			Turbidity		Actual		Final	6	NTU	USEPA 180.1
98041230-SMP-Water	9/10/1998 11:01	9/10/1998	EDT	Water	Sample-Rc	Sample-Routine			Pheophytin a	Filterable	Actual		Final	Not Detected		APHA 10200-H
98041230-FMO-Water	9/10/1998 11:01	9/10/1998	EDT	Water	Field Msr/(	Field Msr/Obs			Dissolved oxygen (DO)		Actual		Final	6.81	mg/l	21DELAWQ_WQX YSI 6-Series
98041230-FMO-Water	9/10/1998 11:01	9/10/1998	EDT	Water	Field Msr/(	Field Msr/Obs			pH		Actual		Final	7.4	None	21DELAWQ_WQX YSI 6-Series
98041230-FMO-Water	9/10/1998 11:01	9/10/1998	EDT	Water	Field Msr/(	Field Msr/Obs			Salinity		Actual		Final	27.9	ppt	21DELAWQ_WQX YSI 6-Series
98041230-FMO-Water	9/10/1998 11:01	9/10/1998	EDT	Water	Field Msr/(	Field Msr/Obs			Specific conductance		Actual		Final	44.07	uS/cm	21DELAWQ_WQX YSI 6-Series
98041230-FMO-Water	9/10/1998 11:01	9/10/1998	EDT	Water	Field Msr/(	Field Msr/Obs			Temperature, water		Actual		Final	22.6	deg C	21DELAWQ_WQX YSI 6-Series

Activity ID	Activity Start	Date	Activity Sta	Activity Me	Activity Typ	Activity Ca	Activity De	Activity De	Characteristic Name	Sample Fraction	Value Type	Statistic Type	Result Valu	Result Value as Text	Units	Analytical Proc ID
98041230-FMO-Water	9/10/1998 11:01	9/10/1998	EDT	Water	Field Msr/C	Field Msr/Obs			Depth, Secchi disk depth		Actual	Final		26	in	21DELAWQ_WQX EPA/620/R-01/003-SD
98041230-SMP-Water	9/10/1998 11:01	9/10/1998	EDT	Water	Sample-Rc	Sample-Routine			Calcium carbonate as CaCO3	Total	Actual	Final		106	mg/l	USEPA 310.1
98041230-SMP-Water	9/10/1998 11:01	9/10/1998	EDT	Water	Sample-Rc	Sample-Routine			Carbonaceous biochemical oxygen demand, standard conditions	Total	Actual	Final		4.47	mg/l	APHA 5210-B
98041230-SMP-Water	9/10/1998 11:01	9/10/1998	EDT	Water	Sample-Rc	Sample-Routine			Carbonaceous biochemical oxygen demand, standard conditions	Total	Actual	Final		6.78	mg/l	APHA 5210-B
98041230-SMP-Water	9/10/1998 11:01	9/10/1998	EDT	Water	Sample-Rc	Sample-Routine			Chloride	Total	Actual	Final		16954	mg/l	USEPA 325.2
98041230-SMP-Water	9/10/1998 11:01	9/10/1998	EDT	Water	Sample-Rc	Sample-Routine			Chlorophyll a		Actual	Final		8	ug/l	APHA 10200-H
98041230-SMP-Water	9/10/1998 11:01	9/10/1998	EDT	Water	Sample-Rc	Sample-Routine			Dissolved oxygen (DO)		Actual	Final		4.4	mg/l	USEPA 360.2
98041230-SMP-Water	9/10/1998 11:01	9/10/1998	EDT	Water	Sample-Rc	Sample-Routine			Enterococcus		Actual	Final		3	cfu/100ml	APHA 9230-C
98041230-SMP-Water	9/10/1998 11:01	9/10/1998	EDT	Water	Sample-Rc	Sample-Routine			Hardness, Ca, Mg		Actual	Final		5613	mg/l CaCO3	USEPA 130.2
98041230-SMP-Water	9/10/1998 11:01	9/10/1998	EDT	Water	Sample-Rc	Sample-Routine			Kjeldahl nitrogen	Total	Actual	Final		0.087	mg/l	USEPA 351.2
98041230-SMP-Water	9/10/1998 11:01	9/10/1998	EDT	Water	Sample-Rc	Sample-Routine			Ammonia-nitrogen as N	Total	Actual	Final		0.1	mg/l	USEPA 350.1
98041230-SMP-Water	9/10/1998 11:01	9/10/1998	EDT	Water	Sample-Rc	Sample-Routine			Inorganic nitrogen (nitrate and nitrite) as N	Total	Actual	Final		0.037	mg/l	USEPA 353.2
98041230-SMP-Water	9/10/1998 11:01	9/10/1998	EDT	Water	Sample-Rc	Sample-Routine			Organic carbon	Dissolved	Actual	Final		3	mg/l	USEPA 415.1
98041230-SMP-Water	9/10/1998 11:01	9/10/1998	EDT	Water	Sample-Rc	Sample-Routine			Organic carbon	Total	Actual	Final		3	mg/l	USEPA 415.1
98041230-SMP-Water	9/10/1998 11:01	9/10/1998	EDT	Water	Sample-Rc	Sample-Routine			Phosphate-phosphorus as P	Total	Actual	Final		0.094	mg/l	USEPA 365.4
98041230-SMP-Water	9/10/1998 11:01	9/10/1998	EDT	Water	Sample-Rc	Sample-Routine			Orthophosphate as P	Dissolved	Actual	Final		0.062	mg/l	USEPA 365.1
98041230-SMP-Water	9/10/1998 11:01	9/10/1998	EDT	Water	Sample-Rc	Sample-Routine			Total suspended solids		Actual	Final		51	mg/l	USEPA 160.2
98041230-FMO-Air	9/10/1998 11:01	9/10/1998	EDT	Air	Field Msr/C	Field Msr/Obs			Temperature, air		Actual	Final		18	deg C	USEPA 170.1
98044970-SMP-Water	10/6/1998 9:27	10/6/1998	EDT	Water	Sample-Rc	Sample-Routine			Calcium carbonate as CaCO3	Total	Actual	Final		105	mg/l	USEPA 310.1
98044970-SMP-Water	10/6/1998 9:27	10/6/1998	EDT	Water	Sample-Rc	Sample-Routine			Chloride	Total	Actual	Final		36837	mg/l	USEPA 325.2
98044970-SMP-Water	10/6/1998 9:27	10/6/1998	EDT	Water	Sample-Rc	Sample-Routine			Chlorophyll a		Actual	Final		5	ug/l	APHA 10200-H
98044970-SMP-Water	10/6/1998 9:27	10/6/1998	EDT	Water	Sample-Rc	Sample-Routine			Dissolved oxygen (DO)		Actual	Final		2.9	mg/l	USEPA 360.2
98044970-SMP-Water	10/6/1998 9:27	10/6/1998	EDT	Water	Sample-Rc	Sample-Routine			Enterococcus		Actual	Final		20	cfu/100ml	APHA 9230-C
98044970-SMP-Water	10/6/1998 9:27	10/6/1998	EDT	Water	Sample-Rc	Sample-Routine			Hardness, Ca, Mg		Actual	Final		5900	mg/l CaCO3	USEPA 130.2
98044970-SMP-Water	10/6/1998 9:27	10/6/1998	EDT	Water	Sample-Rc	Sample-Routine			Kjeldahl nitrogen	Total	Actual	Final		0.263	mg/l	USEPA 351.2
98044970-SMP-Water	10/6/1998 9:27	10/6/1998	EDT	Water	Sample-Rc	Sample-Routine			Ammonia-nitrogen as N	Total	Actual	Final		0.057	mg/l	USEPA 350.1
98044970-SMP-Water	10/6/1998 9:27	10/6/1998	EDT	Water	Sample-Rc	Sample-Routine			Inorganic nitrogen (nitrate and nitrite) as N	Total	Actual	Final		0.074	mg/l	USEPA 353.2
98044970-SMP-Water	10/6/1998 9:27	10/6/1998	EDT	Water	Sample-Rc	Sample-Routine			Organic carbon	Dissolved	Actual	Final		4	mg/l	USEPA 415.1
98044970-SMP-Water	10/6/1998 9:27	10/6/1998	EDT	Water	Sample-Rc	Sample-Routine			Organic carbon	Total	Actual	Final		4	mg/l	USEPA 415.1
98044970-SMP-Water	10/6/1998 9:27	10/6/1998	EDT	Water	Sample-Rc	Sample-Routine			Pheophytin a	Filterable	Actual	Final		2	ug/l	APHA 10200-H
98044970-SMP-Water	10/6/1998 9:27	10/6/1998	EDT	Water	Sample-Rc	Sample-Routine			Phosphate-phosphorus as P	Total	Actual	Final		0.121	mg/l	USEPA 365.4
98044970-SMP-Water	10/6/1998 9:27	10/6/1998	EDT	Water	Sample-Rc	Sample-Routine			Orthophosphate as P	Dissolved	Actual	Final		0.098	mg/l	USEPA 365.1
98044970-SMP-Water	10/6/1998 9:27	10/6/1998	EDT	Water	Sample-Rc	Sample-Routine			Total suspended solids		Actual	Final		65	mg/l	USEPA 160.2
98044970-SMP-Water	10/6/1998 9:27	10/6/1998	EDT	Water	Sample-Rc	Sample-Routine			Turbidity		Actual	Final		15	NTU	USEPA 180.1
98044970-SMP-Water	10/6/1998 9:27	10/6/1998	EDT	Water	Sample-Rc	Sample-Routine			Carbonaceous biochemical oxygen demand, standard conditions	Total	Actual	Final	Not Detected			APHA 5210-B
98044970-SMP-Water	10/6/1998 9:27	10/6/1998	EDT	Water	Sample-Rc	Sample-Routine			Carbonaceous biochemical oxygen demand, standard conditions	Total	Actual	Final	Not Detected			APHA 5210-B
98044970-FMO-Air	10/6/1998 9:27	10/6/1998	EDT	Air	Field Msr/C	Field Msr/Obs			Temperature, air		Actual	Final		14	deg C	USEPA 170.1
98044970-FMO-Water	10/6/1998 9:27	10/6/1998	EDT	Water	Field Msr/C	Field Msr/Obs			Depth, Secchi disk depth		Actual	Final		19	in	21DELAWQ_WQX EPA/620/R-01/003-SD
98044970-FMO-Water	10/6/1998 9:27	10/6/1998	EDT	Water	Field Msr/C	Field Msr/Obs			Dissolved oxygen (DO)		Actual	Final		7.78	mg/l	21DELAWQ_WQX YSI 6-Series
98044970-FMO-Water	10/6/1998 9:27	10/6/1998	EDT	Water	Field Msr/C	Field Msr/Obs			pH		Actual	Final		7.3	None	21DELAWQ_WQX YSI 6-Series
98044970-FMO-Water	10/6/1998 9:27	10/6/1998	EDT	Water	Field Msr/C	Field Msr/Obs			Salinity		Actual	Final		27.7	ppt	21DELAWQ_WQX YSI 6-Series
98044970-FMO-Water	10/6/1998 9:27	10/6/1998	EDT	Water	Field Msr/C	Field Msr/Obs			Specific conductance		Actual	Final		43	uS/cm	21DELAWQ_WQX YSI 6-Series
98044970-FMO-Water	10/6/1998 9:27	10/6/1998	EDT	Water	Field Msr/C	Field Msr/Obs			Temperature, water		Actual	Final		19	deg C	21DELAWQ_WQX YSI 6-Series
99015010-FMO-Water	5/27/1999 13:15	5/27/1999	EDT	Water	Field Msr/C	Field Msr/Obs			Depth, Secchi disk depth		Actual	Final		22	in	21DELAWQ_WQX EPA/620/R-01/003-SD
99015010-FMO-Water	5/27/1999 13:15	5/27/1999	EDT	Water	Field Msr/C	Field Msr/Obs			Dissolved oxygen (DO)		Actual	Final		7.95	mg/l	21DELAWQ_WQX YSI 6-Series
99015010-FMO-Water	5/27/1999 13:15	5/27/1999	EDT	Water	Field Msr/C	Field Msr/Obs			pH		Actual	Final		7.4	None	21DELAWQ_WQX YSI 6-Series
99015010-FMO-Water	5/27/1999 13:15	5/27/1999	EDT	Water	Field Msr/C	Field Msr/Obs			Salinity		Actual	Final		30.7	ppt	21DELAWQ_WQX YSI 6-Series
99015010-FMO-Water	5/27/1999 13:15	5/27/1999	EDT	Water	Field Msr/C	Field Msr/Obs			Specific conductance		Actual	Final		47070	uS/cm	21DELAWQ_WQX YSI 6-Series
99015010-FMO-Water	5/27/1999 13:15	5/27/1999	EDT	Water	Field Msr/C	Field Msr/Obs			Temperature, water		Actual	Final		17.6	deg C	21DELAWQ_WQX YSI 6-Series
99015010-SMP-Water	5/27/1999 13:15	5/27/1999	EDT	Water	Sample-Rc	Sample-Routine			Hardness, Ca, Mg		Actual	Final		5369	mg/l CaCO3	USEPA 130.2
99015010-SMP-Water	5/27/1999 13:15	5/27/1999	EDT	Water	Sample-Rc	Sample-Routine			Kjeldahl nitrogen	Total	Actual	Final		0.096	mg/l	USEPA 351.2
99015010-SMP-Water	5/27/1999 13:15	5/27/1999	EDT	Water	Sample-Rc	Sample-Routine			Ammonia-nitrogen as N	Total	Actual	Final		0.167	mg/l	USEPA 350.1
99015010-SMP-Water	5/27/1999 13:15	5/27/1999	EDT	Water	Sample-Rc	Sample-Routine			Inorganic nitrogen (nitrate and nitrite) as N	Total	Actual	Final		0.06	mg/l	USEPA 353.2
99015010-SMP-Water	5/27/1999 13:15	5/27/1999	EDT	Water	Sample-Rc	Sample-Routine			Organic carbon	Dissolved	Actual	Final		3	mg/l	USEPA 415.1
99015010-SMP-Water	5/27/1999 13:15	5/27/1999	EDT	Water	Sample-Rc	Sample-Routine			Organic carbon	Total	Actual	Final		4	mg/l	USEPA 415.1
99015010-SMP-Water	5/27/1999 13:15	5/27/1999	EDT	Water	Sample-Rc	Sample-Routine			Phosphate-phosphorus as P	Total	Actual	Final		0.098	mg/l	USEPA 365.4
99015010-SMP-Water	5/27/1999 13:15	5/27/1999	EDT	Water	Sample-Rc	Sample-Routine			Orthophosphate as P	Dissolved	Actual	Final		0.018	mg/l	USEPA 365.1
99015010-SMP-Water	5/27/1999 13:15	5/27/1999	EDT	Water	Sample-Rc	Sample-Routine			Total suspended solids		Actual	Final		100	mg/l	USEPA 160.2
99015010-SMP-Water	5/27/1999 13:15	5/27/1999	EDT	Water	Sample-Rc	Sample-Routine			Turbidity		Actual	Final		14	NTU	USEPA 180.1
99015010-SMP-Water	5/27/1999 13:15	5/27/1999	EDT	Water	Sample-Rc	Sample-Routine			Carbonaceous biochemical oxygen demand, standard conditions	Total	Actual	Final	Not Detected			APHA 5210-B
99015010-SMP-Water	5/27/1999 13:15	5/27/1999	EDT	Water	Sample-Rc	Sample-Routine			Pheophytin a	Filterable	Actual	Final	Not Detected			APHA 10200-H
99015010-SMP-Water	5/27/1999 13:15	5/27/1999	EDT	Water	Sample-Rc	Sample-Routine			Calcium carbonate as CaCO3	Total	Actual	Final		112.7	mg/l	USEPA 310.1
99015010-SMP-Water	5/27/1999 13:15	5/27/1999	EDT	Water	Sample-Rc	Sample-Routine			Carbonaceous biochemical oxygen demand, standard conditions	Total	Actual	Final		3.43	mg/l	APHA 5210-B
99015010-SMP-Water	5/27/1999 13:15	5/27/1999	EDT	Water	Sample-Rc	Sample-Routine			Chloride	Total	Actual	Final		17842	mg/l	USEPA 325.2
99015010-SMP-Water	5/27/1999 13:15	5/27/1999	EDT	Water	Sample-Rc	Sample-Routine			Chlorophyll a		Actual	Final		24	ug/l	APHA 10200-H
99015010-SMP-Water	5/27/1999 13:15	5/27/1999	EDT	Water	Sample-Rc	Sample-Routine			Dissolved oxygen (DO)		Actual	Final		7.2	mg/l	USEPA 360.2
99015010-SMP-Water	5/27/1999 13:15	5/27/1999	EDT	Water	Sample-Rc	Sample-Routine			Enterococcus		Actual	Final		10	cfu/100ml	APHA 9230-C
99015010-FMO-Air	5/27/1999 13:15	5/27/1999	EDT	Air	Field Msr/C	Field Msr/Obs			Temperature, air		Actual	Final		23	deg C	USEPA 170.1
99033420-FMO-Air	8/23/1999 12:01	8/23/1999	EDT	Air	Field Msr/C	Field Msr/Obs			Temperature, air		Actual	Final		27.5	deg C	USEPA 170.1
99033420-SMP-Water	8/23/1999 12:01	8/23/1999	EDT	Water	Sample-Rc	Sample-Routine			Calcium carbonate as CaCO3	Total	Actual	Final		104	mg/l	USEPA 310.1
99033420-SMP-Water	8/23/1999 12:01	8/23/1999	EDT	Water	Sample-Rc	Sample-Routine			Carbonaceous biochemical oxygen demand, standard conditions	Total	Actual	Final		3.02	mg/l	APHA 5210-B
99033420-SMP-Water	8/23/1999 12:01	8/23/1999	EDT	Water	Sample-Rc	Sample-Routine			Carbonaceous biochemical oxygen demand, standard conditions	Total	Actual	Final		4.93	mg/l	APHA 5210-B
99033420-SMP-Water	8/23/1999 12:01	8/23/1999	EDT	Water	Sample-Rc	Sample-Routine			Chloride	Total	Actual	Final		17890	mg/l	USEPA 325.2
99033420-SMP-Water	8/23/1999 12:01	8/23/1999	EDT	Water	Sample-Rc	Sample-Routine			Chlorophyll a		Actual	Final		16	ug/l	APHA 10200-H

Activity ID	Activity Start	Date	Activity Sta	Activity Me	Activity Typ	Activity Ca	Activity De	Activity De	Characteristic Name	Sample Fraction	Value Type	Statistic Type	Result Valu	Result Value as Text	Units	Analytical Proc ID
99033420-SMP-Water	8/23/1999 12:01	8/23/1999	EDT	Water	Sample-Rc	Sample-Routine			Dissolved oxygen (DO)		Actual	Final		6.75	mg/l	USEPA 360.2
99033420-SMP-Water	8/23/1999 12:01	8/23/1999	EDT	Water	Sample-Rc	Sample-Routine			Enterococcus		Actual	Final		18	cfu/100ml	APHA 9230-C
99033420-SMP-Water	8/23/1999 12:01	8/23/1999	EDT	Water	Sample-Rc	Sample-Routine			Hardness, Ca, Mg		Actual	Final		5726	mg/l CaCO3	USEPA 130.2
99033420-SMP-Water	8/23/1999 12:01	8/23/1999	EDT	Water	Sample-Rc	Sample-Routine			Kjeldahl nitrogen	Total	Actual	Final		0.094	mg/l	USEPA 351.2
99033420-SMP-Water	8/23/1999 12:01	8/23/1999	EDT	Water	Sample-Rc	Sample-Routine			Ammonia-nitrogen as N	Total	Actual	Final		0.024	mg/l	USEPA 350.1
99033420-SMP-Water	8/23/1999 12:01	8/23/1999	EDT	Water	Sample-Rc	Sample-Routine			Inorganic nitrogen (nitrate and nitrite) as N	Total	Actual	Final		0.012	mg/l	USEPA 353.2
99033420-SMP-Water	8/23/1999 12:01	8/23/1999	EDT	Water	Sample-Rc	Sample-Routine			Organic carbon	Dissolved	Actual	Final		4	mg/l	USEPA 415.1
99033420-SMP-Water	8/23/1999 12:01	8/23/1999	EDT	Water	Sample-Rc	Sample-Routine			Organic carbon	Total	Actual	Final		4	mg/l	USEPA 415.1
99033420-SMP-Water	8/23/1999 12:01	8/23/1999	EDT	Water	Sample-Rc	Sample-Routine			Pheophytin a	Filterable	Actual	Final		6	ug/l	APHA 10200-H
99033420-SMP-Water	8/23/1999 12:01	8/23/1999	EDT	Water	Sample-Rc	Sample-Routine			Phosphate-phosphorus as P	Total	Actual	Final		0.082	mg/l	USEPA 365.4
99033420-SMP-Water	8/23/1999 12:01	8/23/1999	EDT	Water	Sample-Rc	Sample-Routine			Total suspended solids		Actual	Final		71	mg/l	USEPA 160.2
99033420-SMP-Water	8/23/1999 12:01	8/23/1999	EDT	Water	Sample-Rc	Sample-Routine			Turbidity		Actual	Final		6	NTU	USEPA 180.1
99033420-SMP-Water	8/23/1999 12:01	8/23/1999	EDT	Water	Sample-Rc	Sample-Routine			Orthophosphate as P	Dissolved	Actual	Final	Not Detected			USEPA 365.1
99033420-FMO-Water	8/23/1999 12:01	8/23/1999	EDT	Water	Field Msr/C	Field Msr/Obs			Depth, Secchi disk depth		Actual	Final		24	in	21DELAWQ_WQX EPA/620/R-01/003-SD
99033420-FMO-Water	8/23/1999 12:01	8/23/1999	EDT	Water	Field Msr/C	Field Msr/Obs			Dissolved oxygen (DO)		Actual	Final		8.63	mg/l	21DELAWQ_WQX YSI 6-Series
99033420-FMO-Water	8/23/1999 12:01	8/23/1999	EDT	Water	Field Msr/C	Field Msr/Obs			pH		Actual	Final		7.4	None	21DELAWQ_WQX YSI 6-Series
99033420-FMO-Water	8/23/1999 12:01	8/23/1999	EDT	Water	Field Msr/C	Field Msr/Obs			Salinity		Actual	Final		30.8	ppt	21DELAWQ_WQX YSI 6-Series
99033420-FMO-Water	8/23/1999 12:01	8/23/1999	EDT	Water	Field Msr/C	Field Msr/Obs			Specific conductance		Actual	Final		46230	uS/cm	21DELAWQ_WQX YSI 6-Series
99033420-FMO-Water	8/23/1999 12:01	8/23/1999	EDT	Water	Field Msr/C	Field Msr/Obs			Temperature, water		Actual	Final		24.7	deg C	21DELAWQ_WQX YSI 6-Series
99046740-SMP-Water	11/30/1999 10:37	11/30/1999	EST	Water	Sample-Rc	Sample-Routine			Organic carbon	Dissolved	Actual	Final		2	mg/l	USEPA 415.1
99046740-SMP-Water	11/30/1999 10:37	11/30/1999	EST	Water	Sample-Rc	Sample-Routine			Organic carbon	Total	Actual	Final		5	mg/l	USEPA 415.1
99046740-SMP-Water	11/30/1999 10:37	11/30/1999	EST	Water	Sample-Rc	Sample-Routine			Phosphate-phosphorus as P	Total	Actual	Final		0.106	mg/l	USEPA 365.4
99046740-SMP-Water	11/30/1999 10:37	11/30/1999	EST	Water	Sample-Rc	Sample-Routine			Orthophosphate as P	Dissolved	Actual	Final		0.006	mg/l	USEPA 365.1
99046740-SMP-Water	11/30/1999 10:37	11/30/1999	EST	Water	Sample-Rc	Sample-Routine			Total suspended solids		Actual	Final		102	mg/l	USEPA 160.2
99046740-SMP-Water	11/30/1999 10:37	11/30/1999	EST	Water	Sample-Rc	Sample-Routine			Turbidity		Actual	Final		11	NTU	USEPA 180.1
99046740-SMP-Water	11/30/1999 10:37	11/30/1999	EST	Water	Sample-Rc	Sample-Routine			Carbonaceous biochemical oxygen demand, standard conditions	Total	Actual	Final	Not Detected			APHA 5210-B
99046740-SMP-Water	11/30/1999 10:37	11/30/1999	EST	Water	Sample-Rc	Sample-Routine			Carbonaceous biochemical oxygen demand, standard conditions	Total	Actual	Final	Not Detected			APHA 5210-B
99046740-SMP-Water	11/30/1999 10:37	11/30/1999	EST	Water	Sample-Rc	Sample-Routine			Pheophytin a	Filterable	Actual	Final	Not Detected			APHA 10200-H
99046740-SMP-Water	11/30/1999 10:37	11/30/1999	EST	Water	Sample-Rc	Sample-Routine			Calcium carbonate as CaCO3	Total	Actual	Final		102	mg/l	USEPA 310.1
99046740-SMP-Water	11/30/1999 10:37	11/30/1999	EST	Water	Sample-Rc	Sample-Routine			Chloride	Total	Actual	Final		16949	mg/l	USEPA 325.2
99046740-SMP-Water	11/30/1999 10:37	11/30/1999	EST	Water	Sample-Rc	Sample-Routine			Chlorophyll a		Actual	Final		19	ug/l	APHA 10200-H
99046740-SMP-Water	11/30/1999 10:37	11/30/1999	EST	Water	Sample-Rc	Sample-Routine			Dissolved oxygen (DO)		Actual	Final		8.78	mg/l	USEPA 360.2
99046740-SMP-Water	11/30/1999 10:37	11/30/1999	EST	Water	Sample-Rc	Sample-Routine			Enterococcus		Actual	Final		10	cfu/100ml	APHA 9230-C
99046740-SMP-Water	11/30/1999 10:37	11/30/1999	EST	Water	Sample-Rc	Sample-Routine			Hardness, Ca, Mg		Actual	Final		5416	mg/l CaCO3	USEPA 130.2
99046740-SMP-Water	11/30/1999 10:37	11/30/1999	EST	Water	Sample-Rc	Sample-Routine			Kjeldahl nitrogen	Total	Actual	Final		0.531	mg/l	USEPA 351.2
99046740-SMP-Water	11/30/1999 10:37	11/30/1999	EST	Water	Sample-Rc	Sample-Routine			Ammonia-nitrogen as N	Total	Actual	Final		0.02	mg/l	USEPA 350.1
99046740-SMP-Water	11/30/1999 10:37	11/30/1999	EST	Water	Sample-Rc	Sample-Routine			Inorganic nitrogen (nitrate and nitrite) as N	Total	Actual	Final		0.023	mg/l	USEPA 353.2
99046740-FMO-Air	11/30/1999 10:37	11/30/1999	EST	Air	Field Msr/C	Field Msr/Obs			Temperature, air		Actual	Final		2.5	deg C	USEPA 170.1
99046740-FMO-Water	11/30/1999 10:37	11/30/1999	EST	Water	Field Msr/C	Field Msr/Obs			Depth, Secchi disk depth		Actual	Final		24	in	21DELAWQ_WQX EPA/620/R-01/003-SD
99046740-FMO-Water	11/30/1999 10:37	11/30/1999	EST	Water	Field Msr/C	Field Msr/Obs			Dissolved oxygen (DO)		Actual	Final		9.03	mg/l	21DELAWQ_WQX YSI 6-Series
99046740-FMO-Water	11/30/1999 10:37	11/30/1999	EST	Water	Field Msr/C	Field Msr/Obs			pH		Actual	Final		7.9	None	21DELAWQ_WQX YSI 6-Series
99046740-FMO-Water	11/30/1999 10:37	11/30/1999	EST	Water	Field Msr/C	Field Msr/Obs			Salinity		Actual	Final		30.2	ppt	21DELAWQ_WQX YSI 6-Series
99046740-FMO-Water	11/30/1999 10:37	11/30/1999	EST	Water	Field Msr/C	Field Msr/Obs			Specific conductance		Actual	Final		46820	uS/cm	21DELAWQ_WQX YSI 6-Series
99046740-FMO-Water	11/30/1999 10:37	11/30/1999	EST	Water	Field Msr/C	Field Msr/Obs			Temperature, water		Actual	Final		9.5	deg C	21DELAWQ_WQX YSI 6-Series
00007260-FMO-Water	3/28/2000 11:55	3/28/2000	EST	Water	Field Msr/C	Field Msr/Obs			Depth, Secchi disk depth		Actual	Final		24	in	21DELAWQ_WQX EPA/620/R-01/003-SD
00007260-FMO-Water	3/28/2000 11:55	3/28/2000	EST	Water	Field Msr/C	Field Msr/Obs			Dissolved oxygen (DO)		Actual	Final		9.82	mg/l	21DELAWQ_WQX YSI 6-Series
00007260-FMO-Water	3/28/2000 11:55	3/28/2000	EST	Water	Field Msr/C	Field Msr/Obs			pH		Actual	Final		7.7	None	21DELAWQ_WQX YSI 6-Series
00007260-FMO-Water	3/28/2000 11:55	3/28/2000	EST	Water	Field Msr/C	Field Msr/Obs			Salinity		Actual	Final		30.7	ppt	21DELAWQ_WQX YSI 6-Series
00007260-FMO-Water	3/28/2000 11:55	3/28/2000	EST	Water	Field Msr/C	Field Msr/Obs			Specific conductance		Actual	Final		47510	uS/cm	21DELAWQ_WQX YSI 6-Series
00007260-FMO-Water	3/28/2000 11:55	3/28/2000	EST	Water	Field Msr/C	Field Msr/Obs			Temperature, water		Actual	Final		9.1	deg C	21DELAWQ_WQX YSI 6-Series
00007260-FMO-Air	3/28/2000 11:55	3/28/2000	EST	Air	Field Msr/C	Field Msr/Obs			Temperature, air		Actual	Final		19	deg C	USEPA 170.1
00007260-SMP-Water	3/28/2000 11:55	3/28/2000	EST	Water	Sample-Rc	Sample-Routine			Enterococcus		Actual	Final		22	cfu/100ml	APHA 9230-C
00007260-SMP-Water	3/28/2000 11:55	3/28/2000	EST	Water	Sample-Rc	Sample-Routine			Hardness, Ca, Mg		Actual	Final		5750	mg/l CaCO3	USEPA 130.2
00007260-SMP-Water	3/28/2000 11:55	3/28/2000	EST	Water	Sample-Rc	Sample-Routine			Kjeldahl nitrogen	Total	Actual	Final		0.394	mg/l	USEPA 351.2
00007260-SMP-Water	3/28/2000 11:55	3/28/2000	EST	Water	Sample-Rc	Sample-Routine			Ammonia-nitrogen as N	Total	Actual	Final		0.037	mg/l	USEPA 350.1
00007260-SMP-Water	3/28/2000 11:55	3/28/2000	EST	Water	Sample-Rc	Sample-Routine			Inorganic nitrogen (nitrate and nitrite) as N	Total	Actual	Final		0.036	mg/l	USEPA 353.2
00007260-SMP-Water	3/28/2000 11:55	3/28/2000	EST	Water	Sample-Rc	Sample-Routine			Organic carbon	Dissolved	Actual	Final		4	mg/l	USEPA 415.1
00007260-SMP-Water	3/28/2000 11:55	3/28/2000	EST	Water	Sample-Rc	Sample-Routine			Organic carbon	Total	Actual	Final		6	mg/l	USEPA 415.1
00007260-SMP-Water	3/28/2000 11:55	3/28/2000	EST	Water	Sample-Rc	Sample-Routine			Pheophytin a	Filterable	Actual	Final		15	ug/l	APHA 10200-H
00007260-SMP-Water	3/28/2000 11:55	3/28/2000	EST	Water	Sample-Rc	Sample-Routine			Phosphate-phosphorus as P	Total	Actual	Final		0.099	mg/l	USEPA 365.4
00007260-SMP-Water	3/28/2000 11:55	3/28/2000	EST	Water	Sample-Rc	Sample-Routine			Orthophosphate as P	Dissolved	Actual	Final		0.008	mg/l	USEPA 365.1
00007260-SMP-Water	3/28/2000 11:55	3/28/2000	EST	Water	Sample-Rc	Sample-Routine			Total suspended solids		Actual	Final		98	mg/l	USEPA 160.2
00007260-SMP-Water	3/28/2000 11:55	3/28/2000	EST	Water	Sample-Rc	Sample-Routine			Turbidity		Actual	Final		36	NTU	USEPA 180.1
00007260-SMP-Water	3/28/2000 11:55	3/28/2000	EST	Water	Sample-Rc	Sample-Routine			Carbonaceous biochemical oxygen demand, standard conditions	Total	Actual	Final	Not Detected			APHA 5210-B
00007260-SMP-Water	3/28/2000 11:55	3/28/2000	EST	Water	Sample-Rc	Sample-Routine			Calcium carbonate as CaCO3	Total	Actual	Final		105	mg/l	USEPA 310.1
00007260-SMP-Water	3/28/2000 11:55	3/28/2000	EST	Water	Sample-Rc	Sample-Routine			Carbonaceous biochemical oxygen demand, standard conditions	Total	Actual	Final		2.63	mg/l	APHA 5210-B
00007260-SMP-Water	3/28/2000 11:55	3/28/2000	EST	Water	Sample-Rc	Sample-Routine			Chloride	Total	Actual	Final		12165	mg/l	USEPA 325.2
00007260-SMP-Water	3/28/2000 11:55	3/28/2000	EST	Water	Sample-Rc	Sample-Routine			Chlorophyll a		Actual	Final		5	ug/l	APHA 10200-H
00007260-SMP-Water	3/28/2000 11:55	3/28/2000	EST	Water	Sample-Rc	Sample-Routine			Dissolved oxygen (DO)		Actual	Final		5.11	mg/l	USEPA 360.2
00012480-SMP-Water	5/22/2000 9:45	5/22/2000	EDT	Water	Sample-Rc	Sample-Routine			Calcium carbonate as CaCO3	Total	Actual	Final		101	mg/l	USEPA 310.1
00012480-SMP-Water	5/22/2000 9:45	5/22/2000	EDT	Water	Sample-Rc	Sample-Routine			Chloride	Total	Actual	Final		16058	mg/l	USEPA 325.2
00012480-SMP-Water	5/22/2000 9:45	5/22/2000	EDT	Water	Sample-Rc	Sample-Routine			Chlorophyll a		Actual	Final		3	ug/l	APHA 10200-H
00012480-SMP-Water	5/22/2000 9:45	5/22/2000	EDT	Water	Sample-Rc	Sample-Routine			Dissolved oxygen (DO)		Actual	Final		5.07	mg/l	USEPA 360.2
00012480-SMP-Water	5/22/2000 9:45	5/22/2000	EDT	Water	Sample-Rc	Sample-Routine			Enterococcus		Actual	Final		310	cfu/100ml	APHA 9230-C

Activity ID	Activity Start	Date	Activity Sta	Activity Me	Activity Typ	Activity Ca	Activity De	Activity De	Characteristic Name	Sample Fraction	Value Type	Statistic Type	Result Valu	Result Value as Text	Units	Analytical Proc ID
00012480-SMP-Water	5/22/2000 9:45	5/22/2000	EDT	Water	Sample-Rc	Sample-Routine			Hardness, Ca, Mg		Actual	Final		5932	mg/l CaCO3	USEPA 130.2
00012480-SMP-Water	5/22/2000 9:45	5/22/2000	EDT	Water	Sample-Rc	Sample-Routine			Kjeldahl nitrogen	Total	Actual	Final		0.403	mg/l	USEPA 351.2
00012480-SMP-Water	5/22/2000 9:45	5/22/2000	EDT	Water	Sample-Rc	Sample-Routine			Ammonia-nitrogen as N	Total	Actual	Final		0.035	mg/l	USEPA 350.1
00012480-SMP-Water	5/22/2000 9:45	5/22/2000	EDT	Water	Sample-Rc	Sample-Routine			Inorganic nitrogen (nitrate and nitrite) as N	Total	Actual	Final		0.011	mg/l	USEPA 353.2
00012480-SMP-Water	5/22/2000 9:45	5/22/2000	EDT	Water	Sample-Rc	Sample-Routine			Organic carbon	Dissolved	Actual	Final		4	mg/l	USEPA 415.1
00012480-SMP-Water	5/22/2000 9:45	5/22/2000	EDT	Water	Sample-Rc	Sample-Routine			Organic carbon	Total	Actual	Final		4	mg/l	USEPA 415.1
00012480-SMP-Water	5/22/2000 9:45	5/22/2000	EDT	Water	Sample-Rc	Sample-Routine			Phosphate-phosphorus as P	Total	Actual	Final		0.062	mg/l	USEPA 365.4
00012480-SMP-Water	5/22/2000 9:45	5/22/2000	EDT	Water	Sample-Rc	Sample-Routine			Orthophosphate as P	Dissolved	Actual	Final		0.013	mg/l	USEPA 365.1
00012480-SMP-Water	5/22/2000 9:45	5/22/2000	EDT	Water	Sample-Rc	Sample-Routine			Total suspended solids		Actual	Final		37	mg/l	USEPA 160.2
00012480-SMP-Water	5/22/2000 9:45	5/22/2000	EDT	Water	Sample-Rc	Sample-Routine			Turbidity		Actual	Final		5	NTU	USEPA 180.1
00012480-SMP-Water	5/22/2000 9:45	5/22/2000	EDT	Water	Sample-Rc	Sample-Routine			Carbonaceous biochemical oxygen demand, standard conditions	Total	Actual	Final	Not Detected			APHA 5210-B
00012480-SMP-Water	5/22/2000 9:45	5/22/2000	EDT	Water	Sample-Rc	Sample-Routine			Carbonaceous biochemical oxygen demand, standard conditions	Total	Actual	Final	Not Detected			APHA 5210-B
00012480-SMP-Water	5/22/2000 9:45	5/22/2000	EDT	Water	Sample-Rc	Sample-Routine			Pheophytin a	Filterable	Actual	Final	Not Detected			APHA 10200-H
00012480-FMO-Water	5/22/2000 9:45	5/22/2000	EDT	Water	Field Msr/(	Field Msr/Obs			Salinity		Actual	Final		29.9	ppt	21DELAWQ_WQX YSI 6-Series
00012480-FMO-Water	5/22/2000 9:45	5/22/2000	EDT	Water	Field Msr/(	Field Msr/Obs			Specific conductance		Actual	Final		46010	uS/cm	21DELAWQ_WQX YSI 6-Series
00012480-FMO-Water	5/22/2000 9:45	5/22/2000	EDT	Water	Field Msr/(	Field Msr/Obs			Temperature, water		Actual	Final		14.7	deg C	21DELAWQ_WQX YSI 6-Series
00012480-FMO-Water	5/22/2000 9:45	5/22/2000	EDT	Water	Field Msr/(	Field Msr/Obs			Depth, Secchi disk depth		Actual	Final		24	in	21DELAWQ_WQX EPA/620/R-01/003-SD
00012480-FMO-Water	5/22/2000 9:45	5/22/2000	EDT	Water	Field Msr/(	Field Msr/Obs			Dissolved oxygen (DO)		Actual	Final		8.14	mg/l	21DELAWQ_WQX YSI 6-Series
00012480-FMO-Water	5/22/2000 9:45	5/22/2000	EDT	Water	Field Msr/(	Field Msr/Obs			pH		Actual	Final		7.8	None	21DELAWQ_WQX YSI 6-Series
00012480-FMO-Air	5/22/2000 9:45	5/22/2000	EDT	Air	Field Msr/(	Field Msr/Obs			Temperature, air		Actual	Final		13	deg C	USEPA 170.1
00024150-FMO-Air	8/14/2000 9:02	8/14/2000	EDT	Air	Field Msr/(	Field Msr/Obs			Temperature, air		Actual	Final		21.5	deg C	USEPA 170.1
00024150-SMP-Water	8/14/2000 9:02	8/14/2000	EDT	Water	Sample-Rc	Sample-Routine			Calcium carbonate as CaCO3	Total	Actual	Final		101	mg/l	USEPA 310.1
00024150-SMP-Water	8/14/2000 9:02	8/14/2000	EDT	Water	Sample-Rc	Sample-Routine			Chloride	Total	Actual	Final		15580	mg/l	USEPA 325.2
00024150-SMP-Water	8/14/2000 9:02	8/14/2000	EDT	Water	Sample-Rc	Sample-Routine			Chlorophyll a		Actual	Final		11	ug/l	APHA 10200-H
00024150-SMP-Water	8/14/2000 9:02	8/14/2000	EDT	Water	Sample-Rc	Sample-Routine			Dissolved oxygen (DO)		Actual	Final		3.7	mg/l	USEPA 360.2
00024150-SMP-Water	8/14/2000 9:02	8/14/2000	EDT	Water	Sample-Rc	Sample-Routine			Enterococcus		Actual	Final		143	cfu/100ml	APHA 9230-C
00024150-SMP-Water	8/14/2000 9:02	8/14/2000	EDT	Water	Sample-Rc	Sample-Routine			Hardness, Ca, Mg		Actual	Final		5529	mg/l CaCO3	USEPA 130.2
00024150-SMP-Water	8/14/2000 9:02	8/14/2000	EDT	Water	Sample-Rc	Sample-Routine			Kjeldahl nitrogen	Dissolved	Actual	Final		0.052	mg/l	USEPA 351.2
00024150-SMP-Water	8/14/2000 9:02	8/14/2000	EDT	Water	Sample-Rc	Sample-Routine			Kjeldahl nitrogen	Total	Actual	Final		0.112	mg/l	USEPA 351.2
00024150-SMP-Water	8/14/2000 9:02	8/14/2000	EDT	Water	Sample-Rc	Sample-Routine			Ammonia-nitrogen as N	Dissolved	Actual	Final		0.084	mg/l	USEPA 350.1
00024150-SMP-Water	8/14/2000 9:02	8/14/2000	EDT	Water	Sample-Rc	Sample-Routine			Ammonia-nitrogen as N	Total	Actual	Final		0.102	mg/l	USEPA 350.1
00024150-SMP-Water	8/14/2000 9:02	8/14/2000	EDT	Water	Sample-Rc	Sample-Routine			Inorganic nitrogen (nitrate and nitrite) as N	Dissolved	Actual	Final		0.037	mg/l	USEPA 353.2
00024150-SMP-Water	8/14/2000 9:02	8/14/2000	EDT	Water	Sample-Rc	Sample-Routine			Inorganic nitrogen (nitrate and nitrite) as N	Total	Actual	Final		0.05	mg/l	USEPA 353.2
00024150-SMP-Water	8/14/2000 9:02	8/14/2000	EDT	Water	Sample-Rc	Sample-Routine			Organic carbon	Dissolved	Actual	Final		2	mg/l	USEPA 415.1
00024150-SMP-Water	8/14/2000 9:02	8/14/2000	EDT	Water	Sample-Rc	Sample-Routine			Organic carbon	Total	Actual	Final		4	mg/l	USEPA 415.1
00024150-SMP-Water	8/14/2000 9:02	8/14/2000	EDT	Water	Sample-Rc	Sample-Routine			Pheophytin a	Filterable	Actual	Final		10	ug/l	APHA 10200-H
00024150-SMP-Water	8/14/2000 9:02	8/14/2000	EDT	Water	Sample-Rc	Sample-Routine			Phosphate-phosphorus as P	Dissolved	Actual	Final		0.045	mg/l	USEPA 365.4
00024150-SMP-Water	8/14/2000 9:02	8/14/2000	EDT	Water	Sample-Rc	Sample-Routine			Phosphate-phosphorus as P	Total	Actual	Final		0.139	mg/l	USEPA 365.4
00024150-SMP-Water	8/14/2000 9:02	8/14/2000	EDT	Water	Sample-Rc	Sample-Routine			Orthophosphate as P	Dissolved	Actual	Final		0.036	mg/l	USEPA 365.1
00024150-SMP-Water	8/14/2000 9:02	8/14/2000	EDT	Water	Sample-Rc	Sample-Routine			Total suspended solids		Actual	Final		80	mg/l	USEPA 160.2
00024150-SMP-Water	8/14/2000 9:02	8/14/2000	EDT	Water	Sample-Rc	Sample-Routine			Turbidity		Actual	Final		35	NTU	USEPA 180.1
00024150-SMP-Water	8/14/2000 9:02	8/14/2000	EDT	Water	Sample-Rc	Sample-Routine			Carbonaceous biochemical oxygen demand, standard conditions	Total	Actual	Final	Not Detected			APHA 5210-B
00024150-SMP-Water	8/14/2000 9:02	8/14/2000	EDT	Water	Sample-Rc	Sample-Routine			Carbonaceous biochemical oxygen demand, standard conditions	Total	Actual	Final	Not Detected			APHA 5210-B
00024150-FMO-Water	8/14/2000 9:02	8/14/2000	EDT	Water	Field Msr/(	Field Msr/Obs			Depth, Secchi disk depth		Actual	Final		18	in	21DELAWQ_WQX EPA/620/R-01/003-SD
00024150-FMO-Water	8/14/2000 9:02	8/14/2000	EDT	Water	Field Msr/(	Field Msr/Obs			Dissolved oxygen (DO)		Actual	Final		7.04	mg/l	21DELAWQ_WQX YSI 6-Series
00024150-FMO-Water	8/14/2000 9:02	8/14/2000	EDT	Water	Field Msr/(	Field Msr/Obs			pH		Actual	Final		8.2	None	21DELAWQ_WQX YSI 6-Series
00024150-FMO-Water	8/14/2000 9:02	8/14/2000	EDT	Water	Field Msr/(	Field Msr/Obs			Salinity		Actual	Final		29.2	ppt	21DELAWQ_WQX YSI 6-Series
00024150-FMO-Water	8/14/2000 9:02	8/14/2000	EDT	Water	Field Msr/(	Field Msr/Obs			Specific conductance		Actual	Final		45010	uS/cm	21DELAWQ_WQX YSI 6-Series
00024150-FMO-Water	8/14/2000 9:02	8/14/2000	EDT	Water	Field Msr/(	Field Msr/Obs			Temperature, water		Actual	Final		21.2	deg C	21DELAWQ_WQX YSI 6-Series
00031040-SMP-Water	10/4/2000 8:27	10/4/2000	EDT	Water	Sample-Rc	Sample-Routine			Calcium carbonate as CaCO3	Total	Actual	Final		112	mg/l	USEPA 310.1
00031040-SMP-Water	10/4/2000 8:27	10/4/2000	EDT	Water	Sample-Rc	Sample-Routine			Carbonaceous biochemical oxygen demand, standard conditions	Total	Actual	Final		2.93	mg/l	APHA 5210-B
00031040-SMP-Water	10/4/2000 8:27	10/4/2000	EDT	Water	Sample-Rc	Sample-Routine			Chloride	Total	Actual	Final		17285	mg/l	USEPA 325.2
00031040-SMP-Water	10/4/2000 8:27	10/4/2000	EDT	Water	Sample-Rc	Sample-Routine			Chlorophyll a		Actual	Final		8.01	ug/l	APHA 10200-H
00031040-SMP-Water	10/4/2000 8:27	10/4/2000	EDT	Water	Sample-Rc	Sample-Routine			Copper	Total	Estimated	Final		4.92	ug/l	21DELAWQ_WQX 200.7_ELS
00031040-SMP-Water	10/4/2000 8:27	10/4/2000	EDT	Water	Sample-Rc	Sample-Routine			Dissolved oxygen (DO)		Actual	Final		7.84	mg/l	USEPA 360.2
00031040-SMP-Water	10/4/2000 8:27	10/4/2000	EDT	Water	Sample-Rc	Sample-Routine			Enterococcus		Actual	Final		32	cfu/100ml	APHA 9230-C
00031040-SMP-Water	10/4/2000 8:27	10/4/2000	EDT	Water	Sample-Rc	Sample-Routine			Hardness, Ca, Mg		Actual	Final		6994	mg/l CaCO3	USEPA 130.2
00031040-SMP-Water	10/4/2000 8:27	10/4/2000	EDT	Water	Sample-Rc	Sample-Routine			Kjeldahl nitrogen	Dissolved	Actual	Final		0.473	mg/l	USEPA 351.2
00031040-SMP-Water	10/4/2000 8:27	10/4/2000	EDT	Water	Sample-Rc	Sample-Routine			Kjeldahl nitrogen	Total	Actual	Final		0.553	mg/l	USEPA 351.2
00031040-SMP-Water	10/4/2000 8:27	10/4/2000	EDT	Water	Sample-Rc	Sample-Routine			Lead	Dissolved	Actual	Final		11	ug/l	21DELAWQ_WQX 200.7_ELS
00031040-SMP-Water	10/4/2000 8:27	10/4/2000	EDT	Water	Sample-Rc	Sample-Routine			Lead	Total	Actual	Final		6.4	ug/l	21DELAWQ_WQX 200.7_ELS
00031040-SMP-Water	10/4/2000 8:27	10/4/2000	EDT	Water	Sample-Rc	Sample-Routine			Ammonia-nitrogen as N	Dissolved	Actual	Final		0.023	mg/l	USEPA 350.1
00031040-SMP-Water	10/4/2000 8:27	10/4/2000	EDT	Water	Sample-Rc	Sample-Routine			Ammonia-nitrogen as N	Total	Actual	Final		0.04	mg/l	USEPA 350.1
00031040-SMP-Water	10/4/2000 8:27	10/4/2000	EDT	Water	Sample-Rc	Sample-Routine			Inorganic nitrogen (nitrate and nitrite) as N	Dissolved	Actual	Final		0.03	mg/l	USEPA 353.2
00031040-SMP-Water	10/4/2000 8:27	10/4/2000	EDT	Water	Sample-Rc	Sample-Routine			Inorganic nitrogen (nitrate and nitrite) as N	Total	Actual	Final		0.024	mg/l	USEPA 353.2
00031040-SMP-Water	10/4/2000 8:27	10/4/2000	EDT	Water	Sample-Rc	Sample-Routine			Organic carbon	Dissolved	Actual	Final		3	mg/l	USEPA 415.1
00031040-SMP-Water	10/4/2000 8:27	10/4/2000	EDT	Water	Sample-Rc	Sample-Routine			Organic carbon	Total	Actual	Final		4	mg/l	USEPA 415.1
00031040-SMP-Water	10/4/2000 8:27	10/4/2000	EDT	Water	Sample-Rc	Sample-Routine			Pheophytin a	Filterable	Actual	Final		6.94	ug/l	APHA 10200-H
00031040-SMP-Water	10/4/2000 8:27	10/4/2000	EDT	Water	Sample-Rc	Sample-Routine			Phosphate-phosphorus as P	Dissolved	Actual	Final		0.047	mg/l	USEPA 365.4
00031040-SMP-Water	10/4/2000 8:27	10/4/2000	EDT	Water	Sample-Rc	Sample-Routine			Phosphate-phosphorus as P	Total	Actual	Final		0.079	mg/l	USEPA 365.4
00031040-SMP-Water	10/4/2000 8:27	10/4/2000	EDT	Water	Sample-Rc	Sample-Routine			Orthophosphate as P	Dissolved	Actual	Final		0.022	mg/l	USEPA 365.1
00031040-SMP-Water	10/4/2000 8:27	10/4/2000	EDT	Water	Sample-Rc	Sample-Routine			Total suspended solids		Actual	Final		16	mg/l	USEPA 160.2
00031040-SMP-Water	10/4/2000 8:27	10/4/2000	EDT	Water	Sample-Rc	Sample-Routine			Turbidity		Actual	Final		11	NTU	USEPA 180.1
00031040-SMP-Water	10/4/2000 8:27	10/4/2000	EDT	Water	Sample-Rc	Sample-Routine			Zinc	Total	Estimated	Final		9.09	ug/l	21DELAWQ_WQX 200.7_ELS

Activity ID	Activity Start	Date	Activity Sta	Activity Me	Activity Typ	Activity Ca	Activity De	Activity De	Characteristic Name	Sample Fraction	Value Type	Statistic Type	Result Valu	Result Value as Text	Units	Analytical Proc ID
00031040-SMP-Water	10/4/2000 8:27	10/4/2000	EDT	Water	Sample-Rc	Sample-Routine			Arsenic	Total	Actual		Final	Not Detected		21DELAWQ_WQX 200.7_ELS
00031040-SMP-Water	10/4/2000 8:27	10/4/2000	EDT	Water	Sample-Rc	Sample-Routine			Carbonaceous biochemical oxygen demand, standard conditions	Total	Actual		Final	Not Detected		APHA 5210-B
00031040-SMP-Water	10/4/2000 8:27	10/4/2000	EDT	Water	Sample-Rc	Sample-Routine			Chromium(VI)	Dissolved	Actual		Final	Not Detected		21DELAWQ_WQX 117A_ELS
00031040-FMO-Water	10/4/2000 8:27	10/4/2000	EDT	Water	Field Msr/(	Field Msr/Obs			Specific conductance		Actual		Final	45890	uS/cm	21DELAWQ_WQX YSI 6-Series
00031040-FMO-Water	10/4/2000 8:27	10/4/2000	EDT	Water	Field Msr/(	Field Msr/Obs			Temperature, water		Actual		Final	19.4	deg C	21DELAWQ_WQX YSI 6-Series
00031040-FMO-Water	10/4/2000 8:27	10/4/2000	EDT	Water	Field Msr/(	Field Msr/Obs			Depth, Secchi disk depth		Actual		Final	24	in	21DELAWQ_WQX EPA/620/R-01/003-SD
00031040-FMO-Water	10/4/2000 8:27	10/4/2000	EDT	Water	Field Msr/(	Field Msr/Obs			Dissolved oxygen (DO)		Actual		Final	7.58	mg/l	21DELAWQ_WQX YSI 6-Series
00031040-FMO-Water	10/4/2000 8:27	10/4/2000	EDT	Water	Field Msr/(	Field Msr/Obs			pH		Actual		Final	7.8	None	21DELAWQ_WQX YSI 6-Series
00031040-FMO-Water	10/4/2000 8:27	10/4/2000	EDT	Water	Field Msr/(	Field Msr/Obs			Salinity		Actual		Final	29.8	ppt	21DELAWQ_WQX YSI 6-Series
00031040-FMO-Air	10/4/2000 8:27	10/4/2000	EDT	Air	Field Msr/(	Field Msr/Obs			Temperature, air		Actual		Final	20	deg C	USEPA 170.1
01007150-FMO-Air	4/4/2001 8:29	4/4/2001	EDT	Air	Field Msr/(	Field Msr/Obs			Temperature, air		Actual		Final	9	deg C	USEPA 170.1
01007150-FMO-Water	4/4/2001 8:29	4/4/2001	EDT	Water	Field Msr/(	Field Msr/Obs			Depth, Secchi disk depth		Actual		Final	24	in	21DELAWQ_WQX EPA/620/R-01/003-SD
01007150-FMO-Water	4/4/2001 8:29	4/4/2001	EDT	Water	Field Msr/(	Field Msr/Obs			Dissolved oxygen (DO)		Actual		Final	10.24	mg/l	21DELAWQ_WQX YSI 6-Series
01007150-FMO-Water	4/4/2001 8:29	4/4/2001	EDT	Water	Field Msr/(	Field Msr/Obs			pH		Actual		Final	8.1	None	21DELAWQ_WQX YSI 6-Series
01007150-FMO-Water	4/4/2001 8:29	4/4/2001	EDT	Water	Field Msr/(	Field Msr/Obs			Salinity		Actual		Final	29.6	ppt	21DELAWQ_WQX YSI 6-Series
01007150-FMO-Water	4/4/2001 8:29	4/4/2001	EDT	Water	Field Msr/(	Field Msr/Obs			Specific conductance		Actual		Final	46200	uS/cm	21DELAWQ_WQX YSI 6-Series
01007150-FMO-Water	4/4/2001 8:29	4/4/2001	EDT	Water	Field Msr/(	Field Msr/Obs			Temperature, water		Actual		Final	7.1	deg C	21DELAWQ_WQX YSI 6-Series
01007150-SMP-Water	4/4/2001 8:29	4/4/2001	EDT	Water	Sample-Rc	Sample-Routine			Calcium carbonate as CaCO3	Total	Actual		Final	117	mg/l	USEPA 310.1
01007150-SMP-Water	4/4/2001 8:29	4/4/2001	EDT	Water	Sample-Rc	Sample-Routine			Carbonaceous biochemical oxygen demand, standard conditions	Total	Actual		Final	2.66	mg/l	APHA 5210-B
01007150-SMP-Water	4/4/2001 8:29	4/4/2001	EDT	Water	Sample-Rc	Sample-Routine			Chloride	Total	Actual		Final	16753	mg/l	USEPA 325.2
01007150-SMP-Water	4/4/2001 8:29	4/4/2001	EDT	Water	Sample-Rc	Sample-Routine			Chlorophyll a		Actual		Final	8	ug/l	APHA 10200-H
01007150-SMP-Water	4/4/2001 8:29	4/4/2001	EDT	Water	Sample-Rc	Sample-Routine			Dissolved oxygen (DO)		Actual		Final	5.25	mg/l	USEPA 360.2
01007150-SMP-Water	4/4/2001 8:29	4/4/2001	EDT	Water	Sample-Rc	Sample-Routine			Enterococcus		Actual		Final	10	cfu/100ml	APHA 9230-C
01007150-SMP-Water	4/4/2001 8:29	4/4/2001	EDT	Water	Sample-Rc	Sample-Routine			Hardness, Ca, Mg		Actual		Final	5682	mg/l CaCO3	USEPA 130.2
01007150-SMP-Water	4/4/2001 8:29	4/4/2001	EDT	Water	Sample-Rc	Sample-Routine			Ammonia-nitrogen as N	Dissolved	Actual		Final	0.01	mg/l	USEPA 350.1
01007150-SMP-Water	4/4/2001 8:29	4/4/2001	EDT	Water	Sample-Rc	Sample-Routine			Ammonia-nitrogen as N	Total	Actual		Final	0.016	mg/l	USEPA 350.1
01007150-SMP-Water	4/4/2001 8:29	4/4/2001	EDT	Water	Sample-Rc	Sample-Routine			Organic carbon	Dissolved	Actual		Final	3	mg/l	USEPA 415.1
01007150-SMP-Water	4/4/2001 8:29	4/4/2001	EDT	Water	Sample-Rc	Sample-Routine			Organic carbon	Total	Actual		Final	5	mg/l	USEPA 415.1
01007150-SMP-Water	4/4/2001 8:29	4/4/2001	EDT	Water	Sample-Rc	Sample-Routine			Phosphate-phosphorus as P	Dissolved	Actual		Final	0.021	mg/l	USEPA 365.4
01007150-SMP-Water	4/4/2001 8:29	4/4/2001	EDT	Water	Sample-Rc	Sample-Routine			Phosphate-phosphorus as P	Total	Actual		Final	0.053	mg/l	USEPA 365.4
01007150-SMP-Water	4/4/2001 8:29	4/4/2001	EDT	Water	Sample-Rc	Sample-Routine			Orthophosphate as P	Dissolved	Actual		Final	0.021	mg/l	USEPA 365.1
01007150-SMP-Water	4/4/2001 8:29	4/4/2001	EDT	Water	Sample-Rc	Sample-Routine			Total suspended solids		Actual		Final	24	mg/l	USEPA 160.2
01007150-SMP-Water	4/4/2001 8:29	4/4/2001	EDT	Water	Sample-Rc	Sample-Routine			Turbidity		Actual		Final	5	NTU	USEPA 180.1
01007150-SMP-Water	4/4/2001 8:29	4/4/2001	EDT	Water	Sample-Rc	Sample-Routine			Carbonaceous biochemical oxygen demand, standard conditions	Total	Actual		Final	Not Detected		APHA 5210-B
01007150-SMP-Water	4/4/2001 8:29	4/4/2001	EDT	Water	Sample-Rc	Sample-Routine			Kjeldahl nitrogen	Dissolved	Actual		Final	Not Detected		USEPA 351.2
01007150-SMP-Water	4/4/2001 8:29	4/4/2001	EDT	Water	Sample-Rc	Sample-Routine			Kjeldahl nitrogen	Total	Actual		Final	Not Detected		USEPA 351.2
01007150-SMP-Water	4/4/2001 8:29	4/4/2001	EDT	Water	Sample-Rc	Sample-Routine			Inorganic nitrogen (nitrate and nitrite) as N	Dissolved	Actual		Final	Not Detected		USEPA 353.2
01007150-SMP-Water	4/4/2001 8:29	4/4/2001	EDT	Water	Sample-Rc	Sample-Routine			Inorganic nitrogen (nitrate and nitrite) as N	Total	Actual		Final	Not Detected		USEPA 353.2
01007150-SMP-Water	4/4/2001 8:29	4/4/2001	EDT	Water	Sample-Rc	Sample-Routine			Pheophytin a	Filterable	Actual		Final	Not Detected		APHA 10200-H
01016590-SMP-Water	6/5/2001 11:02	6/5/2001	EDT	Water	Sample-Rc	Sample-Routine			Calcium carbonate as CaCO3	Total	Actual		Final	105	mg/l	USEPA 310.1
01016590-SMP-Water	6/5/2001 11:02	6/5/2001	EDT	Water	Sample-Rc	Sample-Routine			Chloride	Total	Actual		Final	16532	mg/l	USEPA 325.2
01016590-SMP-Water	6/5/2001 11:02	6/5/2001	EDT	Water	Sample-Rc	Sample-Routine			Chlorophyll a		Actual		Final	8	ug/l	APHA 10200-H
01016590-SMP-Water	6/5/2001 11:02	6/5/2001	EDT	Water	Sample-Rc	Sample-Routine			Dissolved oxygen (DO)		Actual		Final	6.29	mg/l	USEPA 360.2
01016590-SMP-Water	6/5/2001 11:02	6/5/2001	EDT	Water	Sample-Rc	Sample-Routine			Enterococcus		Actual		Final	9	cfu/100ml	APHA 9230-C
01016590-SMP-Water	6/5/2001 11:02	6/5/2001	EDT	Water	Sample-Rc	Sample-Routine			Hardness, Ca, Mg		Actual		Final	5988	mg/l CaCO3	USEPA 130.2
01016590-SMP-Water	6/5/2001 11:02	6/5/2001	EDT	Water	Sample-Rc	Sample-Routine			Kjeldahl nitrogen	Dissolved	Actual		Final	0.531	mg/l	USEPA 351.2
01016590-SMP-Water	6/5/2001 11:02	6/5/2001	EDT	Water	Sample-Rc	Sample-Routine			Kjeldahl nitrogen	Total	Actual		Final	0.772	mg/l	USEPA 351.2
01016590-SMP-Water	6/5/2001 11:02	6/5/2001	EDT	Water	Sample-Rc	Sample-Routine			Ammonia-nitrogen as N	Dissolved	Actual		Final	0.05	mg/l	USEPA 350.1
01016590-SMP-Water	6/5/2001 11:02	6/5/2001	EDT	Water	Sample-Rc	Sample-Routine			Ammonia-nitrogen as N	Total	Actual		Final	0.06	mg/l	USEPA 350.1
01016590-SMP-Water	6/5/2001 11:02	6/5/2001	EDT	Water	Sample-Rc	Sample-Routine			Inorganic nitrogen (nitrate and nitrite) as N	Dissolved	Actual		Final	0.022	mg/l	USEPA 353.2
01016590-SMP-Water	6/5/2001 11:02	6/5/2001	EDT	Water	Sample-Rc	Sample-Routine			Inorganic nitrogen (nitrate and nitrite) as N	Total	Actual		Final	0.016	mg/l	USEPA 353.2
01016590-SMP-Water	6/5/2001 11:02	6/5/2001	EDT	Water	Sample-Rc	Sample-Routine			Organic carbon	Dissolved	Actual		Final	3	mg/l	USEPA 415.1
01016590-SMP-Water	6/5/2001 11:02	6/5/2001	EDT	Water	Sample-Rc	Sample-Routine			Organic carbon	Total	Actual		Final	5	mg/l	USEPA 415.1
01016590-SMP-Water	6/5/2001 11:02	6/5/2001	EDT	Water	Sample-Rc	Sample-Routine			Pheophytin a	Filterable	Actual		Final	5	ug/l	APHA 10200-H
01016590-SMP-Water	6/5/2001 11:02	6/5/2001	EDT	Water	Sample-Rc	Sample-Routine			Phosphate-phosphorus as P	Dissolved	Actual		Final	0.13	mg/l	USEPA 365.4
01016590-SMP-Water	6/5/2001 11:02	6/5/2001	EDT	Water	Sample-Rc	Sample-Routine			Phosphate-phosphorus as P	Total	Actual		Final	0.1	mg/l	USEPA 365.4
01016590-SMP-Water	6/5/2001 11:02	6/5/2001	EDT	Water	Sample-Rc	Sample-Routine			Orthophosphate as P	Dissolved	Actual		Final	0.024	mg/l	USEPA 365.1
01016590-SMP-Water	6/5/2001 11:02	6/5/2001	EDT	Water	Sample-Rc	Sample-Routine			Total suspended solids		Actual		Final	55	mg/l	USEPA 160.2
01016590-SMP-Water	6/5/2001 11:02	6/5/2001	EDT	Water	Sample-Rc	Sample-Routine			Turbidity		Actual		Final	18	NTU	USEPA 180.1
01016590-SMP-Water	6/5/2001 11:02	6/5/2001	EDT	Water	Sample-Rc	Sample-Routine			Carbonaceous biochemical oxygen demand, standard conditions	Total	Actual		Final	Not Detected		APHA 5210-B
01016590-SMP-Water	6/5/2001 11:02	6/5/2001	EDT	Water	Sample-Rc	Sample-Routine			Carbonaceous biochemical oxygen demand, standard conditions	Total	Actual		Final	Not Detected		APHA 5210-B
01016590-FMO-Air	6/5/2001 11:02	6/5/2001	EDT	Air	Field Msr/(	Field Msr/Obs			Temperature, air		Actual		Final	25	deg C	USEPA 170.1
01016590-FMO-Water	6/5/2001 11:02	6/5/2001	EDT	Water	Field Msr/(	Field Msr/Obs			Depth, Secchi disk depth		Actual		Final	30	in	21DELAWQ_WQX EPA/620/R-01/003-SD
01016590-FMO-Water	6/5/2001 11:02	6/5/2001	EDT	Water	Field Msr/(	Field Msr/Obs			Dissolved oxygen (DO)		Actual		Final	7.62	mg/l	21DELAWQ_WQX YSI 6-Series
01016590-FMO-Water	6/5/2001 11:02	6/5/2001	EDT	Water	Field Msr/(	Field Msr/Obs			pH		Actual		Final	7.9	None	21DELAWQ_WQX YSI 6-Series
01016590-FMO-Water	6/5/2001 11:02	6/5/2001	EDT	Water	Field Msr/(	Field Msr/Obs			Salinity		Actual		Final	32	ppt	21DELAWQ_WQX YSI 6-Series
01016590-FMO-Water	6/5/2001 11:02	6/5/2001	EDT	Water	Field Msr/(	Field Msr/Obs			Specific conductance		Actual		Final	48900	uS/cm	21DELAWQ_WQX YSI 6-Series
01016590-FMO-Water	6/5/2001 11:02	6/5/2001	EDT	Water	Field Msr/(	Field Msr/Obs			Temperature, water		Actual		Final	19.1	deg C	21DELAWQ_WQX YSI 6-Series
01028610-FMO-Water	8/8/2001 11:27	8/8/2001	EDT	Water	Field Msr/(	Field Msr/Obs			Depth, Secchi disk depth		Actual		Final	24	in	21DELAWQ_WQX EPA/620/R-01/003-SD
01028610-FMO-Water	8/8/2001 11:27	8/8/2001	EDT	Water	Field Msr/(	Field Msr/Obs			Dissolved oxygen (DO)		Actual		Final	7.27	mg/l	21DELAWQ_WQX YSI 6-Series
01028610-FMO-Water	8/8/2001 11:27	8/8/2001	EDT	Water	Field Msr/(	Field Msr/Obs			pH		Actual		Final	7.6	None	21DELAWQ_WQX YSI 6-Series
01028610-FMO-Water	8/8/2001 11:27	8/8/2001	EDT	Water	Field Msr/(	Field Msr/Obs			Salinity		Actual		Final	30	ppt	21DELAWQ_WQX YSI 6-Series
01028610-FMO-Water	8/8/2001 11:27	8/8/2001	EDT	Water	Field Msr/(	Field Msr/Obs			Specific conductance		Actual		Final	46260	uS/cm	21DELAWQ_WQX YSI 6-Series
01028610-FMO-Water	8/8/2001 11:27	8/8/2001	EDT	Water	Field Msr/(	Field Msr/Obs			Temperature, water		Actual		Final	23.7	deg C	21DELAWQ_WQX YSI 6-Series

Activity ID	Activity Start	Date	Activity Sta	Activity Me	Activity Typ	Activity Ca	Activity De	Activity De	Characteristic Name	Sample Fraction	Value Type	Statistic Type	Result Valu	Result Value as Text	Units	Analytical Proc ID
01028610-SMP-Water	8/8/2001 11:27	8/8/2001	EDT	Water	Sample-Rc	Sample-Routine			Chloride	Total	Actual	Final		17375	mg/l	USEPA 325.2
01028610-SMP-Water	8/8/2001 11:27	8/8/2001	EDT	Water	Sample-Rc	Sample-Routine			Chlorophyll a		Actual	Final		11	ug/l	APHA 10200-H
01028610-SMP-Water	8/8/2001 11:27	8/8/2001	EDT	Water	Sample-Rc	Sample-Routine			Dissolved oxygen (DO)		Actual	Final		6.14	mg/l	USEPA 360.2
01028610-SMP-Water	8/8/2001 11:27	8/8/2001	EDT	Water	Sample-Rc	Sample-Routine			Enterococcus		Actual	Final		27	cfu/100ml	APHA 9230-C
01028610-SMP-Water	8/8/2001 11:27	8/8/2001	EDT	Water	Sample-Rc	Sample-Routine			Hardness, Ca, Mg		Actual	Final		5949	mg/l CaCO3	USEPA 130.2
01028610-SMP-Water	8/8/2001 11:27	8/8/2001	EDT	Water	Sample-Rc	Sample-Routine			Kjeldahl nitrogen	Dissolved	Actual	Final		0.501	mg/l	USEPA 351.2
01028610-SMP-Water	8/8/2001 11:27	8/8/2001	EDT	Water	Sample-Rc	Sample-Routine			Kjeldahl nitrogen	Total	Actual	Final		0.792	mg/l	USEPA 351.2
01028610-SMP-Water	8/8/2001 11:27	8/8/2001	EDT	Water	Sample-Rc	Sample-Routine			Lead	Dissolved	Estimated	Final		1.03	ug/l	21DELAWQ_WQX 200.7_ELS
01028610-SMP-Water	8/8/2001 11:27	8/8/2001	EDT	Water	Sample-Rc	Sample-Routine			Lead	Total	Actual	Final		3.03	ug/l	21DELAWQ_WQX 200.7_ELS
01028610-SMP-Water	8/8/2001 11:27	8/8/2001	EDT	Water	Sample-Rc	Sample-Routine			Ammonia-nitrogen as N	Dissolved	Actual	Final		0.011	mg/l	USEPA 350.1
01028610-SMP-Water	8/8/2001 11:27	8/8/2001	EDT	Water	Sample-Rc	Sample-Routine			Ammonia-nitrogen as N	Total	Actual	Final		0.026	mg/l	USEPA 350.1
01028610-SMP-Water	8/8/2001 11:27	8/8/2001	EDT	Water	Sample-Rc	Sample-Routine			Inorganic nitrogen (nitrate and nitrite) as N	Dissolved	Actual	Final		0.016	mg/l	USEPA 353.2
01028610-SMP-Water	8/8/2001 11:27	8/8/2001	EDT	Water	Sample-Rc	Sample-Routine			Organic carbon	Dissolved	Actual	Final		2	mg/l	USEPA 415.1
01028610-SMP-Water	8/8/2001 11:27	8/8/2001	EDT	Water	Sample-Rc	Sample-Routine			Organic carbon	Total	Actual	Final		4	mg/l	USEPA 415.1
01028610-SMP-Water	8/8/2001 11:27	8/8/2001	EDT	Water	Sample-Rc	Sample-Routine			Pheophytin a	Filterable	Actual	Final		10	ug/l	APHA 10200-H
01028610-SMP-Water	8/8/2001 11:27	8/8/2001	EDT	Water	Sample-Rc	Sample-Routine			Phosphate-phosphorus as P	Dissolved	Actual	Final		0.107	mg/l	USEPA 365.4
01028610-SMP-Water	8/8/2001 11:27	8/8/2001	EDT	Water	Sample-Rc	Sample-Routine			Phosphate-phosphorus as P	Total	Actual	Final		0.153	mg/l	USEPA 365.4
01028610-SMP-Water	8/8/2001 11:27	8/8/2001	EDT	Water	Sample-Rc	Sample-Routine			Orthophosphate as P	Dissolved	Actual	Final		0.018	mg/l	USEPA 365.1
01028610-SMP-Water	8/8/2001 11:27	8/8/2001	EDT	Water	Sample-Rc	Sample-Routine			Total suspended solids		Actual	Final		40	mg/l	USEPA 160.2
01028610-SMP-Water	8/8/2001 11:27	8/8/2001	EDT	Water	Sample-Rc	Sample-Routine			Turbidity		Actual	Final		21	NTU	USEPA 180.1
01028610-SMP-Water	8/8/2001 11:27	8/8/2001	EDT	Water	Sample-Rc	Sample-Routine			Arsenic	Total	Actual	Final	Not Detected			21DELAWQ_WQX 200.7_ELS
01028610-SMP-Water	8/8/2001 11:27	8/8/2001	EDT	Water	Sample-Rc	Sample-Routine			Carbonaceous biochemical oxygen demand, standard conditions	Total	Actual	Final	Not Detected			APHA 5210-B
01028610-SMP-Water	8/8/2001 11:27	8/8/2001	EDT	Water	Sample-Rc	Sample-Routine			Chromium(VI)	Dissolved	Actual	Final	Not Detected			21DELAWQ_WQX 117A_ELS
01028610-SMP-Water	8/8/2001 11:27	8/8/2001	EDT	Water	Sample-Rc	Sample-Routine			Copper	Total	Actual	Final	Not Detected			21DELAWQ_WQX 200.7_ELS
01028610-SMP-Water	8/8/2001 11:27	8/8/2001	EDT	Water	Sample-Rc	Sample-Routine			Inorganic nitrogen (nitrate and nitrite) as N	Total	Actual	Final	Not Detected			USEPA 353.2
01028610-SMP-Water	8/8/2001 11:27	8/8/2001	EDT	Water	Sample-Rc	Sample-Routine			Zinc	Total	Actual	Final	Not Detected			21DELAWQ_WQX 200.7_ELS
01028610-SMP-Water	8/8/2001 11:27	8/8/2001	EDT	Water	Sample-Rc	Sample-Routine			Calcium carbonate as CaCO3	Total	Actual	Final		106	mg/l	USEPA 310.1
01028610-SMP-Water	8/8/2001 11:27	8/8/2001	EDT	Water	Sample-Rc	Sample-Routine			Carbonaceous biochemical oxygen demand, standard conditions	Total	Actual	Final		2.41	mg/l	APHA 5210-B
01028610-FMO-Air	8/8/2001 11:27	8/8/2001	EDT	Air	Field Msr/C	Field Msr/Obs			Temperature, air		Actual	Final		33	deg C	USEPA 170.1
01041850-SMP-Water	10/29/2001 11:01	10/29/2001	EST	Water	Sample-Rc	Sample-Routine			Calcium carbonate as CaCO3	Total	Actual	Final		110	mg/l	USEPA 310.1
01041850-SMP-Water	10/29/2001 11:01	10/29/2001	EST	Water	Sample-Rc	Sample-Routine			Carbonaceous biochemical oxygen demand, standard conditions	Total	Actual	Final		2.83	mg/l	APHA 5210-B
01041850-SMP-Water	10/29/2001 11:01	10/29/2001	EST	Water	Sample-Rc	Sample-Routine			Chloride	Total	Actual	Final		17029	mg/l	USEPA 325.2
01041850-SMP-Water	10/29/2001 11:01	10/29/2001	EST	Water	Sample-Rc	Sample-Routine			Chlorophyll a		Actual	Final		8	ug/l	APHA 10200-H
01041850-SMP-Water	10/29/2001 11:01	10/29/2001	EST	Water	Sample-Rc	Sample-Routine			Copper	Total	Estimated	Final		4.82	ug/l	21DELAWQ_WQX 200.7_ELS
01041850-SMP-Water	10/29/2001 11:01	10/29/2001	EST	Water	Sample-Rc	Sample-Routine			Dissolved oxygen (DO)		Actual	Final		4.83	mg/l	USEPA 360.2
01041850-SMP-Water	10/29/2001 11:01	10/29/2001	EST	Water	Sample-Rc	Sample-Routine			Hardness, Ca, Mg		Actual	Final		6034	mg/l CaCO3	USEPA 130.2
01041850-SMP-Water	10/29/2001 11:01	10/29/2001	EST	Water	Sample-Rc	Sample-Routine			Kjeldahl nitrogen	Dissolved	Actual	Final		0.782	mg/l	USEPA 351.2
01041850-SMP-Water	10/29/2001 11:01	10/29/2001	EST	Water	Sample-Rc	Sample-Routine			Kjeldahl nitrogen	Total	Actual	Final		0.997	mg/l	USEPA 351.2
01041850-SMP-Water	10/29/2001 11:01	10/29/2001	EST	Water	Sample-Rc	Sample-Routine			Ammonia-nitrogen as N	Dissolved	Actual	Final		0.066	mg/l	USEPA 350.1
01041850-SMP-Water	10/29/2001 11:01	10/29/2001	EST	Water	Sample-Rc	Sample-Routine			Ammonia-nitrogen as N	Total	Actual	Final		0.084	mg/l	USEPA 350.1
01041850-SMP-Water	10/29/2001 11:01	10/29/2001	EST	Water	Sample-Rc	Sample-Routine			Inorganic nitrogen (nitrate and nitrite) as N	Dissolved	Actual	Final		0.121	mg/l	USEPA 353.2
01041850-SMP-Water	10/29/2001 11:01	10/29/2001	EST	Water	Sample-Rc	Sample-Routine			Inorganic nitrogen (nitrate and nitrite) as N	Total	Actual	Final		0.126	mg/l	USEPA 353.2
01041850-SMP-Water	10/29/2001 11:01	10/29/2001	EST	Water	Sample-Rc	Sample-Routine			Organic carbon	Dissolved	Actual	Final		3	mg/l	USEPA 415.1
01041850-SMP-Water	10/29/2001 11:01	10/29/2001	EST	Water	Sample-Rc	Sample-Routine			Organic carbon	Total	Actual	Final		5	mg/l	USEPA 415.1
01041850-SMP-Water	10/29/2001 11:01	10/29/2001	EST	Water	Sample-Rc	Sample-Routine			Pheophytin a	Filterable	Actual	Final		5	ug/l	APHA 10200-H
01041850-SMP-Water	10/29/2001 11:01	10/29/2001	EST	Water	Sample-Rc	Sample-Routine			Phosphate-phosphorus as P	Dissolved	Actual	Final		0.259	mg/l	USEPA 365.4
01041850-SMP-Water	10/29/2001 11:01	10/29/2001	EST	Water	Sample-Rc	Sample-Routine			Phosphate-phosphorus as P	Total	Actual	Final		0.21	mg/l	USEPA 365.4
01041850-SMP-Water	10/29/2001 11:01	10/29/2001	EST	Water	Sample-Rc	Sample-Routine			Orthophosphate as P	Dissolved	Actual	Final		0.024	mg/l	USEPA 365.1
01041850-SMP-Water	10/29/2001 11:01	10/29/2001	EST	Water	Sample-Rc	Sample-Routine			Total suspended solids		Actual	Final		75	mg/l	USEPA 160.2
01041850-SMP-Water	10/29/2001 11:01	10/29/2001	EST	Water	Sample-Rc	Sample-Routine			Turbidity		Actual	Final		24	NTU	USEPA 180.1
01041850-SMP-Water	10/29/2001 11:01	10/29/2001	EST	Water	Sample-Rc	Sample-Routine			Zinc	Total	Estimated	Final		2.29	ug/l	21DELAWQ_WQX 200.7_ELS
01041850-SMP-Water	10/29/2001 11:01	10/29/2001	EST	Water	Sample-Rc	Sample-Routine			Arsenic	Total	Actual	Final	Not Detected			21DELAWQ_WQX 200.7_ELS
01041850-SMP-Water	10/29/2001 11:01	10/29/2001	EST	Water	Sample-Rc	Sample-Routine			Carbonaceous biochemical oxygen demand, standard conditions	Total	Actual	Final	Not Detected			APHA 5210-B
01041850-SMP-Water	10/29/2001 11:01	10/29/2001	EST	Water	Sample-Rc	Sample-Routine			Chromium(VI)	Dissolved	Actual	Final	Not Detected			21DELAWQ_WQX 117A_ELS
01041850-SMP-Water	10/29/2001 11:01	10/29/2001	EST	Water	Sample-Rc	Sample-Routine			Enterococcus		Actual	Final	Not Detected			APHA 9230-C
01041850-SMP-Water	10/29/2001 11:01	10/29/2001	EST	Water	Sample-Rc	Sample-Routine			Lead	Total	Actual	Final	Not Detected			21DELAWQ_WQX 200.7_ELS
01041850-FMO-Water	10/29/2001 11:01	10/29/2001	EST	Water	Field Msr/C	Field Msr/Obs			Depth, Secchi disk depth		Actual	Final		18	in	21DELAWQ_WQX EPA/620/R-01/003-SD
01041850-FMO-Water	10/29/2001 11:01	10/29/2001	EST	Water	Field Msr/C	Field Msr/Obs			Dissolved oxygen (DO)		Actual	Final		8.25	mg/l	21DELAWQ_WQX YSI 6-Series
01041850-FMO-Water	10/29/2001 11:01	10/29/2001	EST	Water	Field Msr/C	Field Msr/Obs			pH		Actual	Final		6.9	None	21DELAWQ_WQX YSI 6-Series
01041850-FMO-Water	10/29/2001 11:01	10/29/2001	EST	Water	Field Msr/C	Field Msr/Obs			Salinity		Actual	Final		30.4	ppt	21DELAWQ_WQX YSI 6-Series
01041850-FMO-Water	10/29/2001 11:01	10/29/2001	EST	Water	Field Msr/C	Field Msr/Obs			Specific conductance		Actual	Final		46810	uS/cm	21DELAWQ_WQX YSI 6-Series
01041850-FMO-Water	10/29/2001 11:01	10/29/2001	EST	Water	Field Msr/C	Field Msr/Obs			Temperature, water		Actual	Final		14.4	deg C	21DELAWQ_WQX YSI 6-Series
01041850-FMO-Air	10/29/2001 11:01	10/29/2001	EST	Air	Field Msr/C	Field Msr/Obs			Temperature, air		Actual	Final		18	deg C	USEPA 170.1
01041870-SMP-Water	10/29/2001 11:02	10/29/2001	EST	QC	Quality Co	Quality Control	Sample-Field Rep		Copper	Total	Actual	Final		7.58	ug/l	21DELAWQ_WQX 200.7_ELS
01041870-SMP-Water	10/29/2001 11:02	10/29/2001	EST	QC	Quality Co	Quality Control	Sample-Field Rep		Dissolved oxygen (DO)		Actual	Final		4.55	mg/l	USEPA 360.2
01041870-SMP-Water	10/29/2001 11:02	10/29/2001	EST	QC	Quality Co	Quality Control	Sample-Field Rep		Enterococcus		Actual	Final		3	cfu/100ml	APHA 9230-C
01041870-SMP-Water	10/29/2001 11:02	10/29/2001	EST	QC	Quality Co	Quality Control	Sample-Field Rep		Hardness, Ca, Mg		Actual	Final		6295	mg/l CaCO3	USEPA 130.2
01041870-SMP-Water	10/29/2001 11:02	10/29/2001	EST	QC	Quality Co	Quality Control	Sample-Field Rep		Kjeldahl nitrogen	Dissolved	Actual	Final		0.855	mg/l	USEPA 351.2
01041870-SMP-Water	10/29/2001 11:02	10/29/2001	EST	QC	Quality Co	Quality Control	Sample-Field Rep		Kjeldahl nitrogen	Total	Actual	Final		1.03	mg/l	USEPA 351.2
01041870-SMP-Water	10/29/2001 11:02	10/29/2001	EST	QC	Quality Co	Quality Control	Sample-Field Rep		Ammonia-nitrogen as N	Dissolved	Actual	Final		0.07	mg/l	USEPA 350.1
01041870-SMP-Water	10/29/2001 11:02	10/29/2001	EST	QC	Quality Co	Quality Control	Sample-Field Rep		Ammonia-nitrogen as N	Total	Actual	Final		0.078	mg/l	USEPA 350.1
01041870-SMP-Water	10/29/2001 11:02	10/29/2001	EST	QC	Quality Co	Quality Control	Sample-Field Rep		Inorganic nitrogen (nitrate and nitrite) as N	Dissolved	Actual	Final		0.106	mg/l	USEPA 353.2
01041870-SMP-Water	10/29/2001 11:02	10/29/2001	EST	QC	Quality Co	Quality Control	Sample-Field Rep		Inorganic nitrogen (nitrate and nitrite) as N	Total	Actual	Final		0.104	mg/l	USEPA 353.2
01041870-SMP-Water	10/29/2001 11:02	10/29/2001	EST	QC	Quality Co	Quality Control	Sample-Field Rep		Organic carbon	Dissolved	Actual	Final		3	mg/l	USEPA 415.1

Activity ID	Activity Start	Date	Activity Sta	Activity Me	Activity Typ	Activity Ca	Activity De	Activity De	Characteristic Name	Sample Fraction	Value Type	Statistic Type	Result Valu	Result Value as Text	Units	Analytical Proc ID
01041870-SMP-Water	10/29/2001 11:02	10/29/2001	EST	QC	Quality Co	Quality Control	Sample-Field Rep		Organic carbon	Total	Actual		Final	5	mg/l	USEPA 415.1
01041870-SMP-Water	10/29/2001 11:02	10/29/2001	EST	QC	Quality Co	Quality Control	Sample-Field Rep		Phosphate-phosphorus as P	Dissolved	Actual		Final	0.093	mg/l	USEPA 365.4
01041870-SMP-Water	10/29/2001 11:02	10/29/2001	EST	QC	Quality Co	Quality Control	Sample-Field Rep		Phosphate-phosphorus as P	Total	Actual		Final	0.194	mg/l	USEPA 365.4
01041870-SMP-Water	10/29/2001 11:02	10/29/2001	EST	QC	Quality Co	Quality Control	Sample-Field Rep		Orthophosphate as P	Dissolved	Actual		Final	0.024	mg/l	USEPA 365.1
01041870-SMP-Water	10/29/2001 11:02	10/29/2001	EST	QC	Quality Co	Quality Control	Sample-Field Rep		Total suspended solids		Actual		Final	62	mg/l	USEPA 160.2
01041870-SMP-Water	10/29/2001 11:02	10/29/2001	EST	QC	Quality Co	Quality Control	Sample-Field Rep		Turbidity		Actual		Final	22	NTU	USEPA 180.1
01041870-SMP-Water	10/29/2001 11:02	10/29/2001	EST	QC	Quality Co	Quality Control	Sample-Field Rep		Zinc	Total	Estimated		Final	4.91	ug/l	21DELAWQ_WQX 200.7_ELS
01041870-SMP-Water	10/29/2001 11:02	10/29/2001	EST	QC	Quality Co	Quality Control	Sample-Field Rep		Arsenic	Total	Actual		Final	Not Detected		21DELAWQ_WQX 200.7_ELS
01041870-SMP-Water	10/29/2001 11:02	10/29/2001	EST	QC	Quality Co	Quality Control	Sample-Field Rep		Carbonaceous biochemical oxygen demand, standard conditions	Total	Actual		Final	Not Detected		APHA 5210-B
01041870-SMP-Water	10/29/2001 11:02	10/29/2001	EST	QC	Quality Co	Quality Control	Sample-Field Rep		Chromium(VI)	Dissolved	Actual		Final	Not Detected		21DELAWQ_WQX 117A_ELS
01041870-SMP-Water	10/29/2001 11:02	10/29/2001	EST	QC	Quality Co	Quality Control	Sample-Field Rep		Copper	Dissolved	Actual		Final	Not Detected		21DELAWQ_WQX 200.7_ELS
01041870-SMP-Water	10/29/2001 11:02	10/29/2001	EST	QC	Quality Co	Quality Control	Sample-Field Rep		Lead	Total	Actual		Final	Not Detected		21DELAWQ_WQX 200.7_ELS
01041870-SMP-Water	10/29/2001 11:02	10/29/2001	EST	QC	Quality Co	Quality Control	Sample-Field Rep		Pheophytin a	Filterable	Actual		Final	Not Detected		APHA 10200-H
01041870-SMP-Water	10/29/2001 11:02	10/29/2001	EST	QC	Quality Co	Quality Control	Sample-Field Rep		Calcium carbonate as CaCO3	Total	Actual		Final	115	mg/l	USEPA 310.1
01041870-SMP-Water	10/29/2001 11:02	10/29/2001	EST	QC	Quality Co	Quality Control	Sample-Field Rep		Carbonaceous biochemical oxygen demand, standard conditions	Total	Actual		Final	2.88	mg/l	APHA 5210-B
01041870-SMP-Water	10/29/2001 11:02	10/29/2001	EST	QC	Quality Co	Quality Control	Sample-Field Rep		Chloride	Total	Actual		Final	17572	mg/l	USEPA 325.2
01041870-SMP-Water	10/29/2001 11:02	10/29/2001	EST	QC	Quality Co	Quality Control	Sample-Field Rep		Chlorophyll a		Actual		Final	11	ug/l	APHA 10200-H
01041870-FMO-Air	10/29/2001 11:02	10/29/2001	EST	QC	Quality Co	Quality Control	Field Replicate Ms		Temperature, air		Actual		Final	18	deg C	USEPA 170.1
01041870-FMO-Water	10/29/2001 11:02	10/29/2001	EST	QC	Quality Co	Quality Control	Field Replicate Ms		Depth, Secchi disk depth		Actual		Final	18	in	21DELAWQ_WQX EPA/620/R-01/003-SD
01041870-FMO-Water	10/29/2001 11:02	10/29/2001	EST	QC	Quality Co	Quality Control	Field Replicate Ms		Dissolved oxygen (DO)		Actual		Final	8.25	mg/l	21DELAWQ_WQX YSI 6-Series
01041870-FMO-Water	10/29/2001 11:02	10/29/2001	EST	QC	Quality Co	Quality Control	Field Replicate Ms		pH		Actual		Final	6.9	None	21DELAWQ_WQX YSI 6-Series
01041870-FMO-Water	10/29/2001 11:02	10/29/2001	EST	QC	Quality Co	Quality Control	Field Replicate Ms		Salinity		Actual		Final	30.4	ppt	21DELAWQ_WQX YSI 6-Series
01041870-FMO-Water	10/29/2001 11:02	10/29/2001	EST	QC	Quality Co	Quality Control	Field Replicate Ms		Specific conductance		Actual		Final	46810	uS/cm	21DELAWQ_WQX YSI 6-Series
01041870-FMO-Water	10/29/2001 11:02	10/29/2001	EST	QC	Quality Co	Quality Control	Field Replicate Ms		Temperature, water		Actual		Final	14.4	deg C	21DELAWQ_WQX YSI 6-Series
02006330-FMO-Air	4/2/2002 8:28	4/2/2002	EST	Air	Field Msr/C	Field Msr/Obs			Temperature, air		Actual		Final	10	deg C	USEPA 170.1
02006330-SMP-Water	4/2/2002 8:28	4/2/2002	EST	Water	Sample-Rc	Sample-Routine			Carbonaceous biochemical oxygen demand, standard conditions	Total	Actual		Final	Not Detected		APHA 5210-B
02006330-SMP-Water	4/2/2002 8:28	4/2/2002	EST	Water	Sample-Rc	Sample-Routine			Enterococcus		Actual		Final	Not Detected		APHA 9230-C
02006330-SMP-Water	4/2/2002 8:28	4/2/2002	EST	Water	Sample-Rc	Sample-Routine			Pheophytin a	Filterable	Actual		Final	Not Detected		APHA 10200-H
02006330-SMP-Water	4/2/2002 8:28	4/2/2002	EST	Water	Sample-Rc	Sample-Routine			Calcium carbonate as CaCO3	Total	Actual		Final	105	mg/l	USEPA 310.1
02006330-SMP-Water	4/2/2002 8:28	4/2/2002	EST	Water	Sample-Rc	Sample-Routine			Carbonaceous biochemical oxygen demand, standard conditions	Total	Actual		Final	2.82	mg/l	APHA 5210-B
02006330-SMP-Water	4/2/2002 8:28	4/2/2002	EST	Water	Sample-Rc	Sample-Routine			Chloride	Total	Actual		Final	18900	mg/l	USEPA 325.2
02006330-SMP-Water	4/2/2002 8:28	4/2/2002	EST	Water	Sample-Rc	Sample-Routine			Chlorophyll a		Actual		Final	4	ug/l	APHA 10200-H
02006330-SMP-Water	4/2/2002 8:28	4/2/2002	EST	Water	Sample-Rc	Sample-Routine			Dissolved oxygen (DO)		Actual		Final	3.19	mg/l	USEPA 360.2
02006330-SMP-Water	4/2/2002 8:28	4/2/2002	EST	Water	Sample-Rc	Sample-Routine			Hardness, Ca, Mg		Actual		Final	5720	mg/l CaCO3	USEPA 130.2
02006330-SMP-Water	4/2/2002 8:28	4/2/2002	EST	Water	Sample-Rc	Sample-Routine			Kjeldahl nitrogen	Dissolved	Actual		Final	0.844	mg/l	USEPA 351.2
02006330-SMP-Water	4/2/2002 8:28	4/2/2002	EST	Water	Sample-Rc	Sample-Routine			Kjeldahl nitrogen	Total	Actual		Final	1.64	mg/l	USEPA 351.2
02006330-SMP-Water	4/2/2002 8:28	4/2/2002	EST	Water	Sample-Rc	Sample-Routine			Ammonia-nitrogen as N	Dissolved	Actual		Final	0.009	mg/l	USEPA 350.1
02006330-SMP-Water	4/2/2002 8:28	4/2/2002	EST	Water	Sample-Rc	Sample-Routine			Ammonia-nitrogen as N	Total	Actual		Final	0.017	mg/l	USEPA 350.1
02006330-SMP-Water	4/2/2002 8:28	4/2/2002	EST	Water	Sample-Rc	Sample-Routine			Inorganic nitrogen (nitrate and nitrite) as N	Dissolved	Actual		Final	0.007	mg/l	USEPA 353.2
02006330-SMP-Water	4/2/2002 8:28	4/2/2002	EST	Water	Sample-Rc	Sample-Routine			Inorganic nitrogen (nitrate and nitrite) as N	Total	Actual		Final	0.006	mg/l	USEPA 353.2
02006330-SMP-Water	4/2/2002 8:28	4/2/2002	EST	Water	Sample-Rc	Sample-Routine			Organic carbon	Dissolved	Actual		Final	3	mg/l	USEPA 415.1
02006330-SMP-Water	4/2/2002 8:28	4/2/2002	EST	Water	Sample-Rc	Sample-Routine			Organic carbon	Total	Actual		Final	3	mg/l	USEPA 415.1
02006330-SMP-Water	4/2/2002 8:28	4/2/2002	EST	Water	Sample-Rc	Sample-Routine			Phosphate-phosphorus as P	Dissolved	Actual		Final	0.046	mg/l	USEPA 365.4
02006330-SMP-Water	4/2/2002 8:28	4/2/2002	EST	Water	Sample-Rc	Sample-Routine			Phosphate-phosphorus as P	Total	Actual		Final	0.142	mg/l	USEPA 365.4
02006330-SMP-Water	4/2/2002 8:28	4/2/2002	EST	Water	Sample-Rc	Sample-Routine			Orthophosphate as P	Dissolved	Actual		Final	0.015	mg/l	USEPA 365.1
02006330-SMP-Water	4/2/2002 8:28	4/2/2002	EST	Water	Sample-Rc	Sample-Routine			Total suspended solids		Actual		Final	18	mg/l	USEPA 160.2
02006330-SMP-Water	4/2/2002 8:28	4/2/2002	EST	Water	Sample-Rc	Sample-Routine			Turbidity		Actual		Final	7	NTU	USEPA 180.1
02006330-FMO-Water	4/2/2002 8:28	4/2/2002	EST	Water	Field Msr/C	Field Msr/Obs			Depth, Secchi disk depth		Actual		Final	24	in	21DELAWQ_WQX EPA/620/R-01/003-SD
02006330-FMO-Water	4/2/2002 8:28	4/2/2002	EST	Water	Field Msr/C	Field Msr/Obs			Dissolved oxygen (DO)		Actual		Final	9.73	mg/l	21DELAWQ_WQX YSI 6-Series
02006330-FMO-Water	4/2/2002 8:28	4/2/2002	EST	Water	Field Msr/C	Field Msr/Obs			pH		Actual		Final	8.1	None	21DELAWQ_WQX YSI 6-Series
02006330-FMO-Water	4/2/2002 8:28	4/2/2002	EST	Water	Field Msr/C	Field Msr/Obs			Salinity		Actual		Final	30.5	ppt	21DELAWQ_WQX YSI 6-Series
02006330-FMO-Water	4/2/2002 8:28	4/2/2002	EST	Water	Field Msr/C	Field Msr/Obs			Specific conductance		Actual		Final	47210	uS/cm	21DELAWQ_WQX YSI 6-Series
02006330-FMO-Water	4/2/2002 8:28	4/2/2002	EST	Water	Field Msr/C	Field Msr/Obs			Temperature, water		Actual		Final	10.2	deg C	21DELAWQ_WQX YSI 6-Series
02006350-FMO-Air	4/2/2002 8:29	4/2/2002	EST	QC	Quality Co	Quality Control	Field Replicate Ms		Temperature, air		Actual		Final	10	deg C	USEPA 170.1
02006350-FMO-Water	4/2/2002 8:29	4/2/2002	EST	QC	Quality Co	Quality Control	Field Replicate Ms		Depth, Secchi disk depth		Actual		Final	24	in	21DELAWQ_WQX EPA/620/R-01/003-SD
02006350-FMO-Water	4/2/2002 8:29	4/2/2002	EST	QC	Quality Co	Quality Control	Field Replicate Ms		Dissolved oxygen (DO)		Actual		Final	9.73	mg/l	21DELAWQ_WQX YSI 6-Series
02006350-FMO-Water	4/2/2002 8:29	4/2/2002	EST	QC	Quality Co	Quality Control	Field Replicate Ms		Temperature, water		Actual		Final	10.2	deg C	21DELAWQ_WQX YSI 6-Series
02006350-FMO-Water	4/2/2002 8:29	4/2/2002	EST	QC	Quality Co	Quality Control	Field Replicate Ms		pH		Actual		Final	8.1	None	21DELAWQ_WQX YSI 6-Series
02006350-FMO-Water	4/2/2002 8:29	4/2/2002	EST	QC	Quality Co	Quality Control	Field Replicate Ms		Salinity		Actual		Final	30.5	ppt	21DELAWQ_WQX YSI 6-Series
02006350-FMO-Water	4/2/2002 8:29	4/2/2002	EST	QC	Quality Co	Quality Control	Field Replicate Ms		Specific conductance		Actual		Final	47210	uS/cm	21DELAWQ_WQX YSI 6-Series
02006350-SMP-Water	4/2/2002 8:29	4/2/2002	EST	QC	Quality Co	Quality Control	Sample-Field Rep		Ammonia-nitrogen as N	Dissolved	Actual		Final	0.012	mg/l	USEPA 350.1
02006350-SMP-Water	4/2/2002 8:29	4/2/2002	EST	QC	Quality Co	Quality Control	Sample-Field Rep		Ammonia-nitrogen as N	Total	Actual		Final	0.028	mg/l	USEPA 350.1
02006350-SMP-Water	4/2/2002 8:29	4/2/2002	EST	QC	Quality Co	Quality Control	Sample-Field Rep		Organic carbon	Dissolved	Estimated		Final	4	mg/l	USEPA 415.1
02006350-SMP-Water	4/2/2002 8:29	4/2/2002	EST	QC	Quality Co	Quality Control	Sample-Field Rep		Organic carbon	Total	Actual		Final	2	mg/l	USEPA 415.1
02006350-SMP-Water	4/2/2002 8:29	4/2/2002	EST	QC	Quality Co	Quality Control	Sample-Field Rep		Pheophytin a	Filterable	Actual		Final	1	ug/l	APHA 10200-H
02006350-SMP-Water	4/2/2002 8:29	4/2/2002	EST	QC	Quality Co	Quality Control	Sample-Field Rep		Phosphate-phosphorus as P	Dissolved	Actual		Final	0.218	mg/l	USEPA 365.4
02006350-SMP-Water	4/2/2002 8:29	4/2/2002	EST	QC	Quality Co	Quality Control	Sample-Field Rep		Phosphate-phosphorus as P	Total	Actual		Final	0.258	mg/l	USEPA 365.4
02006350-SMP-Water	4/2/2002 8:29	4/2/2002	EST	QC	Quality Co	Quality Control	Sample-Field Rep		Orthophosphate as P	Dissolved	Actual		Final	0.091	mg/l	USEPA 365.1
02006350-SMP-Water	4/2/2002 8:29	4/2/2002	EST	QC	Quality Co	Quality Control	Sample-Field Rep		Total suspended solids		Actual		Final	21	mg/l	USEPA 160.2
02006350-SMP-Water	4/2/2002 8:29	4/2/2002	EST	QC	Quality Co	Quality Control	Sample-Field Rep		Turbidity		Actual		Final	7	NTU	USEPA 180.1
02006350-SMP-Water	4/2/2002 8:29	4/2/2002	EST	QC	Quality Co	Quality Control	Sample-Field Rep		Carbonaceous biochemical oxygen demand, standard conditions	Total	Actual		Final	Not Detected		APHA 5210-B
02006350-SMP-Water	4/2/2002 8:29	4/2/2002	EST	QC	Quality Co	Quality Control	Sample-Field Rep		Calcium carbonate as CaCO3	Total	Actual		Final	107	mg/l	USEPA 310.1
02006350-SMP-Water	4/2/2002 8:29	4/2/2002	EST	QC	Quality Co	Quality Control	Sample-Field Rep		Carbonaceous biochemical oxygen demand, standard conditions	Total	Actual		Final	3.83	mg/l	APHA 5210-B
02006350-SMP-Water	4/2/2002 8:29	4/2/2002	EST	QC	Quality Co	Quality Control	Sample-Field Rep		Chloride	Total	Actual		Final	16900	mg/l	USEPA 325.2

Activity ID	Activity Start	Date	Activity Sta	Activity Me	Activity Typ	Activity Ca	Activity De	Activity De	Characteristic Name	Sample Fraction	Value Type	Statistic Type	Result Valu	Result Value as Text	Units	Analytical Proc ID
02006350-SMP-Water	4/2/2002 8:29	4/2/2002	EST	QC	Quality Co	Quality Control	Sample-Field Rep		Chlorophyll a		Actual	Final		5	ug/l	APHA 10200-H
02006350-SMP-Water	4/2/2002 8:29	4/2/2002	EST	QC	Quality Co	Quality Control	Sample-Field Rep		Dissolved oxygen (DO)		Actual	Final		3.47	mg/l	USEPA 360.2
02006350-SMP-Water	4/2/2002 8:29	4/2/2002	EST	QC	Quality Co	Quality Control	Sample-Field Rep		Hardness, Ca, Mg		Actual	Final		5860	mg/l CaCO3	USEPA 130.2
02006350-SMP-Water	4/2/2002 8:29	4/2/2002	EST	QC	Quality Co	Quality Control	Sample-Field Rep		Kjeldahl nitrogen	Dissolved	Actual	Final		1.05	mg/l	USEPA 351.2
02006350-SMP-Water	4/2/2002 8:29	4/2/2002	EST	QC	Quality Co	Quality Control	Sample-Field Rep		Kjeldahl nitrogen	Total	Actual	Final		1.27	mg/l	USEPA 351.2
02006350-SMP-Water	4/2/2002 8:29	4/2/2002	EST	QC	Quality Co	Quality Control	Sample-Field Rep		Inorganic nitrogen (nitrate and nitrite) as N	Dissolved	Actual	Final	Not Detected			USEPA 353.2
02006350-SMP-Water	4/2/2002 8:29	4/2/2002	EST	QC	Quality Co	Quality Control	Sample-Field Rep		Inorganic nitrogen (nitrate and nitrite) as N	Total	Actual	Final	Not Detected			USEPA 353.2
0205079-001-FMO-Air	6/4/2002 11:47	6/4/2002	EDT	Air	Field Msr/C	Field Msr/Obs			Temperature, air		Actual	Final		19	deg C	USEPA 170.1
0205079-001-SPM-006-Water	6/4/2002 11:47	6/4/2002	EDT	Water	Sample-Rc	Sample-Routine			Arsenic	Dissolved	Actual	Final	Not Detected		ug/l	21DELAWQ_WQX 200.7_ELS
0205079-001-SPM-006-Water	6/4/2002 11:47	6/4/2002	EDT	Water	Sample-Rc	Sample-Routine			Copper	Dissolved	Actual	Final	Not Detected		ug/l	21DELAWQ_WQX 200.7_ELS
0205079-001-SPM-006-Water	6/4/2002 11:47	6/4/2002	EDT	Water	Sample-Rc	Sample-Routine			Lead	Dissolved	Actual	Final	Not Detected		ug/l	21DELAWQ_WQX 200.7_ELS
0205079-001-SPM-006-Water	6/4/2002 11:47	6/4/2002	EDT	Water	Sample-Rc	Sample-Routine			Arsenic	Total	Actual	Final	Not Detected		ug/l	21DELAWQ_WQX 200.7_ELS
0205079-001-SPM-006-Water	6/4/2002 11:47	6/4/2002	EDT	Water	Sample-Rc	Sample-Routine			Copper	Total	Actual	Final	Not Detected		ug/l	21DELAWQ_WQX 200.7_ELS
0205079-001-SPM-006-Water	6/4/2002 11:47	6/4/2002	EDT	Water	Sample-Rc	Sample-Routine			Lead	Total	Actual	Final	Not Detected		ug/l	21DELAWQ_WQX 200.7_ELS
0205079-001-SPM-006-Water	6/4/2002 11:47	6/4/2002	EDT	Water	Sample-Rc	Sample-Routine			Zinc	Total	Actual	Final	Not Detected		ug/l	21DELAWQ_WQX 200.7_ELS
0205079-001-SPM-003-Water	6/4/2002 11:47	6/4/2002	EDT	Water	Sample-Rc	Sample-Routine			Enterococcus		Actual	Final	Not Detected		cfu/100ml	APHA 9230-C
0205079-001-FMO-Water	6/4/2002 11:47	6/4/2002	EDT	Water	Field Msr/C	Field Msr/Obs			Specific conductance		Actual	Final		45860	uS/cm	21DELAWQ_WQX YSI 6-Series
0205079-001-FMO-Water	6/4/2002 11:47	6/4/2002	EDT	Water	Field Msr/C	Field Msr/Obs			Dissolved oxygen (DO)		Actual	Final		8.24	mg/l	21DELAWQ_WQX YSI 6-Series
0205079-001-FMO-Water	6/4/2002 11:47	6/4/2002	EDT	Water	Field Msr/C	Field Msr/Obs			pH		Actual	Final		7.76	None	21DELAWQ_WQX YSI 6-Series
0205079-001-FMO-Water	6/4/2002 11:47	6/4/2002	EDT	Water	Field Msr/C	Field Msr/Obs			Salinity		Actual	Final		29.79	ppt	21DELAWQ_WQX YSI 6-Series
0205079-001-FMO-Water	6/4/2002 11:47	6/4/2002	EDT	Water	Field Msr/C	Field Msr/Obs			Temperature, water		Actual	Final		19.5	deg C	21DELAWQ_WQX YSI 6-Series
0205079-001-SPM-001-Water	6/4/2002 11:47	6/4/2002	EDT	Water	Sample-Rc	Sample-Routine			Dissolved oxygen (DO)		Actual	Final		6.9	mg/l	USEPA 360.2
0205079-001-SPM-004-Water	6/4/2002 11:47	6/4/2002	EDT	Water	Sample-Rc	Sample-Routine			Ammonia-nitrogen as N	Dissolved	Estimated	Final		0.005	mg/l	USEPA 350.1
0205079-001-SPM-004-Water	6/4/2002 11:47	6/4/2002	EDT	Water	Sample-Rc	Sample-Routine			Ammonia-nitrogen as N	Total	Estimated	Final		0.016	mg/l	USEPA 350.1
0205079-001-SPM-004-Water	6/4/2002 11:47	6/4/2002	EDT	Water	Sample-Rc	Sample-Routine			Kjeldahl nitrogen	Dissolved	Actual	Final		0.692	mg/l	USEPA 351.2
0205079-001-SPM-004-Water	6/4/2002 11:47	6/4/2002	EDT	Water	Sample-Rc	Sample-Routine			Kjeldahl nitrogen	Total	Actual	Final		0.886	mg/l	USEPA 351.2
0205079-001-SPM-004-Water	6/4/2002 11:47	6/4/2002	EDT	Water	Sample-Rc	Sample-Routine			Inorganic nitrogen (nitrate and nitrite) as N	Dissolved	Actual	Final		0.009	mg/l	USEPA 353.2
0205079-001-SPM-004-Water	6/4/2002 11:47	6/4/2002	EDT	Water	Sample-Rc	Sample-Routine			Inorganic nitrogen (nitrate and nitrite) as N	Total	Actual	Final		0.015	mg/l	USEPA 353.2
0205079-001-SPM-004-Water	6/4/2002 11:47	6/4/2002	EDT	Water	Sample-Rc	Sample-Routine			Phosphate-phosphorus as P	Dissolved	Estimated	Final		0.024	mg/l	USEPA 365.4
0205079-001-SPM-004-Water	6/4/2002 11:47	6/4/2002	EDT	Water	Sample-Rc	Sample-Routine			Phosphate-phosphorus as P	Total	Actual	Final		0.089	mg/l	USEPA 365.4
0205079-001-SPM-005-Water	6/4/2002 11:47	6/4/2002	EDT	Water	Sample-Rc	Sample-Routine			Organic carbon	Dissolved	Actual	Final		2.5	mg/l	USEPA 415.1
0205079-001-SPM-005-Water	6/4/2002 11:47	6/4/2002	EDT	Water	Sample-Rc	Sample-Routine			Organic carbon	Total	Actual	Final		3.2	mg/l	USEPA 415.1
0205079-001-SPM-002-Water	6/4/2002 11:47	6/4/2002	EDT	Water	Sample-Rc	Sample-Routine			Orthophosphate as P	Dissolved	Actual	Final	Not Detected		mg/l	USEPA 365.1
0205079-001-SPM-002-Water	6/4/2002 11:47	6/4/2002	EDT	Water	Sample-Rc	Sample-Routine			Total suspended solids		Actual	Final		52	mg/l	USEPA 160.2
0205079-001-SPM-002-Water	6/4/2002 11:47	6/4/2002	EDT	Water	Sample-Rc	Sample-Routine			Turbidity		Actual	Final		15	NTU	USEPA 180.1
0205079-001-SPM-002-Water	6/4/2002 11:47	6/4/2002	EDT	Water	Sample-Rc	Sample-Routine			Calcium carbonate as CaCO3	Total	Actual	Final		106	mg/l	USEPA 310.1
0205079-001-SPM-002-Water	6/4/2002 11:47	6/4/2002	EDT	Water	Sample-Rc	Sample-Routine			Carbonaceous biochemical oxygen demand, standard conditions	Total	Actual	Final		6.9	mg/l	APHA 5210-B
0205079-001-SPM-002-Water	6/4/2002 11:47	6/4/2002	EDT	Water	Sample-Rc	Sample-Routine			Carbonaceous biochemical oxygen demand, standard conditions	Total	Actual	Final		4.59	mg/l	APHA 5210-B
0205079-001-SPM-002-Water	6/4/2002 11:47	6/4/2002	EDT	Water	Sample-Rc	Sample-Routine			Chloride	Total	Actual	Final		17300	mg/l	USEPA 325.2
0205079-001-SPM-002-Water	6/4/2002 11:47	6/4/2002	EDT	Water	Sample-Rc	Sample-Routine			Chlorophyll a		Actual	Final		18	ug/l	APHA 10200-H
0205079-001-SPM-002-Water	6/4/2002 11:47	6/4/2002	EDT	Water	Sample-Rc	Sample-Routine			Pheophytin a	Filterable	Actual	Final	Not Detected		ug/l	APHA 10200-H
0205079-001-SPM-002-Water	6/4/2002 11:47	6/4/2002	EDT	Water	Sample-Rc	Sample-Routine			Chromium(VI)	Dissolved	Estimated	Final		3.7	ug/l	21DELAWQ_WQX 117A_ELS
0205079-001-SPM-002-Water	6/4/2002 11:47	6/4/2002	EDT	Water	Sample-Rc	Sample-Routine			Hardness, Ca, Mg		Actual	Final		6250	mg/l CaCO3	USEPA 130.2
0207024-001-SPM-004-Water	7/25/2002 12:28	7/25/2002	EDT	Water	Sample-Rc	Sample-Routine			Ammonia-nitrogen as N	Dissolved	Estimated	Final		0.017	mg/l	USEPA 350.1
0207024-001-SPM-004-Water	7/25/2002 12:28	7/25/2002	EDT	Water	Sample-Rc	Sample-Routine			Ammonia-nitrogen as N	Total	Estimated	Final		0.068	mg/l	USEPA 350.1
0207024-001-SPM-004-Water	7/25/2002 12:28	7/25/2002	EDT	Water	Sample-Rc	Sample-Routine			Kjeldahl nitrogen	Dissolved	Actual	Final		0.709	mg/l	USEPA 351.2
0207024-001-SPM-004-Water	7/25/2002 12:28	7/25/2002	EDT	Water	Sample-Rc	Sample-Routine			Kjeldahl nitrogen	Total	Actual	Final		1.17	mg/l	USEPA 351.2
0207024-001-SPM-004-Water	7/25/2002 12:28	7/25/2002	EDT	Water	Sample-Rc	Sample-Routine			Inorganic nitrogen (nitrate and nitrite) as N	Dissolved	Actual	Final		0.911	mg/l	USEPA 353.2
0207024-001-SPM-004-Water	7/25/2002 12:28	7/25/2002	EDT	Water	Sample-Rc	Sample-Routine			Inorganic nitrogen (nitrate and nitrite) as N	Total	Actual	Final		0.924	mg/l	USEPA 353.2
0207024-001-SPM-004-Water	7/25/2002 12:28	7/25/2002	EDT	Water	Sample-Rc	Sample-Routine			Phosphate-phosphorus as P	Dissolved	Actual	Final		0.091	mg/l	USEPA 365.4
0207024-001-SPM-004-Water	7/25/2002 12:28	7/25/2002	EDT	Water	Sample-Rc	Sample-Routine			Phosphate-phosphorus as P	Total	Actual	Final		0.163	mg/l	USEPA 365.4
0207024-001-SPM-006-Water	7/25/2002 12:28	7/25/2002	EDT	Water	Sample-Rc	Sample-Routine			Arsenic	Dissolved	Actual	Final	Not Detected		ug/l	21DELAWQ_WQX 200.7_ELS
0207024-001-SPM-006-Water	7/25/2002 12:28	7/25/2002	EDT	Water	Sample-Rc	Sample-Routine			Copper	Dissolved	Actual	Final	Not Detected		ug/l	21DELAWQ_WQX 200.7_ELS
0207024-001-SPM-006-Water	7/25/2002 12:28	7/25/2002	EDT	Water	Sample-Rc	Sample-Routine			Lead	Dissolved	Actual	Final	Not Detected		ug/l	21DELAWQ_WQX 200.7_ELS
0207024-001-SPM-006-Water	7/25/2002 12:28	7/25/2002	EDT	Water	Sample-Rc	Sample-Routine			Zinc	Dissolved	Actual	Final	Not Detected		ug/l	21DELAWQ_WQX 200.7_ELS
0207024-001-SPM-006-Water	7/25/2002 12:28	7/25/2002	EDT	Water	Sample-Rc	Sample-Routine			Arsenic	Total	Actual	Final	Not Detected		ug/l	21DELAWQ_WQX 200.7_ELS
0207024-001-SPM-006-Water	7/25/2002 12:28	7/25/2002	EDT	Water	Sample-Rc	Sample-Routine			Copper	Total	Actual	Final	Not Detected		ug/l	21DELAWQ_WQX 200.7_ELS
0207024-001-SPM-006-Water	7/25/2002 12:28	7/25/2002	EDT	Water	Sample-Rc	Sample-Routine			Lead	Total	Actual	Final	Not Detected		ug/l	21DELAWQ_WQX 200.7_ELS
0207024-001-SPM-006-Water	7/25/2002 12:28	7/25/2002	EDT	Water	Sample-Rc	Sample-Routine			Zinc	Total	Actual	Final	Not Detected		ug/l	21DELAWQ_WQX 200.7_ELS
0207024-001-SPM-005-Water	7/25/2002 12:28	7/25/2002	EDT	Water	Sample-Rc	Sample-Routine			Organic carbon	Dissolved	Actual	Final		3.7	mg/l	USEPA 415.1
0207024-001-SPM-005-Water	7/25/2002 12:28	7/25/2002	EDT	Water	Sample-Rc	Sample-Routine			Organic carbon	Total	Actual	Final		4.2	mg/l	USEPA 415.1
0207024-001-SPM-002-Water	7/25/2002 12:28	7/25/2002	EDT	Water	Sample-Rc	Sample-Routine			Calcium carbonate as CaCO3	Total	Actual	Final		110	mg/l	USEPA 310.1
0207024-001-SPM-002-Water	7/25/2002 12:28	7/25/2002	EDT	Water	Sample-Rc	Sample-Routine			Carbonaceous biochemical oxygen demand, standard conditions	Total	Actual	Final		2.99	mg/l	APHA 5210-B
0207024-001-SPM-002-Water	7/25/2002 12:28	7/25/2002	EDT	Water	Sample-Rc	Sample-Routine			Carbonaceous biochemical oxygen demand, standard conditions	Total	Actual	Final	Not Detected		mg/l	APHA 5210-B
0207024-001-SPM-002-Water	7/25/2002 12:28	7/25/2002	EDT	Water	Sample-Rc	Sample-Routine			Chloride	Total	Actual	Final		18500	mg/l	USEPA 325.2
0207024-001-SPM-002-Water	7/25/2002 12:28	7/25/2002	EDT	Water	Sample-Rc	Sample-Routine			Chlorophyll a		Estimated	Final		5	ug/l	APHA 10200-H
0207024-001-SPM-002-Water	7/25/2002 12:28	7/25/2002	EDT	Water	Sample-Rc	Sample-Routine			Pheophytin a	Filterable	Actual	Final	Not Detected		ug/l	APHA 10200-H
0207024-001-SPM-002-Water	7/25/2002 12:28	7/25/2002	EDT	Water	Sample-Rc	Sample-Routine			Chromium(VI)	Dissolved	Actual	Final	Not Detected		ug/l	21DELAWQ_WQX 117A_ELS
0207024-001-SPM-002-Water	7/25/2002 12:28	7/25/2002	EDT	Water	Sample-Rc	Sample-Routine			Hardness, Ca, Mg		Actual	Final		5550	mg/l CaCO3	USEPA 130.2
0207024-001-SPM-002-Water	7/25/2002 12:28	7/25/2002	EDT	Water	Sample-Rc	Sample-Routine			Orthophosphate as P	Dissolved	Actual	Final		0.027	mg/l	USEPA 365.1
0207024-001-SPM-002-Water	7/25/2002 12:28	7/25/2002	EDT	Water	Sample-Rc	Sample-Routine			Total suspended solids		Actual	Final		57	mg/l	USEPA 160.2
0207024-001-SPM-002-Water	7/25/2002 12:28	7/25/2002	EDT	Water	Sample-Rc	Sample-Routine			Turbidity		Actual	Final		24	NTU	USEPA 180.1
0207024-001-FMO-Water	7/25/2002 12:28	7/25/2002	EDT	Water	Field Msr/C	Field Msr/Obs			Specific conductance		Actual	Final		47650	uS/cm	21DELAWQ_WQX YSI 6-Series
0207024-001-FMO-Water	7/25/2002 12:28	7/25/2002	EDT	Water	Field Msr/C	Field Msr/Obs			Dissolved oxygen (DO)		Actual	Final		7.32	mg/l	21DELAWQ_WQX YSI 6-Series

Activity ID	Activity Start	Date	Activity Sta	Activity Me	Activity Typ	Activity Ca	Activity De	Activity De	Characteristic Name	Sample Fraction	Value Type	Statistic Type	Result Valu	Result Value as Text	Units	Analytical Proc ID
0207024-001-FMO-Water	7/25/2002 12:28	7/25/2002	EDT	Water	Field Msr/C	Field Msr/Obs			pH		Actual	Final		7.26	None	21DELAWQ_WQX YSI 6-Series
0207024-001-FMO-Water	7/25/2002 12:28	7/25/2002	EDT	Water	Field Msr/C	Field Msr/Obs			Salinity		Actual	Final		31.08	ppt	21DELAWQ_WQX YSI 6-Series
0207024-001-FMO-Water	7/25/2002 12:28	7/25/2002	EDT	Water	Field Msr/C	Field Msr/Obs			Depth, Secchi disk depth		Actual	Final		17	in	21DELAWQ_WQX EPA/620/R-01/003-SD
0207024-001-FMO-Water	7/25/2002 12:28	7/25/2002	EDT	Water	Field Msr/C	Field Msr/Obs			Temperature, water		Actual	Final		21.37	deg C	21DELAWQ_WQX YSI 6-Series
0207024-001-SPM-001-Water	7/25/2002 12:28	7/25/2002	EDT	Water	Sample-Rc	Sample-Routine			Dissolved oxygen (DO)		Actual	Final		7.6	mg/l	USEPA 360.2
0207024-001-SPM-003-Water	7/25/2002 12:28	7/25/2002	EDT	Water	Sample-Rc	Sample-Routine			Enterococcus		Actual	Final		37	cfu/100ml	APHA 9230-C
0207024-001-FMO-Air	7/25/2002 12:28	7/25/2002	EDT	Air	Field Msr/C	Field Msr/Obs			Temperature, air		Actual	Final		27	deg C	USEPA 170.1
0212002-001-SPM-004-Water	12/3/2002 13:16	12/3/2002	EST	Water	Sample-Rc	Sample-Routine			Ammonia-nitrogen as N	Dissolved	Estimated	Final		0.012	mg/l	USEPA 350.1
0212002-001-SPM-004-Water	12/3/2002 13:16	12/3/2002	EST	Water	Sample-Rc	Sample-Routine			Ammonia-nitrogen as N	Total	Estimated	Final		0.016	mg/l	USEPA 350.1
0212002-001-SPM-004-Water	12/3/2002 13:16	12/3/2002	EST	Water	Sample-Rc	Sample-Routine			Kjeldahl nitrogen	Dissolved	Actual	Final		0.377	mg/l	USEPA 351.2
0212002-001-SPM-004-Water	12/3/2002 13:16	12/3/2002	EST	Water	Sample-Rc	Sample-Routine			Kjeldahl nitrogen	Total	Actual	Final		0.878	mg/l	USEPA 351.2
0212002-001-SPM-004-Water	12/3/2002 13:16	12/3/2002	EST	Water	Sample-Rc	Sample-Routine			Inorganic nitrogen (nitrate and nitrite) as N	Dissolved	Actual	Final		2.88	mg/l	USEPA 353.2
0212002-001-SPM-004-Water	12/3/2002 13:16	12/3/2002	EST	Water	Sample-Rc	Sample-Routine			Inorganic nitrogen (nitrate and nitrite) as N	Total	Actual	Final		3.05	mg/l	USEPA 353.2
0212002-001-SPM-004-Water	12/3/2002 13:16	12/3/2002	EST	Water	Sample-Rc	Sample-Routine			Phosphate-phosphorus as P	Dissolved	Actual	Final		0.079	mg/l	USEPA 365.4
0212002-001-SPM-004-Water	12/3/2002 13:16	12/3/2002	EST	Water	Sample-Rc	Sample-Routine			Phosphate-phosphorus as P	Total	Actual	Final		0.127	mg/l	USEPA 365.4
0212002-001-FMO-Water	12/3/2002 13:16	12/3/2002	EST	Water	Field Msr/C	Field Msr/Obs			Specific conductance		Actual	Final		46520	uS/cm	21DELAWQ_WQX YSI 6-Series
0212002-001-FMO-Water	12/3/2002 13:16	12/3/2002	EST	Water	Field Msr/C	Field Msr/Obs			Dissolved oxygen (DO)		Actual	Final		9.84	mg/l	21DELAWQ_WQX YSI 6-Series
0212002-001-FMO-Water	12/3/2002 13:16	12/3/2002	EST	Water	Field Msr/C	Field Msr/Obs			pH		Actual	Final		7.14	None	21DELAWQ_WQX YSI 6-Series
0212002-001-FMO-Water	12/3/2002 13:16	12/3/2002	EST	Water	Field Msr/C	Field Msr/Obs			Salinity		Actual	Final		29.75	ppt	21DELAWQ_WQX YSI 6-Series
0212002-001-FMO-Water	12/3/2002 13:16	12/3/2002	EST	Water	Field Msr/C	Field Msr/Obs			Depth, Secchi disk depth		Actual	Final		19	in	21DELAWQ_WQX EPA/620/R-01/003-SD
0212002-001-FMO-Water	12/3/2002 13:16	12/3/2002	EST	Water	Field Msr/C	Field Msr/Obs			Temperature, water		Actual	Final		6.38	deg C	21DELAWQ_WQX YSI 6-Series
0212002-001-SPM-003-Water	12/3/2002 13:16	12/3/2002	EST	Water	Sample-Rc	Sample-Routine			Enterococcus		Actual	Final	Not Detected		cfu/100ml	APHA 9230-C
0212002-001-SPM-001-Water	12/3/2002 13:16	12/3/2002	EST	Water	Sample-Rc	Sample-Routine			Dissolved oxygen (DO)		Actual	Final		10.8	mg/l	USEPA 360.2
0212002-001-SPM-005-Water	12/3/2002 13:16	12/3/2002	EST	Water	Sample-Rc	Sample-Routine			Organic carbon	Total	Actual	Final		3.1	mg/l	USEPA 415.1
0212002-001-SPM-006-Water	12/3/2002 13:16	12/3/2002	EST	Water	Sample-Rc	Sample-Routine			Arsenic	Dissolved	Estimated	Final		8.6	ug/l	21DELAWQ_WQX 200.7_ELS
0212002-001-SPM-006-Water	12/3/2002 13:16	12/3/2002	EST	Water	Sample-Rc	Sample-Routine			Copper	Dissolved	Actual	Final		3.7	ug/l	21DELAWQ_WQX 200.7_ELS
0212002-001-SPM-006-Water	12/3/2002 13:16	12/3/2002	EST	Water	Sample-Rc	Sample-Routine			Lead	Dissolved	Actual	Final	Not Detected		ug/l	21DELAWQ_WQX 200.7_ELS
0212002-001-SPM-006-Water	12/3/2002 13:16	12/3/2002	EST	Water	Sample-Rc	Sample-Routine			Zinc	Dissolved	Actual	Final	Not Detected		ug/l	21DELAWQ_WQX 200.7_ELS
0212002-001-SPM-006-Water	12/3/2002 13:16	12/3/2002	EST	Water	Sample-Rc	Sample-Routine			Arsenic	Total	Estimated	Final		4.6	ug/l	21DELAWQ_WQX 200.7_ELS
0212002-001-SPM-006-Water	12/3/2002 13:16	12/3/2002	EST	Water	Sample-Rc	Sample-Routine			Copper	Total	Actual	Final		8.9	ug/l	21DELAWQ_WQX 200.7_ELS
0212002-001-SPM-006-Water	12/3/2002 13:16	12/3/2002	EST	Water	Sample-Rc	Sample-Routine			Lead	Total	Actual	Final	Not Detected		ug/l	21DELAWQ_WQX 200.7_ELS
0212002-001-SPM-006-Water	12/3/2002 13:16	12/3/2002	EST	Water	Sample-Rc	Sample-Routine			Zinc	Total	Actual	Final	Not Detected		ug/l	21DELAWQ_WQX 200.7_ELS
0212002-001-FMO-Air	12/3/2002 13:16	12/3/2002	EST	Air	Field Msr/C	Field Msr/Obs			Temperature, air		Actual	Final		2	deg C	USEPA 170.1
0212002-001-SPM-002-Water	12/3/2002 13:16	12/3/2002	EST	Water	Sample-Rc	Sample-Routine			Calcium carbonate as CaCO3	Total	Actual	Final		95.5	mg/l	USEPA 310.1
0212002-001-SPM-002-Water	12/3/2002 13:16	12/3/2002	EST	Water	Sample-Rc	Sample-Routine			Carbonaceous biochemical oxygen demand, standard conditions	Total	Actual	Final		4.54	mg/l	APHA 5210-B
0212002-001-SPM-002-Water	12/3/2002 13:16	12/3/2002	EST	Water	Sample-Rc	Sample-Routine			Carbonaceous biochemical oxygen demand, standard conditions	Total	Actual	Final		3.1	mg/l	APHA 5210-B
0212002-001-SPM-002-Water	12/3/2002 13:16	12/3/2002	EST	Water	Sample-Rc	Sample-Routine			Chloride	Total	Actual	Final		17400	mg/l	USEPA 325.2
0212002-001-SPM-002-Water	12/3/2002 13:16	12/3/2002	EST	Water	Sample-Rc	Sample-Routine			Chlorophyll a		Actual	Final		33.4	ug/l	APHA 10200-H
0212002-001-SPM-002-Water	12/3/2002 13:16	12/3/2002	EST	Water	Sample-Rc	Sample-Routine			Pheophytin a	Filterable	Estimated	Final		10.6	ug/l	APHA 10200-H
0212002-001-SPM-002-Water	12/3/2002 13:16	12/3/2002	EST	Water	Sample-Rc	Sample-Routine			Chromium(VI)	Dissolved	Estimated	Final		3.2	ug/l	21DELAWQ_WQX 117A_ELS
0212002-001-SPM-002-Water	12/3/2002 13:16	12/3/2002	EST	Water	Sample-Rc	Sample-Routine			Hardness, Ca, Mg		Actual	Final		5440	mg/l CaCO3	USEPA 130.2
0212002-001-SPM-002-Water	12/3/2002 13:16	12/3/2002	EST	Water	Sample-Rc	Sample-Routine			Orthophosphate as P	Dissolved	Actual	Final		0.013	mg/l	USEPA 365.1
0212002-001-SPM-002-Water	12/3/2002 13:16	12/3/2002	EST	Water	Sample-Rc	Sample-Routine			Total suspended solids		Actual	Final		78	mg/l	USEPA 160.2
0212002-001-SPM-002-Water	12/3/2002 13:16	12/3/2002	EST	Water	Sample-Rc	Sample-Routine			Turbidity		Actual	Final		43	NTU	USEPA 180.1
0303040-001-SPM-005-Water	4/2/2003 11:51	4/2/2003	EST	Water	Sample-Rc	Sample-Routine			Organic carbon	Dissolved	Actual	Final		2.9	mg/l	USEPA 415.1
0303040-001-SPM-005-Water	4/2/2003 11:51	4/2/2003	EST	Water	Sample-Rc	Sample-Routine			Organic carbon	Total	Actual	Final		4.2	mg/l	USEPA 415.1
0303040-001-FMO-Air	4/2/2003 11:51	4/2/2003	EST	Air	Field Msr/C	Field Msr/Obs			Temperature, air		Actual	Final		23	deg C	USEPA 170.1
0303040-001-SPM-001-Water	4/2/2003 11:51	4/2/2003	EST	Water	Sample-Rc	Sample-Routine			Dissolved oxygen (DO)		Actual	Final		9.9	mg/l	USEPA 360.2
0303040-001-SPM-003-Water	4/2/2003 11:51	4/2/2003	EST	Water	Sample-Rc	Sample-Routine			Enterococcus		Actual	Final	Not Detected		cfu/100ml	APHA 9230-C
0303040-001-SPM-004-Water	4/2/2003 11:51	4/2/2003	EST	Water	Sample-Rc	Sample-Routine			Ammonia-nitrogen as N	Dissolved	Actual	Final		0.034	mg/l	USEPA 350.1
0303040-001-SPM-004-Water	4/2/2003 11:51	4/2/2003	EST	Water	Sample-Rc	Sample-Routine			Ammonia-nitrogen as N	Total	Actual	Final		0.083	mg/l	USEPA 350.1
0303040-001-SPM-004-Water	4/2/2003 11:51	4/2/2003	EST	Water	Sample-Rc	Sample-Routine			Kjeldahl nitrogen	Dissolved	Actual	Final		0.64	mg/l	USEPA 351.2
0303040-001-SPM-004-Water	4/2/2003 11:51	4/2/2003	EST	Water	Sample-Rc	Sample-Routine			Kjeldahl nitrogen	Total	Estimated	Final		1.24	mg/l	USEPA 351.2
0303040-001-SPM-004-Water	4/2/2003 11:51	4/2/2003	EST	Water	Sample-Rc	Sample-Routine			Inorganic nitrogen (nitrate and nitrite) as N	Dissolved	Actual	Final		0.073	mg/l	USEPA 353.2
0303040-001-SPM-004-Water	4/2/2003 11:51	4/2/2003	EST	Water	Sample-Rc	Sample-Routine			Inorganic nitrogen (nitrate and nitrite) as N	Total	Actual	Final		0.08	mg/l	USEPA 353.2
0303040-001-SPM-004-Water	4/2/2003 11:51	4/2/2003	EST	Water	Sample-Rc	Sample-Routine			Phosphate-phosphorus as P	Dissolved	Actual	Final	Not Detected		mg/l	USEPA 365.4
0303040-001-SPM-004-Water	4/2/2003 11:51	4/2/2003	EST	Water	Sample-Rc	Sample-Routine			Phosphate-phosphorus as P	Total	Estimated	Final		0.07	mg/l	USEPA 365.4
0303040-001-SPM-006-Water	4/2/2003 11:51	4/2/2003	EST	Water	Sample-Rc	Sample-Routine			Zinc	Total	Actual	Final	Not Detected		ug/l	21DELAWQ_WQX 200.7_ELS
0303040-001-SPM-006-Water	4/2/2003 11:51	4/2/2003	EST	Water	Sample-Rc	Sample-Routine			Arsenic	Dissolved	Estimated	Final		3.3	ug/l	21DELAWQ_WQX 200.7_ELS
0303040-001-SPM-006-Water	4/2/2003 11:51	4/2/2003	EST	Water	Sample-Rc	Sample-Routine			Copper	Dissolved	Actual	Final		6.9	ug/l	21DELAWQ_WQX 200.7_ELS
0303040-001-SPM-006-Water	4/2/2003 11:51	4/2/2003	EST	Water	Sample-Rc	Sample-Routine			Lead	Dissolved	Actual	Final	Not Detected		ug/l	21DELAWQ_WQX 200.7_ELS
0303040-001-SPM-006-Water	4/2/2003 11:51	4/2/2003	EST	Water	Sample-Rc	Sample-Routine			Zinc	Dissolved	Actual	Final	Not Detected		ug/l	21DELAWQ_WQX 200.7_ELS
0303040-001-SPM-006-Water	4/2/2003 11:51	4/2/2003	EST	Water	Sample-Rc	Sample-Routine			Arsenic	Total	Estimated	Final		4.6	ug/l	21DELAWQ_WQX 200.7_ELS
0303040-001-SPM-006-Water	4/2/2003 11:51	4/2/2003	EST	Water	Sample-Rc	Sample-Routine			Copper	Total	Actual	Final		10.8	ug/l	21DELAWQ_WQX 200.7_ELS
0303040-001-SPM-006-Water	4/2/2003 11:51	4/2/2003	EST	Water	Sample-Rc	Sample-Routine			Lead	Total	Actual	Final	Not Detected		ug/l	21DELAWQ_WQX 200.7_ELS
0303040-001-FMO-Water	4/2/2003 11:51	4/2/2003	EST	Water	Field Msr/C	Field Msr/Obs			Specific conductance		Actual	Final		45060	uS/cm	21DELAWQ_WQX YSI 6-Series
0303040-001-FMO-Water	4/2/2003 11:51	4/2/2003	EST	Water	Field Msr/C	Field Msr/Obs			Dissolved oxygen (DO)		Actual	Final		10.47	mg/l	21DELAWQ_WQX YSI 6-Series
0303040-001-FMO-Water	4/2/2003 11:51	4/2/2003	EST	Water	Field Msr/C	Field Msr/Obs			pH		Actual	Final		7.95	None	21DELAWQ_WQX YSI 6-Series
0303040-001-FMO-Water	4/2/2003 11:51	4/2/2003	EST	Water	Field Msr/C	Field Msr/Obs			Salinity		Actual	Final		29.02	ppt	21DELAWQ_WQX YSI 6-Series
0303040-001-FMO-Water	4/2/2003 11:51	4/2/2003	EST	Water	Field Msr/C	Field Msr/Obs			Depth, Secchi disk depth		Actual	Final		24	in	21DELAWQ_WQX EPA/620/R-01/003-SD
0303040-001-FMO-Water	4/2/2003 11:51	4/2/2003	EST	Water	Field Msr/C	Field Msr/Obs			Temperature, water		Actual	Final		10.46	deg C	21DELAWQ_WQX YSI 6-Series
0303040-001-SPM-002-Water	4/2/2003 11:51	4/2/2003	EST	Water	Sample-Rc	Sample-Routine			Calcium carbonate as CaCO3	Total	Actual	Final		109	mg/l	USEPA 310.1
0303040-001-SPM-002-Water	4/2/2003 11:51	4/2/2003	EST	Water	Sample-Rc	Sample-Routine			Carbonaceous biochemical oxygen demand, standard conditions	Total	Actual	Final		8.13	mg/l	APHA 5210-B
0303040-001-SPM-002-Water	4/2/2003 11:51	4/2/2003	EST	Water	Sample-Rc	Sample-Routine			Carbonaceous biochemical oxygen demand, standard conditions	Total	Actual	Final		5.09	mg/l	APHA 5210-B

Activity ID	Activity Start	Date	Activity Sta	Activity Me	Activity Typ	Activity Ca	Activity De	Activity De	Characteristic Name	Sample Fraction	Value Type	Statistic Type	Result Valu	Result Value as Text	Units	Analytical Proc ID
0303040-001-SPM-002-Water	4/2/2003 11:51	4/2/2003	EST	Water	Sample-Rc	Sample-Routine			Chloride	Total	Actual	Final		17400	mg/l	USEPA 325.2
0303040-001-SPM-002-Water	4/2/2003 11:51	4/2/2003	EST	Water	Sample-Rc	Sample-Routine			Chlorophyll a		Actual	Final		43.7	ug/l	APHA 10200-H
0303040-001-SPM-002-Water	4/2/2003 11:51	4/2/2003	EST	Water	Sample-Rc	Sample-Routine			Pheophytin a	Filterable	Estimated	Final		7	ug/l	APHA 10200-H
0303040-001-SPM-002-Water	4/2/2003 11:51	4/2/2003	EST	Water	Sample-Rc	Sample-Routine			Chromium(VI)	Dissolved	Estimated	Final		1.5	ug/l	21DELAWQ_WQX 117A_ELS
0303040-001-SPM-002-Water	4/2/2003 11:51	4/2/2003	EST	Water	Sample-Rc	Sample-Routine			Hardness, Ca, Mg		Actual	Final		6260	mg/l CaCO3	USEPA 130.2
0303040-001-SPM-002-Water	4/2/2003 11:51	4/2/2003	EST	Water	Sample-Rc	Sample-Routine			Orthophosphate as P	Dissolved	Estimated	Final		0.009	mg/l	USEPA 365.1
0303040-001-SPM-002-Water	4/2/2003 11:51	4/2/2003	EST	Water	Sample-Rc	Sample-Routine			Total suspended solids		Actual	Final		60	mg/l	USEPA 160.2
0303040-001-SPM-002-Water	4/2/2003 11:51	4/2/2003	EST	Water	Sample-Rc	Sample-Routine			Turbidity		Actual	Final		22	NTU	USEPA 180.1
0306032-001-FMO-Air	6/23/2003 11:12	6/23/2003	EDT	Air	Field Msr/(	Field Msr/Obs			Temperature, air		Actual	Final		26	deg C	USEPA 170.1
0306032-001-FMO-Water	6/23/2003 11:12	6/23/2003	EDT	Water	Field Msr/(	Field Msr/Obs			Specific conductance		Actual	Final		38880	uS/cm	21DELAWQ_WQX YSI 6-Series
0306032-001-FMO-Water	6/23/2003 11:12	6/23/2003	EDT	Water	Field Msr/(	Field Msr/Obs			Dissolved oxygen (DO)		Actual	Final		7.99	mg/l	21DELAWQ_WQX YSI 6-Series
0306032-001-FMO-Water	6/23/2003 11:12	6/23/2003	EDT	Water	Field Msr/(	Field Msr/Obs			pH		Actual	Final		7.94	None	21DELAWQ_WQX YSI 6-Series
0306032-001-FMO-Water	6/23/2003 11:12	6/23/2003	EDT	Water	Field Msr/(	Field Msr/Obs			Salinity		Actual	Final		24.8	ppt	21DELAWQ_WQX YSI 6-Series
0306032-001-FMO-Water	6/23/2003 11:12	6/23/2003	EDT	Water	Field Msr/(	Field Msr/Obs			Depth, Secchi disk depth		Actual	Final		24	in	21DELAWQ_WQX EPA/620/R-01/003-SD
0306032-001-FMO-Water	6/23/2003 11:12	6/23/2003	EDT	Water	Field Msr/(	Field Msr/Obs			Temperature, water		Actual	Final		20.07	deg C	21DELAWQ_WQX YSI 6-Series
0306032-001-SPM-002-Water	6/23/2003 11:12	6/23/2003	EDT	Water	Sample-Rc	Sample-Routine			Calcium carbonate as CaCO3	Total	Actual	Final		95.6	mg/l	USEPA 310.1
0306032-001-SPM-002-Water	6/23/2003 11:12	6/23/2003	EDT	Water	Sample-Rc	Sample-Routine			Chloride	Total	Actual	Final		15900	mg/l	USEPA 325.2
0306032-001-SPM-002-Water	6/23/2003 11:12	6/23/2003	EDT	Water	Sample-Rc	Sample-Routine			Chlorophyll a		Estimated	Final		7.6	ug/l	APHA 10200-H
0306032-001-SPM-002-Water	6/23/2003 11:12	6/23/2003	EDT	Water	Sample-Rc	Sample-Routine			Pheophytin a	Filterable	Estimated	Final		7.1	ug/l	APHA 10200-H
0306032-001-SPM-002-Water	6/23/2003 11:12	6/23/2003	EDT	Water	Sample-Rc	Sample-Routine			Chromium(VI)	Dissolved	Actual	Final	Not Detected		ug/l	21DELAWQ_WQX 117A_ELS
0306032-001-SPM-002-Water	6/23/2003 11:12	6/23/2003	EDT	Water	Sample-Rc	Sample-Routine			Hardness, Ca, Mg		Actual	Final		5350	mg/l CaCO3	USEPA 130.2
0306032-001-SPM-002-Water	6/23/2003 11:12	6/23/2003	EDT	Water	Sample-Rc	Sample-Routine			Orthophosphate as P	Dissolved	Estimated	Final		0.009	mg/l	USEPA 365.1
0306032-001-SPM-002-Water	6/23/2003 11:12	6/23/2003	EDT	Water	Sample-Rc	Sample-Routine			Total suspended solids		Actual	Final		70	mg/l	USEPA 160.2
0306032-001-SPM-002-Water	6/23/2003 11:12	6/23/2003	EDT	Water	Sample-Rc	Sample-Routine			Turbidity		Actual	Final		27	NTU	USEPA 180.1
0306032-001-SPM-001-Water	6/23/2003 11:12	6/23/2003	EDT	Water	Sample-Rc	Sample-Routine			Dissolved oxygen (DO)		Actual	Final		7.8	mg/l	USEPA 360.2
0306032-001-SPM-003-Water	6/23/2003 11:12	6/23/2003	EDT	Water	Sample-Rc	Sample-Routine			Enterococcus		Actual	Final		7	cfu/100ml	APHA 9230-C
0306032-001-SPM-005-Water	6/23/2003 11:12	6/23/2003	EDT	Water	Sample-Rc	Sample-Routine			Organic carbon	Dissolved	Actual	Final		3.2	mg/l	USEPA 415.1
0306032-001-SPM-005-Water	6/23/2003 11:12	6/23/2003	EDT	Water	Sample-Rc	Sample-Routine			Organic carbon	Total	Actual	Final		3.1	mg/l	USEPA 415.1
0306032-001-SPM-006-Water	6/23/2003 11:12	6/23/2003	EDT	Water	Sample-Rc	Sample-Routine			Arsenic	Dissolved	Estimated	Final		8.6	ug/l	21DELAWQ_WQX 200.7_ELS
0306032-001-SPM-006-Water	6/23/2003 11:12	6/23/2003	EDT	Water	Sample-Rc	Sample-Routine			Copper	Dissolved	Estimated	Final		4.6	ug/l	21DELAWQ_WQX 200.7_ELS
0306032-001-SPM-006-Water	6/23/2003 11:12	6/23/2003	EDT	Water	Sample-Rc	Sample-Routine			Lead	Dissolved	Actual	Final	Not Detected		ug/l	21DELAWQ_WQX 200.7_ELS
0306032-001-SPM-006-Water	6/23/2003 11:12	6/23/2003	EDT	Water	Sample-Rc	Sample-Routine			Zinc	Dissolved	Actual	Final	Not Detected		ug/l	21DELAWQ_WQX 200.7_ELS
0306032-001-SPM-006-Water	6/23/2003 11:12	6/23/2003	EDT	Water	Sample-Rc	Sample-Routine			Arsenic	Total	Estimated	Final		7.8	ug/l	21DELAWQ_WQX 200.7_ELS
0306032-001-SPM-006-Water	6/23/2003 11:12	6/23/2003	EDT	Water	Sample-Rc	Sample-Routine			Copper	Total	Actual	Final		7.1	ug/l	21DELAWQ_WQX 200.7_ELS
0306032-001-SPM-006-Water	6/23/2003 11:12	6/23/2003	EDT	Water	Sample-Rc	Sample-Routine			Lead	Total	Actual	Final		4.4	ug/l	21DELAWQ_WQX 200.7_ELS
0306032-001-SPM-006-Water	6/23/2003 11:12	6/23/2003	EDT	Water	Sample-Rc	Sample-Routine			Zinc	Total	Actual	Final	Not Detected		ug/l	21DELAWQ_WQX 200.7_ELS
0306032-001-SPM-004-Water	6/23/2003 11:12	6/23/2003	EDT	Water	Sample-Rc	Sample-Routine			Ammonia-nitrogen as N	Dissolved	Actual	Final		0.025	mg/l	USEPA 350.1
0306032-001-SPM-004-Water	6/23/2003 11:12	6/23/2003	EDT	Water	Sample-Rc	Sample-Routine			Ammonia-nitrogen as N	Total	Actual	Final		0.023	mg/l	USEPA 350.1
0306032-001-SPM-004-Water	6/23/2003 11:12	6/23/2003	EDT	Water	Sample-Rc	Sample-Routine			Kjeldahl nitrogen	Dissolved	Actual	Final		0.427	mg/l	USEPA 351.2
0306032-001-SPM-004-Water	6/23/2003 11:12	6/23/2003	EDT	Water	Sample-Rc	Sample-Routine			Kjeldahl nitrogen	Total	Actual	Final		0.65	mg/l	USEPA 351.2
0306032-001-SPM-004-Water	6/23/2003 11:12	6/23/2003	EDT	Water	Sample-Rc	Sample-Routine			Inorganic nitrogen (nitrate and nitrite) as N	Dissolved	Actual	Final		0.049	mg/l	USEPA 353.2
0306032-001-SPM-004-Water	6/23/2003 11:12	6/23/2003	EDT	Water	Sample-Rc	Sample-Routine			Inorganic nitrogen (nitrate and nitrite) as N	Total	Actual	Final		0.048	mg/l	USEPA 353.2
0306032-001-SPM-004-Water	6/23/2003 11:12	6/23/2003	EDT	Water	Sample-Rc	Sample-Routine			Phosphate-phosphorus as P	Dissolved	Actual	Final		0.082	mg/l	USEPA 365.4
0306032-001-SPM-004-Water	6/23/2003 11:12	6/23/2003	EDT	Water	Sample-Rc	Sample-Routine			Phosphate-phosphorus as P	Total	Actual	Final		0.156	mg/l	USEPA 365.4
0308035-001-SPM-006-Water	8/27/2003 10:22	8/27/2003	EDT	Water	Sample-Rc	Sample-Routine			Zinc	Total	Actual	Final	Not Detected		ug/l	21DELAWQ_WQX 200.7_ELS
0308035-001-SPM-006-Water	8/27/2003 10:22	8/27/2003	EDT	Water	Sample-Rc	Sample-Routine			Arsenic	Dissolved	Estimated	Final		9.8	ug/l	21DELAWQ_WQX 200.7_ELS
0308035-001-SPM-006-Water	8/27/2003 10:22	8/27/2003	EDT	Water	Sample-Rc	Sample-Routine			Copper	Dissolved	Actual	Final		10.2	ug/l	21DELAWQ_WQX 200.7_ELS
0308035-001-SPM-006-Water	8/27/2003 10:22	8/27/2003	EDT	Water	Sample-Rc	Sample-Routine			Lead	Dissolved	Estimated	Final		2.7	ug/l	21DELAWQ_WQX 200.7_ELS
0308035-001-SPM-006-Water	8/27/2003 10:22	8/27/2003	EDT	Water	Sample-Rc	Sample-Routine			Zinc	Dissolved	Actual	Final	Not Detected		ug/l	21DELAWQ_WQX 200.7_ELS
0308035-001-SPM-006-Water	8/27/2003 10:22	8/27/2003	EDT	Water	Sample-Rc	Sample-Routine			Arsenic	Total	Actual	Final		10.4	ug/l	21DELAWQ_WQX 200.7_ELS
0308035-001-SPM-006-Water	8/27/2003 10:22	8/27/2003	EDT	Water	Sample-Rc	Sample-Routine			Copper	Total	Actual	Final		11.2	ug/l	21DELAWQ_WQX 200.7_ELS
0308035-001-SPM-006-Water	8/27/2003 10:22	8/27/2003	EDT	Water	Sample-Rc	Sample-Routine			Lead	Total	Actual	Final		5.6	ug/l	21DELAWQ_WQX 200.7_ELS
0308035-001-SPM-004-Water	8/27/2003 10:22	8/27/2003	EDT	Water	Sample-Rc	Sample-Routine			Ammonia-nitrogen as N	Dissolved	Actual	Final		0.025	mg/l	USEPA 350.1
0308035-001-SPM-004-Water	8/27/2003 10:22	8/27/2003	EDT	Water	Sample-Rc	Sample-Routine			Ammonia-nitrogen as N	Total	Actual	Final		0.028	mg/l	USEPA 350.1
0308035-001-SPM-004-Water	8/27/2003 10:22	8/27/2003	EDT	Water	Sample-Rc	Sample-Routine			Kjeldahl nitrogen	Dissolved	Actual	Final		0.386	mg/l	USEPA 351.2
0308035-001-SPM-004-Water	8/27/2003 10:22	8/27/2003	EDT	Water	Sample-Rc	Sample-Routine			Kjeldahl nitrogen	Total	Actual	Final		0.64	mg/l	USEPA 351.2
0308035-001-SPM-004-Water	8/27/2003 10:22	8/27/2003	EDT	Water	Sample-Rc	Sample-Routine			Inorganic nitrogen (nitrate and nitrite) as N	Dissolved	Estimated	Final		0.026	mg/l	USEPA 353.2
0308035-001-SPM-004-Water	8/27/2003 10:22	8/27/2003	EDT	Water	Sample-Rc	Sample-Routine			Inorganic nitrogen (nitrate and nitrite) as N	Total	Estimated	Final		0.025	mg/l	USEPA 353.2
0308035-001-SPM-004-Water	8/27/2003 10:22	8/27/2003	EDT	Water	Sample-Rc	Sample-Routine			Phosphate-phosphorus as P	Dissolved	Estimated	Final		0.038	mg/l	USEPA 365.4
0308035-001-SPM-004-Water	8/27/2003 10:22	8/27/2003	EDT	Water	Sample-Rc	Sample-Routine			Phosphate-phosphorus as P	Total	Actual	Final		0.091	mg/l	USEPA 365.4
0308035-001-SPM-005-Water	8/27/2003 10:22	8/27/2003	EDT	Water	Sample-Rc	Sample-Routine			Organic carbon	Dissolved	Actual	Final		2	mg/l	USEPA 415.1
0308035-001-SPM-005-Water	8/27/2003 10:22	8/27/2003	EDT	Water	Sample-Rc	Sample-Routine			Organic carbon	Total	Actual	Final		2.1	mg/l	USEPA 415.1
0308035-001-FMO-Water	8/27/2003 10:22	8/27/2003	EDT	Water	Field Msr/(	Field Msr/Obs			Specific conductance		Actual	Final		47900	uS/cm	21DELAWQ_WQX YSI 6-Series
0308035-001-FMO-Water	8/27/2003 10:22	8/27/2003	EDT	Water	Field Msr/(	Field Msr/Obs			Dissolved oxygen (DO)		Actual	Final		7.7	mg/l	21DELAWQ_WQX YSI 6-Series
0308035-001-FMO-Water	8/27/2003 10:22	8/27/2003	EDT	Water	Field Msr/(	Field Msr/Obs			pH		Actual	Final		7.75	None	21DELAWQ_WQX YSI 6-Series
0308035-001-FMO-Water	8/27/2003 10:22	8/27/2003	EDT	Water	Field Msr/(	Field Msr/Obs			Salinity		Actual	Final		31.27	ppt	21DELAWQ_WQX YSI 6-Series
0308035-001-FMO-Water	8/27/2003 10:22	8/27/2003	EDT	Water	Field Msr/(	Field Msr/Obs			Depth, Secchi disk depth		Actual	Final		24	in	21DELAWQ_WQX EPA/620/R-01/003-SD
0308035-001-FMO-Water	8/27/2003 10:22	8/27/2003	EDT	Water	Field Msr/(	Field Msr/Obs			Temperature, water		Actual	Final		19.63	deg C	21DELAWQ_WQX YSI 6-Series
0308035-001-FMO-Air	8/27/2003 10:22	8/27/2003	EDT	Air	Field Msr/(	Field Msr/Obs			Temperature, air		Actual	Final		26	deg C	USEPA 170.1
0308035-001-SPM-001-Water	8/27/2003 10:22	8/27/2003	EDT	Water	Sample-Rc	Sample-Routine			Dissolved oxygen (DO)		Actual	Final		6.1	mg/l	USEPA 360.2
0308035-001-SPM-002-Water	8/27/2003 10:22	8/27/2003	EDT	Water	Sample-Rc	Sample-Routine			Calcium carbonate as CaCO3	Total	Actual	Final		115	mg/l	USEPA 310.1
0308035-001-SPM-002-Water	8/27/2003 10:22	8/27/2003	EDT	Water	Sample-Rc	Sample-Routine			Carbonaceous biochemical oxygen demand, standard conditions	Total	Actual	Final		4.46	mg/l	APHA 5210-B
0308035-001-SPM-002-Water	8/27/2003 10:22	8/27/2003	EDT	Water	Sample-Rc	Sample-Routine			Carbonaceous biochemical oxygen demand, standard conditions	Total	Actual	Final		3.04	mg/l	APHA 5210-B
0308035-001-SPM-002-Water	8/27/2003 10:22	8/27/2003	EDT	Water	Sample-Rc	Sample-Routine			Chloride	Total	Actual	Final		17200	mg/l	USEPA 325.2

Activity ID	Activity Start	Date	Activity Sta	Activity Me	Activity Typ	Activity Ca	Activity De	Activity De	Characteristic Name	Sample Fraction	Value Type	Statistic Type	Result Valu	Result Value as Text	Units	Analytical Proc ID
0308035-001-SPM-002-Water	8/27/2003 10:22	8/27/2003	EDT	Water	Sample-Rc	Sample-Routine			Chlorophyll a		Estimated	Final	8.5		ug/l	APHA 10200-H
0308035-001-SPM-002-Water	8/27/2003 10:22	8/27/2003	EDT	Water	Sample-Rc	Sample-Routine			Pheophytin a	Filterable	Estimated	Final	4		ug/l	APHA 10200-H
0308035-001-SPM-002-Water	8/27/2003 10:22	8/27/2003	EDT	Water	Sample-Rc	Sample-Routine			Chromium(VI)	Dissolved	Actual	Final		Not Detected	ug/l	21DELAWQ_WQX 117A_ELS
0308035-001-SPM-002-Water	8/27/2003 10:22	8/27/2003	EDT	Water	Sample-Rc	Sample-Routine			Hardness, Ca, Mg		Actual	Final	6310		mg/l CaCO3	USEPA 130.2
0308035-001-SPM-002-Water	8/27/2003 10:22	8/27/2003	EDT	Water	Sample-Rc	Sample-Routine			Orthophosphate as P	Dissolved	Actual	Final	0.014		mg/l	USEPA 365.1
0308035-001-SPM-002-Water	8/27/2003 10:22	8/27/2003	EDT	Water	Sample-Rc	Sample-Routine			Total suspended solids		Actual	Final	54		mg/l	USEPA 160.2
0308035-001-SPM-002-Water	8/27/2003 10:22	8/27/2003	EDT	Water	Sample-Rc	Sample-Routine			Turbidity		Actual	Final	25		NTU	USEPA 180.1
0308035-001-SPM-003-Water	8/27/2003 10:22	8/27/2003	EDT	Water	Sample-Rc	Sample-Routine			Enterococcus		Actual	Final	10		cfu/100ml	APHA 9230-C
0310006-001-SPM-004-Water	10/22/2003 10:36	10/22/2003	EDT	Water	Sample-Rc	Sample-Routine			Ammonia-nitrogen as N	Dissolved	Actual	Final	0.045		mg/l	USEPA 350.1
0310006-001-SPM-004-Water	10/22/2003 10:36	10/22/2003	EDT	Water	Sample-Rc	Sample-Routine			Ammonia-nitrogen as N	Total	Actual	Final	0.045		mg/l	USEPA 350.1
0310006-001-SPM-004-Water	10/22/2003 10:36	10/22/2003	EDT	Water	Sample-Rc	Sample-Routine			Kjeldahl nitrogen	Dissolved	Actual	Final	0.43		mg/l	USEPA 351.2
0310006-001-SPM-004-Water	10/22/2003 10:36	10/22/2003	EDT	Water	Sample-Rc	Sample-Routine			Kjeldahl nitrogen	Total	Actual	Final	0.657		mg/l	USEPA 351.2
0310006-001-SPM-004-Water	10/22/2003 10:36	10/22/2003	EDT	Water	Sample-Rc	Sample-Routine			Inorganic nitrogen (nitrate and nitrite) as N	Dissolved	Actual	Final	0.147		mg/l	USEPA 353.2
0310006-001-SPM-004-Water	10/22/2003 10:36	10/22/2003	EDT	Water	Sample-Rc	Sample-Routine			Inorganic nitrogen (nitrate and nitrite) as N	Total	Actual	Final	0.158		mg/l	USEPA 353.2
0310006-001-SPM-004-Water	10/22/2003 10:36	10/22/2003	EDT	Water	Sample-Rc	Sample-Routine			Phosphate-phosphorus as P	Dissolved	Actual	Final	0.042		mg/l	USEPA 365.4
0310006-001-SPM-004-Water	10/22/2003 10:36	10/22/2003	EDT	Water	Sample-Rc	Sample-Routine			Phosphate-phosphorus as P	Total	Actual	Final	0.089		mg/l	USEPA 365.4
0310006-001-SPM-002-Water	10/22/2003 10:36	10/22/2003	EDT	Water	Sample-Rc	Sample-Routine			Calcium carbonate as CaCO3	Total	Actual	Final	110		mg/l	USEPA 310.1
0310006-001-SPM-002-Water	10/22/2003 10:36	10/22/2003	EDT	Water	Sample-Rc	Sample-Routine			Carbonaceous biochemical oxygen demand, standard conditions	Total	Actual	Final		Not Detected	mg/l	APHA 5210-B
0310006-001-SPM-002-Water	10/22/2003 10:36	10/22/2003	EDT	Water	Sample-Rc	Sample-Routine			Carbonaceous biochemical oxygen demand, standard conditions	Total	Actual	Final		Not Detected	mg/l	APHA 5210-B
0310006-001-SPM-002-Water	10/22/2003 10:36	10/22/2003	EDT	Water	Sample-Rc	Sample-Routine			Chloride	Total	Actual	Final	17400		mg/l	USEPA 325.2
0310006-001-SPM-002-Water	10/22/2003 10:36	10/22/2003	EDT	Water	Sample-Rc	Sample-Routine			Chlorophyll a		Estimated	Final	5.3		ug/l	APHA 10200-H
0310006-001-SPM-002-Water	10/22/2003 10:36	10/22/2003	EDT	Water	Sample-Rc	Sample-Routine			Pheophytin a	Filterable	Estimated	Final	4.5		ug/l	APHA 10200-H
0310006-001-SPM-002-Water	10/22/2003 10:36	10/22/2003	EDT	Water	Sample-Rc	Sample-Routine			Chromium(VI)	Dissolved	Actual	Final		Not Detected	ug/l	21DELAWQ_WQX 117A_ELS
0310006-001-SPM-002-Water	10/22/2003 10:36	10/22/2003	EDT	Water	Sample-Rc	Sample-Routine			Hardness, Ca, Mg		Actual	Final	5690		mg/l CaCO3	USEPA 130.2
0310006-001-SPM-002-Water	10/22/2003 10:36	10/22/2003	EDT	Water	Sample-Rc	Sample-Routine			Orthophosphate as P	Dissolved	Actual	Final	0.02		mg/l	USEPA 365.1
0310006-001-SPM-002-Water	10/22/2003 10:36	10/22/2003	EDT	Water	Sample-Rc	Sample-Routine			Total suspended solids		Actual	Final	44		mg/l	USEPA 160.2
0310006-001-SPM-002-Water	10/22/2003 10:36	10/22/2003	EDT	Water	Sample-Rc	Sample-Routine			Turbidity		Actual	Final	20		NTU	USEPA 180.1
0310006-001-SPM-006-Water	10/22/2003 10:36	10/22/2003	EDT	Water	Sample-Rc	Sample-Routine			Arsenic	Dissolved	Estimated	Final	4.4		ug/l	21DELAWQ_WQX 200.7_ELS
0310006-001-SPM-006-Water	10/22/2003 10:36	10/22/2003	EDT	Water	Sample-Rc	Sample-Routine			Copper	Dissolved	Actual	Final	8		ug/l	21DELAWQ_WQX 200.7_ELS
0310006-001-SPM-006-Water	10/22/2003 10:36	10/22/2003	EDT	Water	Sample-Rc	Sample-Routine			Lead	Dissolved	Actual	Final		Not Detected	ug/l	21DELAWQ_WQX 200.7_ELS
0310006-001-SPM-006-Water	10/22/2003 10:36	10/22/2003	EDT	Water	Sample-Rc	Sample-Routine			Zinc	Dissolved	Actual	Final		Not Detected	ug/l	21DELAWQ_WQX 200.7_ELS
0310006-001-SPM-006-Water	10/22/2003 10:36	10/22/2003	EDT	Water	Sample-Rc	Sample-Routine			Arsenic	Total	Estimated	Final	6.1		ug/l	21DELAWQ_WQX 200.7_ELS
0310006-001-SPM-006-Water	10/22/2003 10:36	10/22/2003	EDT	Water	Sample-Rc	Sample-Routine			Copper	Total	Actual	Final	16.1		ug/l	21DELAWQ_WQX 200.7_ELS
0310006-001-SPM-006-Water	10/22/2003 10:36	10/22/2003	EDT	Water	Sample-Rc	Sample-Routine			Lead	Total	Actual	Final		Not Detected	ug/l	21DELAWQ_WQX 200.7_ELS
0310006-001-SPM-006-Water	10/22/2003 10:36	10/22/2003	EDT	Water	Sample-Rc	Sample-Routine			Zinc	Total	Actual	Final		Not Detected	ug/l	21DELAWQ_WQX 200.7_ELS
0310006-001-FMO-Air	10/22/2003 10:36	10/22/2003	EDT	Air	Field Msr/C	Field Msr/Obs			Temperature, air		Actual	Final	18		deg C	USEPA 170.1
0310006-001-SPM-001-Water	10/22/2003 10:36	10/22/2003	EDT	Water	Sample-Rc	Sample-Routine			Dissolved oxygen (DO)		Actual	Final	4.9		mg/l	USEPA 360.2
0310006-001-SPM-003-Water	10/22/2003 10:36	10/22/2003	EDT	Water	Sample-Rc	Sample-Routine			Enterococcus		Actual	Final	153		cfu/100ml	APHA 9230-C
0310006-001-SPM-005-Water	10/22/2003 10:36	10/22/2003	EDT	Water	Sample-Rc	Sample-Routine			Organic carbon	Dissolved	Actual	Final	2		mg/l	USEPA 415.1
0310006-001-SPM-005-Water	10/22/2003 10:36	10/22/2003	EDT	Water	Sample-Rc	Sample-Routine			Organic carbon	Total	Actual	Final	2.3		mg/l	USEPA 415.1
0310006-001-FMO-Water	10/22/2003 10:36	10/22/2003	EDT	Water	Field Msr/C	Field Msr/Obs			Specific conductance		Actual	Final	46020		uS/cm	21DELAWQ_WQX YSI 6-Series
0310006-001-FMO-Water	10/22/2003 10:36	10/22/2003	EDT	Water	Field Msr/C	Field Msr/Obs			Dissolved oxygen (DO)		Actual	Final	8.18		mg/l	21DELAWQ_WQX YSI 6-Series
0310006-001-FMO-Water	10/22/2003 10:36	10/22/2003	EDT	Water	Field Msr/C	Field Msr/Obs			pH		Actual	Final	7.67		None	21DELAWQ_WQX YSI 6-Series
0310006-001-FMO-Water	10/22/2003 10:36	10/22/2003	EDT	Water	Field Msr/C	Field Msr/Obs			Salinity		Actual	Final	29.9		ppt	21DELAWQ_WQX YSI 6-Series
0310006-001-FMO-Water	10/22/2003 10:36	10/22/2003	EDT	Water	Field Msr/C	Field Msr/Obs			Depth, Secchi disk depth		Actual	Final	36		in	21DELAWQ_WQX EPA/620/R-01/003-SD
0310006-001-FMO-Water	10/22/2003 10:36	10/22/2003	EDT	Water	Field Msr/C	Field Msr/Obs			Temperature, water		Actual	Final	16.65		deg C	21DELAWQ_WQX YSI 6-Series
0403002-001-SPM-001-Water	3/2/2004 8:59	3/2/2004	EST	Water	Sample-Rc	Sample-Routine			Dissolved oxygen (DO)		Actual	Final	8.9		mg/l	USEPA 360.2
0403002-001-SPM-003-Water	3/2/2004 8:59	3/2/2004	EST	Water	Sample-Rc	Sample-Routine			Enterococcus		Actual	Final	7		cfu/100ml	APHA 9230-C
0403002-001-SPM-005-Water	3/2/2004 8:59	3/2/2004	EST	Water	Sample-Rc	Sample-Routine			Organic carbon	Dissolved	Estimated	Final	2.3		mg/l	USEPA 415.1
0403002-001-SPM-005-Water	3/2/2004 8:59	3/2/2004	EST	Water	Sample-Rc	Sample-Routine			Organic carbon	Total	Actual	Final	3.4		mg/l	USEPA 415.1
0403002-001-SPM-002-Water	3/2/2004 8:59	3/2/2004	EST	Water	Sample-Rc	Sample-Routine			Calcium carbonate as CaCO3	Total	Actual	Final	124		mg/l	USEPA 310.1
0403002-001-SPM-002-Water	3/2/2004 8:59	3/2/2004	EST	Water	Sample-Rc	Sample-Routine			Carbonaceous biochemical oxygen demand, standard conditions	Total	Actual	Final	6.87		mg/l	APHA 5210-B
0403002-001-SPM-002-Water	3/2/2004 8:59	3/2/2004	EST	Water	Sample-Rc	Sample-Routine			Carbonaceous biochemical oxygen demand, standard conditions	Total	Actual	Final	3.78		mg/l	APHA 5210-B
0403002-001-SPM-002-Water	3/2/2004 8:59	3/2/2004	EST	Water	Sample-Rc	Sample-Routine			Chloride	Total	Actual	Final	18800		mg/l	USEPA 325.2
0403002-001-SPM-002-Water	3/2/2004 8:59	3/2/2004	EST	Water	Sample-Rc	Sample-Routine			Chlorophyll a		Actual	Final	30.7		ug/l	APHA 10200-H
0403002-001-SPM-002-Water	3/2/2004 8:59	3/2/2004	EST	Water	Sample-Rc	Sample-Routine			Pheophytin a	Filterable	Estimated	Final	8.2		ug/l	APHA 10200-H
0403002-001-SPM-002-Water	3/2/2004 8:59	3/2/2004	EST	Water	Sample-Rc	Sample-Routine			Chromium(VI)	Dissolved	Actual	Final		Not Detected	ug/l	21DELAWQ_WQX 117A_ELS
0403002-001-SPM-002-Water	3/2/2004 8:59	3/2/2004	EST	Water	Sample-Rc	Sample-Routine			Hardness, Ca, Mg		Actual	Final	8780		mg/l CaCO3	USEPA 130.2
0403002-001-SPM-002-Water	3/2/2004 8:59	3/2/2004	EST	Water	Sample-Rc	Sample-Routine			Orthophosphate as P	Dissolved	Estimated	Final	0.004		mg/l	USEPA 365.1
0403002-001-SPM-002-Water	3/2/2004 8:59	3/2/2004	EST	Water	Sample-Rc	Sample-Routine			Total suspended solids		Actual	Final	40		mg/l	USEPA 160.2
0403002-001-SPM-002-Water	3/2/2004 8:59	3/2/2004	EST	Water	Sample-Rc	Sample-Routine			Turbidity		Actual	Final	8		NTU	USEPA 180.1
0403002-001-FMO-Air	3/2/2004 8:59	3/2/2004	EST	Air	Field Msr/C	Field Msr/Obs			Temperature, air		Actual	Final	13		deg C	USEPA 170.1
0403002-001-SPM-006-Water	3/2/2004 8:59	3/2/2004	EST	Water	Sample-Rc	Sample-Routine			Arsenic	Dissolved	Estimated	Final	2.2		ug/l	21DELAWQ_WQX 200.7_ELS
0403002-001-SPM-006-Water	3/2/2004 8:59	3/2/2004	EST	Water	Sample-Rc	Sample-Routine			Copper	Dissolved	Estimated	Final	2.5		ug/l	21DELAWQ_WQX 200.7_ELS
0403002-001-SPM-006-Water	3/2/2004 8:59	3/2/2004	EST	Water	Sample-Rc	Sample-Routine			Lead	Dissolved	Actual	Final		Not Detected	ug/l	21DELAWQ_WQX 200.7_ELS
0403002-001-SPM-006-Water	3/2/2004 8:59	3/2/2004	EST	Water	Sample-Rc	Sample-Routine			Zinc	Dissolved	Actual	Final		Not Detected	ug/l	21DELAWQ_WQX 200.7_ELS
0403002-001-SPM-006-Water	3/2/2004 8:59	3/2/2004	EST	Water	Sample-Rc	Sample-Routine			Arsenic	Total	Estimated	Final	2.2		ug/l	21DELAWQ_WQX 200.7_ELS
0403002-001-SPM-006-Water	3/2/2004 8:59	3/2/2004	EST	Water	Sample-Rc	Sample-Routine			Copper	Total	Actual	Final		Not Detected	ug/l	21DELAWQ_WQX 200.7_ELS
0403002-001-SPM-006-Water	3/2/2004 8:59	3/2/2004	EST	Water	Sample-Rc	Sample-Routine			Lead	Total	Actual	Final		Not Detected	ug/l	21DELAWQ_WQX 200.7_ELS
0403002-001-SPM-006-Water	3/2/2004 8:59	3/2/2004	EST	Water	Sample-Rc	Sample-Routine			Zinc	Total	Actual	Final		Not Detected	ug/l	21DELAWQ_WQX 200.7_ELS
0403002-001-FMO-Water	3/2/2004 8:59	3/2/2004	EST	Water	Field Msr/C	Field Msr/Obs			Dissolved oxygen (DO)		Actual	Final	10.19		mg/l	21DELAWQ_WQX YSI 6-Series
0403002-001-FMO-Water	3/2/2004 8:59	3/2/2004	EST	Water	Field Msr/C	Field Msr/Obs			pH		Actual	Final	8.05		None	21DELAWQ_WQX YSI 6-Series
0403002-001-FMO-Water	3/2/2004 8:59	3/2/2004	EST	Water	Field Msr/C	Field Msr/Obs			Salinity		Actual	Final	30.47		ppt	21DELAWQ_WQX YSI 6-Series
0403002-001-FMO-Water	3/2/2004 8:59	3/2/2004	EST	Water	Field Msr/C	Field Msr/Obs			Depth, Secchi disk depth		Actual	Final	0.5		m	21DELAWQ_WQX EPA/620/R-01/003-SD

Activity ID	Activity Start	Date	Activity Sta	Activity Me	Activity Typ	Activity Ca	Activity De	Activity De	Characteristic Name	Sample Fraction	Value Type	Statistic Type	Result Valu	Result Value as Text	Units	Analytical Proc ID
0403002-001-FMO-Water	3/2/2004 8:59	3/2/2004	EST	Water	Field Msr/C	Field Msr/Obs			Temperature, water		Actual	Final		4.79	deg C	21DELAWQ_WQX YSI 6-Series
0403002-001-FMO-Water	3/2/2004 8:59	3/2/2004	EST	Water	Field Msr/C	Field Msr/Obs			Specific conductance		Actual	Final		47800	uS/cm	21DELAWQ_WQX YSI 6-Series
0403002-001-SPM-004-Water	3/2/2004 8:59	3/2/2004	EST	Water	Sample-Rc	Sample-Routine			Ammonia-nitrogen as N	Dissolved	Actual	Final	Not Detected		mg/l	USEPA 350.1
0403002-001-SPM-004-Water	3/2/2004 8:59	3/2/2004	EST	Water	Sample-Rc	Sample-Routine			Ammonia-nitrogen as N	Total	Actual	Final		0.022	mg/l	USEPA 350.1
0403002-001-SPM-004-Water	3/2/2004 8:59	3/2/2004	EST	Water	Sample-Rc	Sample-Routine			Kjeldahl nitrogen	Dissolved	Actual	Final		0.244	mg/l	USEPA 351.2
0403002-001-SPM-004-Water	3/2/2004 8:59	3/2/2004	EST	Water	Sample-Rc	Sample-Routine			Kjeldahl nitrogen	Total	Actual	Final		0.567	mg/l	USEPA 351.2
0403002-001-SPM-004-Water	3/2/2004 8:59	3/2/2004	EST	Water	Sample-Rc	Sample-Routine			Inorganic nitrogen (nitrate and nitrite) as N	Dissolved	Actual	Final		0.024	mg/l	USEPA 353.2
0403002-001-SPM-004-Water	3/2/2004 8:59	3/2/2004	EST	Water	Sample-Rc	Sample-Routine			Inorganic nitrogen (nitrate and nitrite) as N	Total	Actual	Final		0.034	mg/l	USEPA 353.2
0403002-001-SPM-004-Water	3/2/2004 8:59	3/2/2004	EST	Water	Sample-Rc	Sample-Routine			Phosphate-phosphorus as P	Dissolved	Estimated	Final		0.03	mg/l	USEPA 365.4
0403002-001-SPM-004-Water	3/2/2004 8:59	3/2/2004	EST	Water	Sample-Rc	Sample-Routine			Phosphate-phosphorus as P	Total	Actual	Final		0.12	mg/l	USEPA 365.4
0405015-001-SPM-006-Water	5/17/2004 12:45	5/17/2004	EDT	Water	Sample-Rc	Sample-Routine			Arsenic	Dissolved	Estimated	Final		4.6	ug/l	21DELAWQ_WQX 200.7_ELS
0405015-001-SPM-006-Water	5/17/2004 12:45	5/17/2004	EDT	Water	Sample-Rc	Sample-Routine			Copper	Dissolved	Estimated	Final		2.3	ug/l	21DELAWQ_WQX 200.7_ELS
0405015-001-SPM-006-Water	5/17/2004 12:45	5/17/2004	EDT	Water	Sample-Rc	Sample-Routine			Lead	Dissolved	Actual	Final	Not Detected		ug/l	21DELAWQ_WQX 200.7_ELS
0405015-001-SPM-006-Water	5/17/2004 12:45	5/17/2004	EDT	Water	Sample-Rc	Sample-Routine			Zinc	Dissolved	Actual	Final	Not Detected		ug/l	21DELAWQ_WQX 200.7_ELS
0405015-001-SPM-006-Water	5/17/2004 12:45	5/17/2004	EDT	Water	Sample-Rc	Sample-Routine			Arsenic	Total	Estimated	Final		6.7	ug/l	21DELAWQ_WQX 200.7_ELS
0405015-001-SPM-006-Water	5/17/2004 12:45	5/17/2004	EDT	Water	Sample-Rc	Sample-Routine			Copper	Total	Actual	Final		13.8	ug/l	21DELAWQ_WQX 200.7_ELS
0405015-001-SPM-006-Water	5/17/2004 12:45	5/17/2004	EDT	Water	Sample-Rc	Sample-Routine			Lead	Total	Actual	Final	Not Detected		ug/l	21DELAWQ_WQX 200.7_ELS
0405015-001-SPM-006-Water	5/17/2004 12:45	5/17/2004	EDT	Water	Sample-Rc	Sample-Routine			Zinc	Total	Actual	Final	Not Detected		ug/l	21DELAWQ_WQX 200.7_ELS
0405015-001-SPM-005-Water	5/17/2004 12:45	5/17/2004	EDT	Water	Sample-Rc	Sample-Routine			Organic carbon	Dissolved	Estimated	Final		2.7	mg/l	USEPA 415.1
0405015-001-SPM-005-Water	5/17/2004 12:45	5/17/2004	EDT	Water	Sample-Rc	Sample-Routine			Organic carbon	Total	Actual	Final		3	mg/l	USEPA 415.1
0405015-001-SPM-004-Water	5/17/2004 12:45	5/17/2004	EDT	Water	Sample-Rc	Sample-Routine			Ammonia-nitrogen as N	Dissolved	Actual	Final		0.022	mg/l	USEPA 350.1
0405015-001-SPM-004-Water	5/17/2004 12:45	5/17/2004	EDT	Water	Sample-Rc	Sample-Routine			Ammonia-nitrogen as N	Total	Actual	Final		0.031	mg/l	USEPA 350.1
0405015-001-SPM-004-Water	5/17/2004 12:45	5/17/2004	EDT	Water	Sample-Rc	Sample-Routine			Kjeldahl nitrogen	Dissolved	Actual	Final		0.823	mg/l	USEPA 351.2
0405015-001-SPM-004-Water	5/17/2004 12:45	5/17/2004	EDT	Water	Sample-Rc	Sample-Routine			Kjeldahl nitrogen	Total	Actual	Final		0.928	mg/l	USEPA 351.2
0405015-001-SPM-004-Water	5/17/2004 12:45	5/17/2004	EDT	Water	Sample-Rc	Sample-Routine			Inorganic nitrogen (nitrate and nitrite) as N	Dissolved	Actual	Final		0.343	mg/l	USEPA 353.2
0405015-001-SPM-004-Water	5/17/2004 12:45	5/17/2004	EDT	Water	Sample-Rc	Sample-Routine			Inorganic nitrogen (nitrate and nitrite) as N	Total	Actual	Final		0.412	mg/l	USEPA 353.2
0405015-001-SPM-004-Water	5/17/2004 12:45	5/17/2004	EDT	Water	Sample-Rc	Sample-Routine			Phosphate-phosphorus as P	Dissolved	Estimated	Final		0.023	mg/l	USEPA 365.4
0405015-001-SPM-004-Water	5/17/2004 12:45	5/17/2004	EDT	Water	Sample-Rc	Sample-Routine			Phosphate-phosphorus as P	Total	Actual	Final		0.181	mg/l	USEPA 365.4
0405015-001-FMO-Water	5/17/2004 12:45	5/17/2004	EDT	Water	Field Msr/C	Field Msr/Obs			Specific conductance		Actual	Final		43990	uS/cm	21DELAWQ_WQX YSI 6-Series
0405015-001-FMO-Water	5/17/2004 12:45	5/17/2004	EDT	Water	Field Msr/C	Field Msr/Obs			Dissolved oxygen (DO)		Actual	Final		8.85	mg/l	21DELAWQ_WQX YSI 6-Series
0405015-001-FMO-Water	5/17/2004 12:45	5/17/2004	EDT	Water	Field Msr/C	Field Msr/Obs			pH		Actual	Final		7.94	None	21DELAWQ_WQX YSI 6-Series
0405015-001-FMO-Water	5/17/2004 12:45	5/17/2004	EDT	Water	Field Msr/C	Field Msr/Obs			Salinity		Actual	Final		28.44	ppt	21DELAWQ_WQX YSI 6-Series
0405015-001-FMO-Water	5/17/2004 12:45	5/17/2004	EDT	Water	Field Msr/C	Field Msr/Obs			Depth, Secchi disk depth		Actual	Final		0.4	m	21DELAWQ_WQX EPA/620/R-01/003-SD
0405015-001-FMO-Water	5/17/2004 12:45	5/17/2004	EDT	Water	Field Msr/C	Field Msr/Obs			Temperature, water		Actual	Final		17.3	deg C	21DELAWQ_WQX YSI 6-Series
0405015-001-SPM-001-Water	5/17/2004 12:45	5/17/2004	EDT	Water	Sample-Rc	Sample-Routine			Dissolved oxygen (DO)		Actual	Final		4.2	mg/l	USEPA 360.2
0405015-001-SPM-002-Water	5/17/2004 12:45	5/17/2004	EDT	Water	Sample-Rc	Sample-Routine			Calcium carbonate as CaCO3	Total	Actual	Final		104	mg/l	USEPA 310.1
0405015-001-SPM-002-Water	5/17/2004 12:45	5/17/2004	EDT	Water	Sample-Rc	Sample-Routine			Carbonaceous biochemical oxygen demand, standard conditions	Total	Actual	Final		2.4	mg/l	APHA 5210-B
0405015-001-SPM-002-Water	5/17/2004 12:45	5/17/2004	EDT	Water	Sample-Rc	Sample-Routine			Carbonaceous biochemical oxygen demand, standard conditions	Total	Actual	Final	Not Detected		mg/l	APHA 5210-B
0405015-001-SPM-002-Water	5/17/2004 12:45	5/17/2004	EDT	Water	Sample-Rc	Sample-Routine			Chloride	Total	Actual	Final		15500	mg/l	USEPA 325.2
0405015-001-SPM-002-Water	5/17/2004 12:45	5/17/2004	EDT	Water	Sample-Rc	Sample-Routine			Chlorophyll a		Estimated	Final		6.2	ug/l	APHA 10200-H
0405015-001-SPM-002-Water	5/17/2004 12:45	5/17/2004	EDT	Water	Sample-Rc	Sample-Routine			Pheophytin a	Filterable	Actual	Final	Not Detected		ug/l	APHA 10200-H
0405015-001-SPM-002-Water	5/17/2004 12:45	5/17/2004	EDT	Water	Sample-Rc	Sample-Routine			Chromium(VI)	Dissolved	Actual	Final	Not Detected		ug/l	21DELAWQ_WQX 117A_ELS
0405015-001-SPM-002-Water	5/17/2004 12:45	5/17/2004	EDT	Water	Sample-Rc	Sample-Routine			Hardness, Ca, Mg		Actual	Final		5490	mg/l CaCO3	USEPA 130.2
0405015-001-SPM-002-Water	5/17/2004 12:45	5/17/2004	EDT	Water	Sample-Rc	Sample-Routine			Orthophosphate as P	Dissolved	Actual	Final		0.011	mg/l	USEPA 365.1
0405015-001-SPM-002-Water	5/17/2004 12:45	5/17/2004	EDT	Water	Sample-Rc	Sample-Routine			Total suspended solids		Actual	Final		114	mg/l	USEPA 160.2
0405015-001-SPM-002-Water	5/17/2004 12:45	5/17/2004	EDT	Water	Sample-Rc	Sample-Routine			Turbidity		Actual	Final		8	NTU	USEPA 180.1
0405015-001-FMO-Air	5/17/2004 12:45	5/17/2004	EDT	Air	Field Msr/C	Field Msr/Obs			Temperature, air		Actual	Final		27	deg C	USEPA 170.1
0405015-001-SPM-003-Water	5/17/2004 12:45	5/17/2004	EDT	Water	Sample-Rc	Sample-Routine			Enterococcus		Actual	Final		7	cfu/100ml	APHA 9230-C
0407018-001-SPM-005-Water	7/21/2004 11:00	7/21/2004	EDT	Water	Sample-Rc	Sample-Routine			Organic carbon	Dissolved	Estimated	Final		2	mg/l	USEPA 415.1
0407018-001-SPM-005-Water	7/21/2004 11:00	7/21/2004	EDT	Water	Sample-Rc	Sample-Routine			Organic carbon	Total	Estimated	Final		1.9	mg/l	USEPA 415.1
0407018-001-SPM-003-Water	7/21/2004 11:00	7/21/2004	EDT	Water	Sample-Rc	Sample-Routine			Enterococcus		Actual	Final		10	cfu/100ml	APHA 9230-C
0407018-001-FMO-Air	7/21/2004 11:00	7/21/2004	EDT	Air	Field Msr/C	Field Msr/Obs			Temperature, air		Actual	Final		30	deg C	USEPA 170.1
0407018-001-SPM-004-Water	7/21/2004 11:00	7/21/2004	EDT	Water	Sample-Rc	Sample-Routine			Ammonia-nitrogen as N	Dissolved	Estimated	Final		0.017	mg/l	USEPA 350.1
0407018-001-SPM-004-Water	7/21/2004 11:00	7/21/2004	EDT	Water	Sample-Rc	Sample-Routine			Ammonia-nitrogen as N	Total	Actual	Final		0.028	mg/l	USEPA 350.1
0407018-001-SPM-004-Water	7/21/2004 11:00	7/21/2004	EDT	Water	Sample-Rc	Sample-Routine			Kjeldahl nitrogen	Dissolved	Actual	Final		0.518	mg/l	USEPA 351.2
0407018-001-SPM-004-Water	7/21/2004 11:00	7/21/2004	EDT	Water	Sample-Rc	Sample-Routine			Kjeldahl nitrogen	Total	Actual	Final		0.588	mg/l	USEPA 351.2
0407018-001-SPM-004-Water	7/21/2004 11:00	7/21/2004	EDT	Water	Sample-Rc	Sample-Routine			Inorganic nitrogen (nitrate and nitrite) as N	Dissolved	Actual	Final		0.022	mg/l	USEPA 353.2
0407018-001-SPM-004-Water	7/21/2004 11:00	7/21/2004	EDT	Water	Sample-Rc	Sample-Routine			Inorganic nitrogen (nitrate and nitrite) as N	Total	Actual	Final		0.02	mg/l	USEPA 353.2
0407018-001-SPM-004-Water	7/21/2004 11:00	7/21/2004	EDT	Water	Sample-Rc	Sample-Routine			Phosphate-phosphorus as P	Dissolved	Actual	Final		0.063	mg/l	USEPA 365.4
0407018-001-SPM-004-Water	7/21/2004 11:00	7/21/2004	EDT	Water	Sample-Rc	Sample-Routine			Phosphate-phosphorus as P	Total	Actual	Final		0.058	mg/l	USEPA 365.4
0407018-001-FMO-Water	7/21/2004 11:00	7/21/2004	EDT	Water	Field Msr/C	Field Msr/Obs			Specific conductance		Actual	Final		44000	uS/cm	21DELAWQ_WQX YSI 6-Series
0407018-001-FMO-Water	7/21/2004 11:00	7/21/2004	EDT	Water	Field Msr/C	Field Msr/Obs			Dissolved oxygen (DO)		Actual	Final		7.25	mg/l	21DELAWQ_WQX YSI 6-Series
0407018-001-FMO-Water	7/21/2004 11:00	7/21/2004	EDT	Water	Field Msr/C	Field Msr/Obs			pH		Actual	Final		7.41	None	21DELAWQ_WQX YSI 6-Series
0407018-001-FMO-Water	7/21/2004 11:00	7/21/2004	EDT	Water	Field Msr/C	Field Msr/Obs			Salinity		Actual	Final		28.41	ppt	21DELAWQ_WQX YSI 6-Series
0407018-001-FMO-Water	7/21/2004 11:00	7/21/2004	EDT	Water	Field Msr/C	Field Msr/Obs			Temperature, water		Actual	Final		23.02	deg C	21DELAWQ_WQX YSI 6-Series
0407018-001-SPM-002-Water	7/21/2004 11:00	7/21/2004	EDT	Water	Sample-Rc	Sample-Routine			Calcium carbonate as CaCO3	Total	Actual	Final		104	mg/l	USEPA 310.1
0407018-001-SPM-002-Water	7/21/2004 11:00	7/21/2004	EDT	Water	Sample-Rc	Sample-Routine			Carbonaceous biochemical oxygen demand, standard conditions	Total	Actual	Final		3.25	mg/l	APHA 5210-B
0407018-001-SPM-002-Water	7/21/2004 11:00	7/21/2004	EDT	Water	Sample-Rc	Sample-Routine			Carbonaceous biochemical oxygen demand, standard conditions	Total	Actual	Final	Not Detected		mg/l	APHA 5210-B
0407018-001-SPM-002-Water	7/21/2004 11:00	7/21/2004	EDT	Water	Sample-Rc	Sample-Routine			Chloride	Total	Actual	Final		13600	mg/l	USEPA 325.2
0407018-001-SPM-002-Water	7/21/2004 11:00	7/21/2004	EDT	Water	Sample-Rc	Sample-Routine			Chlorophyll a		Estimated	Final		2.7	ug/l	APHA 10200-H
0407018-001-SPM-002-Water	7/21/2004 11:00	7/21/2004	EDT	Water	Sample-Rc	Sample-Routine			Pheophytin a	Filterable	Actual	Final	Not Detected		ug/l	APHA 10200-H
0407018-001-SPM-002-Water	7/21/2004 11:00	7/21/2004	EDT	Water	Sample-Rc	Sample-Routine			Chromium(VI)	Dissolved	Actual	Final	Not Detected		ug/l	21DELAWQ_WQX 117A_ELS
0407018-001-SPM-002-Water	7/21/2004 11:00	7/21/2004	EDT	Water	Sample-Rc	Sample-Routine			Hardness, Ca, Mg		Actual	Final		5540	mg/l CaCO3	USEPA 130.2
0407018-001-SPM-002-Water	7/21/2004 11:00	7/21/2004	EDT	Water	Sample-Rc	Sample-Routine			Orthophosphate as P	Dissolved	Actual	Final		0.016	mg/l	USEPA 365.1

Activity ID	Activity Start	Date	Activity Sta	Activity Me	Activity Typ	Activity Ca	Activity De	Activity De	Characteristic Name	Sample Fraction	Value Type	Statistic Type	Result Valu	Result Value as Text	Units	Analytical Proc ID
0407018-001-SPM-002-Water	7/21/2004 11:00	7/21/2004	EDT	Water	Sample-Rc	Sample-Routine			Total suspended solids		Actual	Final	23		mg/l	USEPA 160.2
0407018-001-SPM-002-Water	7/21/2004 11:00	7/21/2004	EDT	Water	Sample-Rc	Sample-Routine			Turbidity		Actual	Final	3		NTU	USEPA 180.1
0407018-001-SPM-006-Water	7/21/2004 11:00	7/21/2004	EDT	Water	Sample-Rc	Sample-Routine			Arsenic	Dissolved	Actual	Final		Not Detected	ug/l	21DELAWQ_WQX 200.7_ELS
0407018-001-SPM-006-Water	7/21/2004 11:00	7/21/2004	EDT	Water	Sample-Rc	Sample-Routine			Copper	Dissolved	Actual	Final		Not Detected	ug/l	21DELAWQ_WQX 200.7_ELS
0407018-001-SPM-006-Water	7/21/2004 11:00	7/21/2004	EDT	Water	Sample-Rc	Sample-Routine			Lead	Dissolved	Estimated	Final	1.8		ug/l	21DELAWQ_WQX 200.7_ELS
0407018-001-SPM-006-Water	7/21/2004 11:00	7/21/2004	EDT	Water	Sample-Rc	Sample-Routine			Zinc	Dissolved	Actual	Final	15.3		ug/l	21DELAWQ_WQX 200.7_ELS
0407018-001-SPM-006-Water	7/21/2004 11:00	7/21/2004	EDT	Water	Sample-Rc	Sample-Routine			Arsenic	Total	Actual	Final		Not Detected	ug/l	21DELAWQ_WQX 200.7_ELS
0407018-001-SPM-006-Water	7/21/2004 11:00	7/21/2004	EDT	Water	Sample-Rc	Sample-Routine			Copper	Total	Actual	Final		Not Detected	ug/l	21DELAWQ_WQX 200.7_ELS
0407018-001-SPM-006-Water	7/21/2004 11:00	7/21/2004	EDT	Water	Sample-Rc	Sample-Routine			Lead	Total	Estimated	Final	1.7		ug/l	21DELAWQ_WQX 200.7_ELS
0407018-001-SPM-006-Water	7/21/2004 11:00	7/21/2004	EDT	Water	Sample-Rc	Sample-Routine			Zinc	Total	Actual	Final	23.1		ug/l	21DELAWQ_WQX 200.7_ELS
0409022-001-SPM-003-Water	9/29/2004 9:24	9/29/2004	EDT	Water	Sample-Rc	Sample-Routine			Enterococcus		Actual	Final	20		cfu/100ml	APHA 9230-C
0409022-001-SPM-001-Water	9/29/2004 9:24	9/29/2004	EDT	Water	Sample-Rc	Sample-Routine			Dissolved oxygen (DO)		Actual	Final	7.3		mg/l	USEPA 360.2
0409022-001-SPM-002-Water	9/29/2004 9:24	9/29/2004	EDT	Water	Sample-Rc	Sample-Routine			Chloride	Total	Actual	Final	17400		mg/l	USEPA 325.2
0409022-001-SPM-002-Water	9/29/2004 9:24	9/29/2004	EDT	Water	Sample-Rc	Sample-Routine			Chlorophyll a		Estimated	Final	11.3		ug/l	APHA 10200-H
0409022-001-SPM-002-Water	9/29/2004 9:24	9/29/2004	EDT	Water	Sample-Rc	Sample-Routine			Pheophytin a	Filterable	Estimated	Final	12.9		ug/l	APHA 10200-H
0409022-001-SPM-002-Water	9/29/2004 9:24	9/29/2004	EDT	Water	Sample-Rc	Sample-Routine			Chromium(VI)	Dissolved	Estimated	Final	3.1		ug/l	21DELAWQ_WQX 117A_ELS
0409022-001-SPM-002-Water	9/29/2004 9:24	9/29/2004	EDT	Water	Sample-Rc	Sample-Routine			Hardness, Ca, Mg		Actual	Final	5330		mg/l CaCO3	USEPA 130.2
0409022-001-SPM-002-Water	9/29/2004 9:24	9/29/2004	EDT	Water	Sample-Rc	Sample-Routine			Orthophosphate as P	Dissolved	Actual	Final	0.032		mg/l	USEPA 365.1
0409022-001-SPM-002-Water	9/29/2004 9:24	9/29/2004	EDT	Water	Sample-Rc	Sample-Routine			Total suspended solids		Actual	Final	76		mg/l	USEPA 160.2
0409022-001-SPM-002-Water	9/29/2004 9:24	9/29/2004	EDT	Water	Sample-Rc	Sample-Routine			Turbidity		Actual	Final	42		NTU	USEPA 180.1
0409022-001-SPM-002-Water	9/29/2004 9:24	9/29/2004	EDT	Water	Sample-Rc	Sample-Routine			Calcium carbonate as CaCO3	Total	Actual	Final	103		mg/l	USEPA 310.1
0409022-001-SPM-002-Water	9/29/2004 9:24	9/29/2004	EDT	Water	Sample-Rc	Sample-Routine			Carbonaceous biochemical oxygen demand, standard conditions	Total	Actual	Final		Not Detected	mg/l	APHA 5210-B
0409022-001-SPM-002-Water	9/29/2004 9:24	9/29/2004	EDT	Water	Sample-Rc	Sample-Routine			Carbonaceous biochemical oxygen demand, standard conditions	Total	Actual	Final		Not Detected	mg/l	APHA 5210-B
0409022-001-SPM-004-Water	9/29/2004 9:24	9/29/2004	EDT	Water	Sample-Rc	Sample-Routine			Ammonia-nitrogen as N	Dissolved	Actual	Final	0.057		mg/l	USEPA 350.1
0409022-001-SPM-004-Water	9/29/2004 9:24	9/29/2004	EDT	Water	Sample-Rc	Sample-Routine			Ammonia-nitrogen as N	Total	Actual	Final	0.074		mg/l	USEPA 350.1
0409022-001-SPM-004-Water	9/29/2004 9:24	9/29/2004	EDT	Water	Sample-Rc	Sample-Routine			Kjeldahl nitrogen	Dissolved	Actual	Final	0.49		mg/l	USEPA 351.2
0409022-001-SPM-004-Water	9/29/2004 9:24	9/29/2004	EDT	Water	Sample-Rc	Sample-Routine			Kjeldahl nitrogen	Total	Actual	Final	1.05		mg/l	USEPA 351.2
0409022-001-SPM-004-Water	9/29/2004 9:24	9/29/2004	EDT	Water	Sample-Rc	Sample-Routine			Inorganic nitrogen (nitrate and nitrite) as N	Dissolved	Actual	Final	0.081		mg/l	USEPA 353.2
0409022-001-SPM-004-Water	9/29/2004 9:24	9/29/2004	EDT	Water	Sample-Rc	Sample-Routine			Inorganic nitrogen (nitrate and nitrite) as N	Total	Actual	Final	0.094		mg/l	USEPA 353.2
0409022-001-SPM-004-Water	9/29/2004 9:24	9/29/2004	EDT	Water	Sample-Rc	Sample-Routine			Phosphate-phosphorus as P	Dissolved	Actual	Final	0.057		mg/l	USEPA 365.4
0409022-001-SPM-004-Water	9/29/2004 9:24	9/29/2004	EDT	Water	Sample-Rc	Sample-Routine			Phosphate-phosphorus as P	Total	Actual	Final	0.157		mg/l	USEPA 365.4
0409022-001-SPM-005-Water	9/29/2004 9:24	9/29/2004	EDT	Water	Sample-Rc	Sample-Routine			Organic carbon	Dissolved	Estimated	Final	2.4		mg/l	USEPA 415.1
0409022-001-SPM-005-Water	9/29/2004 9:24	9/29/2004	EDT	Water	Sample-Rc	Sample-Routine			Organic carbon	Total	Estimated	Final	2.9		mg/l	USEPA 415.1
0409022-001-SPM-006-Water	9/29/2004 9:24	9/29/2004	EDT	Water	Sample-Rc	Sample-Routine			Arsenic	Dissolved	Actual	Final		Not Detected	ug/l	21DELAWQ_WQX 200.7_ELS
0409022-001-SPM-006-Water	9/29/2004 9:24	9/29/2004	EDT	Water	Sample-Rc	Sample-Routine			Copper	Dissolved	Actual	Final		Not Detected	ug/l	21DELAWQ_WQX 200.7_ELS
0409022-001-SPM-006-Water	9/29/2004 9:24	9/29/2004	EDT	Water	Sample-Rc	Sample-Routine			Lead	Dissolved	Actual	Final		Not Detected	ug/l	21DELAWQ_WQX 200.7_ELS
0409022-001-SPM-006-Water	9/29/2004 9:24	9/29/2004	EDT	Water	Sample-Rc	Sample-Routine			Zinc	Dissolved	Estimated	Final	4.3		ug/l	21DELAWQ_WQX 200.7_ELS
0409022-001-SPM-006-Water	9/29/2004 9:24	9/29/2004	EDT	Water	Sample-Rc	Sample-Routine			Arsenic	Total	Actual	Final		Not Detected	ug/l	21DELAWQ_WQX 200.7_ELS
0409022-001-SPM-006-Water	9/29/2004 9:24	9/29/2004	EDT	Water	Sample-Rc	Sample-Routine			Copper	Total	Actual	Final		Not Detected	ug/l	21DELAWQ_WQX 200.7_ELS
0409022-001-SPM-006-Water	9/29/2004 9:24	9/29/2004	EDT	Water	Sample-Rc	Sample-Routine			Lead	Total	Estimated	Final	1.5		ug/l	21DELAWQ_WQX 200.7_ELS
0409022-001-SPM-006-Water	9/29/2004 9:24	9/29/2004	EDT	Water	Sample-Rc	Sample-Routine			Zinc	Total	Actual	Final	15.9		ug/l	21DELAWQ_WQX 200.7_ELS
0409022-001-FMO-Water	9/29/2004 9:24	9/29/2004	EDT	Water	Field Msr/C	Field Msr/Obs			Specific conductance		Actual	Final	43750		uS/cm	21DELAWQ_WQX YSI 6-Series
0409022-001-FMO-Water	9/29/2004 9:24	9/29/2004	EDT	Water	Field Msr/C	Field Msr/Obs			Dissolved oxygen (DO)		Actual	Final	7.33		mg/l	21DELAWQ_WQX YSI 6-Series
0409022-001-FMO-Water	9/29/2004 9:24	9/29/2004	EDT	Water	Field Msr/C	Field Msr/Obs			pH		Actual	Final	7.9		None	21DELAWQ_WQX YSI 6-Series
0409022-001-FMO-Water	9/29/2004 9:24	9/29/2004	EDT	Water	Field Msr/C	Field Msr/Obs			Salinity		Actual	Final	28.25		ppt	21DELAWQ_WQX YSI 6-Series
0409022-001-FMO-Water	9/29/2004 9:24	9/29/2004	EDT	Water	Field Msr/C	Field Msr/Obs			Depth, Secchi disk depth		Actual	Final	0.4		m	21DELAWQ_WQX EPA/620/R-01/003-SD
0409022-001-FMO-Water	9/29/2004 9:24	9/29/2004	EDT	Water	Field Msr/C	Field Msr/Obs			Temperature, water		Actual	Final	21.85		deg C	21DELAWQ_WQX YSI 6-Series
0409022-001-FMO-Air	9/29/2004 9:24	9/29/2004	EDT	Air	Field Msr/C	Field Msr/Obs			Temperature, air		Actual	Final	17		deg C	USEPA 170.1
0503006-001-SPM-006-Water	3/29/2005 9:12	3/29/2005	EST	Water	Sample-Rc	Sample-Routine			Arsenic	Total	Actual	Final		Not Detected	ug/l	21DELAWQ_WQX 200.7_ELS
0503006-001-SPM-006-Water	3/29/2005 9:12	3/29/2005	EST	Water	Sample-Rc	Sample-Routine			Copper	Total	Estimated	Final		Not Detected	ug/l	21DELAWQ_WQX 200.7_ELS
0503006-001-SPM-006-Water	3/29/2005 9:12	3/29/2005	EST	Water	Sample-Rc	Sample-Routine			Lead	Total	Actual	Final		Not Detected	ug/l	21DELAWQ_WQX 200.7_ELS
0503006-001-SPM-006-Water	3/29/2005 9:12	3/29/2005	EST	Water	Sample-Rc	Sample-Routine			Zinc	Total	Actual	Final	17.2		ug/l	21DELAWQ_WQX 200.7_ELS
0503006-001-SPM-006-Water	3/29/2005 9:12	3/29/2005	EST	Water	Sample-Rc	Sample-Routine			Arsenic	Dissolved	Estimated	Final	2.2		ug/l	21DELAWQ_WQX 200.7_ELS
0503006-001-SPM-006-Water	3/29/2005 9:12	3/29/2005	EST	Water	Sample-Rc	Sample-Routine			Copper	Dissolved	Estimated	Final		Not Detected	ug/l	21DELAWQ_WQX 200.7_ELS
0503006-001-SPM-006-Water	3/29/2005 9:12	3/29/2005	EST	Water	Sample-Rc	Sample-Routine			Lead	Dissolved	Estimated	Final		Not Detected	ug/l	21DELAWQ_WQX 200.7_ELS
0503006-001-SPM-006-Water	3/29/2005 9:12	3/29/2005	EST	Water	Sample-Rc	Sample-Routine			Zinc	Dissolved	Estimated	Final	4.2		ug/l	21DELAWQ_WQX 200.7_ELS
0503006-001-FMO-Air	3/29/2005 9:12	3/29/2005	EST	Air	Field Msr/C	Field Msr/Obs			Temperature, air		Actual	Final	10		deg C	USEPA 170.1
0503006-001-FMO-Water	3/29/2005 9:12	3/29/2005	EST	Water	Field Msr/C	Field Msr/Obs			Specific conductance		Actual	Final	45900		uS/cm	21DELAWQ_WQX YSI 6-Series
0503006-001-FMO-Water	3/29/2005 9:12	3/29/2005	EST	Water	Field Msr/C	Field Msr/Obs			Dissolved oxygen (DO)		Actual	Final	10		mg/l	21DELAWQ_WQX YSI 6-Series
0503006-001-FMO-Water	3/29/2005 9:12	3/29/2005	EST	Water	Field Msr/C	Field Msr/Obs			pH		Actual	Final	6.75		None	21DELAWQ_WQX YSI 6-Series
0503006-001-FMO-Water	3/29/2005 9:12	3/29/2005	EST	Water	Field Msr/C	Field Msr/Obs			Salinity		Actual	Final	29.28		ppt	21DELAWQ_WQX YSI 6-Series
0503006-001-FMO-Water	3/29/2005 9:12	3/29/2005	EST	Water	Field Msr/C	Field Msr/Obs			Depth, Secchi disk depth		Actual	Final	0.3		m	21DELAWQ_WQX EPA/620/R-01/003-SD
0503006-001-FMO-Water	3/29/2005 9:12	3/29/2005	EST	Water	Field Msr/C	Field Msr/Obs			Temperature, water		Actual	Final	6.08		deg C	21DELAWQ_WQX YSI 6-Series
0503006-001-SPM-005-Water	3/29/2005 9:12	3/29/2005	EST	Water	Sample-Rc	Sample-Routine			Organic carbon	Dissolved	Estimated	Final	1.6		mg/l	USEPA 415.1
0503006-001-SPM-005-Water	3/29/2005 9:12	3/29/2005	EST	Water	Sample-Rc	Sample-Routine			Organic carbon	Total	Estimated	Final	2		mg/l	USEPA 415.1
0503006-001-SPM-001-Water	3/29/2005 9:12	3/29/2005	EST	Water	Sample-Rc	Sample-Routine			Dissolved oxygen (DO)		Actual	Final	13.8		mg/l	USEPA 360.2
0503006-001-SPM-003-Water	3/29/2005 9:12	3/29/2005	EST	Water	Sample-Rc	Sample-Routine			Enterococcus		Actual	Final		Not Detected	cfu/100ml	APHA 9230-C
0503006-001-SPM-002-Water	3/29/2005 9:12	3/29/2005	EST	Water	Sample-Rc	Sample-Routine			Calcium carbonate as CaCO3	Total	Actual	Final	112		mg/l	USEPA 310.1
0503006-001-SPM-002-Water	3/29/2005 9:12	3/29/2005	EST	Water	Sample-Rc	Sample-Routine			Carbonaceous biochemical oxygen demand, standard conditions	Total	Actual	Final	3.79		mg/l	APHA 5210-B
0503006-001-SPM-002-Water	3/29/2005 9:12	3/29/2005	EST	Water	Sample-Rc	Sample-Routine			Carbonaceous biochemical oxygen demand, standard conditions	Total	Actual	Final		Not Detected	mg/l	APHA 5210-B
0503006-001-SPM-002-Water	3/29/2005 9:12	3/29/2005	EST	Water	Sample-Rc	Sample-Routine			Chloride	Total	Actual	Final	16400		mg/l	USEPA 325.2
0503006-001-SPM-002-Water	3/29/2005 9:12	3/29/2005	EST	Water	Sample-Rc	Sample-Routine			Chromium(VI)	Dissolved	Actual	Final		Not Detected	ug/l	21DELAWQ_WQX 117A_ELS
0503006-001-SPM-002-Water	3/29/2005 9:12	3/29/2005	EST	Water	Sample-Rc	Sample-Routine			Hardness, Ca, Mg		Actual	Final	5310		mg/l CaCO3	USEPA 130.2
0503006-001-SPM-002-Water	3/29/2005 9:12	3/29/2005	EST	Water	Sample-Rc	Sample-Routine			Orthophosphate as P	Dissolved	Estimated	Final	0.013		mg/l	USEPA 365.1

Activity ID	Activity Start	Date	Activity Sta	Activity Me	Activity Typ	Activity Ca	Activity De	Activity De	Characteristic Name	Sample Fraction	Value Type	Statistic Type	Result Valu	Result Value as Text	Units	Analytical Proc ID
0503006-001-SPM-002-Water	3/29/2005 9:12	3/29/2005	EST	Water	Sample-Rc	Sample-Routine			Total suspended solids		Actual	Final		105	mg/l	USEPA 160.2
0503006-001-SPM-002-Water	3/29/2005 9:12	3/29/2005	EST	Water	Sample-Rc	Sample-Routine			Turbidity		Actual	Final		53	NTU	USEPA 180.1
0503006-001-SPM-004-Water	3/29/2005 9:12	3/29/2005	EST	Water	Sample-Rc	Sample-Routine			Ammonia-nitrogen as N	Dissolved	Estimated	Final		0.014	mg/l	USEPA 350.1
0503006-001-SPM-004-Water	3/29/2005 9:12	3/29/2005	EST	Water	Sample-Rc	Sample-Routine			Ammonia-nitrogen as N	Total	Estimated	Final		0.072	mg/l	USEPA 350.1
0503006-001-SPM-004-Water	3/29/2005 9:12	3/29/2005	EST	Water	Sample-Rc	Sample-Routine			Kjeldahl nitrogen	Dissolved	Actual	Final		0.295	mg/l	USEPA 351.2
0503006-001-SPM-004-Water	3/29/2005 9:12	3/29/2005	EST	Water	Sample-Rc	Sample-Routine			Kjeldahl nitrogen	Total	Actual	Final		1	mg/l	USEPA 351.2
0503006-001-SPM-004-Water	3/29/2005 9:12	3/29/2005	EST	Water	Sample-Rc	Sample-Routine			Inorganic nitrogen (nitrate and nitrite) as N	Dissolved	Actual	Final		0.017	mg/l	USEPA 353.2
0503006-001-SPM-004-Water	3/29/2005 9:12	3/29/2005	EST	Water	Sample-Rc	Sample-Routine			Inorganic nitrogen (nitrate and nitrite) as N	Total	Actual	Final		0.051	mg/l	USEPA 353.2
0503006-001-SPM-004-Water	3/29/2005 9:12	3/29/2005	EST	Water	Sample-Rc	Sample-Routine			Phosphate-phosphorus as P	Dissolved	Estimated	Final		0.021	mg/l	USEPA 365.4
0503006-001-SPM-004-Water	3/29/2005 9:12	3/29/2005	EST	Water	Sample-Rc	Sample-Routine			Phosphate-phosphorus as P	Total	Actual	Final		0.153	mg/l	USEPA 365.4
0503006-001-SPM-008-Water	3/29/2005 9:12	3/29/2005	EST	Water	Sample-Rc	Sample-Routine			Chlorophyll a		Actual	Final		21.2	ug/l	USEPA 445
0505011-001-FMO-Air	5/17/2005 8:22	5/17/2005	EDT	Air	Field Msr/C	Field Msr/Obs			Temperature, air		Actual	Final		21	deg C	USEPA 170.1
0505011-001-FMO-Water	5/17/2005 8:22	5/17/2005	EDT	Water	Field Msr/C	Field Msr/Obs			Specific conductance		Actual	Final		43080	uS/cm	21DELAWQ_WQX YSI 6-Series
0505011-001-FMO-Water	5/17/2005 8:22	5/17/2005	EDT	Water	Field Msr/C	Field Msr/Obs			Dissolved oxygen (DO)		Actual	Final		8.8	mg/l	21DELAWQ_WQX YSI 6-Series
0505011-001-FMO-Water	5/17/2005 8:22	5/17/2005	EDT	Water	Field Msr/C	Field Msr/Obs			pH		Actual	Final		7.99	None	21DELAWQ_WQX YSI 6-Series
0505011-001-FMO-Water	5/17/2005 8:22	5/17/2005	EDT	Water	Field Msr/C	Field Msr/Obs			Salinity		Actual	Final		28.23	ppt	21DELAWQ_WQX YSI 6-Series
0505011-001-FMO-Water	5/17/2005 8:22	5/17/2005	EDT	Water	Field Msr/C	Field Msr/Obs			Depth, Secchi disk depth		Actual	Final		2	m	21DELAWQ_WQX EPA/620/R-01/003-SD
0505011-001-FMO-Water	5/17/2005 8:22	5/17/2005	EDT	Water	Field Msr/C	Field Msr/Obs			Temperature, water		Actual	Final		14.46	deg C	21DELAWQ_WQX YSI 6-Series
0505011-001-SPM-005-Water	5/17/2005 8:22	5/17/2005	EDT	Water	Sample-Rc	Sample-Routine			Organic carbon	Dissolved	Estimated	Final		2.5	mg/l	USEPA 415.1
0505011-001-SPM-005-Water	5/17/2005 8:22	5/17/2005	EDT	Water	Sample-Rc	Sample-Routine			Organic carbon	Total	Estimated	Final		2.7	mg/l	USEPA 415.1
0505011-001-SPM-003-Water	5/17/2005 8:22	5/17/2005	EDT	Water	Sample-Rc	Sample-Routine			Enterococcus		Actual	Final	Not Detected		cfu/100ml	APHA 9230-C
0505011-001-SPM-001-Water	5/17/2005 8:22	5/17/2005	EDT	Water	Sample-Rc	Sample-Routine			Dissolved oxygen (DO)		Actual	Final		10.8	mg/l	USEPA 360.2
0505011-001-SPM-002-Water	5/17/2005 8:22	5/17/2005	EDT	Water	Sample-Rc	Sample-Routine			Calcium carbonate as CaCO3	Total	Actual	Final		112	mg/l	USEPA 310.1
0505011-001-SPM-002-Water	5/17/2005 8:22	5/17/2005	EDT	Water	Sample-Rc	Sample-Routine			Carbonaceous biochemical oxygen demand, standard conditions	Total	Actual	Final		4.58	mg/l	APHA 5210-B
0505011-001-SPM-002-Water	5/17/2005 8:22	5/17/2005	EDT	Water	Sample-Rc	Sample-Routine			Carbonaceous biochemical oxygen demand, standard conditions	Total	Actual	Final		2.83	mg/l	APHA 5210-B
0505011-001-SPM-002-Water	5/17/2005 8:22	5/17/2005	EDT	Water	Sample-Rc	Sample-Routine			Chloride	Total	Actual	Final		15200	mg/l	USEPA 325.2
0505011-001-SPM-002-Water	5/17/2005 8:22	5/17/2005	EDT	Water	Sample-Rc	Sample-Routine			Chromium(VI)	Dissolved	Actual	Final	Not Detected		ug/l	21DELAWQ_WQX 117A_ELS
0505011-001-SPM-002-Water	5/17/2005 8:22	5/17/2005	EDT	Water	Sample-Rc	Sample-Routine			Hardness, Ca, Mg		Actual	Final		5040	mg/l CaCO3	USEPA 130.2
0505011-001-SPM-002-Water	5/17/2005 8:22	5/17/2005	EDT	Water	Sample-Rc	Sample-Routine			Orthophosphate as P	Dissolved	Actual	Final		0.011	mg/l	USEPA 365.1
0505011-001-SPM-002-Water	5/17/2005 8:22	5/17/2005	EDT	Water	Sample-Rc	Sample-Routine			Total suspended solids		Actual	Final		78	mg/l	USEPA 160.2
0505011-001-SPM-002-Water	5/17/2005 8:22	5/17/2005	EDT	Water	Sample-Rc	Sample-Routine			Turbidity		Actual	Final		33	NTU	USEPA 180.1
0505011-001-SPM-006-Water	5/17/2005 8:22	5/17/2005	EDT	Water	Sample-Rc	Sample-Routine			Arsenic	Dissolved	Actual	Final	Not Detected		ug/l	21DELAWQ_WQX 200.7_ELS
0505011-001-SPM-006-Water	5/17/2005 8:22	5/17/2005	EDT	Water	Sample-Rc	Sample-Routine			Copper	Dissolved	Actual	Final	Not Detected		ug/l	21DELAWQ_WQX 200.7_ELS
0505011-001-SPM-006-Water	5/17/2005 8:22	5/17/2005	EDT	Water	Sample-Rc	Sample-Routine			Lead	Dissolved	Actual	Final	Not Detected		ug/l	21DELAWQ_WQX 200.7_ELS
0505011-001-SPM-006-Water	5/17/2005 8:22	5/17/2005	EDT	Water	Sample-Rc	Sample-Routine			Zinc	Dissolved	Actual	Final		10.8	ug/l	21DELAWQ_WQX 200.7_ELS
0505011-001-SPM-006-Water	5/17/2005 8:22	5/17/2005	EDT	Water	Sample-Rc	Sample-Routine			Arsenic	Total	Estimated	Final		3.5	ug/l	21DELAWQ_WQX 200.7_ELS
0505011-001-SPM-006-Water	5/17/2005 8:22	5/17/2005	EDT	Water	Sample-Rc	Sample-Routine			Copper	Total	Actual	Final	Not Detected		ug/l	21DELAWQ_WQX 200.7_ELS
0505011-001-SPM-006-Water	5/17/2005 8:22	5/17/2005	EDT	Water	Sample-Rc	Sample-Routine			Lead	Total	Estimated	Final		1.4	ug/l	21DELAWQ_WQX 200.7_ELS
0505011-001-SPM-006-Water	5/17/2005 8:22	5/17/2005	EDT	Water	Sample-Rc	Sample-Routine			Zinc	Total	Actual	Final		28.1	ug/l	21DELAWQ_WQX 200.7_ELS
0505011-001-SPM-004-Water	5/17/2005 8:22	5/17/2005	EDT	Water	Sample-Rc	Sample-Routine			Ammonia-nitrogen as N	Dissolved	Actual	Final		0.038	mg/l	USEPA 350.1
0505011-001-SPM-004-Water	5/17/2005 8:22	5/17/2005	EDT	Water	Sample-Rc	Sample-Routine			Ammonia-nitrogen as N	Total	Actual	Final		0.045	mg/l	USEPA 350.1
0505011-001-SPM-004-Water	5/17/2005 8:22	5/17/2005	EDT	Water	Sample-Rc	Sample-Routine			Kjeldahl nitrogen	Dissolved	Actual	Final		0.636	mg/l	USEPA 351.2
0505011-001-SPM-004-Water	5/17/2005 8:22	5/17/2005	EDT	Water	Sample-Rc	Sample-Routine			Kjeldahl nitrogen	Total	Actual	Final		1.26	mg/l	USEPA 351.2
0505011-001-SPM-004-Water	5/17/2005 8:22	5/17/2005	EDT	Water	Sample-Rc	Sample-Routine			Inorganic nitrogen (nitrate and nitrite) as N	Dissolved	Actual	Final		0.03	mg/l	USEPA 353.2
0505011-001-SPM-004-Water	5/17/2005 8:22	5/17/2005	EDT	Water	Sample-Rc	Sample-Routine			Inorganic nitrogen (nitrate and nitrite) as N	Total	Actual	Final		0.034	mg/l	USEPA 353.2
0505011-001-SPM-004-Water	5/17/2005 8:22	5/17/2005	EDT	Water	Sample-Rc	Sample-Routine			Phosphate-phosphorus as P	Dissolved	Estimated	Final		0.031	mg/l	USEPA 365.4
0505011-001-SPM-004-Water	5/17/2005 8:22	5/17/2005	EDT	Water	Sample-Rc	Sample-Routine			Phosphate-phosphorus as P	Total	Actual	Final		0.139	mg/l	USEPA 365.4
0505011-001-SPM-008-Water	5/17/2005 8:22	5/17/2005	EDT	Water	Sample-Rc	Sample-Routine			Chlorophyll a		Actual	Final		10.7	ug/l	USEPA 445
0507028-001-SPM-006-Water	7/27/2005 10:06	7/27/2005	EDT	Water	Sample-Rc	Sample-Routine			Arsenic	Dissolved	Actual	Final	Not Detected		ug/l	21DELAWQ_WQX 200.7_ELS
0507028-001-SPM-006-Water	7/27/2005 10:06	7/27/2005	EDT	Water	Sample-Rc	Sample-Routine			Copper	Dissolved	Actual	Final	Not Detected		ug/l	21DELAWQ_WQX 200.7_ELS
0507028-001-SPM-006-Water	7/27/2005 10:06	7/27/2005	EDT	Water	Sample-Rc	Sample-Routine			Lead	Dissolved	Actual	Final	Not Detected		ug/l	21DELAWQ_WQX 200.7_ELS
0507028-001-SPM-006-Water	7/27/2005 10:06	7/27/2005	EDT	Water	Sample-Rc	Sample-Routine			Zinc	Dissolved	Estimated	Final		2.7	ug/l	21DELAWQ_WQX 200.7_ELS
0507028-001-SPM-006-Water	7/27/2005 10:06	7/27/2005	EDT	Water	Sample-Rc	Sample-Routine			Arsenic	Total	Estimated	Final		3.5	ug/l	21DELAWQ_WQX 200.7_ELS
0507028-001-SPM-006-Water	7/27/2005 10:06	7/27/2005	EDT	Water	Sample-Rc	Sample-Routine			Copper	Total	Actual	Final	Not Detected		ug/l	21DELAWQ_WQX 200.7_ELS
0507028-001-SPM-006-Water	7/27/2005 10:06	7/27/2005	EDT	Water	Sample-Rc	Sample-Routine			Lead	Total	Actual	Final	Not Detected		ug/l	21DELAWQ_WQX 200.7_ELS
0507028-001-SPM-006-Water	7/27/2005 10:06	7/27/2005	EDT	Water	Sample-Rc	Sample-Routine			Zinc	Total	Estimated	Final		2	ug/l	21DELAWQ_WQX 200.7_ELS
0507028-001-SPM-002-Water	7/27/2005 10:06	7/27/2005	EDT	Water	Sample-Rc	Sample-Routine			Phosphate-phosphorus as P	Dissolved	Actual	Final		0.043	mg/l	21DELAWQ_WQX 365.1_ELS
0507028-001-SPM-002-Water	7/27/2005 10:06	7/27/2005	EDT	Water	Sample-Rc	Sample-Routine			Phosphate-phosphorus as P	Total	Actual	Final		0.042	mg/l	21DELAWQ_WQX 365.1_ELS
0507028-001-SPM-002-Water	7/27/2005 10:06	7/27/2005	EDT	Water	Sample-Rc	Sample-Routine			Total suspended solids		Actual	Final		20	mg/l	USEPA 160.2
0507028-001-SPM-002-Water	7/27/2005 10:06	7/27/2005	EDT	Water	Sample-Rc	Sample-Routine			Turbidity		Actual	Final		2	NTU	USEPA 180.1
0507028-001-SPM-002-Water	7/27/2005 10:06	7/27/2005	EDT	Water	Sample-Rc	Sample-Routine			Calcium carbonate as CaCO3	Total	Actual	Final		109	mg/l	USEPA 310.1
0507028-001-SPM-002-Water	7/27/2005 10:06	7/27/2005	EDT	Water	Sample-Rc	Sample-Routine			Carbonaceous biochemical oxygen demand, standard conditions	Total	Actual	Final	Not Detected		mg/l	APHA 5210-B
0507028-001-SPM-002-Water	7/27/2005 10:06	7/27/2005	EDT	Water	Sample-Rc	Sample-Routine			Carbonaceous biochemical oxygen demand, standard conditions	Total	Actual	Final	Not Detected		mg/l	APHA 5210-B
0507028-001-SPM-002-Water	7/27/2005 10:06	7/27/2005	EDT	Water	Sample-Rc	Sample-Routine			Chloride	Total	Actual	Final		18000	mg/l	USEPA 325.2
0507028-001-SPM-002-Water	7/27/2005 10:06	7/27/2005	EDT	Water	Sample-Rc	Sample-Routine			Chromium(VI)	Dissolved	Actual	Final	Not Detected		ug/l	21DELAWQ_WQX 117A_ELS
0507028-001-SPM-002-Water	7/27/2005 10:06	7/27/2005	EDT	Water	Sample-Rc	Sample-Routine			Hardness, Ca, Mg		Actual	Final		5580	mg/l CaCO3	USEPA 130.2
0507028-001-SPM-002-Water	7/27/2005 10:06	7/27/2005	EDT	Water	Sample-Rc	Sample-Routine			Nutrient-nitrogen	Dissolved	Actual	Final		0.216	mg/l	APHA_SM20ED 4500-N-C
0507028-001-SPM-002-Water	7/27/2005 10:06	7/27/2005	EDT	Water	Sample-Rc	Sample-Routine			Nutrient-nitrogen	Total	Actual	Final		0.258	mg/l	APHA_SM20ED 4500-N-C
0507028-001-SPM-002-Water	7/27/2005 10:06	7/27/2005	EDT	Water	Sample-Rc	Sample-Routine			Orthophosphate as P	Dissolved	Actual	Final		0.02	mg/l	USEPA 365.1
0507028-001-SPM-005-Water	7/27/2005 10:06	7/27/2005	EDT	Water	Sample-Rc	Sample-Routine			Organic carbon	Dissolved	Estimated	Final		1.7	mg/l	USEPA 415.1
0507028-001-SPM-005-Water	7/27/2005 10:06	7/27/2005	EDT	Water	Sample-Rc	Sample-Routine			Organic carbon	Total	Estimated	Final		1.7	mg/l	USEPA 415.1
0507028-001-SPM-001-Water	7/27/2005 10:06	7/27/2005	EDT	Water	Sample-Rc	Sample-Routine			Dissolved oxygen (DO)		Actual	Final		6.6	mg/l	USEPA 360.2
0507028-001-FMO-Air	7/27/2005 10:06	7/27/2005	EDT	Air	Field Msr/C	Field Msr/Obs			Temperature, air		Actual	Final		31	deg C	USEPA 170.1
0507028-001-FMO-Water	7/27/2005 10:06	7/27/2005	EDT	Water	Field Msr/C	Field Msr/Obs			Dissolved oxygen (DO)		Actual	Final		7.01	mg/l	21DELAWQ_WQX YSI 6-Series

Activity ID	Activity Start	Date	Activity Sta	Activity Me	Activity Typ	Activity Ca	Activity De	Activity De	Characteristic Name	Sample Fraction	Value Type	Statistic Type	Result Valu	Result Value as Text	Units	Analytical Proc ID
0507028-001-FMO-Water	7/27/2005 10:06	7/27/2005	EDT	Water	Field Msr/C	Field Msr/Obs			pH		Actual	Final	7.7		None	21DELAWQ_WQX YSI 6-Series
0507028-001-FMO-Water	7/27/2005 10:06	7/27/2005	EDT	Water	Field Msr/C	Field Msr/Obs			Salinity		Actual	Final	27.81		ppt	21DELAWQ_WQX YSI 6-Series
0507028-001-FMO-Water	7/27/2005 10:06	7/27/2005	EDT	Water	Field Msr/C	Field Msr/Obs			Depth, Secchi disk depth		Actual	Final	2		m	21DELAWQ_WQX EPA/620/R-01/003-SD
0507028-001-FMO-Water	7/27/2005 10:06	7/27/2005	EDT	Water	Field Msr/C	Field Msr/Obs			Temperature, water		Actual	Final	23.64		deg C	21DELAWQ_WQX YSI 6-Series
0507028-001-SPM-003-Water	7/27/2005 10:06	7/27/2005	EDT	Water	Sample-Rc	Sample-Routine			Enterococcus		Actual	Final		Not Detected	cfu/100ml	APHA 9230-C
0507028-001-FMO-Water	7/27/2005 10:06	7/27/2005	EDT	Water	Field Msr/C	Field Msr/Obs			Specific conductance		Actual	Final	43180		uS/cm	21DELAWQ_WQX YSI 6-Series
0507028-001-SPM-004-Water	7/27/2005 10:06	7/27/2005	EDT	Water	Sample-Rc	Sample-Routine			Ammonia-nitrogen as N	Dissolved	Estimated	Final	0.01		mg/l	USEPA 350.1
0507028-001-SPM-004-Water	7/27/2005 10:06	7/27/2005	EDT	Water	Sample-Rc	Sample-Routine			Ammonia-nitrogen as N	Total	Actual	Final	0.143		mg/l	USEPA 350.1
0507028-001-SPM-004-Water	7/27/2005 10:06	7/27/2005	EDT	Water	Sample-Rc	Sample-Routine			Inorganic nitrogen (nitrate and nitrite) as N	Dissolved	Actual	Final	0.012		mg/l	USEPA 353.2
0507028-001-SPM-004-Water	7/27/2005 10:06	7/27/2005	EDT	Water	Sample-Rc	Sample-Routine			Inorganic nitrogen (nitrate and nitrite) as N	Total	Actual	Final	0.011		mg/l	USEPA 353.2
0507028-001-SPM-008-Water	7/27/2005 10:06	7/27/2005	EDT	Water	Sample-Rc	Sample-Routine			Chlorophyll a		Actual	Final	6.06		ug/l	USEPA 445
0509017-001-FMO-Air	9/21/2005 9:00	9/21/2005	EDT	Air	Field Msr/C	Field Msr/Obs			Temperature, air		Actual	Final	22		deg C	USEPA 170.1
0509017-001-SPM-005-Water	9/21/2005 9:00	9/21/2005	EDT	Water	Sample-Rc	Sample-Routine			Organic carbon	Dissolved	Estimated	Final	2.7		mg/l	USEPA 415.1
0509017-001-SPM-005-Water	9/21/2005 9:00	9/21/2005	EDT	Water	Sample-Rc	Sample-Routine			Organic carbon	Total	Estimated	Final	2.9		mg/l	USEPA 415.1
0509017-001-SPM-004-Water	9/21/2005 9:00	9/21/2005	EDT	Water	Sample-Rc	Sample-Routine			Inorganic nitrogen (nitrate and nitrite) as N	Dissolved	Actual	Final	0.022		mg/l	USEPA 353.2
0509017-001-SPM-004-Water	9/21/2005 9:00	9/21/2005	EDT	Water	Sample-Rc	Sample-Routine			Inorganic nitrogen (nitrate and nitrite) as N	Total	Actual	Final	0.026		mg/l	USEPA 353.2
0509017-001-SPM-004-Water	9/21/2005 9:00	9/21/2005	EDT	Water	Sample-Rc	Sample-Routine			Ammonia-nitrogen as N	Total	Actual	Final		Not Detected	mg/l	USEPA 350.1
0509017-001-SPM-001-Water	9/21/2005 9:00	9/21/2005	EDT	Water	Sample-Rc	Sample-Routine			Dissolved oxygen (DO)		Actual	Final	10		mg/l	USEPA 360.2
0509017-001-SPM-006-Water	9/21/2005 9:00	9/21/2005	EDT	Water	Sample-Rc	Sample-Routine			Arsenic	Dissolved	Estimated	Final	5		ug/l	21DELAWQ_WQX 200.7_ELS
0509017-001-SPM-006-Water	9/21/2005 9:00	9/21/2005	EDT	Water	Sample-Rc	Sample-Routine			Copper	Dissolved	Actual	Final		Not Detected	ug/l	21DELAWQ_WQX 200.7_ELS
0509017-001-SPM-006-Water	9/21/2005 9:00	9/21/2005	EDT	Water	Sample-Rc	Sample-Routine			Lead	Dissolved	Actual	Final		Not Detected	ug/l	21DELAWQ_WQX 200.7_ELS
0509017-001-SPM-006-Water	9/21/2005 9:00	9/21/2005	EDT	Water	Sample-Rc	Sample-Routine			Zinc	Dissolved	Actual	Final	10		ug/l	21DELAWQ_WQX 200.7_ELS
0509017-001-SPM-006-Water	9/21/2005 9:00	9/21/2005	EDT	Water	Sample-Rc	Sample-Routine			Arsenic	Total	Estimated	Final	3.6		ug/l	21DELAWQ_WQX 200.7_ELS
0509017-001-SPM-006-Water	9/21/2005 9:00	9/21/2005	EDT	Water	Sample-Rc	Sample-Routine			Copper	Total	Actual	Final		Not Detected	ug/l	21DELAWQ_WQX 200.7_ELS
0509017-001-SPM-006-Water	9/21/2005 9:00	9/21/2005	EDT	Water	Sample-Rc	Sample-Routine			Lead	Total	Actual	Final		Not Detected	ug/l	21DELAWQ_WQX 200.7_ELS
0509017-001-SPM-006-Water	9/21/2005 9:00	9/21/2005	EDT	Water	Sample-Rc	Sample-Routine			Zinc	Total	Actual	Final	18.1		ug/l	21DELAWQ_WQX 200.7_ELS
0509017-001-SPM-002-Water	9/21/2005 9:00	9/21/2005	EDT	Water	Sample-Rc	Sample-Routine			Turbidity		Actual	Final	17		NTU	USEPA 180.1
0509017-001-FMO-Water	9/21/2005 9:00	9/21/2005	EDT	Water	Field Msr/C	Field Msr/Obs			Specific conductance		Actual	Final	43420		uS/cm	21DELAWQ_WQX YSI 6-Series
0509017-001-FMO-Water	9/21/2005 9:00	9/21/2005	EDT	Water	Field Msr/C	Field Msr/Obs			Dissolved oxygen (DO)		Actual	Final	7.05		mg/l	21DELAWQ_WQX YSI 6-Series
0509017-001-FMO-Water	9/21/2005 9:00	9/21/2005	EDT	Water	Field Msr/C	Field Msr/Obs			pH		Actual	Final	7.57		None	21DELAWQ_WQX YSI 6-Series
0509017-001-FMO-Water	9/21/2005 9:00	9/21/2005	EDT	Water	Field Msr/C	Field Msr/Obs			Salinity		Actual	Final	27.99		ppt	21DELAWQ_WQX YSI 6-Series
0509017-001-FMO-Water	9/21/2005 9:00	9/21/2005	EDT	Water	Field Msr/C	Field Msr/Obs			Depth, Secchi disk depth		Actual	Final	0.5		m	21DELAWQ_WQX EPA/620/R-01/003-SD
0509017-001-FMO-Water	9/21/2005 9:00	9/21/2005	EDT	Water	Field Msr/C	Field Msr/Obs			Temperature, water		Actual	Final	23.48		deg C	21DELAWQ_WQX YSI 6-Series
0509017-001-SPM-002-Water	9/21/2005 9:00	9/21/2005	EDT	Water	Sample-Rc	Sample-Routine			Calcium carbonate as CaCO3	Total	Actual	Final	104		mg/l	USEPA 310.1
0509017-001-SPM-002-Water	9/21/2005 9:00	9/21/2005	EDT	Water	Sample-Rc	Sample-Routine			Carbonaceous biochemical oxygen demand, standard conditions	Total	Actual	Final	5.83		mg/l	APHA 5210-B
0509017-001-SPM-002-Water	9/21/2005 9:00	9/21/2005	EDT	Water	Sample-Rc	Sample-Routine			Carbonaceous biochemical oxygen demand, standard conditions	Total	Actual	Final	3.46		mg/l	APHA 5210-B
0509017-001-SPM-002-Water	9/21/2005 9:00	9/21/2005	EDT	Water	Sample-Rc	Sample-Routine			Chloride	Total	Actual	Final	17000		mg/l	USEPA 325.2
0509017-001-SPM-002-Water	9/21/2005 9:00	9/21/2005	EDT	Water	Sample-Rc	Sample-Routine			Chromium(VI)	Dissolved	Actual	Final		Not Detected	ug/l	21DELAWQ_WQX 117A_ELS
0509017-001-SPM-002-Water	9/21/2005 9:00	9/21/2005	EDT	Water	Sample-Rc	Sample-Routine			Hardness, Ca, Mg		Actual	Final	5670		mg/l CaCO3	USEPA 130.2
0509017-001-SPM-002-Water	9/21/2005 9:00	9/21/2005	EDT	Water	Sample-Rc	Sample-Routine			Nutrient-nitrogen	Dissolved	Actual	Final	0.437		mg/l	APHA_SM20ED 4500-N-C
0509017-001-SPM-002-Water	9/21/2005 9:00	9/21/2005	EDT	Water	Sample-Rc	Sample-Routine			Nutrient-nitrogen	Total	Actual	Final	0.608		mg/l	APHA_SM20ED 4500-N-C
0509017-001-SPM-002-Water	9/21/2005 9:00	9/21/2005	EDT	Water	Sample-Rc	Sample-Routine			Orthophosphate as P	Dissolved	Actual	Final	0.028		mg/l	USEPA 365.1
0509017-001-SPM-002-Water	9/21/2005 9:00	9/21/2005	EDT	Water	Sample-Rc	Sample-Routine			Phosphate-phosphorus as P	Dissolved	Estimated	Final	0.041		mg/l	21DELAWQ_WQX 365.1_ELS
0509017-001-SPM-002-Water	9/21/2005 9:00	9/21/2005	EDT	Water	Sample-Rc	Sample-Routine			Phosphate-phosphorus as P	Total	Estimated	Final	0.032		mg/l	21DELAWQ_WQX 365.1_ELS
0509017-001-SPM-002-Water	9/21/2005 9:00	9/21/2005	EDT	Water	Sample-Rc	Sample-Routine			Total suspended solids		Actual	Final	56		mg/l	USEPA 160.2
0509017-001-SPM-003-Water	9/21/2005 9:00	9/21/2005	EDT	Water	Sample-Rc	Sample-Routine			Enterococcus		Actual	Final	3		cfu/100ml	APHA 9230-C
0509017-001-SPM-008-Water	9/21/2005 9:00	9/21/2005	EDT	Water	Sample-Rc	Sample-Routine			Chlorophyll a		Actual	Final	15.1		ug/l	USEPA 445
0601003-001-FMO-Air	1/10/2006 9:55	1/10/2006	EST	Air	Field Msr/C	Field Msr/Obs			Temperature, air		Actual	Final	8		deg C	USEPA 170.1
0601003-001-SPM-004-Water	1/10/2006 9:55	1/10/2006	EST	Water	Sample-Rc	Sample-Routine			Ammonia-nitrogen as N	Dissolved	Estimated	Final	0.005		mg/l	USEPA 350.1
0601003-001-SPM-004-Water	1/10/2006 9:55	1/10/2006	EST	Water	Sample-Rc	Sample-Routine			Ammonia-nitrogen as N	Total	Actual	Final	0.04		mg/l	USEPA 350.1
0601003-001-SPM-004-Water	1/10/2006 9:55	1/10/2006	EST	Water	Sample-Rc	Sample-Routine			Inorganic nitrogen (nitrate and nitrite) as N	Dissolved	Actual	Final	0.115		mg/l	USEPA 353.2
0601003-001-SPM-004-Water	1/10/2006 9:55	1/10/2006	EST	Water	Sample-Rc	Sample-Routine			Inorganic nitrogen (nitrate and nitrite) as N	Total	Actual	Final	0.117		mg/l	USEPA 353.2
0601003-001-SPM-005-Water	1/10/2006 9:55	1/10/2006	EST	Water	Sample-Rc	Sample-Routine			Organic carbon	Dissolved	Estimated	Final	1.9		mg/l	USEPA 415.1
0601003-001-SPM-005-Water	1/10/2006 9:55	1/10/2006	EST	Water	Sample-Rc	Sample-Routine			Organic carbon	Total	Estimated	Final	2		mg/l	USEPA 415.1
0601003-001-SPM-008-Water	1/10/2006 9:55	1/10/2006	EST	Water	Sample-Rc	Sample-Routine			Chlorophyll a		Actual	Final	15.1		ug/l	USEPA 445
0601003-001-SPM-002-Water	1/10/2006 9:55	1/10/2006	EST	Water	Sample-Rc	Sample-Routine			Calcium carbonate as CaCO3	Total	Actual	Final	117		mg/l	USEPA 310.1
0601003-001-SPM-002-Water	1/10/2006 9:55	1/10/2006	EST	Water	Sample-Rc	Sample-Routine			Carbonaceous biochemical oxygen demand, standard conditions	Total	Actual	Final		Not Detected	mg/l	APHA 5210-B
0601003-001-SPM-002-Water	1/10/2006 9:55	1/10/2006	EST	Water	Sample-Rc	Sample-Routine			Carbonaceous biochemical oxygen demand, standard conditions	Total	Actual	Final		Not Detected	mg/l	APHA 5210-B
0601003-001-SPM-002-Water	1/10/2006 9:55	1/10/2006	EST	Water	Sample-Rc	Sample-Routine			Chloride	Total	Actual	Final	16200		mg/l	USEPA 325.2
0601003-001-SPM-002-Water	1/10/2006 9:55	1/10/2006	EST	Water	Sample-Rc	Sample-Routine			Chromium(VI)	Dissolved	Actual	Final		Not Detected	ug/l	21DELAWQ_WQX 117A_ELS
0601003-001-SPM-002-Water	1/10/2006 9:55	1/10/2006	EST	Water	Sample-Rc	Sample-Routine			Hardness, Ca, Mg		Actual	Final	5220		mg/l CaCO3	USEPA 130.2
0601003-001-SPM-002-Water	1/10/2006 9:55	1/10/2006	EST	Water	Sample-Rc	Sample-Routine			Nutrient-nitrogen	Dissolved	Actual	Final	0.235		mg/l	APHA_SM20ED 4500-N-C
0601003-001-SPM-002-Water	1/10/2006 9:55	1/10/2006	EST	Water	Sample-Rc	Sample-Routine			Nutrient-nitrogen	Total	Actual	Final	0.351		mg/l	APHA_SM20ED 4500-N-C
0601003-001-SPM-002-Water	1/10/2006 9:55	1/10/2006	EST	Water	Sample-Rc	Sample-Routine			Orthophosphate as P	Dissolved	Actual	Final	0.016		mg/l	USEPA 365.1
0601003-001-SPM-002-Water	1/10/2006 9:55	1/10/2006	EST	Water	Sample-Rc	Sample-Routine			Phosphate-phosphorus as P	Dissolved	Actual	Final	0.029		mg/l	21DELAWQ_WQX 365.1_ELS
0601003-001-SPM-002-Water	1/10/2006 9:55	1/10/2006	EST	Water	Sample-Rc	Sample-Routine			Phosphate-phosphorus as P	Total	Actual	Final	0.031		mg/l	21DELAWQ_WQX 365.1_ELS
0601003-001-SPM-002-Water	1/10/2006 9:55	1/10/2006	EST	Water	Sample-Rc	Sample-Routine			Total suspended solids		Actual	Final	32		mg/l	USEPA 160.2
0601003-001-SPM-002-Water	1/10/2006 9:55	1/10/2006	EST	Water	Sample-Rc	Sample-Routine			Turbidity		Actual	Final	16		NTU	USEPA 180.1
0601003-001-SPM-003-Water	1/10/2006 9:55	1/10/2006	EST	Water	Sample-Rc	Sample-Routine			Enterococcus		Actual	Final		Not Detected	cfu/100ml	APHA 9230-C
0601003-001-SPM-001-Water	1/10/2006 9:55	1/10/2006	EST	Water	Sample-Rc	Sample-Routine			Dissolved oxygen (DO)		Actual	Final	11.6		mg/l	USEPA 360.2
0601003-001-FMO-Water	1/10/2006 9:55	1/10/2006	EST	Water	Field Msr/C	Field Msr/Obs			Specific conductance		Actual	Final	45040		uS/cm	21DELAWQ_WQX YSI 6-Series
0601003-001-FMO-Water	1/10/2006 9:55	1/10/2006	EST	Water	Field Msr/C	Field Msr/Obs			Dissolved oxygen (DO)		Actual	Final	10.59		mg/l	21DELAWQ_WQX YSI 6-Series
0601003-001-FMO-Water	1/10/2006 9:55	1/10/2006	EST	Water	Field Msr/C	Field Msr/Obs			pH		Actual	Final	7.84		None	21DELAWQ_WQX YSI 6-Series
0601003-001-FMO-Water	1/10/2006 9:55	1/10/2006	EST	Water	Field Msr/C	Field Msr/Obs			Salinity		Actual	Final	28.69		ppt	21DELAWQ_WQX YSI 6-Series

Activity ID	Activity Start	Date	Activity Sta	Activity Me	Activity Typ	Activity Ca	Activity De	Activity De	Characteristic Name	Sample Fraction	Value Type	Statistic Type	Result Valu	Result Value as Text	Units	Analytical Proc ID
0601003-001-FMO-Water	1/10/2006 9:55	1/10/2006	EST	Water	Field Msr/C	Field Msr/Obs			Depth, Secchi disk depth		Actual	Final		1.2	m	21DELAWQ_WQX EPA/620/R-01/003-SD
0601003-001-FMO-Water	1/10/2006 9:55	1/10/2006	EST	Water	Field Msr/C	Field Msr/Obs			Temperature, water		Actual	Final		6.23	deg C	21DELAWQ_WQX YSI 6-Series
0601003-001-SPM-006-Water	1/10/2006 9:55	1/10/2006	EST	Water	Sample-Rc	Sample-Routine			Arsenic	Dissolved	Actual	Final	Not Detected		ug/l	21DELAWQ_WQX 200.7_ELS
0601003-001-SPM-006-Water	1/10/2006 9:55	1/10/2006	EST	Water	Sample-Rc	Sample-Routine			Copper	Dissolved	Actual	Final	Not Detected		ug/l	21DELAWQ_WQX 200.7_ELS
0601003-001-SPM-006-Water	1/10/2006 9:55	1/10/2006	EST	Water	Sample-Rc	Sample-Routine			Lead	Dissolved	Actual	Final		3.6	ug/l	21DELAWQ_WQX 200.7_ELS
0601003-001-SPM-006-Water	1/10/2006 9:55	1/10/2006	EST	Water	Sample-Rc	Sample-Routine			Zinc	Dissolved	Estimated	Final		4.1	ug/l	21DELAWQ_WQX 200.7_ELS
0601003-001-SPM-006-Water	1/10/2006 9:55	1/10/2006	EST	Water	Sample-Rc	Sample-Routine			Arsenic	Total	Actual	Final	Not Detected		ug/l	21DELAWQ_WQX 200.7_ELS
0601003-001-SPM-006-Water	1/10/2006 9:55	1/10/2006	EST	Water	Sample-Rc	Sample-Routine			Copper	Total	Actual	Final	Not Detected		ug/l	21DELAWQ_WQX 200.7_ELS
0601003-001-SPM-006-Water	1/10/2006 9:55	1/10/2006	EST	Water	Sample-Rc	Sample-Routine			Lead	Total	Actual	Final		5.8	ug/l	21DELAWQ_WQX 200.7_ELS
0601003-001-SPM-006-Water	1/10/2006 9:55	1/10/2006	EST	Water	Sample-Rc	Sample-Routine			Zinc	Total	Estimated	Final		4.3	ug/l	21DELAWQ_WQX 200.7_ELS
0603006-001-SPM-003-Water	3/7/2006 10:08	3/7/2006	EST	Water	Sample-Rc	Sample-Routine			Enterococcus		Actual	Final	Not Detected		cfu/100ml	APHA 9230-C
0603006-001-SPM-006-Water	3/7/2006 10:08	3/7/2006	EST	Water	Sample-Rc	Sample-Routine			Arsenic	Dissolved	Actual	Final	Not Detected		ug/l	21DELAWQ_WQX 200.7_ELS
0603006-001-SPM-006-Water	3/7/2006 10:08	3/7/2006	EST	Water	Sample-Rc	Sample-Routine			Copper	Dissolved	Actual	Final	Not Detected		ug/l	21DELAWQ_WQX 200.7_ELS
0603006-001-SPM-006-Water	3/7/2006 10:08	3/7/2006	EST	Water	Sample-Rc	Sample-Routine			Lead	Dissolved	Actual	Final	Not Detected		ug/l	21DELAWQ_WQX 200.7_ELS
0603006-001-SPM-006-Water	3/7/2006 10:08	3/7/2006	EST	Water	Sample-Rc	Sample-Routine			Zinc	Dissolved	Actual	Final		28.1	ug/l	21DELAWQ_WQX 200.7_ELS
0603006-001-SPM-006-Water	3/7/2006 10:08	3/7/2006	EST	Water	Sample-Rc	Sample-Routine			Arsenic	Total	Actual	Final	Not Detected		ug/l	21DELAWQ_WQX 200.7_ELS
0603006-001-SPM-006-Water	3/7/2006 10:08	3/7/2006	EST	Water	Sample-Rc	Sample-Routine			Copper	Total	Actual	Final	Not Detected		ug/l	21DELAWQ_WQX 200.7_ELS
0603006-001-SPM-006-Water	3/7/2006 10:08	3/7/2006	EST	Water	Sample-Rc	Sample-Routine			Lead	Total	Actual	Final	Not Detected		ug/l	21DELAWQ_WQX 200.7_ELS
0603006-001-SPM-006-Water	3/7/2006 10:08	3/7/2006	EST	Water	Sample-Rc	Sample-Routine			Zinc	Total	Actual	Final		48.2	ug/l	21DELAWQ_WQX 200.7_ELS
0603006-001-SPM-004-Water	3/7/2006 10:08	3/7/2006	EST	Water	Sample-Rc	Sample-Routine			Ammonia-nitrogen as N	Dissolved	Actual	Final		0.034	mg/l	USEPA 350.1
0603006-001-SPM-004-Water	3/7/2006 10:08	3/7/2006	EST	Water	Sample-Rc	Sample-Routine			Ammonia-nitrogen as N	Total	Actual	Final		0.038	mg/l	USEPA 350.1
0603006-001-SPM-004-Water	3/7/2006 10:08	3/7/2006	EST	Water	Sample-Rc	Sample-Routine			Inorganic nitrogen (nitrate and nitrite) as N	Dissolved	Actual	Final		0.011	mg/l	USEPA 353.2
0603006-001-SPM-004-Water	3/7/2006 10:08	3/7/2006	EST	Water	Sample-Rc	Sample-Routine			Inorganic nitrogen (nitrate and nitrite) as N	Total	Actual	Final		0.014	mg/l	USEPA 353.2
0603006-001-SPM-008-Water	3/7/2006 10:08	3/7/2006	EST	Water	Sample-Rc	Sample-Routine			Chlorophyll a		Actual	Final		10.1	ug/l	USEPA 445
0603006-001-SPM-001-Water	3/7/2006 10:08	3/7/2006	EST	Water	Sample-Rc	Sample-Routine			Dissolved oxygen (DO)		Actual	Final		11.9	mg/l	USEPA 360.2
0603006-001-SPM-002-Water	3/7/2006 10:08	3/7/2006	EST	Water	Sample-Rc	Sample-Routine			Chloride	Total	Actual	Final		15900	mg/l	USEPA 325.2
0603006-001-SPM-002-Water	3/7/2006 10:08	3/7/2006	EST	Water	Sample-Rc	Sample-Routine			Chromium(VI)	Dissolved	Estimated	Final		1.9	ug/l	21DELAWQ_WQX 117A_ELS
0603006-001-SPM-002-Water	3/7/2006 10:08	3/7/2006	EST	Water	Sample-Rc	Sample-Routine			Hardness, Ca, Mg		Actual	Final		5520	mg/l CaCO3	USEPA 130.2
0603006-001-SPM-002-Water	3/7/2006 10:08	3/7/2006	EST	Water	Sample-Rc	Sample-Routine			Nutrient-nitrogen	Dissolved	Actual	Final		0.127	mg/l	APHA_SM20ED 4500-N-C
0603006-001-SPM-002-Water	3/7/2006 10:08	3/7/2006	EST	Water	Sample-Rc	Sample-Routine			Nutrient-nitrogen	Total	Actual	Final		0.287	mg/l	APHA_SM20ED 4500-N-C
0603006-001-SPM-002-Water	3/7/2006 10:08	3/7/2006	EST	Water	Sample-Rc	Sample-Routine			Orthophosphate as P	Dissolved	Actual	Final		0.012	mg/l	USEPA 365.1
0603006-001-SPM-002-Water	3/7/2006 10:08	3/7/2006	EST	Water	Sample-Rc	Sample-Routine			Phosphate-phosphorus as P	Dissolved	Actual	Final		0.05	mg/l	21DELAWQ_WQX 365.1_ELS
0603006-001-SPM-002-Water	3/7/2006 10:08	3/7/2006	EST	Water	Sample-Rc	Sample-Routine			Phosphate-phosphorus as P	Total	Actual	Final		0.053	mg/l	21DELAWQ_WQX 365.1_ELS
0603006-001-SPM-002-Water	3/7/2006 10:08	3/7/2006	EST	Water	Sample-Rc	Sample-Routine			Total suspended solids		Actual	Final		20	mg/l	USEPA 160.2
0603006-001-SPM-002-Water	3/7/2006 10:08	3/7/2006	EST	Water	Sample-Rc	Sample-Routine			Turbidity		Actual	Final		5	NTU	USEPA 180.1
0603006-001-SPM-002-Water	3/7/2006 10:08	3/7/2006	EST	Water	Sample-Rc	Sample-Routine			Calcium carbonate as CaCO3	Total	Actual	Final		95.8	mg/l	USEPA 310.1
0603006-001-SPM-002-Water	3/7/2006 10:08	3/7/2006	EST	Water	Sample-Rc	Sample-Routine			Carbonaceous biochemical oxygen demand, standard conditions	Total	Actual	Final		3.85	mg/l	APHA 5210-B
0603006-001-SPM-002-Water	3/7/2006 10:08	3/7/2006	EST	Water	Sample-Rc	Sample-Routine			Carbonaceous biochemical oxygen demand, standard conditions	Total	Actual	Final	Not Detected		mg/l	APHA 5210-B
0603006-001-FMO-Air	3/7/2006 10:08	3/7/2006	EST	Air	Field Msr/C	Field Msr/Obs			Temperature, air		Actual	Final		4	deg C	USEPA 170.1
0603006-001-FMO-Water	3/7/2006 10:08	3/7/2006	EST	Water	Field Msr/C	Field Msr/Obs			Specific conductance		Actual	Final		48180	uS/cm	21DELAWQ_WQX YSI 6-Series
0603006-001-FMO-Water	3/7/2006 10:08	3/7/2006	EST	Water	Field Msr/C	Field Msr/Obs			Dissolved oxygen (DO)		Actual	Final		10.77	mg/l	21DELAWQ_WQX YSI 6-Series
0603006-001-FMO-Water	3/7/2006 10:08	3/7/2006	EST	Water	Field Msr/C	Field Msr/Obs			pH		Actual	Final		7.41	None	21DELAWQ_WQX YSI 6-Series
0603006-001-FMO-Water	3/7/2006 10:08	3/7/2006	EST	Water	Field Msr/C	Field Msr/Obs			Salinity		Actual	Final		30.81	ppt	21DELAWQ_WQX YSI 6-Series
0603006-001-FMO-Water	3/7/2006 10:08	3/7/2006	EST	Water	Field Msr/C	Field Msr/Obs			Depth, Secchi disk depth		Actual	Final		0.9	m	21DELAWQ_WQX EPA/620/R-01/003-SD
0603006-001-FMO-Water	3/7/2006 10:08	3/7/2006	EST	Water	Field Msr/C	Field Msr/Obs			Temperature, water		Actual	Final		5.34	deg C	21DELAWQ_WQX YSI 6-Series
0603006-001-SPM-005-Water	3/7/2006 10:08	3/7/2006	EST	Water	Sample-Rc	Sample-Routine			Organic carbon	Dissolved	Estimated	Final		1.9	mg/l	USEPA 415.1
0603006-001-SPM-005-Water	3/7/2006 10:08	3/7/2006	EST	Water	Sample-Rc	Sample-Routine			Organic carbon	Total	Estimated	Final		2.5	mg/l	USEPA 415.1
0605020-001-FMO-Water	5/23/2006 9:59	5/23/2006	EDT	Water	Field Msr/C	Field Msr/Obs			Temperature, water		Actual	Final		15.18	deg C	21DELAWQ_WQX YSI 6-Series
0605020-001-FMO-Water	5/23/2006 9:59	5/23/2006	EDT	Water	Field Msr/C	Field Msr/Obs			Specific conductance		Actual	Final		45950	uS/cm	21DELAWQ_WQX YSI 6-Series
0605020-001-FMO-Water	5/23/2006 9:59	5/23/2006	EDT	Water	Field Msr/C	Field Msr/Obs			Dissolved oxygen (DO)		Actual	Final		8.18	mg/l	21DELAWQ_WQX YSI 6-Series
0605020-001-FMO-Water	5/23/2006 9:59	5/23/2006	EDT	Water	Field Msr/C	Field Msr/Obs			pH		Actual	Final		7.85	None	21DELAWQ_WQX YSI 6-Series
0605020-001-FMO-Water	5/23/2006 9:59	5/23/2006	EDT	Water	Field Msr/C	Field Msr/Obs			Salinity		Actual	Final		29.83	ppt	21DELAWQ_WQX YSI 6-Series
0605020-001-FMO-Water	5/23/2006 9:59	5/23/2006	EDT	Water	Field Msr/C	Field Msr/Obs			Depth, Secchi disk depth		Actual	Final		0.3	m	21DELAWQ_WQX EPA/620/R-01/003-SD
0605020-001-SPM-001-Water	5/23/2006 9:59	5/23/2006	EDT	Water	Sample-Rc	Sample-Routine			Dissolved oxygen (DO)		Actual	Final		5.2	mg/l	USEPA 360.2
0605020-001-SPM-008-Water	5/23/2006 9:59	5/23/2006	EDT	Water	Sample-Rc	Sample-Routine			Chlorophyll a		Actual	Final		7.12	ug/l	USEPA 445
0605020-001-FMO-Air	5/23/2006 9:59	5/23/2006	EDT	Air	Field Msr/C	Field Msr/Obs			Temperature, air		Actual	Final		20	deg C	USEPA 170.1
0605020-001-SPM-002-Water	5/23/2006 9:59	5/23/2006	EDT	Water	Sample-Rc	Sample-Routine			Calcium carbonate as CaCO3	Total	Actual	Final		103	mg/l	USEPA 310.1
0605020-001-SPM-002-Water	5/23/2006 9:59	5/23/2006	EDT	Water	Sample-Rc	Sample-Routine			Carbonaceous biochemical oxygen demand, standard conditions	Total	Actual	Final		2.69	mg/l	APHA 5210-B
0605020-001-SPM-002-Water	5/23/2006 9:59	5/23/2006	EDT	Water	Sample-Rc	Sample-Routine			Carbonaceous biochemical oxygen demand, standard conditions	Total	Actual	Final	Not Detected		mg/l	APHA 5210-B
0605020-001-SPM-002-Water	5/23/2006 9:59	5/23/2006	EDT	Water	Sample-Rc	Sample-Routine			Chloride	Total	Actual	Final		18000	mg/l	USEPA 325.2
0605020-001-SPM-002-Water	5/23/2006 9:59	5/23/2006	EDT	Water	Sample-Rc	Sample-Routine			Chromium(VI)	Dissolved	Actual	Final	Not Detected		ug/l	21DELAWQ_WQX 117A_ELS
0605020-001-SPM-002-Water	5/23/2006 9:59	5/23/2006	EDT	Water	Sample-Rc	Sample-Routine			Hardness, Ca, Mg		Actual	Final		5710	mg/l CaCO3	USEPA 130.2
0605020-001-SPM-002-Water	5/23/2006 9:59	5/23/2006	EDT	Water	Sample-Rc	Sample-Routine			Nutrient-nitrogen	Dissolved	Actual	Final	Not Detected		mg/l	APHA_SM20ED 4500-N-C
0605020-001-SPM-002-Water	5/23/2006 9:59	5/23/2006	EDT	Water	Sample-Rc	Sample-Routine			Nutrient-nitrogen	Total	Actual	Final		0.192	mg/l	APHA_SM20ED 4500-N-C
0605020-001-SPM-002-Water	5/23/2006 9:59	5/23/2006	EDT	Water	Sample-Rc	Sample-Routine			Orthophosphate as P	Dissolved	Actual	Final		0.014	mg/l	USEPA 365.1
0605020-001-SPM-002-Water	5/23/2006 9:59	5/23/2006	EDT	Water	Sample-Rc	Sample-Routine			Phosphate-phosphorus as P	Dissolved	Actual	Final		0.018	mg/l	21DELAWQ_WQX 365.1_ELS
0605020-001-SPM-002-Water	5/23/2006 9:59	5/23/2006	EDT	Water	Sample-Rc	Sample-Routine			Phosphate-phosphorus as P	Total	Actual	Final		0.056	mg/l	21DELAWQ_WQX 365.1_ELS
0605020-001-SPM-002-Water	5/23/2006 9:59	5/23/2006	EDT	Water	Sample-Rc	Sample-Routine			Total suspended solids		Actual	Final		45	mg/l	USEPA 160.2
0605020-001-SPM-002-Water	5/23/2006 9:59	5/23/2006	EDT	Water	Sample-Rc	Sample-Routine			Turbidity		Actual	Final		15	NTU	USEPA 180.1
0605020-001-SPM-006-Water	5/23/2006 9:59	5/23/2006	EDT	Water	Sample-Rc	Sample-Routine			Arsenic	Dissolved	Actual	Final	Not Detected		ug/l	21DELAWQ_WQX 200.7_ELS
0605020-001-SPM-006-Water	5/23/2006 9:59	5/23/2006	EDT	Water	Sample-Rc	Sample-Routine			Copper	Dissolved	Actual	Final	Not Detected		ug/l	21DELAWQ_WQX 200.7_ELS
0605020-001-SPM-006-Water	5/23/2006 9:59	5/23/2006	EDT	Water	Sample-Rc	Sample-Routine			Lead	Dissolved	Actual	Final	Not Detected		ug/l	21DELAWQ_WQX 200.7_ELS
0605020-001-SPM-006-Water	5/23/2006 9:59	5/23/2006	EDT	Water	Sample-Rc	Sample-Routine			Zinc	Dissolved	Estimated	Final		4.9	ug/l	21DELAWQ_WQX 200.7_ELS
0605020-001-SPM-006-Water	5/23/2006 9:59	5/23/2006	EDT	Water	Sample-Rc	Sample-Routine			Arsenic	Total	Actual	Final	Not Detected		ug/l	21DELAWQ_WQX 200.7_ELS

Activity ID	Activity Start	Date	Activity Sta	Activity Me	Activity Typ	Activity Ca	Activity De	Activity De	Characteristic Name	Sample Fraction	Value Type	Statistic Type	Result Valu	Result Value as Text	Units	Analytical Proc ID
0605020-001-SPM-006-Water	5/23/2006 9:59	5/23/2006	EDT	Water	Sample-Rc	Sample-Routine			Copper	Total	Actual	Final	Not Detected		ug/l	21DELAWQ_WQX 200.7_ELS
0605020-001-SPM-006-Water	5/23/2006 9:59	5/23/2006	EDT	Water	Sample-Rc	Sample-Routine			Lead	Total	Actual	Final	Not Detected		ug/l	21DELAWQ_WQX 200.7_ELS
0605020-001-SPM-006-Water	5/23/2006 9:59	5/23/2006	EDT	Water	Sample-Rc	Sample-Routine			Zinc	Total	Estimated	Final		5.5	ug/l	21DELAWQ_WQX 200.7_ELS
0605020-001-SPM-003-Water	5/23/2006 9:59	5/23/2006	EDT	Water	Sample-Rc	Sample-Routine			Enterococcus		Actual	Final	Not Detected		cfu/100ml	APHA 9230-C
0605020-001-SPM-004-Water	5/23/2006 9:59	5/23/2006	EDT	Water	Sample-Rc	Sample-Routine			Ammonia-nitrogen as N	Dissolved	Actual	Final		0.032	mg/l	USEPA 350.1
0605020-001-SPM-004-Water	5/23/2006 9:59	5/23/2006	EDT	Water	Sample-Rc	Sample-Routine			Ammonia-nitrogen as N	Total	Actual	Final		0.032	mg/l	USEPA 350.1
0605020-001-SPM-004-Water	5/23/2006 9:59	5/23/2006	EDT	Water	Sample-Rc	Sample-Routine			Inorganic nitrogen (nitrate and nitrite) as N	Dissolved	Actual	Final		0.023	mg/l	USEPA 353.2
0605020-001-SPM-004-Water	5/23/2006 9:59	5/23/2006	EDT	Water	Sample-Rc	Sample-Routine			Inorganic nitrogen (nitrate and nitrite) as N	Total	Actual	Final		0.029	mg/l	USEPA 353.2
0605020-001-SPM-005-Water	5/23/2006 9:59	5/23/2006	EDT	Water	Sample-Rc	Sample-Routine			Organic carbon	Dissolved	Estimated	Final		1.6	mg/l	USEPA 415.1
0605020-001-SPM-005-Water	5/23/2006 9:59	5/23/2006	EDT	Water	Sample-Rc	Sample-Routine			Organic carbon	Total	Estimated	Final		1.7	mg/l	USEPA 415.1
0607028-001-SPM-008-Water	7/25/2006 9:00	7/25/2006	EDT	Water	Sample-Rc	Sample-Routine			Chlorophyll a		Actual	Final		11.3	ug/l	USEPA 445
0607028-001-FMO-Water	7/25/2006 9:00	7/25/2006	EDT	Water	Field Msr/(	Field Msr/Obs			Specific conductance		Actual	Final		46870	uS/cm	21DELAWQ_WQX YSI 6-Series
0607028-001-FMO-Water	7/25/2006 9:00	7/25/2006	EDT	Water	Field Msr/(	Field Msr/Obs			Dissolved oxygen (DO)		Actual	Final		7.25	mg/l	21DELAWQ_WQX YSI 6-Series
0607028-001-FMO-Water	7/25/2006 9:00	7/25/2006	EDT	Water	Field Msr/(	Field Msr/Obs			pH		Actual	Final		7.44	None	21DELAWQ_WQX YSI 6-Series
0607028-001-FMO-Water	7/25/2006 9:00	7/25/2006	EDT	Water	Field Msr/(	Field Msr/Obs			Salinity		Actual	Final		30.51	ppt	21DELAWQ_WQX YSI 6-Series
0607028-001-FMO-Water	7/25/2006 9:00	7/25/2006	EDT	Water	Field Msr/(	Field Msr/Obs			Depth, Secchi disk depth		Actual	Final		1	m	21DELAWQ_WQX EPA/620/R-01/003-SD
0607028-001-FMO-Water	7/25/2006 9:00	7/25/2006	EDT	Water	Field Msr/(	Field Msr/Obs			Temperature, water		Actual	Final		21.5	deg C	21DELAWQ_WQX YSI 6-Series
0607028-001-SPM-003-Water	7/25/2006 9:00	7/25/2006	EDT	Water	Sample-Rc	Sample-Routine			Enterococcus		Actual	Final	Not Detected		cfu/100ml	APHA 9230-C
0607028-001-SPM-001-Water	7/25/2006 9:00	7/25/2006	EDT	Water	Sample-Rc	Sample-Routine			Dissolved oxygen (DO)		Actual	Final		8.1	mg/l	USEPA 360.2
0607028-001-SPM-004-Water	7/25/2006 9:00	7/25/2006	EDT	Water	Sample-Rc	Sample-Routine			Ammonia-nitrogen as N	Dissolved	Actual	Final		0.038	mg/l	USEPA 350.1
0607028-001-SPM-004-Water	7/25/2006 9:00	7/25/2006	EDT	Water	Sample-Rc	Sample-Routine			Ammonia-nitrogen as N	Total	Actual	Final		0.052	mg/l	USEPA 350.1
0607028-001-SPM-004-Water	7/25/2006 9:00	7/25/2006	EDT	Water	Sample-Rc	Sample-Routine			Inorganic nitrogen (nitrate and nitrite) as N	Dissolved	Actual	Final		0.028	mg/l	USEPA 353.2
0607028-001-SPM-004-Water	7/25/2006 9:00	7/25/2006	EDT	Water	Sample-Rc	Sample-Routine			Inorganic nitrogen (nitrate and nitrite) as N	Total	Actual	Final		0.052	mg/l	USEPA 353.2
0607028-001-FMO-Air	7/25/2006 9:00	7/25/2006	EDT	Air	Field Msr/(	Field Msr/Obs			Temperature, air		Actual	Final		29	deg C	USEPA 170.1
0607028-001-SPM-002-Water	7/25/2006 9:00	7/25/2006	EDT	Water	Sample-Rc	Sample-Routine			Nutrient-nitrogen	Total	Actual	Final		0.479	mg/l	APHA_SM20ED 4500-N-C
0607028-001-SPM-002-Water	7/25/2006 9:00	7/25/2006	EDT	Water	Sample-Rc	Sample-Routine			Orthophosphate as P	Dissolved	Estimated	Final		0.021	mg/l	USEPA 365.1
0607028-001-SPM-002-Water	7/25/2006 9:00	7/25/2006	EDT	Water	Sample-Rc	Sample-Routine			Phosphate-phosphorus as P	Dissolved	Actual	Final		0.017	mg/l	21DELAWQ_WQX 365.1_ELS
0607028-001-SPM-002-Water	7/25/2006 9:00	7/25/2006	EDT	Water	Sample-Rc	Sample-Routine			Phosphate-phosphorus as P	Total	Actual	Final		0.057	mg/l	21DELAWQ_WQX 365.1_ELS
0607028-001-SPM-002-Water	7/25/2006 9:00	7/25/2006	EDT	Water	Sample-Rc	Sample-Routine			Total suspended solids		Actual	Final		184	mg/l	USEPA 160.2
0607028-001-SPM-002-Water	7/25/2006 9:00	7/25/2006	EDT	Water	Sample-Rc	Sample-Routine			Turbidity		Actual	Final		58	NTU	USEPA 180.1
0607028-001-SPM-002-Water	7/25/2006 9:00	7/25/2006	EDT	Water	Sample-Rc	Sample-Routine			Calcium carbonate as CaCO3	Total	Actual	Final		95.4	mg/l	USEPA 310.1
0607028-001-SPM-002-Water	7/25/2006 9:00	7/25/2006	EDT	Water	Sample-Rc	Sample-Routine			Carbonaceous biochemical oxygen demand, standard conditions	Total	Actual	Final	Not Detected		mg/l	APHA 5210-B
0607028-001-SPM-002-Water	7/25/2006 9:00	7/25/2006	EDT	Water	Sample-Rc	Sample-Routine			Carbonaceous biochemical oxygen demand, standard conditions	Total	Actual	Final	Not Detected		mg/l	APHA 5210-B
0607028-001-SPM-002-Water	7/25/2006 9:00	7/25/2006	EDT	Water	Sample-Rc	Sample-Routine			Chloride	Total	Actual	Final		17900	mg/l	USEPA 325.2
0607028-001-SPM-002-Water	7/25/2006 9:00	7/25/2006	EDT	Water	Sample-Rc	Sample-Routine			Hardness, Ca, Mg		Actual	Final		5550	mg/l CaCO3	USEPA 130.2
0607028-001-SPM-002-Water	7/25/2006 9:00	7/25/2006	EDT	Water	Sample-Rc	Sample-Routine			Nutrient-nitrogen	Dissolved	Actual	Final		0.206	mg/l	APHA_SM20ED 4500-N-C
0607028-001-SPM-005-Water	7/25/2006 9:00	7/25/2006	EDT	Water	Sample-Rc	Sample-Routine			Organic carbon	Dissolved	Estimated	Final		1.6	mg/l	USEPA 415.1
0607028-001-SPM-005-Water	7/25/2006 9:00	7/25/2006	EDT	Water	Sample-Rc	Sample-Routine			Organic carbon	Total	Estimated	Final		1.8	mg/l	USEPA 415.1
0608032-001-SPM-004-Water	8/22/2006 8:51	8/22/2006	EDT	Water	Sample-Rc	Sample-Routine			Ammonia-nitrogen as N	Dissolved	Estimated	Final		0.052	mg/l	USEPA 350.1
0608032-001-SPM-004-Water	8/22/2006 8:51	8/22/2006	EDT	Water	Sample-Rc	Sample-Routine			Ammonia-nitrogen as N	Total	Estimated	Final		0.035	mg/l	USEPA 350.1
0608032-001-SPM-004-Water	8/22/2006 8:51	8/22/2006	EDT	Water	Sample-Rc	Sample-Routine			Inorganic nitrogen (nitrate and nitrite) as N	Dissolved	Actual	Final		1.21	mg/l	USEPA 353.2
0608032-001-SPM-004-Water	8/22/2006 8:51	8/22/2006	EDT	Water	Sample-Rc	Sample-Routine			Inorganic nitrogen (nitrate and nitrite) as N	Total	Actual	Final		1.41	mg/l	USEPA 353.2
0608032-001-SPM-005-Water	8/22/2006 8:51	8/22/2006	EDT	Water	Sample-Rc	Sample-Routine			Organic carbon	Dissolved	Actual	Final		3	mg/l	USEPA 415.1
0608032-001-SPM-005-Water	8/22/2006 8:51	8/22/2006	EDT	Water	Sample-Rc	Sample-Routine			Organic carbon	Total	Actual	Final		3.1	mg/l	USEPA 415.1
0608032-001-FMO-Air	8/22/2006 8:51	8/22/2006	EDT	Air	Field Msr/(	Field Msr/Obs			Temperature, air		Actual	Final		30	deg C	USEPA 170.1
0608032-001-SPM-002-Water	8/22/2006 8:51	8/22/2006	EDT	Water	Sample-Rc	Sample-Routine			Calcium carbonate as CaCO3	Total	Actual	Final		98.3	mg/l	USEPA 310.1
0608032-001-SPM-002-Water	8/22/2006 8:51	8/22/2006	EDT	Water	Sample-Rc	Sample-Routine			Carbonaceous biochemical oxygen demand, standard conditions	Total	Actual	Final		3.02	mg/l	APHA 5210-B
0608032-001-SPM-002-Water	8/22/2006 8:51	8/22/2006	EDT	Water	Sample-Rc	Sample-Routine			Carbonaceous biochemical oxygen demand, standard conditions	Total	Actual	Final	Not Detected		mg/l	APHA 5210-B
0608032-001-SPM-002-Water	8/22/2006 8:51	8/22/2006	EDT	Water	Sample-Rc	Sample-Routine			Chloride	Total	Actual	Final		18800	mg/l	USEPA 325.2
0608032-001-SPM-002-Water	8/22/2006 8:51	8/22/2006	EDT	Water	Sample-Rc	Sample-Routine			Chromium(VI)	Dissolved	Estimated	Final		2.5	ug/l	21DELAWQ_WQX 117A_ELS
0608032-001-SPM-002-Water	8/22/2006 8:51	8/22/2006	EDT	Water	Sample-Rc	Sample-Routine			Hardness, Ca, Mg		Actual	Final		5700	mg/l CaCO3	USEPA 130.2
0608032-001-SPM-002-Water	8/22/2006 8:51	8/22/2006	EDT	Water	Sample-Rc	Sample-Routine			Nutrient-nitrogen	Dissolved	Actual	Final		1.36	mg/l	APHA_SM20ED 4500-N-C
0608032-001-SPM-002-Water	8/22/2006 8:51	8/22/2006	EDT	Water	Sample-Rc	Sample-Routine			Nutrient-nitrogen	Total	Actual	Final		1.54	mg/l	APHA_SM20ED 4500-N-C
0608032-001-SPM-002-Water	8/22/2006 8:51	8/22/2006	EDT	Water	Sample-Rc	Sample-Routine			Orthophosphate as P	Dissolved	Actual	Final		0.021	mg/l	USEPA 365.1
0608032-001-SPM-002-Water	8/22/2006 8:51	8/22/2006	EDT	Water	Sample-Rc	Sample-Routine			Phosphate-phosphorus as P	Dissolved	Actual	Final		0.014	mg/l	21DELAWQ_WQX 365.1_ELS
0608032-001-SPM-002-Water	8/22/2006 8:51	8/22/2006	EDT	Water	Sample-Rc	Sample-Routine			Phosphate-phosphorus as P	Total	Actual	Final		0.043	mg/l	21DELAWQ_WQX 365.1_ELS
0608032-001-SPM-002-Water	8/22/2006 8:51	8/22/2006	EDT	Water	Sample-Rc	Sample-Routine			Total suspended solids		Actual	Final		30	mg/l	USEPA 160.2
0608032-001-SPM-002-Water	8/22/2006 8:51	8/22/2006	EDT	Water	Sample-Rc	Sample-Routine			Turbidity		Actual	Final		13	NTU	USEPA 180.1
0608032-001-SPM-006-Water	8/22/2006 8:51	8/22/2006	EDT	Water	Sample-Rc	Sample-Routine			Arsenic	Dissolved	Actual	Final	Not Detected		ug/l	21DELAWQ_WQX 200.7_ELS
0608032-001-SPM-006-Water	8/22/2006 8:51	8/22/2006	EDT	Water	Sample-Rc	Sample-Routine			Copper	Dissolved	Actual	Final	Not Detected		ug/l	21DELAWQ_WQX 200.7_ELS
0608032-001-SPM-006-Water	8/22/2006 8:51	8/22/2006	EDT	Water	Sample-Rc	Sample-Routine			Lead	Dissolved	Actual	Final	Not Detected		ug/l	21DELAWQ_WQX 200.7_ELS
0608032-001-SPM-006-Water	8/22/2006 8:51	8/22/2006	EDT	Water	Sample-Rc	Sample-Routine			Zinc	Dissolved	Actual	Final		20.4	ug/l	21DELAWQ_WQX 200.7_ELS
0608032-001-SPM-006-Water	8/22/2006 8:51	8/22/2006	EDT	Water	Sample-Rc	Sample-Routine			Arsenic	Total	Actual	Final	Not Detected		ug/l	21DELAWQ_WQX 200.7_ELS
0608032-001-SPM-006-Water	8/22/2006 8:51	8/22/2006	EDT	Water	Sample-Rc	Sample-Routine			Copper	Total	Actual	Final	Not Detected		ug/l	21DELAWQ_WQX 200.7_ELS
0608032-001-SPM-006-Water	8/22/2006 8:51	8/22/2006	EDT	Water	Sample-Rc	Sample-Routine			Lead	Total	Actual	Final	Not Detected		ug/l	21DELAWQ_WQX 200.7_ELS
0608032-001-SPM-006-Water	8/22/2006 8:51	8/22/2006	EDT	Water	Sample-Rc	Sample-Routine			Zinc	Total	Actual	Final		32	ug/l	21DELAWQ_WQX 200.7_ELS
0608032-001-SPM-008-Water	8/22/2006 8:51	8/22/2006	EDT	Water	Sample-Rc	Sample-Routine			Chlorophyll a		Actual	Final		16.4	ug/l	USEPA 445
0608032-001-SPM-001-Water	8/22/2006 8:51	8/22/2006	EDT	Water	Sample-Rc	Sample-Routine			Dissolved oxygen (DO)		Actual	Final		7.7	mg/l	USEPA 360.2
0608032-001-FMO-Water	8/22/2006 8:51	8/22/2006	EDT	Water	Field Msr/(	Field Msr/Obs			Specific conductance		Actual	Final		48500	uS/cm	21DELAWQ_WQX YSI 6-Series
0608032-001-FMO-Water	8/22/2006 8:51	8/22/2006	EDT	Water	Field Msr/(	Field Msr/Obs			Dissolved oxygen (DO)		Actual	Final		9.9	mg/l	21DELAWQ_WQX YSI 6-Series
0608032-001-FMO-Water	8/22/2006 8:51	8/22/2006	EDT	Water	Field Msr/(	Field Msr/Obs			pH		Actual	Final		7.64	None	21DELAWQ_WQX YSI 6-Series
0608032-001-FMO-Water	8/22/2006 8:51	8/22/2006	EDT	Water	Field Msr/(	Field Msr/Obs			Salinity		Actual	Final		31.7	ppt	21DELAWQ_WQX YSI 6-Series
0608032-001-FMO-Water	8/22/2006 8:51	8/22/2006	EDT	Water	Field Msr/(	Field Msr/Obs			Depth, Secchi disk depth		Actual	Final		0.3	m	21DELAWQ_WQX EPA/620/R-01/003-SD
0608032-001-FMO-Water	8/22/2006 8:51	8/22/2006	EDT	Water	Field Msr/(	Field Msr/Obs			Temperature, water		Actual	Final		21.51	deg C	21DELAWQ_WQX YSI 6-Series

Activity ID	Activity Start	Date	Activity Sta	Activity Me	Activity Typ	Activity Ca	Activity De	Activity De	Characteristic Name	Sample Fraction	Value Type	Statistic Type	Result Valu	Result Value as Text	Units	Analytical Proc ID
0608032-001-SPM-003-Water	8/22/2006 8:51	8/22/2006	EDT	Water	Sample-Rc	Sample-Routine			Enterococcus		Actual	Final		Not Detected	cfu/100ml	APHA 9230-C
0609017-001-SPM-002-Water	9/19/2006 9:06	9/19/2006	EDT	Water	Sample-Rc	Sample-Routine			Calcium carbonate as CaCO3	Total	Actual	Final		110	mg/l	USEPA 310.1
0609017-001-SPM-002-Water	9/19/2006 9:06	9/19/2006	EDT	Water	Sample-Rc	Sample-Routine			Carbonaceous biochemical oxygen demand, standard conditions	Total	Actual	Final		Not Detected	mg/l	APHA 5210-B
0609017-001-SPM-002-Water	9/19/2006 9:06	9/19/2006	EDT	Water	Sample-Rc	Sample-Routine			Carbonaceous biochemical oxygen demand, standard conditions	Total	Actual	Final		Not Detected	mg/l	APHA 5210-B
0609017-001-SPM-002-Water	9/19/2006 9:06	9/19/2006	EDT	Water	Sample-Rc	Sample-Routine			Chloride	Total	Actual	Final		17500	mg/l	USEPA 325.2
0609017-001-SPM-002-Water	9/19/2006 9:06	9/19/2006	EDT	Water	Sample-Rc	Sample-Routine			Hardness, Ca, Mg		Actual	Final		5520	mg/l CaCO3	USEPA 130.2
0609017-001-SPM-002-Water	9/19/2006 9:06	9/19/2006	EDT	Water	Sample-Rc	Sample-Routine			Nutrient-nitrogen	Dissolved	Actual	Final		0.454	mg/l	APHA_SM20ED 4500-N-C
0609017-001-SPM-002-Water	9/19/2006 9:06	9/19/2006	EDT	Water	Sample-Rc	Sample-Routine			Nutrient-nitrogen	Total	Actual	Final		0.547	mg/l	APHA_SM20ED 4500-N-C
0609017-001-SPM-002-Water	9/19/2006 9:06	9/19/2006	EDT	Water	Sample-Rc	Sample-Routine			Orthophosphate as P	Dissolved	Estimated	Final		0.025	mg/l	USEPA 365.1
0609017-001-SPM-002-Water	9/19/2006 9:06	9/19/2006	EDT	Water	Sample-Rc	Sample-Routine			Phosphate-phosphorus as P	Dissolved	Actual	Final		0.024	mg/l	21DELAWQ_WQX 365.1_ELS
0609017-001-SPM-002-Water	9/19/2006 9:06	9/19/2006	EDT	Water	Sample-Rc	Sample-Routine			Phosphate-phosphorus as P	Total	Actual	Final		0.053	mg/l	21DELAWQ_WQX 365.1_ELS
0609017-001-SPM-002-Water	9/19/2006 9:06	9/19/2006	EDT	Water	Sample-Rc	Sample-Routine			Total suspended solids		Actual	Final		34	mg/l	USEPA 160.2
0609017-001-SPM-002-Water	9/19/2006 9:06	9/19/2006	EDT	Water	Sample-Rc	Sample-Routine			Turbidity		Actual	Final		19	NTU	USEPA 180.1
0609017-001-SPM-001-Water	9/19/2006 9:06	9/19/2006	EDT	Water	Sample-Rc	Sample-Routine			Dissolved oxygen (DO)		Actual	Final		6.9	mg/l	USEPA 360.2
0609017-001-SPM-008-Water	9/19/2006 9:06	9/19/2006	EDT	Water	Sample-Rc	Sample-Routine			Chlorophyll a		Actual	Final		9	ug/l	USEPA 445
0609017-001-FMO-Water	9/19/2006 9:06	9/19/2006	EDT	Water	Field Msr/(	Field Msr/Obs			Specific conductance		Actual	Final		46830	uS/cm	21DELAWQ_WQX YSI 6-Series
0609017-001-FMO-Water	9/19/2006 9:06	9/19/2006	EDT	Water	Field Msr/(	Field Msr/Obs			Dissolved oxygen (DO)		Actual	Final		10.38	mg/l	21DELAWQ_WQX YSI 6-Series
0609017-001-FMO-Water	9/19/2006 9:06	9/19/2006	EDT	Water	Field Msr/(	Field Msr/Obs			pH		Actual	Final		7.88	None	21DELAWQ_WQX YSI 6-Series
0609017-001-FMO-Water	9/19/2006 9:06	9/19/2006	EDT	Water	Field Msr/(	Field Msr/Obs			Salinity		Actual	Final		30.47	ppt	21DELAWQ_WQX YSI 6-Series
0609017-001-FMO-Water	9/19/2006 9:06	9/19/2006	EDT	Water	Field Msr/(	Field Msr/Obs			Depth, Secchi disk depth		Actual	Final		1	m	21DELAWQ_WQX EPA/620/R-01/003-SD
0609017-001-FMO-Water	9/19/2006 9:06	9/19/2006	EDT	Water	Field Msr/(	Field Msr/Obs			Temperature, water		Actual	Final		22.34	deg C	21DELAWQ_WQX YSI 6-Series
0609017-001-FMO-Air	9/19/2006 9:06	9/19/2006	EDT	Air	Field Msr/(	Field Msr/Obs			Temperature, air		Actual	Final		24	deg C	USEPA 170.1
0609017-001-SPM-003-Water	9/19/2006 9:06	9/19/2006	EDT	Water	Sample-Rc	Sample-Routine			Enterococcus		Actual	Final		33	cfu/100ml	APHA 9230-C
0609017-001-SPM-005-Water	9/19/2006 9:06	9/19/2006	EDT	Water	Sample-Rc	Sample-Routine			Organic carbon	Dissolved	Estimated	Final		2.2	mg/l	USEPA 415.1
0609017-001-SPM-005-Water	9/19/2006 9:06	9/19/2006	EDT	Water	Sample-Rc	Sample-Routine			Organic carbon	Total	Estimated	Final		2.3	mg/l	USEPA 415.1
0609017-001-SPM-004-Water	9/19/2006 9:06	9/19/2006	EDT	Water	Sample-Rc	Sample-Routine			Inorganic nitrogen (nitrate and nitrite) as N	Total	Actual	Final		0.101	mg/l	USEPA 353.2
0609017-001-SPM-004-Water	9/19/2006 9:06	9/19/2006	EDT	Water	Sample-Rc	Sample-Routine			Ammonia-nitrogen as N	Dissolved	Actual	Final		0.047	mg/l	USEPA 350.1
0609017-001-SPM-004-Water	9/19/2006 9:06	9/19/2006	EDT	Water	Sample-Rc	Sample-Routine			Ammonia-nitrogen as N	Total	Estimated	Final		0.054	mg/l	USEPA 350.1
0609017-001-SPM-004-Water	9/19/2006 9:06	9/19/2006	EDT	Water	Sample-Rc	Sample-Routine			Inorganic nitrogen (nitrate and nitrite) as N	Dissolved	Actual	Final		0.096	mg/l	USEPA 353.2
0610021-001-SPM-006-Water	10/24/2006 9:05	10/24/2006	EDT	Water	Sample-Rc	Sample-Routine			Arsenic	Dissolved	Actual	Final		Not Detected	ug/l	21DELAWQ_WQX 200.7_ELS
0610021-001-SPM-006-Water	10/24/2006 9:05	10/24/2006	EDT	Water	Sample-Rc	Sample-Routine			Copper	Dissolved	Actual	Final		Not Detected	ug/l	21DELAWQ_WQX 200.7_ELS
0610021-001-SPM-006-Water	10/24/2006 9:05	10/24/2006	EDT	Water	Sample-Rc	Sample-Routine			Lead	Dissolved	Actual	Final		Not Detected	ug/l	21DELAWQ_WQX 200.7_ELS
0610021-001-SPM-006-Water	10/24/2006 9:05	10/24/2006	EDT	Water	Sample-Rc	Sample-Routine			Zinc	Dissolved	Actual	Final		54	ug/l	21DELAWQ_WQX 200.7_ELS
0610021-001-SPM-006-Water	10/24/2006 9:05	10/24/2006	EDT	Water	Sample-Rc	Sample-Routine			Arsenic	Total	Actual	Final		Not Detected	ug/l	21DELAWQ_WQX 200.7_ELS
0610021-001-SPM-006-Water	10/24/2006 9:05	10/24/2006	EDT	Water	Sample-Rc	Sample-Routine			Copper	Total	Actual	Final		Not Detected	ug/l	21DELAWQ_WQX 200.7_ELS
0610021-001-SPM-006-Water	10/24/2006 9:05	10/24/2006	EDT	Water	Sample-Rc	Sample-Routine			Lead	Total	Actual	Final		Not Detected	ug/l	21DELAWQ_WQX 200.7_ELS
0610021-001-SPM-006-Water	10/24/2006 9:05	10/24/2006	EDT	Water	Sample-Rc	Sample-Routine			Zinc	Total	Actual	Final		101	ug/l	21DELAWQ_WQX 200.7_ELS
0610021-001-SPM-005-Water	10/24/2006 9:05	10/24/2006	EDT	Water	Sample-Rc	Sample-Routine			Organic carbon	Dissolved	Estimated	Final		2.2	mg/l	USEPA 415.1
0610021-001-SPM-005-Water	10/24/2006 9:05	10/24/2006	EDT	Water	Sample-Rc	Sample-Routine			Organic carbon	Total	Estimated	Final		2.4	mg/l	USEPA 415.1
0610021-001-SPM-001-Water	10/24/2006 9:05	10/24/2006	EDT	Water	Sample-Rc	Sample-Routine			Dissolved oxygen (DO)		Actual	Final		8.5	mg/l	USEPA 360.2
0610021-001-SPM-002-Water	10/24/2006 9:05	10/24/2006	EDT	Water	Sample-Rc	Sample-Routine			Total suspended solids		Actual	Final		32	mg/l	USEPA 160.2
0610021-001-SPM-002-Water	10/24/2006 9:05	10/24/2006	EDT	Water	Sample-Rc	Sample-Routine			Turbidity		Actual	Final		7	NTU	USEPA 180.1
0610021-001-SPM-002-Water	10/24/2006 9:05	10/24/2006	EDT	Water	Sample-Rc	Sample-Routine			Calcium carbonate as CaCO3	Total	Actual	Final		109	mg/l	USEPA 310.1
0610021-001-SPM-002-Water	10/24/2006 9:05	10/24/2006	EDT	Water	Sample-Rc	Sample-Routine			Carbonaceous biochemical oxygen demand, standard conditions	Total	Actual	Final		Not Detected	mg/l	APHA 5210-B
0610021-001-SPM-002-Water	10/24/2006 9:05	10/24/2006	EDT	Water	Sample-Rc	Sample-Routine			Carbonaceous biochemical oxygen demand, standard conditions	Total	Actual	Final		Not Detected	mg/l	APHA 5210-B
0610021-001-SPM-002-Water	10/24/2006 9:05	10/24/2006	EDT	Water	Sample-Rc	Sample-Routine			Chloride	Total	Actual	Final		17700	mg/l	USEPA 325.2
0610021-001-SPM-002-Water	10/24/2006 9:05	10/24/2006	EDT	Water	Sample-Rc	Sample-Routine			Chromium(VI)	Dissolved	Estimated	Final		2.5	ug/l	21DELAWQ_WQX 117A_ELS
0610021-001-SPM-002-Water	10/24/2006 9:05	10/24/2006	EDT	Water	Sample-Rc	Sample-Routine			Nutrient-nitrogen	Dissolved	Actual	Final		0.408	mg/l	APHA_SM20ED 4500-N-C
0610021-001-SPM-002-Water	10/24/2006 9:05	10/24/2006	EDT	Water	Sample-Rc	Sample-Routine			Nutrient-nitrogen	Total	Actual	Final		0.527	mg/l	APHA_SM20ED 4500-N-C
0610021-001-SPM-002-Water	10/24/2006 9:05	10/24/2006	EDT	Water	Sample-Rc	Sample-Routine			Orthophosphate as P	Dissolved	Actual	Final		0.017	mg/l	USEPA 365.1
0610021-001-SPM-002-Water	10/24/2006 9:05	10/24/2006	EDT	Water	Sample-Rc	Sample-Routine			Phosphate-phosphorus as P	Dissolved	Actual	Final		0.02	mg/l	21DELAWQ_WQX 365.1_ELS
0610021-001-SPM-002-Water	10/24/2006 9:05	10/24/2006	EDT	Water	Sample-Rc	Sample-Routine			Phosphate-phosphorus as P	Total	Actual	Final		0.041	mg/l	21DELAWQ_WQX 365.1_ELS
0610021-001-SPM-003-Water	10/24/2006 9:05	10/24/2006	EDT	Water	Sample-Rc	Sample-Routine			Enterococcus		Actual	Final		Not Detected	cfu/100ml	APHA 9230-C
0610021-001-FMO-Water	10/24/2006 9:05	10/24/2006	EDT	Water	Field Msr/(	Field Msr/Obs			Specific conductance		Actual	Final		47830	uS/cm	21DELAWQ_WQX YSI 6-Series
0610021-001-FMO-Water	10/24/2006 9:05	10/24/2006	EDT	Water	Field Msr/(	Field Msr/Obs			Dissolved oxygen (DO)		Actual	Final		9.57	mg/l	21DELAWQ_WQX YSI 6-Series
0610021-001-FMO-Water	10/24/2006 9:05	10/24/2006	EDT	Water	Field Msr/(	Field Msr/Obs			pH		Actual	Final		7.95	None	21DELAWQ_WQX YSI 6-Series
0610021-001-FMO-Water	10/24/2006 9:05	10/24/2006	EDT	Water	Field Msr/(	Field Msr/Obs			Salinity		Actual	Final		31.16	ppt	21DELAWQ_WQX YSI 6-Series
0610021-001-FMO-Water	10/24/2006 9:05	10/24/2006	EDT	Water	Field Msr/(	Field Msr/Obs			Depth, Secchi disk depth		Actual	Final		1	m	21DELAWQ_WQX EPA/620/R-01/003-SD
0610021-001-FMO-Water	10/24/2006 9:05	10/24/2006	EDT	Water	Field Msr/(	Field Msr/Obs			Temperature, water		Actual	Final		14.24	deg C	21DELAWQ_WQX YSI 6-Series
0610021-001-FMO-Air	10/24/2006 9:05	10/24/2006	EDT	Air	Field Msr/(	Field Msr/Obs			Temperature, air		Actual	Final		9	deg C	USEPA 170.1
0610021-001-SPM-004-Water	10/24/2006 9:05	10/24/2006	EDT	Water	Sample-Rc	Sample-Routine			Ammonia-nitrogen as N	Total	Estimated	Final		0.028	mg/l	USEPA 350.1
0610021-001-SPM-004-Water	10/24/2006 9:05	10/24/2006	EDT	Water	Sample-Rc	Sample-Routine			Inorganic nitrogen (nitrate and nitrite) as N	Dissolved	Actual	Final		0.141	mg/l	USEPA 353.2
0610021-001-SPM-004-Water	10/24/2006 9:05	10/24/2006	EDT	Water	Sample-Rc	Sample-Routine			Inorganic nitrogen (nitrate and nitrite) as N	Total	Actual	Final		0.149	mg/l	USEPA 353.2
0610021-001-SPM-004-Water	10/24/2006 9:05	10/24/2006	EDT	Water	Sample-Rc	Sample-Routine			Ammonia-nitrogen as N	Dissolved	Actual	Final		0.029	mg/l	USEPA 350.1
0610021-001-SPM-008-Water	10/24/2006 9:05	10/24/2006	EDT	Water	Sample-Rc	Sample-Routine			Chlorophyll a		Actual	Final		8.54	ug/l	USEPA 445
0611011-001-FMO-Water	11/28/2006 9:16	11/28/2006	EST	Water	Field Msr/(	Field Msr/Obs			Specific conductance		Actual	Final		43100	uS/cm	21DELAWQ_WQX YSI 6-Series
0611011-001-FMO-Water	11/28/2006 9:16	11/28/2006	EST	Water	Field Msr/(	Field Msr/Obs			Dissolved oxygen (DO)		Actual	Final		9.51	mg/l	21DELAWQ_WQX YSI 6-Series
0611011-001-FMO-Water	11/28/2006 9:16	11/28/2006	EST	Water	Field Msr/(	Field Msr/Obs			pH		Actual	Final		7.76	None	21DELAWQ_WQX YSI 6-Series
0611011-001-FMO-Water	11/28/2006 9:16	11/28/2006	EST	Water	Field Msr/(	Field Msr/Obs			Salinity		Actual	Final		27.66	ppt	21DELAWQ_WQX YSI 6-Series
0611011-001-FMO-Water	11/28/2006 9:16	11/28/2006	EST	Water	Field Msr/(	Field Msr/Obs			Depth, Secchi disk depth		Actual	Final		1	m	21DELAWQ_WQX EPA/620/R-01/003-SD
0611011-001-FMO-Water	11/28/2006 9:16	11/28/2006	EST	Water	Field Msr/(	Field Msr/Obs			Temperature, water		Actual	Final		11.24	deg C	21DELAWQ_WQX YSI 6-Series
0611011-001-SPM-004-Water	11/28/2006 9:16	11/28/2006	EST	Water	Sample-Rc	Sample-Routine			Ammonia-nitrogen as N	Dissolved	Actual	Final		0.05	mg/l	USEPA 350.1
0611011-001-SPM-004-Water	11/28/2006 9:16	11/28/2006	EST	Water	Sample-Rc	Sample-Routine			Ammonia-nitrogen as N	Total	Actual	Final		0.059	mg/l	USEPA 350.1
0611011-001-SPM-004-Water	11/28/2006 9:16	11/28/2006	EST	Water	Sample-Rc	Sample-Routine			Inorganic nitrogen (nitrate and nitrite) as N	Dissolved	Actual	Final		0.154	mg/l	USEPA 353.2

Activity ID	Activity Start	Date	Activity Sta	Activity Me	Activity Typ	Activity Ca	Activity De	Activity De	Characteristic Name	Sample Fraction	Value Type	Statistic Type	Result Valu	Result Value as Text	Units	Analytical Proc ID
0611011-001-SPM-004-Water	11/28/2006 9:16	11/28/2006	EST	Water	Sample-Rc	Sample-Routine			Inorganic nitrogen (nitrate and nitrite) as N	Total	Actual	Final		0.155	mg/l	USEPA 353.2
0611011-001-SPM-001-Water	11/28/2006 9:16	11/28/2006	EST	Water	Sample-Rc	Sample-Routine			Dissolved oxygen (DO)		Actual	Final		10.2	mg/l	USEPA 360.2
0611011-001-FMO-Air	11/28/2006 9:16	11/28/2006	EST	Air	Field Msr/C	Field Msr/Obs			Temperature, air		Actual	Final		9	deg C	USEPA 170.1
0611011-001-SPM-002-Water	11/28/2006 9:16	11/28/2006	EST	Water	Sample-Rc	Sample-Routine			Carbonaceous biochemical oxygen demand, standard conditions	Total	Actual	Final	Not Detected		mg/l	APHA 5210-B
0611011-001-SPM-002-Water	11/28/2006 9:16	11/28/2006	EST	Water	Sample-Rc	Sample-Routine			Chloride	Total	Actual	Final		16600	mg/l	USEPA 325.2
0611011-001-SPM-002-Water	11/28/2006 9:16	11/28/2006	EST	Water	Sample-Rc	Sample-Routine			Hardness, Ca, Mg		Actual	Final		5300	mg/l CaCO3	USEPA 130.2
0611011-001-SPM-002-Water	11/28/2006 9:16	11/28/2006	EST	Water	Sample-Rc	Sample-Routine			Nutrient-nitrogen	Dissolved	Actual	Final		0.412	mg/l	APHA_SM20ED 4500-N-C
0611011-001-SPM-002-Water	11/28/2006 9:16	11/28/2006	EST	Water	Sample-Rc	Sample-Routine			Nutrient-nitrogen	Total	Actual	Final		0.703	mg/l	APHA_SM20ED 4500-N-C
0611011-001-SPM-002-Water	11/28/2006 9:16	11/28/2006	EST	Water	Sample-Rc	Sample-Routine			Orthophosphate as P	Dissolved	Actual	Final		0.019	mg/l	USEPA 365.1
0611011-001-SPM-002-Water	11/28/2006 9:16	11/28/2006	EST	Water	Sample-Rc	Sample-Routine			Phosphate-phosphorus as P	Dissolved	Actual	Final		0.056	mg/l	21DELAWQ_WQX 365.1_ELS
0611011-001-SPM-002-Water	11/28/2006 9:16	11/28/2006	EST	Water	Sample-Rc	Sample-Routine			Phosphate-phosphorus as P	Total	Actual	Final		0.102	mg/l	21DELAWQ_WQX 365.1_ELS
0611011-001-SPM-002-Water	11/28/2006 9:16	11/28/2006	EST	Water	Sample-Rc	Sample-Routine			Total suspended solids		Actual	Final		97	mg/l	USEPA 160.2
0611011-001-SPM-002-Water	11/28/2006 9:16	11/28/2006	EST	Water	Sample-Rc	Sample-Routine			Turbidity		Actual	Final		54	NTU	USEPA 180.1
0611011-001-SPM-002-Water	11/28/2006 9:16	11/28/2006	EST	Water	Sample-Rc	Sample-Routine			Calcium carbonate as CaCO3	Total	Actual	Final		99.3	mg/l	USEPA 310.1
0611011-001-SPM-002-Water	11/28/2006 9:16	11/28/2006	EST	Water	Sample-Rc	Sample-Routine			Carbonaceous biochemical oxygen demand, standard conditions	Total	Actual	Final		2.51	mg/l	APHA 5210-B
0611011-001-SPM-005-Water	11/28/2006 9:16	11/28/2006	EST	Water	Sample-Rc	Sample-Routine			Organic carbon	Dissolved	Estimated	Final		1.9	mg/l	USEPA 415.1
0611011-001-SPM-005-Water	11/28/2006 9:16	11/28/2006	EST	Water	Sample-Rc	Sample-Routine			Organic carbon	Total	Estimated	Final		2.1	mg/l	USEPA 415.1
0611011-001-SPM-008-Water	11/28/2006 9:16	11/28/2006	EST	Water	Sample-Rc	Sample-Routine			Chlorophyll a		Actual	Final		11.1	ug/l	USEPA 445
0612024-001-SPM-002-Water	12/19/2006 8:55	12/19/2006	EST	Water	Sample-Rc	Sample-Routine			Calcium carbonate as CaCO3	Total	Actual	Final		99.1	mg/l	USEPA 310.1
0612024-001-SPM-002-Water	12/19/2006 8:55	12/19/2006	EST	Water	Sample-Rc	Sample-Routine			Carbonaceous biochemical oxygen demand, standard conditions	Total	Actual	Final	Not Detected		mg/l	APHA 5210-B
0612024-001-SPM-002-Water	12/19/2006 8:55	12/19/2006	EST	Water	Sample-Rc	Sample-Routine			Carbonaceous biochemical oxygen demand, standard conditions	Total	Actual	Final	Not Detected		mg/l	APHA 5210-B
0612024-001-SPM-002-Water	12/19/2006 8:55	12/19/2006	EST	Water	Sample-Rc	Sample-Routine			Chloride	Total	Actual	Final		16100	mg/l	USEPA 325.2
0612024-001-SPM-002-Water	12/19/2006 8:55	12/19/2006	EST	Water	Sample-Rc	Sample-Routine			Chromium(VI)	Dissolved	Estimated	Final		1.8	ug/l	21DELAWQ_WQX 117A_ELS
0612024-001-SPM-002-Water	12/19/2006 8:55	12/19/2006	EST	Water	Sample-Rc	Sample-Routine			Hardness, Ca, Mg		Actual	Final		5470	mg/l CaCO3	USEPA 130.2
0612024-001-SPM-002-Water	12/19/2006 8:55	12/19/2006	EST	Water	Sample-Rc	Sample-Routine			Nutrient-nitrogen	Dissolved	Actual	Final		0.446	mg/l	APHA_SM20ED 4500-N-C
0612024-001-SPM-002-Water	12/19/2006 8:55	12/19/2006	EST	Water	Sample-Rc	Sample-Routine			Nutrient-nitrogen	Total	Actual	Final		0.514	mg/l	APHA_SM20ED 4500-N-C
0612024-001-SPM-002-Water	12/19/2006 8:55	12/19/2006	EST	Water	Sample-Rc	Sample-Routine			Orthophosphate as P	Dissolved	Actual	Final		0.02	mg/l	USEPA 365.1
0612024-001-SPM-002-Water	12/19/2006 8:55	12/19/2006	EST	Water	Sample-Rc	Sample-Routine			Phosphate-phosphorus as P	Dissolved	Actual	Final		0.013	mg/l	21DELAWQ_WQX 365.1_ELS
0612024-001-SPM-002-Water	12/19/2006 8:55	12/19/2006	EST	Water	Sample-Rc	Sample-Routine			Phosphate-phosphorus as P	Total	Actual	Final		0.038	mg/l	21DELAWQ_WQX 365.1_ELS
0612024-001-SPM-002-Water	12/19/2006 8:55	12/19/2006	EST	Water	Sample-Rc	Sample-Routine			Total suspended solids		Actual	Final		19	mg/l	USEPA 160.2
0612024-001-SPM-002-Water	12/19/2006 8:55	12/19/2006	EST	Water	Sample-Rc	Sample-Routine			Turbidity		Actual	Final		8	NTU	USEPA 180.1
0612024-001-FMO-Water	12/19/2006 8:55	12/19/2006	EST	Water	Field Msr/C	Field Msr/Obs			Salinity		Actual	Final		30.35	ppt	21DELAWQ_WQX YSI 6-Series
0612024-001-FMO-Water	12/19/2006 8:55	12/19/2006	EST	Water	Field Msr/C	Field Msr/Obs			Depth, Secchi disk depth		Actual	Final		1	m	21DELAWQ_WQX EPA/620/R-01/003-SD
0612024-001-FMO-Water	12/19/2006 8:55	12/19/2006	EST	Water	Field Msr/C	Field Msr/Obs			Temperature, water		Actual	Final		9.27	deg C	21DELAWQ_WQX YSI 6-Series
0612024-001-FMO-Water	12/19/2006 8:55	12/19/2006	EST	Water	Field Msr/C	Field Msr/Obs			Specific conductance		Actual	Final		47030	uS/cm	21DELAWQ_WQX YSI 6-Series
0612024-001-FMO-Water	12/19/2006 8:55	12/19/2006	EST	Water	Field Msr/C	Field Msr/Obs			Dissolved oxygen (DO)		Actual	Final		10.28	mg/l	21DELAWQ_WQX YSI 6-Series
0612024-001-FMO-Water	12/19/2006 8:55	12/19/2006	EST	Water	Field Msr/C	Field Msr/Obs			pH		Actual	Final		7.52	None	21DELAWQ_WQX YSI 6-Series
0612024-001-SPM-001-Water	12/19/2006 8:55	12/19/2006	EST	Water	Sample-Rc	Sample-Routine			Dissolved oxygen (DO)		Actual	Final		11.2	mg/l	USEPA 360.2
0612024-001-SPM-004-Water	12/19/2006 8:55	12/19/2006	EST	Water	Sample-Rc	Sample-Routine			Ammonia-nitrogen as N	Total	Actual	Final		0.059	mg/l	USEPA 350.1
0612024-001-SPM-004-Water	12/19/2006 8:55	12/19/2006	EST	Water	Sample-Rc	Sample-Routine			Inorganic nitrogen (nitrate and nitrite) as N	Dissolved	Actual	Final		0.152	mg/l	USEPA 353.2
0612024-001-SPM-004-Water	12/19/2006 8:55	12/19/2006	EST	Water	Sample-Rc	Sample-Routine			Inorganic nitrogen (nitrate and nitrite) as N	Total	Actual	Final		0.177	mg/l	USEPA 353.2
0612024-001-SPM-004-Water	12/19/2006 8:55	12/19/2006	EST	Water	Sample-Rc	Sample-Routine			Ammonia-nitrogen as N	Dissolved	Estimated	Final		0.058	mg/l	USEPA 350.1
0612024-001-SPM-005-Water	12/19/2006 8:55	12/19/2006	EST	Water	Sample-Rc	Sample-Routine			Organic carbon	Dissolved	Estimated	Final		2.2	mg/l	USEPA 415.1
0612024-001-SPM-005-Water	12/19/2006 8:55	12/19/2006	EST	Water	Sample-Rc	Sample-Routine			Organic carbon	Total	Estimated	Final		1.8	mg/l	USEPA 415.1
0612024-001-SPM-003-Water	12/19/2006 8:55	12/19/2006	EST	Water	Sample-Rc	Sample-Routine			Enterococcus		Actual	Final	Not Detected		cfu/100ml	APHA 9230-C
0612024-001-FMO-Air	12/19/2006 8:55	12/19/2006	EST	Air	Field Msr/C	Field Msr/Obs			Temperature, air		Actual	Final		7	deg C	USEPA 170.1
0612024-001-SPM-006-Water	12/19/2006 8:55	12/19/2006	EST	Water	Sample-Rc	Sample-Routine			Arsenic	Dissolved	Actual	Final	Not Detected		ug/l	21DELAWQ_WQX 200.7_ELS
0612024-001-SPM-006-Water	12/19/2006 8:55	12/19/2006	EST	Water	Sample-Rc	Sample-Routine			Copper	Dissolved	Estimated	Final	Not Detected		ug/l	21DELAWQ_WQX 200.7_ELS
0612024-001-SPM-006-Water	12/19/2006 8:55	12/19/2006	EST	Water	Sample-Rc	Sample-Routine			Lead	Dissolved	Actual	Final	Not Detected		ug/l	21DELAWQ_WQX 200.7_ELS
0612024-001-SPM-006-Water	12/19/2006 8:55	12/19/2006	EST	Water	Sample-Rc	Sample-Routine			Zinc	Dissolved	Actual	Final		22	ug/l	21DELAWQ_WQX 200.7_ELS
0612024-001-SPM-006-Water	12/19/2006 8:55	12/19/2006	EST	Water	Sample-Rc	Sample-Routine			Arsenic	Total	Actual	Final	Not Detected		ug/l	21DELAWQ_WQX 200.7_ELS
0612024-001-SPM-006-Water	12/19/2006 8:55	12/19/2006	EST	Water	Sample-Rc	Sample-Routine			Copper	Total	Estimated	Final	Not Detected		ug/l	21DELAWQ_WQX 200.7_ELS
0612024-001-SPM-006-Water	12/19/2006 8:55	12/19/2006	EST	Water	Sample-Rc	Sample-Routine			Lead	Total	Actual	Final	Not Detected		ug/l	21DELAWQ_WQX 200.7_ELS
0612024-001-SPM-006-Water	12/19/2006 8:55	12/19/2006	EST	Water	Sample-Rc	Sample-Routine			Zinc	Total	Actual	Final		37.7	ug/l	21DELAWQ_WQX 200.7_ELS
0612024-001-SPM-008-Water	12/19/2006 8:55	12/19/2006	EST	Water	Sample-Rc	Sample-Routine			Chlorophyll a		Actual	Final		5.73	ug/l	USEPA 445
0701012-001-SPM-004-Water	1/23/2007 8:48	1/23/2007	EST	Water	Sample-Rc	Sample-Routine			Ammonia-nitrogen as N	Dissolved	Actual	Final		0.032	mg/l	USEPA 350.1
0701012-001-SPM-004-Water	1/23/2007 8:48	1/23/2007	EST	Water	Sample-Rc	Sample-Routine			Ammonia-nitrogen as N	Total	Actual	Final		0.03	mg/l	USEPA 350.1
0701012-001-SPM-004-Water	1/23/2007 8:48	1/23/2007	EST	Water	Sample-Rc	Sample-Routine			Inorganic nitrogen (nitrate and nitrite) as N	Dissolved	Actual	Final		0.152	mg/l	USEPA 353.2
0701012-001-SPM-004-Water	1/23/2007 8:48	1/23/2007	EST	Water	Sample-Rc	Sample-Routine			Inorganic nitrogen (nitrate and nitrite) as N	Total	Actual	Final		0.161	mg/l	USEPA 353.2
0701012-001-SPM-003-Water	1/23/2007 8:48	1/23/2007	EST	Water	Sample-Rc	Sample-Routine			Enterococcus		Actual	Final		7	cfu/100ml	APHA 9230-C
0701012-001-SPM-002-Water	1/23/2007 8:48	1/23/2007	EST	Water	Sample-Rc	Sample-Routine			Hardness, Ca, Mg		Actual	Final		5340	mg/l CaCO3	USEPA 130.2
0701012-001-SPM-002-Water	1/23/2007 8:48	1/23/2007	EST	Water	Sample-Rc	Sample-Routine			Nutrient-nitrogen	Dissolved	Actual	Final		0.412	mg/l	APHA_SM20ED 4500-N-C
0701012-001-SPM-002-Water	1/23/2007 8:48	1/23/2007	EST	Water	Sample-Rc	Sample-Routine			Nutrient-nitrogen	Total	Actual	Final		0.588	mg/l	APHA_SM20ED 4500-N-C
0701012-001-SPM-002-Water	1/23/2007 8:48	1/23/2007	EST	Water	Sample-Rc	Sample-Routine			Orthophosphate as P	Dissolved	Actual	Final		0.015	mg/l	USEPA 365.1
0701012-001-SPM-002-Water	1/23/2007 8:48	1/23/2007	EST	Water	Sample-Rc	Sample-Routine			Phosphate-phosphorus as P	Dissolved	Actual	Final		0.026	mg/l	21DELAWQ_WQX 365.1_ELS
0701012-001-SPM-002-Water	1/23/2007 8:48	1/23/2007	EST	Water	Sample-Rc	Sample-Routine			Phosphate-phosphorus as P	Total	Actual	Final		0.091	mg/l	21DELAWQ_WQX 365.1_ELS
0701012-001-SPM-002-Water	1/23/2007 8:48	1/23/2007	EST	Water	Sample-Rc	Sample-Routine			Total suspended solids		Actual	Final		64	mg/l	USEPA 160.2
0701012-001-SPM-002-Water	1/23/2007 8:48	1/23/2007	EST	Water	Sample-Rc	Sample-Routine			Turbidity		Actual	Final		35	NTU	USEPA 180.1
0701012-001-SPM-002-Water	1/23/2007 8:48	1/23/2007	EST	Water	Sample-Rc	Sample-Routine			Calcium carbonate as CaCO3	Total	Actual	Final		111	mg/l	USEPA 310.1
0701012-001-SPM-002-Water	1/23/2007 8:48	1/23/2007	EST	Water	Sample-Rc	Sample-Routine			Carbonaceous biochemical oxygen demand, standard conditions	Total	Actual	Final		4.56	mg/l	APHA 5210-B
0701012-001-SPM-002-Water	1/23/2007 8:48	1/23/2007	EST	Water	Sample-Rc	Sample-Routine			Carbonaceous biochemical oxygen demand, standard conditions	Total	Actual	Final	Not Detected		mg/l	APHA 5210-B
0701012-001-SPM-002-Water	1/23/2007 8:48	1/23/2007	EST	Water	Sample-Rc	Sample-Routine			Chloride	Total	Actual	Final		17000	mg/l	USEPA 325.2
0701012-001-SPM-008-Water	1/23/2007 8:48	1/23/2007	EST	Water	Sample-Rc	Sample-Routine			Chlorophyll a		Actual	Final		14.4	ug/l	USEPA 445
0701012-001-SPM-005-Water	1/23/2007 8:48	1/23/2007	EST	Water	Sample-Rc	Sample-Routine			Organic carbon	Dissolved	Estimated	Final		2	mg/l	USEPA 415.1

Activity ID	Activity Start	Date	Activity Sta	Activity Me	Activity Typ	Activity Ca	Activity De	Activity De	Characteristic Name	Sample Fraction	Value Type	Statistic Type	Result Valu	Result Value as Text	Units	Analytical Proc ID
0701012-001-SPM-005-Water	1/23/2007 8:48	1/23/2007	EST	Water	Sample-Rc	Sample-Routine			Organic carbon	Total	Estimated	Final		2.2	mg/l	USEPA 415.1
0701012-001-FMO-Air	1/23/2007 8:48	1/23/2007	EST	Air	Field Msr/C	Field Msr/Obs			Temperature, air		Actual	Final		4	deg C	USEPA 170.1
0701012-001-FMO-Water	1/23/2007 8:48	1/23/2007	EST	Water	Field Msr/C	Field Msr/Obs			Specific conductance		Actual	Final		46400	uS/cm	21DELAWQ_WQX YSI 6-Series
0701012-001-FMO-Water	1/23/2007 8:48	1/23/2007	EST	Water	Field Msr/C	Field Msr/Obs			Dissolved oxygen (DO)		Actual	Final		10.79	mg/l	21DELAWQ_WQX YSI 6-Series
0701012-001-FMO-Water	1/23/2007 8:48	1/23/2007	EST	Water	Field Msr/C	Field Msr/Obs			pH		Actual	Final		7.75	None	21DELAWQ_WQX YSI 6-Series
0701012-001-FMO-Water	1/23/2007 8:48	1/23/2007	EST	Water	Field Msr/C	Field Msr/Obs			Salinity		Actual	Final		29.65	ppt	21DELAWQ_WQX YSI 6-Series
0701012-001-FMO-Water	1/23/2007 8:48	1/23/2007	EST	Water	Field Msr/C	Field Msr/Obs			Depth, Secchi disk depth		Actual	Final		0.4	m	21DELAWQ_WQX EPA/620/R-01/003-SD
0701012-001-FMO-Water	1/23/2007 8:48	1/23/2007	EST	Water	Field Msr/C	Field Msr/Obs			Temperature, water		Actual	Final		6.3	deg C	21DELAWQ_WQX YSI 6-Series
0701012-001-SPM-001-Water	1/23/2007 8:48	1/23/2007	EST	Water	Sample-Rc	Sample-Routine			Dissolved oxygen (DO)		Actual	Final		9.5	mg/l	USEPA 360.2
0702021-001-SPM-006-Water	2/21/2007 8:58	2/21/2007	EST	Water	Sample-Rc	Sample-Routine			Arsenic	Dissolved	Actual	Final	Not Detected		ug/l	21DELAWQ_WQX 200.7_ELS
0702021-001-SPM-006-Water	2/21/2007 8:58	2/21/2007	EST	Water	Sample-Rc	Sample-Routine			Copper	Dissolved	Actual	Final	Not Detected		ug/l	21DELAWQ_WQX 200.7_ELS
0702021-001-SPM-006-Water	2/21/2007 8:58	2/21/2007	EST	Water	Sample-Rc	Sample-Routine			Lead	Dissolved	Actual	Final	Not Detected		ug/l	21DELAWQ_WQX 200.7_ELS
0702021-001-SPM-006-Water	2/21/2007 8:58	2/21/2007	EST	Water	Sample-Rc	Sample-Routine			Zinc	Dissolved	Estimated	Final		8.4	ug/l	21DELAWQ_WQX 200.7_ELS
0702021-001-SPM-006-Water	2/21/2007 8:58	2/21/2007	EST	Water	Sample-Rc	Sample-Routine			Arsenic	Total	Actual	Final	Not Detected		ug/l	21DELAWQ_WQX 200.7_ELS
0702021-001-SPM-006-Water	2/21/2007 8:58	2/21/2007	EST	Water	Sample-Rc	Sample-Routine			Copper	Total	Actual	Final	Not Detected		ug/l	21DELAWQ_WQX 200.7_ELS
0702021-001-SPM-006-Water	2/21/2007 8:58	2/21/2007	EST	Water	Sample-Rc	Sample-Routine			Lead	Total	Actual	Final	Not Detected		ug/l	21DELAWQ_WQX 200.7_ELS
0702021-001-SPM-006-Water	2/21/2007 8:58	2/21/2007	EST	Water	Sample-Rc	Sample-Routine			Zinc	Total	Actual	Final		15.9	ug/l	21DELAWQ_WQX 200.7_ELS
0702021-001-SPM-003-Water	2/21/2007 8:58	2/21/2007	EST	Water	Sample-Rc	Sample-Routine			Enterococcus		Actual	Final		7	cfu/100ml	APHA 9230-C
0702021-001-SPM-001-Water	2/21/2007 8:58	2/21/2007	EST	Water	Sample-Rc	Sample-Routine			Dissolved oxygen (DO)		Actual	Final		11.2	mg/l	USEPA 360.2
0702021-001-SPM-002-Water	2/21/2007 8:58	2/21/2007	EST	Water	Sample-Rc	Sample-Routine			Calcium carbonate as CaCO3	Total	Actual	Final		102	mg/l	USEPA 310.1
0702021-001-SPM-002-Water	2/21/2007 8:58	2/21/2007	EST	Water	Sample-Rc	Sample-Routine			Carbonaceous biochemical oxygen demand, standard conditions	Total	Actual	Final		7.6	mg/l	APHA 5210-B
0702021-001-SPM-002-Water	2/21/2007 8:58	2/21/2007	EST	Water	Sample-Rc	Sample-Routine			Carbonaceous biochemical oxygen demand, standard conditions	Total	Actual	Final	Not Detected		mg/l	APHA 5210-B
0702021-001-SPM-002-Water	2/21/2007 8:58	2/21/2007	EST	Water	Sample-Rc	Sample-Routine			Chloride	Total	Actual	Final		17100	mg/l	USEPA 325.2
0702021-001-SPM-002-Water	2/21/2007 8:58	2/21/2007	EST	Water	Sample-Rc	Sample-Routine			Chromium(VI)	Dissolved	Actual	Final	Not Detected		ug/l	21DELAWQ_WQX 117A_ELS
0702021-001-SPM-002-Water	2/21/2007 8:58	2/21/2007	EST	Water	Sample-Rc	Sample-Routine			Hardness, Ca, Mg		Actual	Final		451	mg/l CaCO3	USEPA 130.2
0702021-001-SPM-002-Water	2/21/2007 8:58	2/21/2007	EST	Water	Sample-Rc	Sample-Routine			Nutrient-nitrogen	Dissolved	Actual	Final		0.248	mg/l	APHA_SM20ED 4500-N-C
0702021-001-SPM-002-Water	2/21/2007 8:58	2/21/2007	EST	Water	Sample-Rc	Sample-Routine			Nutrient-nitrogen	Total	Actual	Final		0.637	mg/l	APHA_SM20ED 4500-N-C
0702021-001-SPM-002-Water	2/21/2007 8:58	2/21/2007	EST	Water	Sample-Rc	Sample-Routine			Orthophosphate as P	Dissolved	Actual	Final		0.012	mg/l	USEPA 365.1
0702021-001-SPM-002-Water	2/21/2007 8:58	2/21/2007	EST	Water	Sample-Rc	Sample-Routine			Phosphate-phosphorus as P	Dissolved	Actual	Final		0.012	mg/l	21DELAWQ_WQX 365.1_ELS
0702021-001-SPM-002-Water	2/21/2007 8:58	2/21/2007	EST	Water	Sample-Rc	Sample-Routine			Phosphate-phosphorus as P	Total	Estimated	Final		0.102	mg/l	21DELAWQ_WQX 365.1_ELS
0702021-001-SPM-002-Water	2/21/2007 8:58	2/21/2007	EST	Water	Sample-Rc	Sample-Routine			Total suspended solids		Actual	Final		89	mg/l	USEPA 160.2
0702021-001-SPM-002-Water	2/21/2007 8:58	2/21/2007	EST	Water	Sample-Rc	Sample-Routine			Turbidity		Actual	Final		20	NTU	USEPA 180.1
0702021-001-FMO-Water	2/21/2007 8:58	2/21/2007	EST	Water	Field Msr/C	Field Msr/Obs			Specific conductance		Actual	Final		47340	uS/cm	21DELAWQ_WQX YSI 6-Series
0702021-001-FMO-Water	2/21/2007 8:58	2/21/2007	EST	Water	Field Msr/C	Field Msr/Obs			Dissolved oxygen (DO)		Actual	Final		10.13	mg/l	21DELAWQ_WQX YSI 6-Series
0702021-001-FMO-Water	2/21/2007 8:58	2/21/2007	EST	Water	Field Msr/C	Field Msr/Obs			pH		Actual	Final		7.32	None	21DELAWQ_WQX YSI 6-Series
0702021-001-FMO-Water	2/21/2007 8:58	2/21/2007	EST	Water	Field Msr/C	Field Msr/Obs			Salinity		Actual	Final		30.01	ppt	21DELAWQ_WQX YSI 6-Series
0702021-001-FMO-Water	2/21/2007 8:58	2/21/2007	EST	Water	Field Msr/C	Field Msr/Obs			Depth, Secchi disk depth		Actual	Final		0.3	m	21DELAWQ_WQX EPA/620/R-01/003-SD
0702021-001-FMO-Water	2/21/2007 8:58	2/21/2007	EST	Water	Field Msr/C	Field Msr/Obs			Temperature, water		Actual	Final		3.82	deg C	21DELAWQ_WQX YSI 6-Series
0702021-001-FMO-Air	2/21/2007 8:58	2/21/2007	EST	Air	Field Msr/C	Field Msr/Obs			Temperature, air		Actual	Final		4	deg C	USEPA 170.1
0702021-001-SPM-004-Water	2/21/2007 8:58	2/21/2007	EST	Water	Sample-Rc	Sample-Routine			Inorganic nitrogen (nitrate and nitrite) as N	Dissolved	Estimated	Final		0.009	mg/l	USEPA 353.2
0702021-001-SPM-004-Water	2/21/2007 8:58	2/21/2007	EST	Water	Sample-Rc	Sample-Routine			Inorganic nitrogen (nitrate and nitrite) as N	Total	Actual	Final		0.024	mg/l	USEPA 353.2
0702021-001-SPM-004-Water	2/21/2007 8:58	2/21/2007	EST	Water	Sample-Rc	Sample-Routine			Ammonia-nitrogen as N	Dissolved	Actual	Final	Not Detected		mg/l	USEPA 350.1
0702021-001-SPM-004-Water	2/21/2007 8:58	2/21/2007	EST	Water	Sample-Rc	Sample-Routine			Ammonia-nitrogen as N	Total	Actual	Final	Not Detected		mg/l	USEPA 350.1
0702021-001-SPM-008-Water	2/21/2007 8:58	2/21/2007	EST	Water	Sample-Rc	Sample-Routine			Chlorophyll a		Actual	Final		41.1	ug/l	USEPA 445
0702021-001-SPM-005-Water	2/21/2007 8:58	2/21/2007	EST	Water	Sample-Rc	Sample-Routine			Organic carbon	Dissolved	Estimated	Final		1.9	mg/l	USEPA 415.1
0702021-001-SPM-005-Water	2/21/2007 8:58	2/21/2007	EST	Water	Sample-Rc	Sample-Routine			Organic carbon	Total	Estimated	Final		2.3	mg/l	USEPA 415.1
0703019-001-FMO-Air	3/20/2007 9:06	3/20/2007	EDT	Air	Field Msr/C	Field Msr/Obs			Temperature, air		Actual	Final		10	deg C	USEPA 170.1
0703019-001-FMO-Water	3/20/2007 9:06	3/20/2007	EDT	Water	Field Msr/C	Field Msr/Obs			Specific conductance		Actual	Final		48150	uS/cm	21DELAWQ_WQX YSI 6-Series
0703019-001-FMO-Water	3/20/2007 9:06	3/20/2007	EDT	Water	Field Msr/C	Field Msr/Obs			Dissolved oxygen (DO)		Actual	Final		10.43	mg/l	21DELAWQ_WQX YSI 6-Series
0703019-001-FMO-Water	3/20/2007 9:06	3/20/2007	EDT	Water	Field Msr/C	Field Msr/Obs			pH		Actual	Final		7.17	None	21DELAWQ_WQX YSI 6-Series
0703019-001-FMO-Water	3/20/2007 9:06	3/20/2007	EDT	Water	Field Msr/C	Field Msr/Obs			Salinity		Actual	Final		30.85	ppt	21DELAWQ_WQX YSI 6-Series
0703019-001-FMO-Water	3/20/2007 9:06	3/20/2007	EDT	Water	Field Msr/C	Field Msr/Obs			Depth, Secchi disk depth		Actual	Final		0.4	m	21DELAWQ_WQX EPA/620/R-01/003-SD
0703019-001-FMO-Water	3/20/2007 9:06	3/20/2007	EDT	Water	Field Msr/C	Field Msr/Obs			Temperature, water		Actual	Final		5.91	deg C	21DELAWQ_WQX YSI 6-Series
0703019-001-SPM-008-Water	3/20/2007 9:06	3/20/2007	EDT	Water	Sample-Rc	Sample-Routine			Chlorophyll a		Actual	Final		49.8	ug/l	USEPA 445
0703019-001-SPM-002-Water	3/20/2007 9:06	3/20/2007	EDT	Water	Sample-Rc	Sample-Routine			Carbonaceous biochemical oxygen demand, standard conditions	Total	Actual	Final		4.31	mg/l	APHA 5210-B
0703019-001-SPM-002-Water	3/20/2007 9:06	3/20/2007	EDT	Water	Sample-Rc	Sample-Routine			Chloride	Total	Actual	Final		18100	mg/l	USEPA 325.2
0703019-001-SPM-002-Water	3/20/2007 9:06	3/20/2007	EDT	Water	Sample-Rc	Sample-Routine			Hardness, Ca, Mg		Actual	Final		5640	mg/l CaCO3	USEPA 130.2
0703019-001-SPM-002-Water	3/20/2007 9:06	3/20/2007	EDT	Water	Sample-Rc	Sample-Routine			Nutrient-nitrogen	Dissolved	Actual	Final		0.356	mg/l	APHA_SM20ED 4500-N-C
0703019-001-SPM-002-Water	3/20/2007 9:06	3/20/2007	EDT	Water	Sample-Rc	Sample-Routine			Nutrient-nitrogen	Total	Actual	Final		0.895	mg/l	APHA_SM20ED 4500-N-C
0703019-001-SPM-002-Water	3/20/2007 9:06	3/20/2007	EDT	Water	Sample-Rc	Sample-Routine			Orthophosphate as P	Dissolved	Actual	Final		0.028	mg/l	USEPA 365.1
0703019-001-SPM-002-Water	3/20/2007 9:06	3/20/2007	EDT	Water	Sample-Rc	Sample-Routine			Phosphate-phosphorus as P	Dissolved	Actual	Final		0.011	mg/l	21DELAWQ_WQX 365.1_ELS
0703019-001-SPM-002-Water	3/20/2007 9:06	3/20/2007	EDT	Water	Sample-Rc	Sample-Routine			Phosphate-phosphorus as P	Total	Actual	Final		0.12	mg/l	21DELAWQ_WQX 365.1_ELS
0703019-001-SPM-002-Water	3/20/2007 9:06	3/20/2007	EDT	Water	Sample-Rc	Sample-Routine			Total suspended solids		Actual	Final		101	mg/l	USEPA 160.2
0703019-001-SPM-002-Water	3/20/2007 9:06	3/20/2007	EDT	Water	Sample-Rc	Sample-Routine			Turbidity		Actual	Final		34	NTU	USEPA 180.1
0703019-001-SPM-001-Water	3/20/2007 9:06	3/20/2007	EDT	Water	Sample-Rc	Sample-Routine			Dissolved oxygen (DO)		Actual	Final		11	mg/l	USEPA 360.2
0703019-001-SPM-002-Water	3/20/2007 9:06	3/20/2007	EDT	Water	Sample-Rc	Sample-Routine			Calcium carbonate as CaCO3	Total	Actual	Final		103	mg/l	USEPA 310.1
0703019-001-SPM-002-Water	3/20/2007 9:06	3/20/2007	EDT	Water	Sample-Rc	Sample-Routine			Carbonaceous biochemical oxygen demand, standard conditions	Total	Actual	Final		5.43	mg/l	APHA 5210-B
0703019-001-SPM-003-Water	3/20/2007 9:06	3/20/2007	EDT	Water	Sample-Rc	Sample-Routine			Enterococcus		Actual	Final		10	cfu/100ml	APHA 9230-C
0703019-001-SPM-004-Water	3/20/2007 9:06	3/20/2007	EDT	Water	Sample-Rc	Sample-Routine			Ammonia-nitrogen as N	Dissolved	Actual	Final		0.277	mg/l	USEPA 350.1
0703019-001-SPM-004-Water	3/20/2007 9:06	3/20/2007	EDT	Water	Sample-Rc	Sample-Routine			Ammonia-nitrogen as N	Total	Actual	Final		0.29	mg/l	USEPA 350.1
0703019-001-SPM-004-Water	3/20/2007 9:06	3/20/2007	EDT	Water	Sample-Rc	Sample-Routine			Inorganic nitrogen (nitrate and nitrite) as N	Dissolved	Estimated	Final		0.002	mg/l	USEPA 353.2
0703019-001-SPM-004-Water	3/20/2007 9:06	3/20/2007	EDT	Water	Sample-Rc	Sample-Routine			Inorganic nitrogen (nitrate and nitrite) as N	Total	Actual	Final		0.019	mg/l	USEPA 353.2
0703019-001-SPM-005-Water	3/20/2007 9:06	3/20/2007	EDT	Water	Sample-Rc	Sample-Routine			Organic carbon	Dissolved	Estimated	Final		2	mg/l	USEPA 415.1
0703019-001-SPM-005-Water	3/20/2007 9:06	3/20/2007	EDT	Water	Sample-Rc	Sample-Routine			Organic carbon	Total	Estimated	Final		2.8	mg/l	USEPA 415.1

Activity ID	Activity Start	Date	Activity Sta	Activity Me	Activity Typ	Activity Ca	Activity De	Activity De	Characteristic Name	Sample Fraction	Value Type	Statistic Type	Result Valu	Result Value as Text	Units	Analytical Proc ID
0704021-001-SPM-001-Water	4/16/2007 9:25	4/16/2007	EDT	Water	Sample-Rc	Sample-Routine			Dissolved oxygen (DO)		Actual	Final		7.3	mg/l	USEPA 360.2
0704021-001-SPM-004-Water	4/16/2007 9:25	4/16/2007	EDT	Water	Sample-Rc	Sample-Routine			Ammonia-nitrogen as N	Dissolved	Actual	Final		0.418	mg/l	USEPA 350.1
0704021-001-SPM-004-Water	4/16/2007 9:25	4/16/2007	EDT	Water	Sample-Rc	Sample-Routine			Ammonia-nitrogen as N	Total	Actual	Final		0.38	mg/l	USEPA 350.1
0704021-001-SPM-004-Water	4/16/2007 9:25	4/16/2007	EDT	Water	Sample-Rc	Sample-Routine			Inorganic nitrogen (nitrate and nitrite) as N	Dissolved	Estimated	Final		0.004	mg/l	USEPA 353.2
0704021-001-SPM-004-Water	4/16/2007 9:25	4/16/2007	EDT	Water	Sample-Rc	Sample-Routine			Inorganic nitrogen (nitrate and nitrite) as N	Total	Actual	Final		0.015	mg/l	USEPA 353.2
0704021-001-SPM-008-Water	4/16/2007 9:25	4/16/2007	EDT	Water	Sample-Rc	Sample-Routine			Chlorophyll a		Actual	Final		40.6	ug/l	USEPA 445
0704021-001-FMO-Air	4/16/2007 9:25	4/16/2007	EDT	Air	Field Msr/C	Field Msr/Obs			Temperature, air		Actual	Final		8	deg C	USEPA 170.1
0704021-001-SPM-002-Water	4/16/2007 9:25	4/16/2007	EDT	Water	Sample-Rc	Sample-Routine			Calcium carbonate as CaCO3	Total	Actual	Final		105	mg/l	USEPA 310.1
0704021-001-SPM-002-Water	4/16/2007 9:25	4/16/2007	EDT	Water	Sample-Rc	Sample-Routine			Carbonaceous biochemical oxygen demand, standard conditions	Total	Actual	Final		6.75	mg/l	APHA 5210-B
0704021-001-SPM-002-Water	4/16/2007 9:25	4/16/2007	EDT	Water	Sample-Rc	Sample-Routine			Carbonaceous biochemical oxygen demand, standard conditions	Total	Actual	Final	Not Detected		mg/l	APHA 5210-B
0704021-001-SPM-002-Water	4/16/2007 9:25	4/16/2007	EDT	Water	Sample-Rc	Sample-Routine			Chloride	Total	Actual	Final		17900	mg/l	USEPA 325.2
0704021-001-SPM-002-Water	4/16/2007 9:25	4/16/2007	EDT	Water	Sample-Rc	Sample-Routine			Chromium(VI)	Dissolved	Estimated	Final		2.4	ug/l	21DELAWQ_WQX 117A_ELS
0704021-001-SPM-002-Water	4/16/2007 9:25	4/16/2007	EDT	Water	Sample-Rc	Sample-Routine			Hardness, Ca, Mg		Actual	Final		5460	mg/l CaCO3	USEPA 130.2
0704021-001-SPM-002-Water	4/16/2007 9:25	4/16/2007	EDT	Water	Sample-Rc	Sample-Routine			Nutrient-nitrogen	Dissolved	Actual	Final		0.265	mg/l	APHA_SM20ED 4500-N-C
0704021-001-SPM-002-Water	4/16/2007 9:25	4/16/2007	EDT	Water	Sample-Rc	Sample-Routine			Nutrient-nitrogen	Total	Actual	Final		0.921	mg/l	APHA_SM20ED 4500-N-C
0704021-001-SPM-002-Water	4/16/2007 9:25	4/16/2007	EDT	Water	Sample-Rc	Sample-Routine			Orthophosphate as P	Dissolved	Actual	Final		0.032	mg/l	USEPA 365.1
0704021-001-SPM-002-Water	4/16/2007 9:25	4/16/2007	EDT	Water	Sample-Rc	Sample-Routine			Phosphate-phosphorus as P	Dissolved	Actual	Final	Not Detected		mg/l	21DELAWQ_WQX 365.1_ELS
0704021-001-SPM-002-Water	4/16/2007 9:25	4/16/2007	EDT	Water	Sample-Rc	Sample-Routine			Phosphate-phosphorus as P	Total	Actual	Final		0.188	mg/l	21DELAWQ_WQX 365.1_ELS
0704021-001-SPM-002-Water	4/16/2007 9:25	4/16/2007	EDT	Water	Sample-Rc	Sample-Routine			Total suspended solids		Actual	Final		180	mg/l	USEPA 160.2
0704021-001-SPM-002-Water	4/16/2007 9:25	4/16/2007	EDT	Water	Sample-Rc	Sample-Routine			Turbidity		Actual	Final		61	NTU	USEPA 180.1
0704021-001-SPM-003-Water	4/16/2007 9:25	4/16/2007	EDT	Water	Sample-Rc	Sample-Routine			Enterococcus		Actual	Final		20	cfu/100ml	APHA 9230-C
0704021-001-SPM-005-Water	4/16/2007 9:25	4/16/2007	EDT	Water	Sample-Rc	Sample-Routine			Organic carbon	Dissolved	Estimated	Final		2	mg/l	USEPA 415.1
0704021-001-SPM-005-Water	4/16/2007 9:25	4/16/2007	EDT	Water	Sample-Rc	Sample-Routine			Organic carbon	Total	Estimated	Final		2.2	mg/l	USEPA 415.1
0704021-001-SPM-006-Water	4/16/2007 9:25	4/16/2007	EDT	Water	Sample-Rc	Sample-Routine			Arsenic	Dissolved	Actual	Final	Not Detected		ug/l	21DELAWQ_WQX 200.7_ELS
0704021-001-SPM-006-Water	4/16/2007 9:25	4/16/2007	EDT	Water	Sample-Rc	Sample-Routine			Copper	Dissolved	Actual	Final	Not Detected		ug/l	21DELAWQ_WQX 200.7_ELS
0704021-001-SPM-006-Water	4/16/2007 9:25	4/16/2007	EDT	Water	Sample-Rc	Sample-Routine			Lead	Dissolved	Estimated	Final		2.4	ug/l	21DELAWQ_WQX 200.7_ELS
0704021-001-SPM-006-Water	4/16/2007 9:25	4/16/2007	EDT	Water	Sample-Rc	Sample-Routine			Zinc	Dissolved	Estimated	Final		7.8	ug/l	21DELAWQ_WQX 200.7_ELS
0704021-001-SPM-006-Water	4/16/2007 9:25	4/16/2007	EDT	Water	Sample-Rc	Sample-Routine			Arsenic	Total	Actual	Final	Not Detected		ug/l	21DELAWQ_WQX 200.7_ELS
0704021-001-SPM-006-Water	4/16/2007 9:25	4/16/2007	EDT	Water	Sample-Rc	Sample-Routine			Copper	Total	Estimated	Final		3.7	ug/l	21DELAWQ_WQX 200.7_ELS
0704021-001-SPM-006-Water	4/16/2007 9:25	4/16/2007	EDT	Water	Sample-Rc	Sample-Routine			Lead	Total	Actual	Final		7.2	ug/l	21DELAWQ_WQX 200.7_ELS
0704021-001-SPM-006-Water	4/16/2007 9:25	4/16/2007	EDT	Water	Sample-Rc	Sample-Routine			Zinc	Total	Actual	Final		30.5	ug/l	21DELAWQ_WQX 200.7_ELS
0704021-001-FMO-Water	4/16/2007 9:25	4/16/2007	EDT	Water	Field Msr/C	Field Msr/Obs			Temperature, water		Actual	Final		7.89	deg C	21DELAWQ_WQX YSI 6-Series
0704021-001-FMO-Water	4/16/2007 9:25	4/16/2007	EDT	Water	Field Msr/C	Field Msr/Obs			Specific conductance		Actual	Final		45350	uS/cm	21DELAWQ_WQX YSI 6-Series
0704021-001-FMO-Water	4/16/2007 9:25	4/16/2007	EDT	Water	Field Msr/C	Field Msr/Obs			Dissolved oxygen (DO)		Actual	Final		9.98	mg/l	21DELAWQ_WQX YSI 6-Series
0704021-001-FMO-Water	4/16/2007 9:25	4/16/2007	EDT	Water	Field Msr/C	Field Msr/Obs			pH		Actual	Final		7.18	None	21DELAWQ_WQX YSI 6-Series
0704021-001-FMO-Water	4/16/2007 9:25	4/16/2007	EDT	Water	Field Msr/C	Field Msr/Obs			Salinity		Actual	Final		29.06	ppt	21DELAWQ_WQX YSI 6-Series
0704021-001-FMO-Water	4/16/2007 9:25	4/16/2007	EDT	Water	Field Msr/C	Field Msr/Obs			Depth, Secchi disk depth		Actual	Final		0.2	m	21DELAWQ_WQX EPA/620/R-01/003-SD
0705033-001-SPM-001-Water	5/22/2007 9:00	5/22/2007	EDT	Water	Sample-Rc	Sample-Routine			Dissolved oxygen (DO)		Actual	Final		9.4	mg/l	USEPA 360.2
0705033-001-SPM-004-Water	5/22/2007 9:00	5/22/2007	EDT	Water	Sample-Rc	Sample-Routine			Ammonia-nitrogen as N	Dissolved	Actual	Final		0.264	mg/l	USEPA 350.1
0705033-001-SPM-004-Water	5/22/2007 9:00	5/22/2007	EDT	Water	Sample-Rc	Sample-Routine			Ammonia-nitrogen as N	Total	Actual	Final		0.287	mg/l	USEPA 350.1
0705033-001-SPM-004-Water	5/22/2007 9:00	5/22/2007	EDT	Water	Sample-Rc	Sample-Routine			Inorganic nitrogen (nitrate and nitrite) as N	Dissolved	Actual	Final		0.042	mg/l	USEPA 353.2
0705033-001-SPM-004-Water	5/22/2007 9:00	5/22/2007	EDT	Water	Sample-Rc	Sample-Routine			Inorganic nitrogen (nitrate and nitrite) as N	Total	Actual	Final		0.049	mg/l	USEPA 353.2
0705033-001-SPM-008-Water	5/22/2007 9:00	5/22/2007	EDT	Water	Sample-Rc	Sample-Routine			Chlorophyll a		Actual	Final		14	ug/l	USEPA 445
0705033-001-SPM-005-Water	5/22/2007 9:00	5/22/2007	EDT	Water	Sample-Rc	Sample-Routine			Organic carbon	Dissolved	Estimated	Final		1.5	mg/l	USEPA 415.1
0705033-001-SPM-005-Water	5/22/2007 9:00	5/22/2007	EDT	Water	Sample-Rc	Sample-Routine			Organic carbon	Total	Estimated	Final		1.8	mg/l	USEPA 415.1
0705033-001-SPM-003-Water	5/22/2007 9:00	5/22/2007	EDT	Water	Sample-Rc	Sample-Routine			Enterococcus		Actual	Final	Not Detected		cfu/100ml	APHA 9230-C
0705033-001-SPM-002-Water	5/22/2007 9:00	5/22/2007	EDT	Water	Sample-Rc	Sample-Routine			Calcium carbonate as CaCO3	Total	Actual	Final		101	mg/l	USEPA 310.1
0705033-001-SPM-002-Water	5/22/2007 9:00	5/22/2007	EDT	Water	Sample-Rc	Sample-Routine			Carbonaceous biochemical oxygen demand, standard conditions	Total	Actual	Final		8.22	mg/l	APHA 5210-B
0705033-001-SPM-002-Water	5/22/2007 9:00	5/22/2007	EDT	Water	Sample-Rc	Sample-Routine			Carbonaceous biochemical oxygen demand, standard conditions	Total	Actual	Final	Not Detected		mg/l	APHA 5210-B
0705033-001-SPM-002-Water	5/22/2007 9:00	5/22/2007	EDT	Water	Sample-Rc	Sample-Routine			Chloride	Total	Actual	Final		17300	mg/l	USEPA 325.2
0705033-001-SPM-002-Water	5/22/2007 9:00	5/22/2007	EDT	Water	Sample-Rc	Sample-Routine			Hardness, Ca, Mg		Actual	Final		5670	mg/l CaCO3	USEPA 130.2
0705033-001-SPM-002-Water	5/22/2007 9:00	5/22/2007	EDT	Water	Sample-Rc	Sample-Routine			Nutrient-nitrogen	Dissolved	Actual	Final		0.23	mg/l	APHA_SM20ED 4500-N-C
0705033-001-SPM-002-Water	5/22/2007 9:00	5/22/2007	EDT	Water	Sample-Rc	Sample-Routine			Nutrient-nitrogen	Total	Actual	Final		0.705	mg/l	APHA_SM20ED 4500-N-C
0705033-001-SPM-002-Water	5/22/2007 9:00	5/22/2007	EDT	Water	Sample-Rc	Sample-Routine			Orthophosphate as P	Dissolved	Estimated	Final		0.008	mg/l	USEPA 365.1
0705033-001-SPM-002-Water	5/22/2007 9:00	5/22/2007	EDT	Water	Sample-Rc	Sample-Routine			Phosphate-phosphorus as P	Dissolved	Actual	Final		0.014	mg/l	21DELAWQ_WQX 365.1_ELS
0705033-001-SPM-002-Water	5/22/2007 9:00	5/22/2007	EDT	Water	Sample-Rc	Sample-Routine			Phosphate-phosphorus as P	Total	Actual	Final		0.131	mg/l	21DELAWQ_WQX 365.1_ELS
0705033-001-SPM-002-Water	5/22/2007 9:00	5/22/2007	EDT	Water	Sample-Rc	Sample-Routine			Total suspended solids		Actual	Final		110	mg/l	USEPA 160.2
0705033-001-SPM-002-Water	5/22/2007 9:00	5/22/2007	EDT	Water	Sample-Rc	Sample-Routine			Turbidity		Actual	Final		58	NTU	USEPA 180.1
0705033-001-FMO-Water	5/22/2007 9:00	5/22/2007	EDT	Water	Field Msr/C	Field Msr/Obs			Specific conductance		Actual	Final		46080	uS/cm	21DELAWQ_WQX YSI 6-Series
0705033-001-FMO-Water	5/22/2007 9:00	5/22/2007	EDT	Water	Field Msr/C	Field Msr/Obs			Dissolved oxygen (DO)		Actual	Final		8.71	mg/l	21DELAWQ_WQX YSI 6-Series
0705033-001-FMO-Water	5/22/2007 9:00	5/22/2007	EDT	Water	Field Msr/C	Field Msr/Obs			pH		Actual	Final		7.62	None	21DELAWQ_WQX YSI 6-Series
0705033-001-FMO-Water	5/22/2007 9:00	5/22/2007	EDT	Water	Field Msr/C	Field Msr/Obs			Salinity		Actual	Final		29.91	ppt	21DELAWQ_WQX YSI 6-Series
0705033-001-FMO-Water	5/22/2007 9:00	5/22/2007	EDT	Water	Field Msr/C	Field Msr/Obs			Depth, Secchi disk depth		Actual	Final		0.2	m	21DELAWQ_WQX EPA/620/R-01/003-SD
0705033-001-FMO-Water	5/22/2007 9:00	5/22/2007	EDT	Water	Field Msr/C	Field Msr/Obs			Temperature, water		Actual	Final		15.13	deg C	21DELAWQ_WQX YSI 6-Series
0705033-001-FMO-Air	5/22/2007 9:00	5/22/2007	EDT	Air	Field Msr/C	Field Msr/Obs			Temperature, air		Actual	Final		22	deg C	USEPA 170.1